

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	4.44	5.99	11.34	4.42	19.87	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	54.26
010000	4.44	5.94	11.34	4.46	20.82	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.16
020000	4.44	5.96	11.35	4.48	19.98	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	84.16
030000	4.46	6.00	11.32	4.41	19.58	0.30	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	89.13
040000	4.45	6.01	11.32	4.42	19.14	0.30	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	88.89
050000	4.49	5.97	11.28	4.42	19.57	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	83.36
060000	4.47	6.01	11.35	4.43	20.63	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	80.54
070000	4.55	5.97	11.27	4.40	21.86	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	79.90
080000	4.51	5.98	11.29	4.44	23.39	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	74.22
090000	4.52	6.03	11.35	4.43	28.93	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	74.30
100000	4.54	6.06	11.32	4.38	34.18	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	78.47
110000	4.52	5.93	11.36	4.51	36.36	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	75.41
120000	4.49	5.93	11.38	4.53	39.81	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	78.81
130000	4.55	6.01	11.32	4.39	42.25	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	73.15
140000	4.56	6.01	11.30	4.36	43.19	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.25
150000	4.53	5.98	11.31	4.42	44.31	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.15
160000	4.47	6.01	11.34	4.42	43.82	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	67.18
170000	4.53	5.94	11.31	4.48	38.20	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	64.92
180000	4.48	5.96	11.33	4.46	34.58	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	48.17
190000	4.51	6.01	11.33	4.43	34.43	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.75
200000	4.54	6.01	11.29	4.42	32.98	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.39
210000	4.57	5.96	11.26	4.43	28.80	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	28.94
220000	4.57	5.98	11.37	4.51	24.68	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.58
230000	4.57	6.10	11.40	4.43	23.43	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	81.82
極大值	4.57	6.10	11.40	4.53	44.31	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	89.13
極小值	4.44	5.93	11.26	4.36	19.14	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.39
平均值	4.51	5.99	11.33	4.44	29.78	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.33
標準差	0.04	0.04	0.03	0.04	9.05	0	0	0	0	0	0	0	0	0	19.23

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.58	6.01	11.31	4.42	21.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	80.69
010000	4.51	5.95	11.26	4.43	20.80	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	73.57
020000	4.54	5.95	11.28	4.44	20.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.89
030000	4.53	5.96	11.29	4.45	19.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.22
040000	4.52	5.93	11.32	4.50	18.69	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	74.32
050000	4.56	5.91	11.24	4.43	18.26	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.79
060000	4.53	6.04	11.31	4.39	18.22	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	77.75
070000	4.58	6.01	11.31	4.43	18.48	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	87.22
080000	4.55	6.00	11.35	4.47	26.44	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	109.94
090000	4.54	6.08	11.31	4.35	30.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	128.07
100000	4.50	5.93	11.25	4.42	36.04	0.30	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	90.92
110000	4.51	5.96	11.25	4.38	47.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.27
120000	4.48	5.96	11.35	4.47	85.61	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	77.12
130000	4.54	5.99	11.22	4.32	87.97	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	78.20
140000	4.53	5.96	11.36	4.48	88.80	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	77.52
150000	4.53	6.10	11.42	4.43	89.88	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	73.25
160000	4.55	6.00	11.27	4.37	87.86	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	70.17
170000	4.56	5.97	11.26	4.39	86.63	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	78.98
180000	4.57	6.01	11.34	4.43	85.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	74.44
190000	4.54	6.06	11.32	4.38	82.90	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	61.46
200000	4.57	5.95	11.28	4.44	82.82	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	58.23
210000	4.56	6.07	11.38	4.41	82.65	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.11
220000	4.57	6.06	11.28	4.34	80.44	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	54.78
230000	4.52	6.01	11.35	4.47	79.03	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.15
極大值	4.58	6.10	11.42	4.50	89.88	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	128.07
極小值	4.48	5.91	11.22	4.32	18.22	0.30	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	54.78
平均值	4.54	5.99	11.30	4.42	54.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.67
標準差	0.03	0.05	0.05	0.05	31.55	0	0.01	0	0	0	0	0	0	0	15.87

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.48	5.98	11.27	4.40	78.93	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.83
010000	4.53	6.01	11.34	4.42	77.73	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.08
020000	4.51	5.99	11.34	4.45	78.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.43
030000	4.55	5.90	11.22	4.40	79.52	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	56.30
040000	4.52	6.02	11.35	4.42	79.09	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	55.95
050000	4.52	5.94	11.24	4.40	78.37	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	55.81
060000	4.57	6.03	11.34	4.41	77.47	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.93
070000	4.59	5.91	11.32	4.51	77.39	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.16
080000	4.54	6.00	11.25	4.35	79.99	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.73
090000	4.53	5.98	11.29	4.42	82.77	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.00
100000	4.50	5.93	11.30	4.45	85.62	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.47
110000	4.49	5.98	11.29	4.38	90.29	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	65.63
120000	4.48	6.02	11.32	4.37	93.59	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	64.07
130000	4.50	6.06	11.41	4.43	95.99	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	60.57
140000	4.55	5.97	11.24	4.34	96.78	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	67.12
150000	4.54	5.90	11.19	4.36	96.19	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	68.30
160000	4.63	5.93	11.19	4.34	93.94	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	68.65
170000	4.62	5.95	11.30	4.42	89.17	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	68.64
180000	4.62	5.94	11.21	4.39	86.57	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.35
190000	4.60	6.02	11.30	4.39	85.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.89
200000	4.58	5.95	11.35	4.48	82.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.44
210000	4.59	6.00	11.34	4.45	81.03	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.26
220000	4.61	5.97	11.26	4.38	79.48	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.51
230000	4.60	6.04	11.35	4.40	78.80	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.42
極大值	4.63	6.06	11.41	4.51	96.78	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	68.65
極小值	4.48	5.90	11.19	4.34	77.39	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	42.42
平均值	4.55	5.98	11.29	4.41	84.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.98
標準差	0.05	0.05	0.06	0.04	6.75	0	0	0	0.01	0	0	0	0	0	7.77

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.58	5.96	11.35	4.47	78.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.36
010000	4.59	5.99	11.33	4.41	78.56	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.13
020000	4.61	5.97	11.29	4.41	77.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.69
030000	4.66	6.02	11.35	4.41	77.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.23
040000	4.56	5.98	11.38	4.48	76.47	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.42
050000	4.64	6.02	11.24	4.31	75.56	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.14
060000	4.65	6.06	11.36	4.38	75.31	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.23
070000	4.65	6.07	11.35	4.38	74.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.13
080000	4.68	6.04	11.38	4.43	74.67	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.51
090000	4.63	5.99	11.34	4.43	78.95	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.04
100000	4.61	5.98	11.41	4.51	87.22	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.76
110000	4.60	5.95	11.31	4.42	91.62	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.33
120000	4.64	5.98	11.32	4.39	92.30	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.41
130000	4.64	5.91	11.31	4.45	93.38	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.78
140000	4.62	6.05	11.33	4.35	93.90	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.02
150000	4.58	5.99	11.28	4.37	96.76	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.76
160000	4.65	6.02	11.30	4.36	93.74	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.79
170000	4.60	5.99	11.26	4.37	86.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.69
180000	4.62	6.02	11.25	4.34	86.75	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.06
190000	4.57	5.97	11.34	4.46	87.37	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	38.34
200000	4.66	6.06	11.35	4.42	84.95	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.66
210000	4.60	6.07	11.38	4.42	82.32	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.86
220000	4.54	5.95	11.30	4.44	81.16	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.49
230000	4.61	6.02	11.31	4.37	80.31	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.13
極大值	4.68	6.07	11.41	4.51	96.76	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.04
極小值	4.54	5.91	11.24	4.31	74.67	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.42
平均值	4.62	6.00	11.33	4.41	83.59	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.66
標準差	0.04	0.04	0.04	0.05	7.13	0	0	0	0	0	0	0	0	0	8.02

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.60	6.04	11.28	4.34	79.23	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.94
010000	4.56	6.01	11.29	4.38	79.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.28
020000	4.59	5.95	11.26	4.39	79.64	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.51
030000	4.61	5.98	11.31	4.43	77.83	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.48
040000	4.58	5.98	11.29	4.40	76.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.09
050000	4.63	5.92	11.24	4.41	75.46	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.08
060000	4.59	5.96	11.37	4.51	74.73	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.56
070000	4.61	6.06	11.32	4.35	73.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.49
080000	4.63	6.11	11.31	4.31	75.07	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.25
090000	4.57	6.01	11.36	4.44	81.54	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.20
100000	4.56	6.02	11.38	4.43	87.17	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.41
110000	4.54	5.89	11.27	4.43	92.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.11
120000	4.55	5.88	11.27	4.43	94.54	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.55
130000	4.57	5.99	11.38	4.45	99.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.09
140000	4.56	6.02	11.35	4.38	101.64	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.59
150000	4.64	5.97	11.27	4.36	100.17	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.60
160000	4.60	5.93	11.33	4.49	94.47	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.14
170000	4.60	5.96	11.36	4.48	88.42	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.26
180000	4.59	5.99	11.31	4.41	84.93	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.72
190000	4.58	5.95	11.28	4.40	83.85	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.62
200000	4.55	6.02	11.36	4.42	83.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.87
210000	4.60	5.98	11.27	4.37	81.58	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.15
220000	4.56	5.97	11.30	4.41	79.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.84
230000	4.58	5.99	11.26	4.37	77.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.17
極大值	4.64	6.11	11.38	4.51	101.64	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.94
極小值	4.54	5.88	11.24	4.31	73.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.55
平均值	4.59	5.98	11.31	4.41	84.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.75
標準差	0.03	0.05	0.04	0.05	8.62	0	0	0	0	0	0	0	0	0	10.14

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.53	5.97	11.30	4.39	77.98	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	58.74
010000	4.57	5.89	11.26	4.42	76.91	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.19
020000	4.54	5.94	11.22	4.35	76.73	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.03
030000	4.55	5.99	11.31	4.41	77.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.07
040000	4.56	5.94	11.31	4.45	77.21	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.24
050000	4.58	6.04	11.41	4.44	76.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.62
060000	4.56	5.94	11.28	4.42	76.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	34.97
070000	4.64	5.92	11.29	4.45	75.06	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.39
080000	4.59	5.96	11.35	4.47	77.42	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.90
090000	4.56	5.96	11.28	4.41	82.42	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.07
100000	4.51	5.88	11.23	4.38	89.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.19
110000	4.53	6.01	11.29	4.35	91.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.15
120000	4.56	5.95	11.39	4.51	95.97	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.62
130000	4.58	6.02	11.33	4.35	94.48	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.91
140000	4.62	5.94	11.27	4.37	93.59	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	29.93
150000	4.63	5.99	11.35	4.42	89.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	26.11
160000	4.59	5.91	11.29	4.46	88.12	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	20.93
170000	4.58	6.00	11.35	4.44	85.52	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	28.57
180000	4.53	5.97	11.30	4.40	83.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.80
190000	4.55	6.04	11.36	4.39	87.62	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.43
200000	4.55	5.95	11.29	4.43	86.41	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	85.05
210000	4.55	5.96	11.33	4.45	83.08	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	83.30
220000	4.53	6.04	11.36	4.39	80.41	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	79.36
230000	4.51	6.01	11.27	4.35	81.57	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.41
極大值	4.64	6.04	11.41	4.51	95.97	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	85.05
極小值	4.51	5.88	11.22	4.35	75.06	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	20.93
平均值	4.56	5.97	11.31	4.41	83.54	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.75
標準差	0.03	0.05	0.05	0.04	6.55	0	0	0	0	0	0	0	0	0	17.83

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.44	5.95	11.27	4.41	82.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.78
010000	4.47	5.96	11.32	4.45	80.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.76
020000	4.45	6.03	11.36	4.42	79.47	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	70.05
030000	4.49	6.02	11.28	4.35	78.49	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.97
040000	4.44	6.09	11.40	4.40	79.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.51
050000	4.44	6.00	11.41	4.51	77.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.79
060000	4.53	5.92	11.28	4.44	76.59	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.38
070000	4.52	5.96	11.28	4.40	75.44	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.31
080000	4.49	6.01	11.42	4.50	78.08	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	52.02
090000	4.46	6.00	11.31	4.41	80.97	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	60.20
100000	4.47	6.01	11.39	4.49	85.25	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.76
110000	4.47	6.12	11.35	4.33	89.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.39
120000	4.43	5.90	11.33	4.50	96.23	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.32
130000	4.50	6.07	11.38	4.39	101.12	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.27
140000	4.44	5.98	11.30	4.39	104.68	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.97
150000	4.49	5.95	11.31	4.43	102.08	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.23
160000	4.54	5.94	11.26	4.41	97.01	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.71
170000	4.54	6.03	11.36	4.44	95.17	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.14
180000	4.46	6.04	11.34	4.42	90.08	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.81
190000	4.48	5.97	11.22	4.37	88.14	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.73
200000	4.52	5.99	11.38	4.48	85.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.01
210000	4.54	6.03	11.32	4.39	80.52	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	21.38
220000	4.45	5.94	11.18	4.33	82.94	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	38.60
230000	4.52	6.09	11.33	4.37	83.26	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	80.12
極大值	4.54	6.12	11.42	4.51	104.68	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	80.12
極小值	4.43	5.90	11.18	4.33	75.44	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.38
平均值	4.48	6.00	11.32	4.42	86.27	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.93
標準差	0.04	0.06	0.06	0.05	8.77	0	0	0	0	0	0	0	0	0	12.14

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	4.53	5.96	11.30	4.45	82.98	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	90.94
010000	4.48	5.99	11.30	4.41	80.65	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	88.35
020000	4.47	6.04	11.34	4.40	80.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	82.31
030000	4.46	6.02	11.33	4.40	79.46	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.03
040000	4.50	5.95	11.29	4.43	78.36	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.08
050000	4.54	5.99	11.34	4.45	78.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.75
060000	4.57	6.07	11.37	4.40	76.50	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.82
070000	4.57	6.03	11.32	4.39	75.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.01
080000	4.56	6.03	11.34	4.43	76.99	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.77
090000	4.49	6.03	11.33	4.42	77.90	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.36
100000	4.45	6.00	11.36	4.45	85.49	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.33
110000	4.47	5.95	11.24	4.38	92.65	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.41
120000	4.48	5.94	11.31	4.46	95.94	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	81.53
130000	4.45	6.01	11.36	4.42	97.61	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	70.83
140000	4.52	5.93	11.28	4.44	97.01	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.91
150000	4.46	6.04	11.41	4.46	95.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.02
160000	4.48	6.04	11.32	4.40	94.13	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.02
170000	4.47	5.98	11.29	4.42	90.83	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.29
180000	4.45	6.01	11.27	4.38	88.42	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.99
190000	4.44	5.95	11.28	4.44	83.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.43
200000	4.46	6.03	11.29	4.37	81.00	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.74
210000	4.42	5.98	11.36	4.49	82.42	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.67
220000	4.41	5.90	11.21	4.42	78.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.99
230000	4.50	5.93	11.22	4.40	78.99	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.75
極大值	4.57	6.07	11.41	4.49	97.61	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	90.94
極小值	4.41	5.90	11.21	4.37	75.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.02
平均值	4.48	5.99	11.31	4.42	84.58	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.64
標準差	0.04	0.04	0.05	0.03	7.33	0	0	0	0	0	0	0	0	0	9.58



## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.48	5.98	11.33	4.46	78.72	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.17
010000	4.48	5.93	11.26	4.43	79.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.45
020000	4.55	5.94	11.25	4.42	79.85	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.19
030000	4.47	5.94	11.24	4.41	80.16	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	51.98
040000	4.55	5.93	11.25	4.42	78.29	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	46.80
050000	4.47	5.96	11.22	4.36	77.53	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	48.05
060000	4.39	6.01	11.34	4.43	77.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.48
070000	4.55	5.92	11.28	4.47	77.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.30
080000	4.38	5.95	11.26	4.41	77.07	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.07
090000	4.43	5.97	11.31	4.46	80.03	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.29
100000	4.47	5.99	11.33	4.43	81.69	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	62.26
110000	4.46	6.01	11.32	4.41	85.17	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	61.67
120000	4.48	5.98	11.33	4.43	91.67	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	62.38
130000	4.47	6.00	11.32	4.40	94.51	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	44.93
140000	4.46	6.03	11.33	4.40	93.35	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.46
150000	4.50	6.08	11.42	4.43	93.93	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	26.00
160000	4.51	5.95	11.22	4.38	93.29	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	32.30
170000	4.57	5.97	11.29	4.43	89.47	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	39.61
180000	4.54	5.99	11.33	4.44	86.43	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.99
190000	4.56	6.03	11.35	4.44	84.74	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	51.56
200000	4.47	5.97	11.23	4.37	83.45	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	44.17
210000	4.53	6.02	11.31	4.40	80.85	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	40.99
220000	4.51	5.99	11.33	4.43	79.57	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	46.39
230000	4.48	5.98	11.32	4.44	79.22	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	45.53
極大值	4.57	6.08	11.42	4.47	94.51	0.32	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	63.17
極小值	4.38	5.92	11.22	4.36	77.07	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	26.00
平均值	4.49	5.98	11.30	4.42	83.44	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.67
標準差	0.05	0.04	0.05	0.03	6.06	0	0.01	0.01	0.01	0	0	0	0	0	9.97

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.50	6.05	11.26	4.31	78.02	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	46.83
010000	4.46	5.99	11.39	4.50	77.53	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	44.18
020000	4.44	5.92	11.30	4.47	77.58	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	45.38
030000	4.43	5.96	11.32	4.45	77.80	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	48.94
040000	4.46	5.97	11.25	4.37	78.01	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	51.66
050000	4.53	5.98	11.32	4.43	77.27	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	52.42
060000	4.53	5.98	11.32	4.42	76.18	0.31	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	51.33
070000	4.48	5.97	11.21	4.31	76.41	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	48.32
080000	4.51	6.02	11.38	4.45	77.44	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.18
090000	4.50	6.07	11.34	4.36	80.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.35
100000	4.49	5.94	11.31	4.44	85.58	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	58.57
110000	4.48	6.05	11.36	4.36	91.47	0.32	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	56.24
120000	4.50	5.96	11.24	4.34	95.37	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	55.70
130000	4.51	5.99	11.36	4.42	96.31	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	51.88
140000	4.50	5.91	11.24	4.40	95.87	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	39.73
150000	4.54	5.93	11.26	4.39	98.13	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	41.10
160000	4.61	5.92	11.26	4.44	99.19	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	81.09
170000	4.56	6.00	11.33	4.43	95.14	0.31	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	126.21
180000	4.55	6.04	11.32	4.39	92.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	99.51
190000	4.56	5.96	11.31	4.47	88.64	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	81.28
200000	4.53	5.97	11.34	4.48	85.24	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.65
210000	4.59	6.03	11.27	4.35	82.53	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.46
220000	4.59	6.12	11.38	4.35	81.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.51
230000	4.53	6.02	11.28	4.30	80.93	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.20
極大值	4.61	6.12	11.39	4.50	99.19	0.32	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	126.21
極小值	4.43	5.91	11.21	4.30	76.18	0.31	2.05	0.15	1.88	0.00	26.04	74.00	0.00	0.00	39.73
平均值	4.52	5.99	11.31	4.40	85.21	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	61.36
標準差	0.05	0.05	0.05	0.06	8.14	0	0.01	0.01	0.01	0	0	0	0	0	20.15

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.58	6.06	11.41	4.43	81.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.42
010000	4.60	6.01	11.37	4.44	80.58	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.83
020000	4.61	5.96	11.30	4.39	80.06	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.11
030000	4.59	5.97	11.27	4.38	79.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.54
040000	4.49	5.93	11.31	4.42	79.63	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.94
050000	4.54	5.96	11.40	4.47	78.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.78
060000	4.59	5.89	11.25	4.40	76.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.81
070000	4.70	5.94	11.29	4.42	75.99	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.55
080000	4.64	6.03	11.36	4.40	78.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	80.76
090000	4.61	5.91	11.29	4.44	82.59	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	89.54
100000	4.57	6.04	11.28	4.31	91.44	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	81.93
110000	4.58	5.91	11.34	4.48	94.49	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	70.69
120000	4.63	5.93	11.28	4.42	95.96	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.52
130000	4.58	5.89	11.27	4.44	97.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.02
140000	4.60	6.03	11.33	4.38	98.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.44
150000	4.62	5.95	11.36	4.47	96.97	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.46
160000	4.58	6.08	11.33	4.34	97.24	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.77
170000	4.65	5.96	11.33	4.45	95.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.49
180000	4.61	5.93	11.31	4.45	90.83	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.13
190000	4.64	6.01	11.27	4.34	85.15	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.53
200000	4.56	5.90	11.28	4.47	79.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.52
210000	4.57	5.96	11.31	4.43	77.53	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.68
220000	4.54	5.93	11.29	4.44	79.55	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.11
230000	4.49	6.00	11.35	4.43	83.38	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.22
極大值	4.70	6.08	11.41	4.48	98.28	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	89.54
極小值	4.49	5.89	11.25	4.31	75.99	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.02
平均值	4.59	5.97	11.32	4.42	85.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.99
標準差	0.05	0.05	0.04	0.04	8.1	0	0	0	0	0	0	0	0	0	10.46

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.54	5.92	11.30	4.45	83.67	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.05
010000	4.55	5.92	11.27	4.42	80.41	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.25
020000	4.55	5.92	11.31	4.47	79.83	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.80
030000	4.57	6.05	11.31	4.35	79.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.80
040000	4.54	5.88	11.27	4.44	79.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.53
050000	4.59	5.94	11.29	4.41	79.56	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.76
060000	4.62	5.96	11.39	4.48	78.41	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.06
070000	4.59	6.08	11.34	4.33	78.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.28
080000	4.56	6.04	11.35	4.37	80.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.16
090000	4.53	6.00	11.31	4.39	87.27	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.26
100000	4.54	5.91	11.29	4.45	94.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.81
110000	4.54	5.85	11.22	4.42	96.35	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.78
120000	4.59	5.93	11.34	4.46	98.98	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.80
130000	4.54	5.88	11.27	4.42	100.34	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	53.87
140000	4.55	6.05	11.42	4.39	98.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.92
150000	4.56	5.95	11.27	4.38	98.14	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.90
160000	4.61	5.99	11.34	4.43	96.81	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.33
170000	4.54	5.98	11.36	4.48	93.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.80
180000	4.59	6.00	11.36	4.44	91.31	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.34
190000	4.52	5.90	11.33	4.51	92.16	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.15
200000	4.48	5.95	11.34	4.48	87.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.55
210000	4.54	5.95	11.24	4.38	85.12	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.03
220000	4.57	5.98	11.31	4.40	84.66	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.61
230000	4.51	6.03	11.32	4.37	84.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.91
極大值	4.62	6.08	11.42	4.51	100.34	0.32	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	66.61
極小值	4.48	5.85	11.22	4.33	78.40	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	31.90
平均值	4.56	5.96	11.31	4.42	87.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.70
標準差	0.03	0.06	0.05	0.05	7.69	0	0	0	0	0	0	0	0	0	8.94

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.51	6.00	11.36	4.46	82.83	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.69
010000	4.51	5.95	11.20	4.33	79.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.80
020000	4.48	6.01	11.28	4.34	78.93	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.23
030000	4.49	5.96	11.30	4.39	81.16	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	58.72
040000	4.51	5.89	11.26	4.44	80.76	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.37
050000	4.54	5.91	11.31	4.46	79.12	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.07
060000	4.57	5.97	11.31	4.39	76.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.27
070000	4.56	6.01	11.38	4.41	78.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.63
080000	4.57	5.87	11.29	4.50	81.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.21
090000	4.55	5.93	11.35	4.49	85.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.34
100000	4.55	6.03	11.37	4.38	91.54	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.18
110000	4.51	5.99	11.46	4.50	94.20	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.82
120000	4.51	5.95	11.30	4.37	99.72	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.63
130000	4.54	5.91	11.39	4.52	104.13	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.17
140000	4.55	5.96	11.34	4.43	103.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.38
150000	4.53	5.96	11.28	4.38	100.62	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.10
160000	4.59	5.98	11.35	4.46	99.08	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.54
170000	4.57	6.05	11.33	4.38	96.68	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.15
180000	4.57	6.00	11.38	4.47	94.00	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.68
190000	4.52	6.03	11.36	4.42	87.53	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	34.70
200000	4.54	5.97	11.31	4.43	87.74	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.04
210000	4.58	5.99	11.34	4.46	83.32	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.00
220000	4.52	5.98	11.28	4.40	82.36	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.99
230000	4.46	5.97	11.37	4.49	83.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.62
極大值	4.59	6.05	11.46	4.52	104.13	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.80
極小值	4.46	5.87	11.20	4.33	76.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.54
平均值	4.53	5.97	11.33	4.43	88.06	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.93
標準差	0.03	0.04	0.05	0.05	8.84	0	0	0	0	0	0	0	0	0	11.83

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.53	6.01	11.30	4.39	81.83	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.23
010000	4.52	6.01	11.32	4.41	80.91	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.36
020000	4.50	5.98	11.35	4.47	79.49	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.32
030000	4.47	5.99	11.29	4.41	79.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.75
040000	4.54	5.98	11.33	4.42	79.19	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.21
050000	4.54	5.97	11.35	4.46	79.78	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.59
060000	4.57	5.98	11.23	4.35	78.70	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	34.37
070000	4.53	5.94	11.32	4.47	79.32	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.43
080000	4.51	6.02	11.32	4.37	81.67	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	42.15
090000	4.48	5.99	11.40	4.49	87.64	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.18
100000	4.46	6.07	11.39	4.37	93.38	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.88
110000	4.43	5.95	11.33	4.44	95.51	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.29
120000	4.50	5.96	11.29	4.38	96.14	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.23
130000	4.53	5.97	11.37	4.42	96.41	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	29.95
140000	4.54	5.97	11.39	4.46	98.87	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	29.54
150000	4.52	5.86	11.12	4.30	99.64	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.73
160000	4.49	5.99	11.31	4.38	95.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.90
170000	4.49	5.94	11.31	4.47	89.53	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.88
180000	4.49	5.98	11.26	4.38	86.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.31
190000	4.45	6.08	11.39	4.41	85.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.74
200000	4.41	6.09	11.41	4.43	81.68	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.60
210000	4.47	6.01	11.31	4.40	81.62	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.37
220000	4.45	6.03	11.41	4.47	80.20	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.23
230000	4.44	5.91	11.25	4.44	79.31	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.70
極大值	4.57	6.09	11.41	4.49	99.64	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.31
極小值	4.41	5.86	11.12	4.30	78.70	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	29.54
平均值	4.49	5.99	11.32	4.42	86.19	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.75
標準差	0.04	0.05	0.07	0.05	7.4	0	0	0	0	0	0	0	0	0	7.82

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.40	5.94	11.24	4.36	78.53	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.34
010000	4.39	5.99	11.31	4.40	78.04	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.03
020000	4.46	6.00	11.36	4.43	77.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.83
030000	4.51	6.05	11.39	4.44	77.38	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.72
040000	4.51	5.95	11.36	4.47	76.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.63
050000	4.48	6.07	11.38	4.38	77.12	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.18
060000	4.50	5.99	11.37	4.47	76.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.39
070000	4.54	5.96	11.36	4.47	75.22	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.43
080000	4.52	6.01	11.35	4.43	77.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.19
090000	4.51	5.94	11.27	4.42	83.25	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.60
100000	4.50	5.97	11.37	4.45	87.90	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.26
110000	4.44	5.93	11.37	4.48	91.46	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.66
120000	4.38	5.96	11.39	4.46	94.20	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.58
130000	4.42	5.93	11.32	4.44	92.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.92
140000	4.50	6.01	11.28	4.33	94.49	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	26.87
150000	4.47	5.97	11.31	4.40	95.54	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	23.34
160000	4.50	5.96	11.33	4.44	94.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	30.40
170000	4.53	6.05	11.36	4.39	91.91	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.97
180000	4.55	5.99	11.36	4.45	87.12	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.86
190000	4.50	5.99	11.31	4.42	85.66	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.29
200000	4.50	6.08	11.42	4.45	81.68	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.21
210000	4.45	5.93	11.31	4.47	77.68	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	70.06
220000	4.46	6.04	11.28	4.36	78.54	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	74.93
230000	4.48	5.97	11.32	4.43	79.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.53
極大值	4.55	6.08	11.42	4.48	95.54	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.53
極小值	4.38	5.93	11.24	4.33	75.22	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	23.34
平均值	4.48	5.99	11.34	4.43	83.75	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.01
標準差	0.05	0.04	0.04	0.04	7.26	0	0	0	0	0	0	0	0	0	14.15

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.44	6.05	11.40	4.43	78.21	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.84
010000	4.44	5.99	11.38	4.46	78.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	79.57
020000	4.44	6.03	11.31	4.37	78.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.13
030000	4.45	5.99	11.28	4.39	78.22	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.61
040000	4.45	5.96	11.31	4.41	78.16	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.79
050000	4.53	6.16	11.40	4.34	78.31	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.95
060000	4.51	6.03	11.31	4.36	78.01	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.31
070000	4.41	6.06	11.37	4.40	77.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	73.71
080000	4.42	5.99	11.29	4.41	76.05	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	78.64
090000	4.36	5.98	11.33	4.44	78.60	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	82.35
100000	4.35	5.99	11.34	4.44	88.02	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	79.93
110000	4.34	5.99	11.35	4.43	93.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	78.56
120000	4.43	5.94	11.33	4.43	96.78	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.93
130000	4.37	5.93	11.30	4.44	103.25	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.62
140000	4.44	6.02	11.31	4.36	103.87	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.68
150000	4.40	6.05	11.28	4.32	100.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.76
160000	4.43	6.04	11.40	4.46	98.23	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.72
170000	4.39	5.95	11.21	4.36	96.22	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.84
180000	4.45	6.00	11.32	4.42	94.30	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.46
190000	4.45	6.10	11.37	4.39	89.77	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.83
200000	4.46	6.00	11.41	4.51	85.19	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.63
210000	4.43	6.07	11.39	4.43	81.36	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.59
220000	4.36	6.05	11.34	4.41	80.20	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.05
230000	4.40	6.03	11.28	4.36	80.47	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.76
極大值	4.53	6.16	11.41	4.51	103.87	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	82.35
極小值	4.34	5.93	11.21	4.32	76.05	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	46.46
平均值	4.42	6.02	11.33	4.41	86.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.18
標準差	0.05	0.05	0.05	0.04	9.48	0	0.01	0.01	0	0	0	0	0	0	11.48



## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.39	5.97	11.27	4.42	78.23	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.10
010000	4.40	6.01	11.43	4.53	77.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.59
020000	4.36	5.98	11.33	4.48	78.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.78
030000	4.38	6.01	11.30	4.42	77.97	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.72
040000	4.42	6.00	11.33	4.44	77.56	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.82
050000	4.44	6.07	11.31	4.34	76.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.99
060000	4.46	5.98	11.29	4.40	75.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.40
070000	4.44	6.04	11.27	4.35	75.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.52
080000	4.42	6.02	11.36	4.43	78.76	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.24
090000	4.40	6.04	11.34	4.39	86.99	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.16
100000	4.44	6.00	11.27	4.32	95.61	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.96
110000	4.42	5.95	11.21	4.32	96.06	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	56.75
120000	4.41	6.11	11.36	4.31	101.23	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.87
130000	4.45	6.02	11.32	4.34	102.37	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	76.19
140000	4.42	6.09	11.37	4.35	103.09	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.11
150000	4.44	5.98	11.27	4.37	101.03	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	55.27
160000	4.47	6.01	11.35	4.42	99.17	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	50.40
170000	4.45	5.93	11.32	4.47	95.00	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	52.65
180000	4.44	6.02	11.36	4.43	91.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.43
190000	4.45	6.00	11.28	4.37	88.31	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.97
200000	4.44	5.99	11.34	4.44	85.38	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	48.94
210000	4.47	5.99	11.32	4.44	84.32	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	50.86
220000	4.45	6.02	11.28	4.39	82.39	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.86
230000	4.45	5.95	11.33	4.49	82.25	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	57.14
極大值	4.47	6.11	11.43	4.53	103.09	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.19
極小值	4.36	5.93	11.21	4.31	75.33	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	47.99
平均值	4.43	6.01	11.32	4.40	87.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.45
標準差	0.03	0.04	0.05	0.06	9.77	0	0	0	0	0	0	0	0	0	6.1

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.42	5.96	11.33	4.49	80.06	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	55.77
010000	4.43	6.01	11.32	4.42	78.06	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	50.01
020000	4.44	5.98	11.31	4.45	78.15	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	49.33
030000	4.42	6.08	11.32	4.37	78.35	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	48.51
040000	4.40	5.98	11.24	4.38	78.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.83
050000	4.44	6.05	11.34	4.40	79.30	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.90
060000	4.43	6.02	11.26	4.35	80.32	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.22
070000	4.41	6.01	11.32	4.43	76.92	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.81
080000	4.48	5.90	11.25	4.47	76.99	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	41.70
090000	4.47	6.08	11.35	4.39	77.53	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	96.93
100000	4.46	6.03	11.27	4.34	86.07	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	150.08
110000	4.45	6.01	11.34	4.40	92.57	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.25
120000	4.47	5.94	11.29	4.41	97.03	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.07
130000	4.48	5.90	11.25	4.40	103.90	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.69
140000	4.48	6.00	11.36	4.44	99.63	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.59
150000	4.57	5.93	11.25	4.38	100.42	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.84
160000	4.52	6.06	11.37	4.39	96.42	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	38.33
170000	4.53	6.01	11.31	4.39	92.88	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	39.24
180000	4.51	6.00	11.25	4.36	88.82	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	49.71
190000	4.51	5.96	11.23	4.37	83.10	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	54.46
200000	4.49	5.90	11.26	4.47	77.64	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.69
210000	4.52	5.92	11.35	4.54	80.21	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	45.64
220000	4.55	6.04	11.34	4.42	82.80	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	46.05
230000	4.48	6.01	11.28	4.38	78.12	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	47.44
極大值	4.57	6.08	11.37	4.54	103.90	0.32	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	150.08
極小值	4.40	5.90	11.23	4.34	76.92	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.84
平均值	4.47	5.99	11.30	4.41	85.15	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	53.09
標準差	0.05	0.05	0.04	0.05	8.85	0	0.01	0	0.01	0	0	0	0	0	23.6

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.47	5.93	11.29	4.46	78.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.01
010000	4.49	5.92	11.21	4.40	82.89	0.31	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	47.48
020000	4.47	6.02	11.33	4.42	82.65	0.31	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	45.04
030000	4.44	6.01	11.37	4.48	79.78	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	47.99
040000	4.45	5.95	11.26	4.44	79.01	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	57.40
050000	4.48	6.07	11.27	4.31	78.40	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	59.05
060000	4.50	5.92	11.26	4.44	77.31	0.31	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	52.67
070000	4.51	6.06	11.28	4.35	76.41	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.44
080000	4.52	6.02	11.34	4.42	79.70	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.84
090000	4.52	6.03	11.31	4.36	87.86	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	63.55
100000	4.54	5.91	11.23	4.38	95.86	0.31	2.05	0.15	1.90	0.00	26.04	74.00	0.00	0.00	59.60
110000	4.55	5.93	11.22	4.34	96.46	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	56.48
120000	4.52	5.97	11.32	4.37	96.72	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	52.84
130000	4.56	5.84	11.21	4.37	98.47	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.10
140000	4.56	5.85	11.27	4.43	100.75	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	33.67
150000	4.59	5.94	11.29	4.38	102.11	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	39.95
160000	4.63	6.02	11.30	4.31	102.47	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.91
170000	4.64	5.98	11.23	4.32	99.51	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	50.91
180000	4.64	5.94	11.23	4.38	95.03	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	51.98
190000	4.57	5.98	11.38	4.48	86.92	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	56.75
200000	4.57	6.01	11.30	4.38	82.42	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	64.86
210000	4.57	6.02	11.29	4.35	81.69	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	67.36
220000	4.50	5.93	11.25	4.43	79.95	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	69.51
230000	4.48	5.99	11.26	4.37	78.42	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	64.91
極大值	4.64	6.07	11.38	4.48	102.47	0.32	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	69.51
極小值	4.44	5.84	11.21	4.31	76.41	0.31	2.05	0.15	1.88	0.00	26.04	74.00	0.00	0.00	33.67
平均值	4.53	5.97	11.28	4.39	87.49	0.31	2.06	0.16	1.89	0.00	26.04	74.00	0.00	0.00	53.47
標準差	0.06	0.06	0.05	0.05	9.3	0	0.01	0.01	0.01	0	0	0	0	0	9.34

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.55	5.99	11.24	4.32	76.58	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	58.32
010000	4.48	6.01	11.32	4.42	77.67	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	54.39
020000	4.51	5.99	11.37	4.46	76.71	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	54.74
030000	4.54	6.01	11.32	4.41	76.25	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	53.25
040000	4.49	6.01	11.30	4.37	76.84	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.92
050000	4.51	5.88	11.26	4.47	77.43	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.48
060000	4.53	6.00	11.21	4.31	76.48	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.30
070000	4.53	5.89	11.24	4.45	75.14	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	55.26
080000	4.52	5.86	11.29	4.50	78.64	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	64.47
090000	4.53	6.02	11.36	4.41	84.29	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	60.07
100000	4.58	5.94	11.19	4.28	92.42	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	66.94
110000	4.47	5.91	11.33	4.46	97.45	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	61.47
120000	4.47	5.89	11.24	4.36	96.67	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	50.81
130000	4.50	5.92	11.22	4.29	93.25	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	39.29
140000	4.52	5.95	11.36	4.39	94.77	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.40
150000	4.50	5.96	11.37	4.41	93.53	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	32.17
160000	4.52	5.90	11.26	4.38	90.79	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	34.29
170000	4.61	5.97	11.27	4.35	90.83	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	31.83
180000	4.59	5.96	11.26	4.37	94.38	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	50.27
190000	4.60	5.94	11.30	4.44	91.37	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	70.08
200000	4.55	5.93	11.18	4.33	86.22	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	67.61
210000	4.58	5.92	11.27	4.44	81.45	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	64.91
220000	4.59	5.95	11.29	4.42	79.22	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	58.74
230000	4.58	6.09	11.37	4.36	78.26	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	60.57
極大值	4.61	6.09	11.37	4.50	97.45	0.32	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	70.08
極小值	4.47	5.86	11.18	4.28	75.14	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	28.40
平均值	4.54	5.95	11.28	4.39	84.86	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	52.98
標準差	0.04	0.05	0.06	0.06	8.01	0	0	0	0	0	0	0	0	0	11.93

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.54	5.89	11.19	4.40	77.10	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	53.95
010000	4.50	6.09	11.40	4.40	76.50	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.52
020000	4.51	5.98	11.32	4.40	76.45	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	49.55
030000	4.55	5.99	11.31	4.44	76.77	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	53.44
040000	4.54	6.02	11.27	4.34	76.83	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	52.35
050000	4.57	5.95	11.30	4.45	76.81	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	51.05
060000	4.54	6.00	11.31	4.41	76.63	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.76
070000	4.54	6.01	11.30	4.39	76.34	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.02
080000	4.55	6.04	11.39	4.45	77.39	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.86
090000	4.54	6.02	11.37	4.43	78.69	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.77
100000	4.57	5.99	11.37	4.46	83.77	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.17
110000	4.56	5.89	11.25	4.42	91.09	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	57.22
120000	4.52	5.99	11.40	4.43	95.16	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	52.96
130000	4.56	5.96	11.31	4.37	96.17	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	49.07
140000	4.59	5.95	11.37	4.44	96.67	0.32	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	45.41
150000	4.63	5.94	11.25	4.37	97.78	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	44.68
160000	4.63	6.01	11.35	4.40	96.90	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.07
170000	4.60	6.01	11.26	4.34	93.82	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.59
180000	4.58	6.02	11.29	4.35	89.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.19
190000	4.57	6.01	11.34	4.43	85.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.46
200000	4.57	5.93	11.26	4.43	82.34	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.27
210000	4.63	5.97	11.31	4.43	80.14	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	77.21
220000	4.52	6.00	11.29	4.40	79.57	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.35
230000	4.55	5.97	11.33	4.46	78.96	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.81
極大值	4.63	6.09	11.40	4.46	97.78	0.32	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	77.21
極小值	4.50	5.89	11.19	4.34	76.34	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.59
平均值	4.56	5.98	11.31	4.41	84.00	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.24
標準差	0.04	0.05	0.05	0.04	8.15	0	0	0	0.01	0	0	0	0	0	9.02

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.55	5.98	11.32	4.45	78.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.00
010000	4.51	5.92	11.23	4.43	78.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.88
020000	4.59	5.97	11.30	4.44	78.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.71
030000	4.54	5.99	11.34	4.48	77.93	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.59
040000	4.58	6.01	11.28	4.38	77.59	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.32
050000	4.57	5.94	11.29	4.47	76.80	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.91
060000	4.56	5.93	11.30	4.48	75.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.70
070000	4.60	6.00	11.35	4.48	75.34	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.99
080000	4.57	6.04	11.33	4.40	75.24	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.35
090000	4.59	6.01	11.32	4.42	74.32	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.71
100000	4.49	6.03	11.37	4.41	75.58	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.85
110000	4.42	6.03	11.31	4.36	87.67	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	81.23
120000	4.55	5.91	11.20	4.39	92.08	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	73.47
130000	4.52	5.95	11.24	4.39	91.26	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.47
140000	4.50	5.98	11.35	4.46	90.63	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.41
150000	4.52	5.99	11.33	4.45	89.50	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	28.14
160000	4.56	6.03	11.34	4.43	85.49	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.47
170000	4.44	5.94	11.33	4.49	84.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.88
180000	4.51	6.05	11.32	4.38	82.93	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.57
190000	4.48	6.03	11.35	4.43	81.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.53
200000	4.50	6.02	11.35	4.45	80.82	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.69
210000	4.53	6.10	11.44	4.45	80.36	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.74
220000	4.59	6.03	11.35	4.43	79.73	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.70
230000	4.61	6.00	11.33	4.44	79.50	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	28.76
極大值	4.61	6.10	11.44	4.49	92.08	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	81.23
極小值	4.42	5.91	11.20	4.36	74.32	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	28.14
平均值	4.54	6.00	11.32	4.43	81.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.50
標準差	0.05	0.05	0.05	0.04	5.5	0	0	0	0	0	0	0	0	0	13.89

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.58	6.03	11.34	4.41	79.14	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	24.88
010000	4.54	5.96	11.33	4.48	79.57	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	25.34
020000	4.58	5.93	11.30	4.43	80.54	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	21.47
030000	4.61	5.93	11.35	4.46	81.13	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	17.49
040000	4.60	5.98	11.34	4.40	81.05	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.68
050000	4.62	5.98	11.27	4.35	81.30	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	23.05
060000	4.66	5.98	11.33	4.39	80.90	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	14.41
070000	4.63	6.04	11.39	4.39	79.51	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	18.40
080000	4.69	6.00	11.40	4.46	77.82	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	24.02
090000	4.71	5.98	11.29	4.36	77.14	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	29.17
100000	4.65	5.95	11.33	4.45	75.27	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	38.07
110000	4.71	5.98	11.30	4.39	76.24	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	35.47
120000	4.67	5.96	11.27	4.38	77.59	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	32.78
130000	4.67	6.01	11.37	4.45	79.31	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.15
140000	4.66	5.97	11.31	4.44	80.26	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.99
150000	4.70	5.93	11.32	4.47	81.40	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	26.94
160000	4.68	5.96	11.33	4.44	80.25	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	29.11
170000	4.68	5.98	11.37	4.47	78.19	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	34.10
180000	4.68	5.98	11.36	4.45	78.87	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	36.27
190000	4.65	6.05	11.40	4.40	79.15	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	27.47
200000	4.68	5.94	11.29	4.41	78.56	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	24.29
210000	4.72	5.94	11.33	4.42	78.32	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	26.77
220000	4.67	5.97	11.43	4.53	77.59	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	27.86
230000	4.63	6.01	11.33	4.36	77.29	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	32.18
極大值	4.72	6.05	11.43	4.53	81.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	38.07
極小值	4.54	5.93	11.27	4.35	75.27	0.31	2.03	0.15	1.87	0.00	26.04	74.00	0.00	0.00	14.41
平均值	4.65	5.98	11.34	4.42	79.02	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	26.68
標準差	0.05	0.03	0.04	0.04	1.67	0	0.01	0.01	0	0	0	0	0	0	6.07

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.67	6.02	11.34	4.37	76.72	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	28.15
010000	4.68	5.94	11.31	4.41	76.88	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	30.78
020000	4.69	6.00	11.42	4.46	77.46	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	26.95
030000	4.72	5.94	11.36	4.46	77.29	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	28.81
040000	4.69	5.94	11.34	4.45	76.92	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	30.93
050000	4.71	6.05	11.40	4.39	76.43	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	32.12
060000	4.73	5.94	11.38	4.49	75.09	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	34.49
070000	4.73	5.96	11.33	4.42	75.13	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	41.19
080000	4.71	5.97	11.36	4.45	75.61	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	51.59
090000	4.71	6.01	11.38	4.44	76.44	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	54.90
100000	4.69	5.99	11.40	4.47	81.80	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	54.08
110000	4.68	5.96	11.34	4.43	90.14	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	48.98
120000	4.67	6.01	11.30	4.35	90.21	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	40.76
130000	4.66	6.06	11.35	4.36	92.46	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	36.27
140000	4.66	6.00	11.38	4.46	94.25	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	33.73
150000	4.64	5.94	11.28	4.43	92.35	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	35.96
160000	4.62	6.02	11.36	4.44	87.59	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	45.19
170000	4.64	5.98	11.34	4.45	82.90	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	57.77
180000	4.63	5.97	11.41	4.52	82.01	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	52.88
190000	4.65	6.03	11.39	4.46	80.28	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	58.71
200000	4.61	5.99	11.37	4.45	80.10	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	60.59
210000	4.62	6.00	11.36	4.43	81.27	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	58.38
220000	4.64	6.05	11.27	4.31	81.90	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.60
230000	4.62	5.98	11.34	4.45	81.95	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.58
極大值	4.73	6.06	11.42	4.52	94.25	0.31	2.03	0.17	1.87	0.00	26.04	74.00	0.00	0.00	61.60
極小值	4.61	5.94	11.27	4.31	75.09	0.31	2.03	0.16	1.86	0.00	26.04	74.00	0.00	0.00	26.95
平均值	4.67	5.99	11.35	4.43	81.80	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	44.43
標準差	0.04	0.04	0.04	0.05	6.11	0	0	0	0	0	0	0	0	0	12.31



## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.60	5.92	11.38	4.54	81.76	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	57.03
010000	4.60	6.04	11.33	4.36	80.48	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	53.20
020000	4.59	5.99	11.37	4.44	79.19	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	53.61
030000	4.60	5.97	11.35	4.45	78.99	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	52.72
040000	4.61	5.98	11.39	4.47	78.11	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	48.40
050000	4.61	5.96	11.29	4.40	77.74	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	46.38
060000	4.60	5.89	11.27	4.45	77.99	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	49.04
070000	4.63	5.96	11.39	4.51	76.41	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	57.90
080000	4.60	6.04	11.36	4.41	78.01	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.95
090000	4.62	5.93	11.32	4.47	83.68	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.14
100000	4.58	6.03	11.34	4.39	86.42	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.17
110000	4.57	6.04	11.35	4.40	88.98	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	69.11
120000	4.56	5.91	11.26	4.45	92.49	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	72.47
130000	4.60	5.85	11.33	4.55	92.63	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	46.91
140000	4.53	5.99	11.31	4.40	92.99	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	44.34
150000	4.59	6.04	11.31	4.35	93.30	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	45.44
160000	4.58	6.03	11.37	4.43	91.92	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	40.27
170000	4.60	5.91	11.31	4.49	88.75	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	48.31
180000	4.59	5.97	11.31	4.42	86.13	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.33
190000	4.57	5.97	11.38	4.50	83.96	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	69.42
200000	4.59	6.03	11.34	4.39	79.34	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	69.82
210000	4.55	5.97	11.34	4.46	79.50	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	68.18
220000	4.61	6.01	11.39	4.45	77.68	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	70.21
230000	4.60	5.99	11.36	4.45	77.10	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	59.64
極大值	4.63	6.04	11.39	4.55	93.30	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	72.47
極小值	4.53	5.85	11.26	4.35	76.41	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	40.27
平均值	4.59	5.98	11.34	4.44	83.48	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	57.00
標準差	0.02	0.05	0.04	0.05	6	0	0	0	0	0	0	0	0	0	9.63

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.56	5.97	11.37	4.46	76.89	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	47.46
010000	4.54	5.96	11.30	4.41	76.54	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	47.80
020000	4.62	5.96	11.35	4.48	76.09	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	45.87
030000	4.61	6.07	11.31	4.31	75.91	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	43.38
040000	4.60	5.90	11.32	4.48	75.84	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	46.51
050000	4.63	6.02	11.38	4.43	75.42	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	43.48
060000	4.60	5.97	11.34	4.44	74.98	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	41.17
070000	4.59	5.99	11.42	4.47	74.69	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	46.50
080000	4.64	6.01	11.31	4.35	75.18	0.32	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	57.38
090000	4.62	5.90	11.26	4.42	77.33	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	67.31
100000	4.56	6.03	11.34	4.35	83.48	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	69.31
110000	4.56	5.93	11.25	4.37	90.06	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.88
120000	4.62	6.02	11.36	4.38	92.18	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	76.63
130000	4.57	6.00	11.37	4.40	95.70	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	69.83
140000	4.65	5.92	11.27	4.39	94.06	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	53.01
150000	4.53	5.93	11.36	4.49	96.04	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	38.46
160000	4.54	5.96	11.39	4.47	95.36	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.10
170000	4.57	5.88	11.21	4.40	90.78	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	54.32
180000	4.59	6.02	11.41	4.48	86.48	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	68.61
190000	4.59	5.93	11.32	4.46	85.59	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	76.65
200000	4.54	5.92	11.24	4.41	83.98	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	75.40
210000	4.56	5.95	11.35	4.47	84.73	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	70.81
220000	4.47	5.96	11.38	4.48	84.43	0.32	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	71.94
230000	4.55	5.91	11.31	4.47	82.70	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	71.61
極大值	4.65	6.07	11.42	4.49	96.04	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	76.65
極小值	4.47	5.88	11.21	4.31	74.69	0.31	2.03	0.15	1.87	0.00	26.04	74.00	0.00	0.00	38.46
平均值	4.58	5.96	11.33	4.43	83.52	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	57.89
標準差	0.04	0.05	0.05	0.05	7.61	0	0	0	0	0	0	0	0	0	13.14

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.54	5.87	11.30	4.48	81.60	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	73.50
010000	4.51	6.16	11.44	4.34	80.46	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	74.12
020000	4.49	5.99	11.37	4.44	79.13	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	75.94
030000	4.47	5.97	11.38	4.49	78.12	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	72.45
040000	4.49	5.97	11.33	4.42	77.14	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	63.92
050000	4.50	5.98	11.38	4.48	76.61	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	64.16
060000	4.55	6.02	11.36	4.43	76.16	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	66.63
070000	4.56	6.01	11.42	4.47	76.01	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	71.83
080000	4.51	6.03	11.31	4.36	79.11	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	75.20
090000	4.53	5.92	11.34	4.48	84.86	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	76.92
100000	4.52	5.91	11.37	4.51	92.45	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	76.82
110000	4.54	5.93	11.32	4.42	96.72	0.32	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	73.47
120000	4.46	5.89	11.33	4.48	100.54	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	64.62
130000	4.44	5.95	11.37	4.43	101.01	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	58.93
140000	4.49	5.95	11.31	4.44	102.06	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	54.17
150000	4.54	5.99	11.37	4.42	103.32	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	54.09
160000	4.52	5.96	11.31	4.42	99.97	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	57.78
170000	4.53	5.98	11.34	4.44	94.01	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	65.80
180000	4.51	6.04	11.39	4.42	88.77	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	69.55
190000	4.53	5.98	11.33	4.44	85.12	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	70.25
200000	4.49	6.01	11.31	4.38	83.79	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	69.54
210000	4.53	5.94	11.28	4.41	83.01	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	66.67
220000	4.51	5.94	11.31	4.46	81.02	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	66.83
230000	4.49	5.93	11.35	4.52	79.32	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	68.39
極大值	4.56	6.16	11.44	4.52	103.32	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.92
極小值	4.44	5.87	11.28	4.34	76.01	0.31	2.03	0.15	1.87	0.00	26.04	74.00	0.00	0.00	54.09
平均值	4.51	5.97	11.35	4.44	86.68	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	67.98
標準差	0.03	0.06	0.04	0.04	9.47	0	0.01	0	0	0	0	0	0	0	6.72

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.45	5.99	11.34	4.42	78.16	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	68.96
010000	4.52	5.97	11.31	4.41	78.39	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	70.99
020000	4.49	6.07	11.42	4.42	78.24	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	70.89
030000	4.50	5.99	11.27	4.37	77.87	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	65.60
040000	4.53	6.00	11.29	4.37	78.04	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	65.33
050000	4.51	5.97	11.38	4.49	77.38	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	65.09
060000	4.54	6.01	11.43	4.49	77.06	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	64.43
070000	4.51	5.91	11.22	4.39	77.84	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	62.33
080000	4.52	6.03	11.40	4.44	79.14	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	61.48
090000	4.53	6.06	11.35	4.34	82.45	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	67.73
100000	4.46	5.94	11.39	4.48	87.72	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	83.72
110000	4.46	5.99	11.35	4.39	95.54	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	89.97
120000	4.46	5.96	11.39	4.48	102.40	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	62.88
130000	4.53	6.06	11.33	4.35	102.44	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	72.48
140000	4.48	6.05	11.42	4.45	97.55	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	71.78
150000	4.50	5.94	11.35	4.49	97.05	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.25
160000	4.52	6.02	11.42	4.49	97.34	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.76
170000	4.52	5.97	11.25	4.36	97.14	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	46.29
180000	4.51	6.02	11.34	4.40	95.92	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	52.22
190000	4.46	6.02	11.32	4.38	93.61	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	61.56
200000	4.39	6.03	11.39	4.46	87.66	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	70.42
210000	4.43	5.98	11.33	4.45	84.68	0.32	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	81.97
220000	4.41	5.98	11.40	4.50	84.35	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	95.90
230000	4.41	6.01	11.38	4.45	83.56	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	93.77
極大值	4.54	6.07	11.43	4.50	102.44	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	95.90
極小值	4.39	5.91	11.22	4.34	77.06	0.31	2.03	0.15	1.87	0.00	26.04	74.00	0.00	0.00	44.25
平均值	4.48	6.00	11.35	4.43	87.15	0.31	2.03	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.12
標準差	0.04	0.04	0.06	0.05	9.01	0	0	0	0.01	0	0	0	0	0	13.87

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.49	5.95	11.31	4.44	82.40	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	86.66
010000	4.49	5.98	11.30	4.42	81.05	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	81.90
020000	4.47	5.99	11.30	4.39	80.19	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	78.56
030000	4.43	6.05	11.30	4.36	80.10	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	67.46
040000	4.45	6.02	11.34	4.42	79.53	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	66.05
050000	4.52	5.97	11.28	4.40	78.57	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	64.45
060000	4.45	5.97	11.34	4.46	76.90	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	68.23
070000	4.51	6.00	11.36	4.44	76.99	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	75.15
080000	4.47	5.97	11.35	4.47	77.66	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	79.77
090000	4.45	6.05	11.39	4.40	86.32	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	90.18
100000	4.40	6.02	11.39	4.41	95.84	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	105.84
110000	4.46	5.92	11.29	4.40	99.45	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	89.57
120000	4.45	5.97	11.32	4.40	102.02	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	84.07
130000	4.40	5.99	11.29	4.32	100.43	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	62.54
140000	4.36	5.98	11.31	4.36	100.24	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	47.79
150000	4.41	5.91	11.24	4.37	100.67	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	43.94
160000	4.43	5.99	11.38	4.44	98.87	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.77
170000	4.46	6.03	11.36	4.40	94.74	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	29.71
180000	4.53	5.99	11.30	4.38	94.00	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	41.74
190000	4.47	6.02	11.29	4.34	90.74	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	59.84
200000	4.44	6.06	11.35	4.39	88.12	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	76.40
210000	4.49	6.05	11.41	4.46	86.38	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	79.75
220000	4.47	6.02	11.33	4.40	84.63	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	79.77
230000	4.40	5.95	11.34	4.47	82.81	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	81.61
極大值	4.53	6.06	11.41	4.47	102.02	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	105.84
極小值	4.36	5.91	11.24	4.32	76.90	0.31	2.03	0.15	1.87	0.00	26.04	74.00	0.00	0.00	29.71
平均值	4.45	5.99	11.33	4.41	88.28	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	69.91
標準差	0.04	0.04	0.04	0.04	8.89	0	0.01	0	0	0	0	0	0	0	18.84

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.42	6.01	11.34	4.41	82.50	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	83.38
010000	4.41	5.95	11.32	4.47	82.92	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	84.68
020000	4.31	5.99	11.26	4.38	82.42	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	84.84
030000	4.42	5.99	11.27	4.39	81.34	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	80.16
040000	4.41	5.98	11.21	4.32	80.41	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	74.81
050000	4.38	5.96	11.42	4.56	79.61	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	70.12
060000	4.39	5.98	11.33	4.48	79.06	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.35
070000	4.42	6.01	11.36	4.44	78.05	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	69.60
080000	4.45	6.02	11.26	4.36	81.42	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	77.47
090000	4.41	5.97	11.34	4.45	86.13	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	76.69
100000	4.40	6.02	11.33	4.39	89.72	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	73.84
110000	4.36	6.05	11.41	4.41	94.00	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	66.23
120000	4.41	6.01	11.32	4.35	94.91	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	52.51
130000	4.49	5.96	11.35	4.40	90.06	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.33
140000	4.46	5.93	11.34	4.42	88.99	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	21.93
150000	4.50	5.99	11.24	4.26	88.37	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	17.92
160000	4.54	6.04	11.33	4.34	87.44	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	16.65
170000	4.53	5.95	11.33	4.45	86.26	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	19.16
180000	4.55	5.97	11.37	4.45	85.50	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.36
190000	4.50	5.98	11.34	4.44	86.64	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.79
200000	4.44	6.05	11.38	4.38	86.41	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	50.68
210000	4.51	6.01	11.36	4.45	84.19	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	58.65
220000	4.52	6.05	11.34	4.39	81.96	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	65.24
230000	4.48	5.96	11.27	4.41	80.71	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	64.34
極大值	4.55	6.05	11.42	4.56	94.91	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	84.84
極小值	4.31	5.93	11.21	4.26	78.05	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	16.65
平均值	4.45	5.99	11.33	4.41	84.96	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	57.24
標準差	0.06	0.03	0.05	0.06	4.54	0	0	0	0	0	0	0	0	0	23.45

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.48	6.00	11.30	4.39	80.96	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	65.82
010000	4.43	6.04	11.35	4.41	79.46	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	71.87
020000	4.42	5.98	11.37	4.50	77.40	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	67.56
030000	4.40	6.08	11.34	4.39	78.13	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	63.43
040000	4.44	6.09	11.33	4.34	77.56	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.66
050000	4.45	6.00	11.28	4.39	76.54	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	61.78
060000	4.47	6.03	11.36	4.42	75.65	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	60.93
070000	4.45	5.95	11.31	4.46	75.58	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	64.11
080000	4.45	6.12	11.39	4.36	77.36	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.02
090000	4.44	6.00	11.38	4.45	84.68	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	60.52
100000	4.46	5.98	11.28	4.35	93.10	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	54.48
110000	4.45	5.94	11.31	4.41	100.11	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	52.31
120000	4.50	5.93	11.31	4.39	96.89	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	55.46
130000	4.48	5.97	11.25	4.30	96.68	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	32.97
140000	4.49	5.94	11.28	4.34	96.95	0.31	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	27.79
150000	4.55	5.93	11.29	4.39	96.25	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.60
160000	4.52	6.03	11.33	4.33	95.48	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	39.45
170000	4.55	6.01	11.31	4.36	94.19	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	34.42
180000	4.56	6.00	11.30	4.37	89.93	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	38.76
190000	4.50	6.01	11.29	4.36	87.78	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	49.69
200000	4.51	5.99	11.37	4.47	82.36	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	60.57
210000	4.48	5.99	11.38	4.47	80.60	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	65.58
220000	4.48	6.06	11.34	4.39	79.64	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	59.06
230000	4.47	5.96	11.32	4.45	78.71	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	50.21
極大值	4.56	6.12	11.39	4.50	100.11	0.32	2.04	0.16	1.89	0.00	26.04	74.00	0.00	0.00	71.87
極小值	4.40	5.93	11.25	4.30	75.58	0.31	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	27.79
平均值	4.48	6.00	11.32	4.40	85.50	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	54.50
標準差	0.04	0.05	0.04	0.05	8.52	0	0	0	0	0	0	0	0	0	13.13

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.56	3.48	8.21	4.51	19.87	0.28	1.91	1.77	0.14	0.00	30.39	69.33	0.00	0.00	24.33
010000	3.61	3.35	8.14	4.57	21.86	0.27	1.92	1.78	0.14	0.00	30.29	69.19	0.00	0.00	26.20
020000	3.69	3.40	8.15	4.51	25.19	0.27	1.92	1.79	0.13	0.00	30.34	69.19	0.00	0.00	26.55
030000	3.54	3.37	8.23	4.62	16.86	0.27	1.92	1.79	0.13	0.00	30.36	69.19	0.00	0.00	24.47
040000	3.45	3.39	8.18	4.57	23.08	0.27	1.92	1.78	0.14	0.00	30.62	69.19	0.00	0.00	14.00
050000	3.43	3.34	8.12	4.55	19.34	0.27	1.92	1.79	0.13	0.00	30.44	69.19	0.00	0.00	16.33
060000	3.51	3.41	8.15	4.52	19.85	0.27	1.92	1.78	0.14	0.00	30.33	69.19	0.00	0.00	22.39
070000	3.55	3.43	8.15	4.49	19.44	0.27	1.91	1.78	0.13	0.00	30.33	69.19	0.00	0.00	15.41
080000	5.28	3.40	8.18	4.56	25.66	0.28	1.91	1.78	0.13	0.00	30.23	69.19	0.00	0.00	17.13
090000	9.74	3.39	8.08	4.47	37.99	0.28	1.91	1.77	0.14	0.00	30.23	69.19	0.00	0.00	17.88
100000	6.09	3.41	8.09	4.46	37.60	0.28	1.91	1.78	0.13	0.00	30.24	69.19	0.00	0.00	14.29
110000	5.47	3.40	8.17	4.55	40.43	0.28	1.91	1.78	0.13	0.00	30.33	69.19	0.00	0.00	15.19
120000	4.90	3.38	8.10	4.53	51.17	0.28	1.92	1.79	0.13	0.00	30.61	69.43	0.00	0.00	10.53
130000	5.04	3.49	8.15	4.49	58.93	0.28	1.92	1.79	0.13	0.00	30.85	69.61	0.00	0.00	6.97
140000	5.44	3.39	8.12	4.55	57.67	0.28	1.92	1.79	0.13	0.00	30.88	69.61	0.00	0.00	6.16
150000	4.92	3.43	8.13	4.52	56.09	0.28	1.92	1.79	0.13	0.00	30.92	69.61	0.00	0.00	7.52
160000	4.39	3.38	8.15	4.60	55.42	0.28	1.92	1.79	0.13	0.00	30.92	69.61	0.00	0.00	4.10
170000	3.67	3.33	8.03	4.52	46.02	0.29	1.91	1.78	0.13	0.00	30.84	69.61	0.00	0.00	6.29
180000	3.54	3.35	8.14	4.63	42.27	0.29	1.91	1.78	0.13	0.00	30.83	69.61	0.00	0.00	10.82
190000	3.35	3.47	8.17	4.54	46.18	0.30	1.91	1.78	0.13	0.00	30.79	69.61	0.00	0.00	12.05
200000	3.26	3.45	8.16	4.55	43.93	0.30	1.91	1.78	0.13	0.00	30.77	69.61	0.00	0.00	13.62
210000	5.01	3.43	8.22	4.65	36.54	0.30	1.91	1.78	0.13	0.00	30.95	69.61	0.00	0.00	10.53
220000	4.26	3.44	8.14	4.56	26.67	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	11.74
230000	4.29	3.47	8.19	4.58	24.50	0.30	1.91	1.78	0.13	0.00	30.96	69.61	0.00	0.00	13.83
極大值	9.74	3.49	8.23	4.65	58.93	0.30	1.92	1.79	0.14	0.00	31.02	69.61	0.00	0.00	26.55
極小值	3.26	3.33	8.03	4.46	16.86	0.27	1.91	1.77	0.13	0.00	30.23	69.19	0.00	0.00	4.10
平均值	4.46	3.41	8.15	4.55	35.52	0.28	1.91	1.78	0.13	0.00	30.60	69.40	0.00	0.00	14.51
標準差	1.4	0.04	0.05	0.05	14.12	0.01	0.01	0.01	0	0	0.28	0.21	0	0	6.51



## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	4.16	3.38	8.15	4.59	22.23	0.30	1.91	1.78	0.13	0.00	30.69	69.30	0.00	0.00	20.38
010000	3.81	3.32	8.09	4.56	18.84	0.29	1.91	1.78	0.13	0.00	30.58	69.19	0.00	0.00	50.36
020000	3.76	3.34	8.10	4.56	17.91	0.29	1.91	1.78	0.13	0.00	30.62	69.19	0.00	0.00	60.36
030000	3.62	3.40	8.09	4.47	25.65	0.28	1.92	1.79	0.13	0.00	30.61	69.19	0.00	0.00	70.36
040000	3.44	3.29	8.13	4.65	13.29	0.29	1.92	1.79	0.13	0.00	30.66	69.19	0.00	0.00	50.36
050000	3.58	3.36	8.09	4.53	18.22	0.29	1.91	1.77	0.14	0.00	30.68	69.19	0.00	0.00	66.34
060000	3.35	3.41	8.22	4.60	22.94	0.29	1.91	1.78	0.13	0.00	30.66	69.19	0.00	0.00	78.36
070000	3.66	3.42	8.15	4.51	12.72	0.28	1.91	1.77	0.14	0.00	30.65	69.19	0.00	0.00	80.37
080000	3.96	3.42	8.07	4.45	28.66	0.28	1.91	1.78	0.13	0.00	30.62	69.19	0.00	0.00	86.38
090000	4.90	3.38	8.14	4.54	37.80	0.29	1.91	1.78	0.13	0.00	30.59	69.19	0.00	0.00	88.38
100000	4.82	3.45	8.12	4.44	45.02	0.29	1.91	1.77	0.14	0.00	30.64	69.19	0.00	0.00	75.37
110000	4.52	3.40	5.65	1.96	46.61	0.28	1.92	1.79	0.13	0.00	30.63	69.15	0.00	0.00	58.34
120000	5.33	3.38	5.05	1.40	66.93	0.29	1.92	1.79	0.13	0.00	30.89	69.44	0.00	0.00	61.63
130000	6.02	3.39	5.02	1.38	64.96	0.29	1.92	1.79	0.13	0.00	31.01	69.64	0.00	0.00	134.73
140000	5.86	3.40	5.06	1.41	57.56	0.29	1.92	1.79	0.13	0.00	31.03	69.65	0.00	0.00	152.50
150000	5.57	3.38	5.03	1.39	62.15	0.29	1.92	1.79	0.13	0.00	31.01	69.61	0.00	0.00	140.90
160000	7.49	3.46	5.05	1.34	58.15	0.28	1.92	1.79	0.13	0.00	31.08	69.61	0.00	0.00	120.03
170000	4.56	3.29	5.06	1.52	54.17	0.29	1.92	1.79	0.13	0.00	31.37	69.61	0.00	0.00	126.15
180000	3.90	3.43	5.14	1.48	52.98	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	113.78
190000	5.68	3.47	5.08	1.35	43.68	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	101.18
200000	4.06	3.39	5.09	1.45	41.11	0.29	1.92	1.79	0.13	0.00	31.08	69.61	0.00	0.00	108.33
210000	4.10	3.42	5.17	1.51	32.82	0.29	1.91	1.78	0.13	0.00	31.07	69.61	0.00	0.00	112.55
220000	3.92	3.40	5.04	1.39	27.70	0.29	1.92	1.79	0.13	0.00	31.08	69.61	0.00	0.00	109.98
230000	3.73	3.41	5.10	1.43	28.31	0.29	1.92	1.79	0.13	0.00	30.86	69.61	0.00	0.00	106.81
極大值	7.49	3.47	8.22	4.65	66.93	0.30	1.92	1.79	0.14	0.00	31.37	69.65	0.00	0.00	152.50
極小值	3.35	3.29	5.02	1.34	12.72	0.28	1.91	1.77	0.13	0.00	30.58	69.15	0.00	0.00	20.38
平均值	4.49	3.39	6.50	2.87	37.52	0.29	1.92	1.78	0.13	0.00	30.84	69.40	0.00	0.00	90.58
標準差	1.03	0.05	1.53	1.57	17.36	0	0.01	0.01	0	0	0.23	0.21	0	0	32.97

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.62	3.38	5.10	1.44	32.30	0.29	1.92	1.79	0.13	0.00	30.72	69.30	0.00	0.00	97.13
010000	3.57	3.46	5.12	1.36	24.06	0.28	1.92	1.78	0.14	0.00	30.71	69.19	0.00	0.00	98.63
020000	3.72	3.47	5.11	1.36	27.08	0.28	1.92	1.79	0.13	0.00	30.75	69.19	0.00	0.00	106.31
030000	3.53	3.40	5.08	1.37	26.03	0.29	1.92	1.79	0.13	0.00	30.77	69.19	0.00	0.00	105.90
040000	3.44	3.39	5.03	1.34	20.62	0.28	1.92	1.79	0.13	0.00	30.78	69.19	0.00	0.00	102.65
050000	3.45	3.39	5.02	1.35	23.39	0.28	1.92	1.79	0.13	0.00	30.83	69.19	0.00	0.00	98.30
060000	3.43	3.33	5.05	1.41	18.19	0.29	1.92	1.79	0.13	0.00	30.80	69.19	0.00	0.00	98.64
070000	3.58	3.43	5.11	1.39	20.15	0.28	1.92	1.79	0.13	0.00	30.76	69.19	0.00	0.00	102.74
080000	3.59	3.41	5.03	1.34	29.10	0.28	1.92	1.79	0.13	0.00	30.78	69.19	0.00	0.00	102.34
090000	3.62	3.50	5.10	1.30	35.81	0.29	1.91	1.78	0.13	0.00	30.75	69.19	0.00	0.00	102.84
100000	3.67	3.42	5.03	1.32	43.20	0.28	1.92	1.79	0.13	0.00	30.78	69.19	0.00	0.00	114.19
110000	3.56	3.46	5.03	1.28	50.29	0.29	1.92	1.79	0.13	0.00	30.76	69.19	0.00	0.00	101.26
120000	3.81	3.40	5.05	1.39	60.02	0.29	1.92	1.78	0.14	0.00	31.06	69.45	0.00	0.00	84.85
130000	4.02	3.44	5.08	1.41	69.20	0.29	1.92	1.79	0.13	0.00	31.13	69.71	0.00	0.00	89.56
140000	4.04	3.42	5.09	1.41	65.80	0.29	1.92	1.79	0.13	0.00	31.09	69.74	0.00	0.00	101.48
150000	3.86	3.41	5.04	1.38	62.47	0.29	1.92	1.79	0.13	0.00	31.15	69.71	0.00	0.00	103.91
160000	4.00	3.44	5.11	1.42	57.93	0.29	1.92	1.79	0.13	0.00	31.15	69.63	0.00	0.00	98.78
170000	3.84	3.41	5.17	1.50	49.19	0.29	1.92	1.79	0.13	0.00	31.05	69.61	0.00	0.00	103.63
180000	3.74	3.47	5.06	1.35	37.53	0.29	1.92	1.79	0.13	0.00	31.01	69.61	0.00	0.00	104.43
190000	3.72	3.41	5.06	1.39	34.75	0.29	1.92	1.79	0.13	0.00	31.03	69.61	0.00	0.00	91.04
200000	3.67	3.43	5.04	1.36	34.36	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	79.85
210000	3.78	3.50	5.11	1.38	21.05	0.30	1.91	1.78	0.13	0.00	31.03	69.61	0.00	0.00	76.19
220000	3.67	3.48	5.10	1.40	23.21	0.29	1.91	1.78	0.13	0.00	30.96	69.61	0.00	0.00	67.31
230000	3.85	3.39	5.03	1.41	20.41	0.30	1.91	1.78	0.13	0.00	30.93	69.61	0.00	0.00	70.25
極大值	4.04	3.50	5.17	1.50	69.20	0.30	1.92	1.79	0.14	0.00	31.15	69.74	0.00	0.00	114.19
極小值	3.43	3.33	5.02	1.28	18.19	0.28	1.91	1.78	0.13	0.00	30.71	69.19	0.00	0.00	67.31
平均值	3.70	3.43	5.07	1.38	36.92	0.29	1.92	1.79	0.13	0.00	30.91	69.41	0.00	0.00	95.93
標準差	0.18	0.04	0.04	0.05	16.34	0.01	0	0	0	0	0.16	0.22	0	0	12.01

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.81	3.26	4.98	1.44	29.17	0.29	1.91	1.78	0.13	0.00	30.64	69.29	0.00	0.00	71.81
010000	3.59	3.43	5.04	1.33	32.76	0.29	1.92	1.79	0.13	0.00	30.50	69.19	0.00	0.00	56.17
020000	3.57	3.37	5.05	1.41	33.42	0.29	1.92	1.79	0.13	0.00	30.53	69.19	0.00	0.00	52.78
030000	3.56	3.37	5.06	1.40	24.16	0.29	1.91	1.77	0.14	0.00	30.53	69.19	0.00	0.00	59.27
040000	3.58	3.45	5.06	1.35	25.08	0.29	1.91	1.77	0.14	0.00	30.58	69.19	0.00	0.00	63.89
050000	3.63	3.45	5.04	1.32	22.11	0.29	1.91	1.77	0.14	0.00	30.55	69.19	0.00	0.00	69.10
060000	3.61	3.51	5.18	1.40	23.46	0.29	1.91	1.78	0.13	0.00	30.52	69.20	0.00	0.00	67.83
070000	3.75	3.40	4.98	1.31	21.26	0.28	1.91	1.78	0.13	0.00	30.56	69.19	0.00	0.00	68.68
080000	4.29	3.46	5.05	1.34	22.11	0.28	1.91	1.78	0.13	0.00	30.58	69.19	0.00	0.00	84.73
090000	6.45	3.39	5.06	1.39	39.34	0.28	1.91	1.78	0.13	0.00	30.68	69.19	0.00	0.00	99.55
100000	5.47	3.48	5.08	1.36	54.53	0.28	1.91	1.77	0.14	0.00	30.60	69.19	0.00	0.00	88.81
110000	5.02	3.37	5.12	1.49	62.36	0.29	1.91	1.78	0.13	0.00	30.63	69.19	0.00	0.00	70.73
120000	4.92	3.46	5.07	1.38	60.93	0.29	1.92	1.79	0.13	0.00	30.84	69.43	0.00	0.00	73.51
130000	5.25	3.46	5.10	1.43	61.78	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	76.34
140000	4.93	3.41	5.08	1.46	64.74	0.29	1.92	1.79	0.13	0.00	31.24	69.61	0.00	0.00	100.27
150000	4.67	3.53	5.12	1.36	66.22	0.29	1.92	1.79	0.13	0.00	31.25	69.61	0.00	0.00	107.47
160000	5.47	3.45	5.08	1.39	55.26	0.29	1.92	1.79	0.13	0.00	31.19	69.61	0.00	0.00	71.55
170000	5.14	3.46	4.99	1.31	51.99	0.29	1.91	1.78	0.13	0.00	31.20	69.61	0.00	0.00	63.49
180000	4.34	3.42	5.06	1.43	51.93	0.29	1.91	1.78	0.13	0.00	31.33	69.61	0.00	0.00	67.35
190000	4.20	3.46	5.08	1.39	54.41	0.29	1.91	1.78	0.13	0.00	31.65	69.61	0.00	0.00	63.11
200000	3.90	3.51	5.12	1.40	45.16	0.29	1.91	1.78	0.13	0.00	31.56	69.61	0.00	0.00	60.05
210000	3.77	3.42	5.12	1.49	42.22	0.29	1.91	1.78	0.13	0.00	31.39	69.61	0.00	0.00	49.07
220000	4.14	3.35	5.04	1.48	34.55	0.29	1.91	1.78	0.13	0.00	31.46	69.61	0.00	0.00	31.30
230000	4.07	3.37	5.03	1.46	26.50	0.29	1.91	1.78	0.13	0.00	31.45	69.61	0.00	0.00	67.39
極大值	6.45	3.53	5.18	1.49	66.22	0.29	1.92	1.79	0.14	0.00	31.65	69.61	0.00	0.00	107.47
極小值	3.56	3.26	4.98	1.31	21.26	0.28	1.91	1.77	0.13	0.00	30.50	69.19	0.00	0.00	31.30
平均值	4.38	3.43	5.07	1.40	41.89	0.29	1.91	1.78	0.13	0.00	30.94	69.40	0.00	0.00	70.18
標準差	0.79	0.06	0.05	0.06	15.82	0	0	0.01	0	0	0.41	0.21	0	0	16.95

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.76	3.41	5.04	1.41	24.63	0.29	1.91	1.78	0.13	0.00	31.47	69.61	0.00	0.00	56.28
010000	3.61	3.43	5.05	1.42	21.63	0.29	1.91	1.78	0.13	0.00	31.47	69.61	0.00	0.00	60.31
020000	3.54	3.49	5.12	1.44	23.42	0.29	1.91	1.78	0.13	0.00	31.50	69.61	0.00	0.00	51.97
030000	3.54	3.41	5.04	1.42	21.88	0.29	1.91	1.78	0.13	0.00	31.45	69.61	0.00	0.00	39.94
040000	3.30	3.39	5.07	1.47	19.45	0.29	1.91	1.78	0.13	0.00	31.42	69.61	0.00	0.00	71.65
050000	3.36	3.44	5.04	1.39	15.22	0.29	1.91	1.78	0.13	0.00	31.36	69.62	0.00	0.00	75.02
060000	3.45	3.46	5.00	1.34	19.00	0.29	1.91	1.78	0.13	0.00	31.34	69.63	0.00	0.00	64.40
070000	3.66	3.44	5.06	1.40	16.25	0.29	1.91	1.78	0.13	0.00	31.33	69.61	0.00	0.00	76.11
080000	3.84	3.51	5.13	1.40	23.80	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	81.15
090000	3.87	3.45	5.08	1.43	33.23	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	75.50
100000	3.87	3.55	5.15	1.41	53.51	0.28	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	76.34
110000	3.76	3.42	4.93	1.28	61.65	0.28	1.91	1.78	0.13	0.00	31.17	69.61	0.00	0.00	82.35
120000	3.97	3.43	5.05	1.39	69.98	0.29	1.92	1.79	0.13	0.00	31.18	69.64	0.00	0.00	94.17
130000	5.82	3.43	5.11	1.44	81.85	0.29	1.92	1.79	0.13	0.00	31.39	69.67	0.00	0.00	110.35
140000	6.47	3.40	5.05	1.41	75.00	0.29	1.92	1.79	0.13	0.00	31.23	69.62	0.00	0.00	87.78
150000	4.93	3.37	5.09	1.52	69.30	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	82.56
160000	3.81	3.43	5.08	1.41	59.42	0.29	1.92	1.79	0.13	0.00	31.21	69.61	0.00	0.00	67.08
170000	3.67	3.45	5.07	1.40	47.63	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	56.25
180000	3.71	3.49	5.08	1.36	39.69	0.29	1.91	1.78	0.13	0.00	31.20	69.61	0.00	0.00	77.21
190000	3.88	3.49	5.15	1.47	35.90	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	95.65
200000	3.82	3.48	5.06	1.39	29.09	0.29	1.91	1.78	0.13	0.00	31.22	69.61	0.00	0.00	75.32
210000	3.95	3.38	5.09	1.50	29.67	0.29	1.91	1.78	0.13	0.00	31.17	69.61	0.00	0.00	74.07
220000	3.59	3.51	5.11	1.40	25.92	0.29	1.91	1.78	0.13	0.00	31.25	69.61	0.00	0.00	50.83
230000	3.68	3.47	4.99	1.30	25.59	0.29	1.91	1.78	0.13	0.00	31.30	69.61	0.00	0.00	68.40
極大值	6.47	3.55	5.15	1.52	81.85	0.29	1.92	1.79	0.13	0.00	31.50	69.67	0.00	0.00	110.35
極小值	3.30	3.37	4.93	1.28	15.22	0.28	1.91	1.78	0.13	0.00	31.15	69.61	0.00	0.00	39.94
平均值	3.95	3.45	5.07	1.41	38.45	0.29	1.91	1.78	0.13	0.00	31.29	69.62	0.00	0.00	72.95
標準差	0.75	0.04	0.05	0.05	20.79	0	0	0	0	0	0.11	0.01	0	0	15.82

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.43	3.48	5.15	1.48	23.63	0.29	1.91	1.78	0.13	0.00	31.34	69.61	0.00	0.00	41.34
010000	3.32	3.48	5.05	1.38	34.70	0.28	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	44.15
020000	3.54	3.45	5.13	1.47	21.84	0.29	1.91	1.78	0.13	0.00	31.38	69.62	0.00	0.00	37.59
030000	3.29	3.48	5.10	1.42	19.66	0.29	1.91	1.78	0.13	0.00	31.40	69.62	0.00	0.00	45.35
040000	3.17	3.33	5.01	1.47	23.74	0.29	1.91	1.78	0.13	0.00	31.32	69.62	0.00	0.00	52.11
050000	3.14	3.58	5.12	1.34	18.71	0.29	1.91	1.78	0.13	0.00	31.35	69.63	0.00	0.00	95.69
060000	3.24	3.41	5.03	1.41	21.70	0.29	1.91	1.78	0.13	0.00	31.38	69.62	0.00	0.00	50.00
070000	3.47	3.43	5.08	1.46	15.91	0.29	1.91	1.78	0.13	0.00	31.41	69.61	0.00	0.00	42.49
080000	3.59	3.43	5.06	1.43	20.51	0.28	1.91	1.78	0.13	0.00	31.38	69.61	0.00	0.00	49.52
090000	3.59	3.48	5.13	1.44	39.36	0.29	1.91	1.78	0.13	0.00	31.34	69.61	0.00	0.00	55.80
100000	3.50	3.46	5.04	1.39	55.02	0.28	1.91	1.78	0.13	0.00	31.32	69.61	0.00	0.00	51.76
110000	4.31	3.40	5.08	1.49	68.43	0.28	1.91	1.78	0.13	0.00	31.36	69.61	0.00	0.00	40.50
120000	5.82	3.44	5.06	1.39	74.96	0.29	1.92	1.79	0.13	0.00	31.34	69.68	0.00	0.00	40.65
130000	4.92	3.45	5.08	1.41	73.96	0.29	1.92	1.79	0.13	0.00	31.39	69.72	0.00	0.00	41.06
140000	4.97	3.46	5.06	1.39	61.80	0.29	1.92	1.79	0.13	0.00	31.46	69.67	0.00	0.00	50.13
150000	3.80	3.46	5.08	1.40	52.85	0.28	1.92	1.79	0.13	0.00	31.40	69.61	0.00	0.00	45.22
160000	3.80	3.44	5.03	1.36	28.72	0.29	1.92	1.79	0.13	0.00	31.43	69.61	0.00	0.00	48.95
170000	8.38	3.46	5.05	1.37	13.61	0.29	1.91	1.78	0.13	0.00	31.29	69.61	0.00	0.00	62.19
180000	4.68	3.58	5.14	1.37	15.02	0.29	1.91	1.78	0.13	0.00	31.37	69.61	0.00	0.00	46.90
190000	4.14	3.41	5.08	1.46	25.17	0.29	1.91	1.78	0.13	0.00	31.41	69.61	0.00	0.00	34.89
200000	3.76	3.47	5.10	1.42	36.71	0.29	1.91	1.78	0.13	0.00	31.45	69.61	0.00	0.00	43.99
210000	3.57	3.43	5.01	1.35	25.88	0.29	1.91	1.78	0.13	0.00	31.41	69.61	0.00	0.00	68.40
220000	3.45	3.51	5.04	1.32	31.46	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	65.40
230000	3.34	3.47	5.03	1.35	34.71	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	67.25
極大值	8.38	3.58	5.15	1.49	74.96	0.29	1.92	1.79	0.13	0.00	31.46	69.72	0.00	0.00	95.69
極小值	3.14	3.33	5.01	1.32	13.61	0.28	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	34.89
平均值	4.01	3.46	5.07	1.41	34.92	0.29	1.91	1.78	0.13	0.00	31.37	69.62	0.00	0.00	50.89
標準差	1.15	0.05	0.04	0.05	19.18	0	0	0	0	0	0.05	0.03	0	0	13.23

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.53	3.43	5.01	1.33	28.77	0.29	1.91	1.78	0.13	0.00	31.03	69.30	0.00	0.00	49.67
010000	3.44	3.43	5.06	1.39	22.54	0.29	1.91	1.78	0.13	0.00	30.84	69.19	0.00	0.00	53.17
020000	3.38	3.47	5.11	1.39	21.36	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	51.24
030000	3.31	3.45	5.07	1.33	24.22	0.28	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	56.29
040000	3.15	3.44	5.02	1.32	19.26	0.29	1.91	1.78	0.13	0.00	30.79	69.19	0.00	0.00	53.36
050000	3.26	3.46	5.03	1.32	21.46	0.29	1.91	1.77	0.14	0.00	30.79	69.19	0.00	0.00	55.20
060000	3.28	3.54	5.11	1.31	19.87	0.29	1.91	1.78	0.13	0.00	30.78	69.19	0.00	0.00	59.06
070000	3.39	3.42	5.07	1.39	18.18	0.29	1.91	1.78	0.13	0.00	30.84	69.19	0.00	0.00	81.42
080000	3.53	3.39	5.02	1.36	19.25	0.28	1.91	1.77	0.14	0.00	30.81	69.19	0.00	0.00	63.20
090000	3.57	3.50	5.11	1.37	20.41	0.29	1.90	1.77	0.13	0.00	30.83	69.19	0.00	0.00	68.53
100000	3.83	3.41	5.02	1.35	46.33	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	62.46
110000	4.21	3.54	5.13	1.35	61.14	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	43.67
120000	4.89	3.42	5.08	1.41	70.71	0.29	1.91	1.78	0.13	0.00	31.08	69.45	0.00	0.00	41.69
130000	5.07	3.42	5.09	1.44	77.62	0.29	1.91	1.78	0.13	0.00	31.26	69.61	0.00	0.00	40.68
140000	5.26	3.40	5.02	1.42	84.35	0.29	1.91	1.78	0.13	0.00	31.27	69.62	0.00	0.00	40.57
150000	4.88	3.41	4.99	1.35	74.55	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	51.85
160000	4.92	3.53	5.09	1.33	70.18	0.29	1.91	1.78	0.13	0.00	31.23	69.61	0.00	0.00	69.64
170000	4.77	3.41	5.13	1.52	67.69	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	52.05
180000	4.21	3.40	5.08	1.46	55.46	0.29	1.91	1.78	0.13	0.00	31.18	69.61	0.00	0.00	42.67
190000	3.34	3.47	5.10	1.40	53.23	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	31.27
200000	3.18	3.48	5.11	1.42	45.83	0.29	1.91	1.78	0.13	0.00	31.23	69.61	0.00	0.00	25.35
210000	3.95	3.58	5.11	1.33	35.79	0.29	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	39.34
220000	5.18	3.45	5.06	1.39	33.20	0.29	1.91	1.78	0.13	0.00	31.15	69.61	0.00	0.00	27.48
230000	4.02	3.42	5.09	1.45	28.92	0.29	1.91	1.78	0.13	0.00	31.14	69.61	0.00	0.00	66.15
極大值	5.26	3.58	5.13	1.52	84.35	0.29	1.91	1.78	0.14	0.00	31.27	69.62	0.00	0.00	81.42
極小值	3.15	3.39	4.99	1.31	18.18	0.28	1.90	1.77	0.13	0.00	30.78	69.19	0.00	0.00	25.35
平均值	3.98	3.45	5.07	1.38	42.51	0.29	1.91	1.78	0.13	0.00	31.02	69.40	0.00	0.00	51.08
標準差	0.73	0.05	0.04	0.05	22.52	0	0	0	0	0	0.19	0.21	0	0	13.79

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.65	3.42	5.03	1.35	26.80	0.29	1.91	1.78	0.13	0.00	30.87	69.29	0.00	0.00	52.76
010000	3.60	3.49	5.03	1.29	21.77	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	50.07
020000	3.60	3.42	5.11	1.43	31.53	0.29	1.91	1.77	0.14	0.00	30.82	69.19	0.00	0.00	40.20
030000	3.50	3.44	4.96	1.25	23.95	0.29	1.91	1.77	0.14	0.00	30.75	69.19	0.00	0.00	44.99
040000	3.45	3.45	5.07	1.34	22.22	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	44.79
050000	3.42	3.48	5.09	1.36	15.64	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	60.89
060000	3.69	3.43	5.05	1.37	19.71	0.29	1.91	1.78	0.13	0.00	30.83	69.21	0.00	0.00	62.50
070000	3.66	3.51	5.08	1.32	17.38	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	63.19
080000	3.91	3.51	5.18	1.40	21.84	0.29	1.91	1.78	0.13	0.00	30.86	69.19	0.00	0.00	89.56
090000	4.20	3.42	5.06	1.38	28.86	0.29	1.91	1.78	0.13	0.00	30.83	69.19	0.00	0.00	69.30
100000	5.66	3.49	5.01	1.28	51.42	0.29	1.91	1.78	0.13	0.00	30.81	69.19	0.00	0.00	56.03
110000	7.66	3.41	5.02	1.36	64.50	0.29	1.91	1.77	0.14	0.00	30.80	69.19	0.00	0.00	62.02
120000	7.95	3.40	5.04	1.40	69.11	0.29	1.92	1.79	0.13	0.00	31.04	69.45	0.00	0.00	63.97
130000	5.18	3.44	5.09	1.42	76.44	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	71.39
140000	5.49	3.36	5.04	1.44	69.27	0.29	1.92	1.79	0.13	0.00	31.06	69.61	0.00	0.00	69.55
150000	5.85	3.35	5.08	1.51	72.51	0.29	1.92	1.79	0.13	0.00	31.05	69.61	0.00	0.00	61.50
160000	4.45	3.46	5.08	1.39	63.51	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	84.95
170000	4.34	3.44	5.11	1.44	52.19	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	56.38
180000	4.15	3.46	5.09	1.40	46.62	0.29	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	45.84
190000	4.03	3.43	5.13	1.48	47.57	0.29	1.91	1.78	0.13	0.00	30.99	69.61	0.00	0.00	57.16
200000	3.92	3.44	5.03	1.37	42.58	0.29	1.92	1.79	0.13	0.00	30.97	69.61	0.00	0.00	57.69
210000	3.88	3.41	5.05	1.39	30.74	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	71.25
220000	3.73	3.50	5.08	1.34	31.29	0.29	1.92	1.79	0.13	0.00	31.00	69.61	0.00	0.00	65.24
230000	3.67	3.36	5.02	1.42	26.48	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	43.68
極大值	7.95	3.51	5.18	1.51	76.44	0.29	1.92	1.79	0.14	0.00	31.15	69.61	0.00	0.00	89.56
極小值	3.42	3.35	4.96	1.25	15.64	0.29	1.91	1.77	0.13	0.00	30.75	69.19	0.00	0.00	40.20
平均值	4.44	3.44	5.06	1.38	40.58	0.29	1.91	1.78	0.13	0.00	30.92	69.40	0.00	0.00	60.20
標準差	1.25	0.04	0.05	0.06	19.88	0	0	0.01	0	0	0.11	0.21	0	0	12.34

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.67	3.45	5.06	1.35	19.90	0.29	1.91	1.78	0.13	0.00	30.70	69.29	0.00	0.00	24.54
010000	3.66	3.37	5.07	1.40	21.86	0.29	1.92	1.79	0.13	0.00	30.66	69.19	0.00	0.00	32.52
020000	3.60	3.49	5.11	1.35	28.13	0.29	1.92	1.79	0.13	0.00	30.67	69.19	0.00	0.00	36.17
030000	3.69	3.34	5.04	1.40	27.71	0.29	1.92	1.79	0.13	0.00	30.61	69.19	0.00	0.00	27.83
040000	3.51	3.30	5.03	1.46	28.30	0.29	1.92	1.78	0.14	0.00	30.59	69.19	0.00	0.00	34.65
050000	3.49	3.40	5.07	1.38	26.45	0.29	1.92	1.79	0.13	0.00	30.57	69.19	0.00	0.00	38.35
060000	3.59	3.45	5.09	1.39	22.28	0.29	1.92	1.78	0.14	0.00	30.55	69.19	0.00	0.00	39.60
070000	3.52	3.41	5.09	1.39	19.59	0.29	1.92	1.79	0.13	0.00	30.55	69.19	0.00	0.00	28.48
080000	3.75	3.48	4.99	1.21	25.59	0.29	1.92	1.79	0.13	0.00	30.50	69.19	0.00	0.00	31.76
090000	4.16	3.44	5.06	1.33	25.91	0.29	1.92	1.78	0.14	0.00	30.52	69.19	0.00	0.00	39.12
100000	4.05	3.48	5.06	1.29	31.53	0.29	1.92	1.79	0.13	0.00	30.52	69.19	0.00	0.00	42.33
110000	4.15	3.40	5.02	1.34	52.56	0.29	1.92	1.78	0.14	0.00	30.48	69.19	0.00	0.00	32.67
120000	3.89	3.34	5.01	1.41	58.13	0.29	1.93	1.79	0.14	0.00	30.77	69.44	0.00	0.00	31.23
130000	3.73	3.49	5.09	1.36	74.36	0.29	1.93	1.80	0.13	0.00	30.82	69.61	0.00	0.00	44.72
140000	3.73	3.45	5.07	1.37	58.58	0.29	1.93	1.80	0.13	0.00	30.78	69.64	0.00	0.00	44.52
150000	3.90	3.44	5.07	1.39	62.82	0.29	1.93	1.80	0.13	0.00	30.71	69.62	0.00	0.00	34.70
160000	4.00	3.47	5.14	1.43	60.21	0.29	1.93	1.80	0.13	0.00	30.59	69.61	0.00	0.00	25.48
170000	4.09	3.47	5.12	1.41	46.51	0.29	1.93	1.80	0.13	0.00	30.56	69.61	0.00	0.00	26.91
180000	4.10	3.39	5.00	1.36	39.35	0.29	1.93	1.80	0.13	0.00	30.55	69.61	0.00	0.00	25.83
190000	3.96	3.37	5.03	1.41	42.68	0.29	1.92	1.79	0.13	0.00	30.61	69.61	0.00	0.00	24.81
200000	3.81	3.40	5.02	1.40	38.52	0.29	1.92	1.79	0.13	0.00	30.58	69.61	0.00	0.00	38.82
210000	3.78	3.42	5.05	1.39	38.42	0.29	1.92	1.79	0.13	0.00	30.55	69.61	0.00	0.00	34.57
220000	3.76	3.48	5.12	1.42	29.56	0.29	1.92	1.79	0.13	0.00	30.51	69.61	0.00	0.00	42.28
230000	3.72	3.37	5.09	1.48	21.84	0.29	1.92	1.79	0.13	0.00	30.47	69.61	0.00	0.00	68.40
極大值	4.16	3.49	5.14	1.48	74.36	0.29	1.93	1.80	0.14	0.00	30.82	69.64	0.00	0.00	68.40
極小值	3.49	3.30	4.99	1.21	19.59	0.29	1.91	1.78	0.13	0.00	30.47	69.19	0.00	0.00	24.54
平均值	3.80	3.42	5.06	1.38	37.53	0.29	1.92	1.79	0.13	0.00	30.60	69.40	0.00	0.00	35.43
標準差	0.21	0.05	0.04	0.05	15.94	0	0.01	0.01	0	0	0.1	0.21	0	0	9.45



## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.54	3.50	5.08	1.30	22.86	0.29	1.92	1.79	0.13	0.00	30.22	69.29	0.00	0.00	57.46
010000	3.49	3.45	5.05	1.31	22.25	0.29	1.92	1.79	0.13	0.00	30.29	69.19	0.00	0.00	57.05
020000	3.36	3.33	4.93	1.30	20.80	0.29	1.92	1.79	0.13	0.00	30.26	69.19	0.00	0.00	56.56
030000	3.43	3.47	5.02	1.24	17.55	0.29	1.92	1.79	0.13	0.00	30.25	69.19	0.00	0.00	56.08
040000	2.96	3.40	5.08	1.40	19.12	0.29	1.92	1.79	0.13	0.00	30.27	69.19	0.00	0.00	55.78
050000	3.25	3.38	5.11	1.44	18.17	0.29	1.92	1.79	0.13	0.00	30.26	69.19	0.00	0.00	55.37
060000	3.26	3.34	5.14	1.51	18.73	0.29	1.92	1.78	0.14	0.00	30.28	69.19	0.00	0.00	54.96
070000	3.40	3.35	5.04	1.40	31.10	0.29	1.92	1.79	0.13	0.00	30.27	69.19	0.00	0.00	54.69
080000	3.82	3.37	5.07	1.41	31.24	0.29	1.92	1.79	0.13	0.00	30.23	69.19	0.00	0.00	54.36
090000	3.94	3.41	5.01	1.31	32.29	0.29	1.92	1.78	0.14	0.00	30.20	69.19	0.00	0.00	54.09
100000	3.94	3.32	5.07	1.47	53.45	0.29	1.92	1.79	0.13	0.00	30.21	69.19	0.00	0.00	53.65
110000	4.31	3.42	5.03	1.32	55.16	0.29	1.92	1.78	0.14	0.00	30.24	69.19	0.00	0.00	53.38
120000	5.09	3.44	5.12	1.43	61.94	0.29	1.92	1.79	0.13	0.00	30.46	69.45	0.00	0.00	53.06
130000	4.12	3.42	5.07	1.41	66.72	0.29	1.92	1.79	0.13	0.00	30.68	69.63	0.00	0.00	52.92
140000	3.96	3.43	5.07	1.38	65.44	0.29	1.92	1.79	0.13	0.00	30.73	69.72	0.00	0.00	52.74
150000	4.02	3.43	5.07	1.39	69.44	0.29	1.92	1.79	0.13	0.00	30.70	69.67	0.00	0.00	52.69
160000	3.88	3.39	5.07	1.43	73.49	0.29	1.92	1.79	0.13	0.00	30.69	69.61	0.00	0.00	52.63
170000	3.81	3.42	5.08	1.40	69.39	0.29	1.92	1.79	0.13	0.00	30.80	69.61	0.00	0.00	52.46
180000	3.74	3.37	5.08	1.47	54.81	0.29	1.92	1.79	0.13	0.00	30.78	69.61	0.00	0.00	52.38
190000	3.69	3.46	5.10	1.39	50.41	0.29	1.92	1.79	0.13	0.00	30.77	69.61	0.00	0.00	52.31
200000	3.43	3.41	5.11	1.48	46.59	0.29	1.92	1.79	0.13	0.00	30.72	69.61	0.00	0.00	52.20
210000	3.91	3.40	5.05	1.42	47.02	0.28	1.92	1.79	0.13	0.00	30.69	69.61	0.00	0.00	52.02
220000	3.72	3.44	5.10	1.41	37.13	0.28	1.92	1.79	0.13	0.00	30.70	69.61	0.00	0.00	51.81
230000	3.77	3.35	4.99	1.40	38.43	0.28	1.92	1.79	0.13	0.00	30.76	69.62	0.00	0.00	51.64
極大值	5.09	3.50	5.14	1.51	73.49	0.29	1.92	1.79	0.14	0.00	30.80	69.72	0.00	0.00	57.46
極小值	2.96	3.32	4.93	1.24	17.55	0.28	1.92	1.78	0.13	0.00	30.20	69.19	0.00	0.00	51.64
平均值	3.74	3.40	5.06	1.39	42.65	0.29	1.92	1.79	0.13	0.00	30.48	69.41	0.00	0.00	53.85
標準差	0.43	0.05	0.05	0.07	19.14	0	0	0	0	0	0.24	0.22	0	0	1.76

## 測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.70	3.50	5.08	1.33	35.04	0.28	1.91	1.78	0.13	0.00	30.48	69.30	0.00	0.00	47.22
010000	3.56	3.36	5.08	1.42	37.31	0.28	1.91	1.78	0.13	0.00	30.40	69.23	0.00	0.00	38.57
020000	3.55	3.41	5.03	1.34	37.82	0.28	1.92	1.79	0.13	0.00	30.38	69.25	0.00	0.00	49.20
030000	3.54	3.37	5.03	1.36	25.68	0.28	1.92	1.79	0.13	0.00	30.36	69.23	0.00	0.00	36.92
040000	3.57	3.43	5.07	1.37	27.72	0.28	1.92	1.79	0.13	0.00	30.34	69.28	0.00	0.00	46.44
050000	3.60	3.37	5.01	1.35	26.62	0.28	1.91	1.78	0.13	0.00	30.35	69.28	0.00	0.00	48.59
060000	3.69	3.51	5.15	1.37	24.07	0.28	1.91	1.78	0.13	0.00	30.35	69.23	0.00	0.00	56.46
070000	4.03	3.36	5.01	1.36	25.26	0.28	1.91	1.78	0.13	0.00	30.32	69.20	0.00	0.00	59.25
080000	4.28	3.41	5.13	1.45	35.47	0.28	1.91	1.78	0.13	0.00	30.31	69.19	0.00	0.00	62.91
090000	4.65	3.40	5.07	1.41	58.09	0.28	1.91	1.78	0.13	0.00	30.34	69.19	0.00	0.00	67.03
100000	5.34	3.44	5.07	1.38	64.12	0.28	1.91	1.78	0.13	0.00	30.39	69.19	0.00	0.00	75.75
110000	4.80	3.58	5.05	1.19	88.24	0.28	1.91	1.78	0.13	0.00	30.41	69.19	0.00	0.00	76.31
120000	4.20	3.49	5.04	1.32	76.79	0.28	1.91	1.78	0.13	0.00	30.63	69.45	0.00	0.00	83.14
130000	4.24	3.45	5.10	1.41	78.97	0.28	1.92	1.79	0.13	0.00	30.77	69.61	0.00	0.00	72.01
140000	4.42	3.46	5.11	1.44	79.82	0.29	1.92	1.79	0.13	0.00	30.78	69.61	0.00	0.00	63.56
150000	4.77	3.51	5.02	1.30	79.93	0.29	1.92	1.79	0.13	0.00	30.80	69.61	0.00	0.00	43.58
160000	4.21	3.50	5.05	1.32	82.99	0.29	1.91	1.78	0.13	0.00	30.85	69.61	0.00	0.00	56.66
170000	4.09	3.44	5.10	1.43	71.99	0.28	1.92	1.79	0.13	0.00	30.96	69.61	0.00	0.00	43.13
180000	4.04	3.48	5.03	1.35	60.13	0.28	1.92	1.79	0.13	0.00	31.03	69.61	0.00	0.00	39.47
190000	4.17	3.43	5.04	1.40	56.82	0.29	1.91	1.78	0.13	0.00	31.09	69.61	0.00	0.00	36.76
200000	3.84	3.44	5.00	1.35	55.18	0.28	1.91	1.78	0.13	0.00	31.06	69.61	0.00	0.00	48.39
210000	3.61	3.38	5.00	1.41	35.78	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	57.89
220000	3.37	3.46	5.08	1.44	44.92	0.29	1.91	1.78	0.13	0.00	31.01	69.63	0.00	0.00	54.16
230000	3.49	3.50	5.13	1.44	40.23	0.28	1.91	1.78	0.13	0.00	30.98	69.63	0.00	0.00	51.26
極大值	5.34	3.58	5.15	1.45	88.24	0.29	1.92	1.79	0.13	0.00	31.09	69.63	0.00	0.00	83.14
極小值	3.37	3.36	5.00	1.19	24.07	0.28	1.91	1.78	0.13	0.00	30.31	69.19	0.00	0.00	36.76
平均值	4.03	3.44	5.06	1.37	52.04	0.28	1.91	1.78	0.13	0.00	30.64	69.42	0.00	0.00	54.78
標準差	0.5	0.06	0.04	0.06	21.57	0	0	0	0	0	0.3	0.19	0	0	13.16

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.42	3.44	5.02	1.39	39.88	0.28	1.91	1.78	0.13	0.00	30.90	69.64	0.00	0.00	42.36
010000	3.43	3.43	5.09	1.47	37.11	0.28	1.92	1.79	0.13	0.00	30.92	69.64	0.00	0.00	49.12
020000	3.33	3.40	5.14	1.55	30.21	0.28	1.92	1.79	0.13	0.00	30.94	69.65	0.00	0.00	51.47
030000	3.41	3.44	5.09	1.45	34.89	0.28	1.92	1.79	0.13	0.00	30.94	69.68	0.00	0.00	56.83
040000	3.35	3.60	5.14	1.35	26.78	0.29	1.92	1.79	0.13	0.00	31.24	69.70	0.00	0.00	58.04
050000	3.29	3.52	5.04	1.33	29.50	0.29	1.91	1.78	0.13	0.00	31.22	69.71	0.00	0.00	59.41
060000	3.45	3.46	5.05	1.41	24.83	0.28	1.91	1.78	0.13	0.00	31.22	69.69	0.00	0.00	59.05
070000	3.72	3.49	5.11	1.43	30.91	0.28	1.91	1.78	0.13	0.00	31.22	69.64	0.00	0.00	54.91
080000	3.75	3.47	5.10	1.42	33.88	0.28	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	57.62
090000	4.03	3.53	5.03	1.29	59.18	0.28	1.91	1.78	0.13	0.00	31.17	69.61	0.00	0.00	61.42
100000	5.16	3.44	5.10	1.45	68.53	0.28	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	57.30
110000	5.67	3.45	5.06	1.40	80.13	0.28	1.92	1.79	0.13	0.00	31.17	69.61	0.00	0.00	55.56
120000	5.44	3.47	5.03	1.34	85.72	0.28	1.92	1.79	0.13	0.00	31.14	69.64	0.00	0.00	22.00
130000	5.46	3.49	5.01	1.28	85.15	0.29	1.92	1.79	0.13	0.00	31.15	69.73	0.00	0.00	27.69
140000	4.07	3.39	5.02	1.40	78.19	0.28	1.92	1.79	0.13	0.00	31.10	69.69	0.00	0.00	42.85
150000	3.81	3.48	5.05	1.35	85.29	0.28	1.92	1.79	0.13	0.00	31.08	69.61	0.00	0.00	33.17
160000	3.94	3.48	5.07	1.36	78.90	0.28	1.92	1.79	0.13	0.00	31.04	69.61	0.00	0.00	39.33
170000	3.73	3.40	5.02	1.40	70.43	0.29	1.92	1.79	0.13	0.00	31.01	69.61	0.00	0.00	36.70
180000	3.78	3.47	5.12	1.44	66.15	0.29	1.91	1.78	0.13	0.00	31.06	69.61	0.00	0.00	34.38
190000	3.88	3.42	5.01	1.37	62.48	0.29	1.91	1.78	0.13	0.00	31.03	69.61	0.00	0.00	34.01
200000	3.91	3.51	5.07	1.35	59.26	0.29	1.91	1.78	0.13	0.00	30.39	69.61	0.00	0.00	26.27
210000	4.00	3.36	5.02	1.45	52.08	0.29	1.91	1.78	0.13	0.00	30.25	69.61	0.00	0.00	30.44
220000	3.94	3.50	5.10	1.40	48.75	0.29	1.91	1.78	0.13	0.00	30.64	69.61	0.00	0.00	41.07
230000	3.74	3.43	5.05	1.41	43.04	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	38.75
極大值	5.67	3.60	5.14	1.55	85.72	0.29	1.92	1.79	0.13	0.00	31.24	69.73	0.00	0.00	61.42
極小值	3.29	3.36	5.01	1.28	24.83	0.28	1.91	1.78	0.13	0.00	30.25	69.61	0.00	0.00	22.00
平均值	3.99	3.46	5.06	1.40	54.64	0.28	1.91	1.78	0.13	0.00	31.02	69.64	0.00	0.00	44.57
標準差	0.7	0.05	0.04	0.06	21.15	0.01	0.01	0.01	0	0	0.26	0.04	0	0	12.32

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.55	3.39	5.03	1.42	38.85	0.29	1.92	1.79	0.13	0.00	31.21	69.62	0.00	0.00	60.10
010000	3.45	3.49	5.10	1.40	28.84	0.29	1.92	1.79	0.13	0.00	31.25	69.64	0.00	0.00	41.95
020000	3.42	3.34	5.00	1.44	28.33	0.29	1.91	1.78	0.13	0.00	31.26	69.65	0.00	0.00	37.82
030000	3.43	3.46	5.11	1.45	33.08	0.29	1.92	1.79	0.13	0.00	31.26	69.64	0.00	0.00	44.29
040000	3.40	3.48	5.08	1.41	28.20	0.29	1.91	1.78	0.13	0.00	31.32	69.71	0.00	0.00	40.76
050000	3.26	3.39	5.09	1.51	21.77	0.29	1.91	1.78	0.13	0.00	31.29	69.72	0.00	0.00	48.19
060000	3.40	3.31	5.02	1.51	20.99	0.29	1.91	1.78	0.13	0.00	31.16	69.68	0.00	0.00	44.67
070000	3.52	3.47	5.06	1.40	25.16	0.29	1.91	1.78	0.13	0.00	31.20	69.65	0.00	0.00	49.71
080000	3.77	3.43	5.07	1.43	30.61	0.28	1.91	1.78	0.13	0.00	31.14	69.61	0.00	0.00	50.02
090000	3.74	3.44	5.07	1.43	54.96	0.28	1.91	1.78	0.13	0.00	31.04	69.61	0.00	0.00	62.68
100000	3.67	3.48	5.07	1.40	69.87	0.29	1.91	1.78	0.13	0.00	31.24	69.62	0.00	0.00	46.15
110000	3.72	3.50	5.21	1.51	80.82	0.29	1.91	1.78	0.13	0.00	31.23	69.71	0.00	0.00	41.77
120000	8.71	3.41	5.05	1.42	96.15	0.29	1.91	1.78	0.13	0.00	31.26	69.73	0.00	0.00	38.76
130000	7.66	3.45	5.09	1.42	91.88	0.29	1.92	1.79	0.13	0.00	31.33	69.73	0.00	0.00	46.67
140000	4.78	3.47	5.02	1.31	85.38	0.28	1.91	1.78	0.13	0.00	31.27	69.65	0.00	0.00	43.45
150000	4.04	3.50	5.07	1.33	83.40	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	41.93
160000	4.30	3.44	5.14	1.47	75.04	0.28	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	77.36
170000	3.97	3.50	5.10	1.40	68.97	0.29	1.91	1.78	0.13	0.00	31.20	69.61	0.00	0.00	76.56
180000	3.83	3.44	5.02	1.35	66.50	0.28	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	75.69
190000	3.67	3.41	5.07	1.45	63.78	0.29	1.91	1.78	0.13	0.00	31.12	69.61	0.00	0.00	74.88
200000	3.45	3.45	5.09	1.43	57.32	0.29	1.91	1.78	0.13	0.00	31.05	69.61	0.00	0.00	74.21
210000	3.28	3.45	5.03	1.44	44.99	0.29	1.91	1.78	0.13	0.00	31.00	69.61	0.00	0.00	73.97
220000	3.30	3.41	5.04	1.42	48.42	0.28	1.91	1.78	0.13	0.00	31.03	69.61	0.00	0.00	73.78
230000	3.14	3.48	5.02	1.34	52.49	0.29	1.91	1.78	0.13	0.00	31.03	69.61	0.00	0.00	68.42
極大值	8.71	3.50	5.21	1.51	96.15	0.29	1.92	1.79	0.13	0.00	31.33	69.73	0.00	0.00	77.36
極小值	3.14	3.31	5.00	1.31	20.99	0.28	1.91	1.78	0.13	0.00	31.00	69.61	0.00	0.00	37.82
平均值	4.02	3.44	5.07	1.42	53.99	0.29	1.91	1.78	0.13	0.00	31.18	69.64	0.00	0.00	55.57
標準差	1.34	0.05	0.05	0.05	23.96	0	0	0	0	0	0.1	0.04	0	0	14.75

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.29	3.44	5.08	1.39	46.75	0.29	1.91	1.78	0.13	0.00	30.73	69.31	0.00	0.00	46.75
010000	3.22	3.33	5.02	1.42	46.14	0.28	1.91	1.78	0.13	0.00	30.66	69.19	0.00	0.00	46.14
020000	3.20	3.39	5.00	1.35	25.88	0.28	1.91	1.77	0.14	0.00	30.66	69.23	0.00	0.00	25.88
030000	3.48	3.36	5.02	1.39	28.99	0.28	1.91	1.78	0.13	0.00	30.67	69.22	0.00	0.00	28.99
040000	3.50	3.51	5.07	1.29	24.13	0.28	1.91	1.78	0.13	0.00	30.69	69.24	0.00	0.00	24.13
050000	3.42	3.41	5.02	1.35	25.80	0.28	1.91	1.78	0.13	0.00	30.66	69.27	0.00	0.00	25.80
060000	3.41	3.45	5.01	1.29	23.72	0.28	1.91	1.78	0.13	0.00	30.61	69.26	0.00	0.00	23.72
070000	3.59	3.46	5.02	1.30	23.59	0.28	1.91	1.78	0.13	0.00	30.60	69.20	0.00	0.00	23.59
080000	3.62	3.37	4.97	1.31	32.31	0.28	1.90	1.77	0.13	0.00	30.54	69.19	0.00	0.00	32.31
090000	4.34	3.51	5.03	1.25	50.60	0.28	1.90	1.77	0.13	0.00	30.53	69.19	0.00	0.00	50.60
100000	4.29	3.35	5.05	1.42	64.53	0.28	1.90	1.77	0.13	0.00	30.59	69.19	0.00	0.00	64.53
110000	4.01	3.39	5.06	1.38	71.23	0.28	1.91	1.78	0.13	0.00	30.59	69.19	0.00	0.00	71.23
120000	3.97	3.43	5.04	1.38	68.94	0.28	1.91	1.78	0.13	0.00	30.82	69.47	0.00	0.00	68.94
130000	3.92	3.34	5.11	1.54	76.21	0.29	1.91	1.78	0.13	0.00	31.00	69.68	0.00	0.00	76.21
140000	4.10	3.37	5.03	1.44	79.05	0.29	1.91	1.78	0.13	0.00	31.04	69.73	0.00	0.00	79.05
150000	4.28	3.43	5.09	1.41	73.23	0.29	1.91	1.78	0.13	0.00	30.99	69.67	0.00	0.00	73.23
160000	4.25	3.46	5.10	1.44	73.92	0.29	1.91	1.78	0.13	0.00	30.95	69.64	0.00	0.00	73.92
170000	4.06	3.49	5.11	1.40	63.09	0.29	1.91	1.78	0.13	0.00	30.90	69.61	0.00	0.00	63.09
180000	4.03	3.34	4.99	1.42	57.21	0.29	1.91	1.78	0.13	0.00	30.89	69.61	0.00	0.00	57.21
190000	3.61	3.29	5.05	1.56	58.38	0.29	1.91	1.78	0.13	0.00	30.90	69.61	0.00	0.00	58.38
200000	3.25	3.34	5.00	1.44	43.46	0.29	1.91	1.78	0.13	0.00	30.92	69.61	0.00	0.00	43.46
210000	3.14	3.49	5.03	1.32	41.26	0.29	1.91	1.78	0.13	0.00	30.91	69.61	0.00	0.00	41.26
220000	3.09	3.38	4.98	1.38	28.10	0.29	1.91	1.78	0.13	0.00	30.93	69.61	0.00	0.00	28.10
230000	3.28	3.63	5.17	1.32	29.74	0.29	1.91	1.78	0.13	0.00	30.91	69.61	0.00	0.00	29.74
極大值	4.34	3.63	5.17	1.56	79.05	0.29	1.91	1.78	0.14	0.00	31.04	69.73	0.00	0.00	79.05
極小值	3.09	3.29	4.97	1.25	23.59	0.28	1.90	1.77	0.13	0.00	30.53	69.19	0.00	0.00	23.59
平均值	3.68	3.42	5.04	1.38	48.18	0.28	1.91	1.78	0.13	0.00	30.78	69.42	0.00	0.00	48.18
標準差	0.42	0.08	0.05	0.07	19.66	0.01	0	0	0	0	0.17	0.21	0	0	19.66

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.29	3.33	5.03	1.45	29.60	0.28	1.91	1.78	0.13	0.00	30.63	69.29	0.00	0.00	80.47
010000	3.17	3.41	4.99	1.33	18.98	0.28	1.91	1.78	0.13	0.00	30.56	69.19	0.00	0.00	79.13
020000	3.18	3.41	5.01	1.34	22.88	0.28	1.91	1.78	0.13	0.00	30.53	69.19	0.00	0.00	77.99
030000	3.34	3.54	5.16	1.37	18.42	0.28	1.91	1.78	0.13	0.00	30.52	69.20	0.00	0.00	77.30
040000	3.29	3.44	5.02	1.31	21.49	0.28	1.91	1.78	0.13	0.00	30.53	69.23	0.00	0.00	76.66
050000	3.15	3.48	5.05	1.29	17.57	0.28	1.91	1.78	0.13	0.00	30.54	69.25	0.00	0.00	76.33
060000	3.29	3.44	5.10	1.40	16.55	0.28	1.91	1.78	0.13	0.00	30.53	69.25	0.00	0.00	76.05
070000	3.50	3.41	4.99	1.31	25.57	0.28	1.91	1.78	0.13	0.00	30.49	69.19	0.00	0.00	75.73
080000	3.64	3.39	5.07	1.40	30.66	0.28	1.91	1.77	0.14	0.00	30.49	69.19	0.00	0.00	75.46
090000	3.67	3.46	5.02	1.28	41.12	0.28	1.91	1.77	0.14	0.00	30.48	69.19	0.00	0.00	75.24
100000	3.68	3.44	5.06	1.36	53.92	0.28	1.91	1.78	0.13	0.00	30.49	69.19	0.00	0.00	75.76
110000	4.03	3.46	4.99	1.29	69.21	0.28	1.91	1.78	0.13	0.00	30.49	69.19	0.00	0.00	77.31
120000	8.03	3.55	5.06	1.27	88.88	0.28	1.91	1.78	0.13	0.00	30.75	69.48	0.00	0.00	80.12
130000	5.92	3.44	5.03	1.37	71.37	0.29	1.91	1.78	0.13	0.00	30.88	69.61	0.00	0.00	83.39
140000	4.39	3.42	5.07	1.42	71.44	0.29	1.91	1.78	0.13	0.00	30.84	69.63	0.00	0.00	86.95
150000	3.87	3.39	5.00	1.37	72.46	0.29	1.91	1.78	0.13	0.00	30.82	69.61	0.00	0.00	89.50
160000	3.85	3.43	5.10	1.47	71.59	0.29	1.91	1.78	0.13	0.00	30.77	69.61	0.00	0.00	92.41
170000	4.11	3.47	5.06	1.40	73.49	0.29	1.91	1.78	0.13	0.00	30.80	69.61	0.00	0.00	92.98
180000	4.25	3.45	5.04	1.40	57.18	0.28	1.91	1.78	0.13	0.00	30.80	69.61	0.00	0.00	91.63
190000	5.22	3.49	5.13	1.42	53.78	0.29	1.91	1.78	0.13	0.00	30.92	69.61	0.00	0.00	89.90
200000	5.76	3.43	5.05	1.41	45.42	0.28	1.91	1.78	0.13	0.00	31.01	69.61	0.00	0.00	87.91
210000	3.81	3.51	5.09	1.37	28.27	0.29	1.91	1.78	0.13	0.00	30.96	69.61	0.00	0.00	85.82
220000	3.74	3.55	5.06	1.32	24.65	0.28	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	83.87
230000	3.66	3.40	5.09	1.45	29.02	0.28	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	82.06
極大值	8.03	3.55	5.16	1.47	88.88	0.29	1.91	1.78	0.14	0.00	31.01	69.63	0.00	0.00	92.98
極小值	3.15	3.33	4.99	1.27	16.55	0.28	1.91	1.77	0.13	0.00	30.48	69.19	0.00	0.00	75.24
平均值	4.08	3.45	5.05	1.37	43.90	0.28	1.91	1.78	0.13	0.00	30.70	69.41	0.00	0.00	82.08
標準差	1.13	0.05	0.04	0.06	23.06	0	0	0	0	0	0.19	0.2	0	0	6.1

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.83	3.39	5.08	1.44	30.85	0.28	1.91	1.78	0.13	0.00	30.66	69.29	0.00	0.00	49.06
010000	3.75	3.56	5.15	1.35	26.66	0.28	1.91	1.78	0.13	0.00	30.57	69.19	0.00	0.00	55.66
020000	3.65	3.47	5.07	1.35	15.88	0.28	1.91	1.78	0.13	0.00	30.56	69.19	0.00	0.00	60.63
030000	3.57	3.48	5.05	1.30	17.44	0.28	1.91	1.78	0.13	0.00	30.55	69.19	0.00	0.00	66.28
040000	3.53	3.43	5.01	1.31	23.97	0.28	1.91	1.78	0.13	0.00	30.52	69.19	0.00	0.00	67.37
050000	3.71	3.45	5.04	1.32	25.43	0.28	1.91	1.77	0.14	0.00	30.49	69.19	0.00	0.00	66.78
060000	3.74	3.51	5.09	1.32	32.43	0.28	1.91	1.78	0.13	0.00	30.50	69.19	0.00	0.00	69.86
070000	3.61	3.42	5.08	1.37	19.28	0.28	1.91	1.78	0.13	0.00	30.51	69.19	0.00	0.00	68.11
080000	3.76	3.41	5.07	1.38	24.14	0.28	1.90	1.77	0.13	0.00	30.54	69.19	0.00	0.00	71.25
090000	3.90	3.41	5.09	1.40	35.66	0.28	1.90	1.77	0.13	0.00	30.49	69.19	0.00	0.00	81.10
100000	3.99	3.45	5.07	1.34	61.71	0.28	1.90	1.76	0.14	0.00	30.48	69.19	0.00	0.00	85.42
110000	3.85	3.48	5.10	1.35	63.70	0.28	1.91	1.77	0.14	0.00	30.44	69.19	0.00	0.00	55.44
120000	3.92	3.44	5.09	1.41	74.68	0.28	1.91	1.78	0.13	0.00	30.54	69.46	0.00	0.00	39.86
130000	4.53	3.48	5.09	1.38	99.23	0.28	1.91	1.78	0.13	0.00	30.26	69.61	0.00	0.00	25.66
140000	4.44	3.45	5.08	1.40	95.87	0.28	1.91	1.78	0.13	0.00	30.46	69.61	0.00	0.00	39.63
150000	4.05	3.43	5.09	1.44	86.49	0.29	1.91	1.78	0.13	0.00	30.66	69.61	0.00	0.00	29.01
160000	3.80	3.42	5.03	1.39	77.11	0.29	1.91	1.78	0.13	0.00	30.68	69.61	0.00	0.00	35.20
170000	4.00	3.41	5.03	1.42	69.48	0.29	1.91	1.78	0.13	0.00	30.71	69.61	0.00	0.00	45.19
180000	3.92	3.35	5.01	1.42	70.46	0.28	1.91	1.78	0.13	0.00	30.72	69.61	0.00	0.00	80.55
190000	3.68	3.44	5.16	1.48	54.29	0.28	1.91	1.78	0.13	0.00	30.72	69.61	0.00	0.00	61.27
200000	3.58	3.47	5.08	1.39	47.11	0.28	1.91	1.78	0.13	0.00	30.67	69.61	0.00	0.00	63.00
210000	3.63	3.34	5.03	1.45	38.11	0.28	1.91	1.78	0.13	0.00	30.61	69.61	0.00	0.00	68.43
220000	3.55	3.43	5.10	1.45	31.84	0.29	1.91	1.78	0.13	0.00	30.59	69.61	0.00	0.00	65.15
230000	3.48	3.44	5.10	1.43	32.25	0.29	1.91	1.78	0.13	0.00	30.70	69.61	0.00	0.00	38.56
極大值	4.53	3.56	5.16	1.48	99.23	0.29	1.91	1.78	0.14	0.00	30.72	69.61	0.00	0.00	85.42
極小值	3.48	3.34	5.01	1.30	15.88	0.28	1.90	1.76	0.13	0.00	30.26	69.19	0.00	0.00	25.66
平均值	3.81	3.44	5.07	1.39	48.09	0.28	1.91	1.78	0.13	0.00	30.57	69.40	0.00	0.00	57.85
標準差	0.26	0.05	0.04	0.05	26.04	0	0	0.01	0	0	0.11	0.21	0	0	16.62

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.90	3.47	8.13	4.52	30.90	0.27	1.92	1.79	0.13	0.00	31.79	69.62	0.00	0.00	99.29
010000	3.00	3.40	8.11	4.56	22.99	0.27	1.92	1.79	0.13	0.00	31.73	69.61	0.00	0.00	91.96
020000	3.18	3.40	8.11	4.52	20.10	0.27	1.92	1.79	0.13	0.00	31.71	69.61	0.00	0.00	76.39
030000	3.22	3.47	8.22	4.58	21.15	0.27	1.92	1.79	0.13	0.00	31.73	69.62	0.00	0.00	65.90
040000	3.17	3.38	8.17	4.62	21.87	0.27	1.92	1.79	0.13	0.00	31.73	69.62	0.00	0.00	69.95
050000	3.17	3.37	8.17	4.64	17.54	0.27	1.92	1.79	0.13	0.00	31.64	69.62	0.00	0.00	62.31
060000	3.12	3.47	8.27	4.64	16.33	0.27	1.92	1.79	0.13	0.00	31.62	69.62	0.00	0.00	52.73
070000	3.33	3.41	8.08	4.53	16.49	0.26	1.92	1.79	0.13	0.00	31.57	69.61	0.00	0.00	51.90
080000	3.52	3.52	8.26	4.58	24.84	0.27	1.92	1.79	0.13	0.00	31.51	69.61	0.00	0.00	50.57
090000	3.79	3.56	8.27	4.53	42.26	0.27	1.92	1.79	0.13	0.00	31.52	69.63	0.00	0.00	50.37
100000	4.03	3.49	8.16	4.50	50.48	0.27	1.92	1.79	0.13	0.00	31.52	69.64	0.00	0.00	57.85
110000	4.32	3.38	8.13	4.59	58.59	0.27	1.92	1.79	0.13	0.00	31.54	69.70	0.00	0.00	67.05
120000	5.71	3.49	8.26	4.61	67.86	0.27	1.92	1.79	0.13	0.00	31.60	69.75	0.00	0.00	91.65
130000	6.90	3.38	8.09	4.56	66.78	0.27	1.92	1.79	0.13	0.00	31.60	69.75	0.00	0.00	55.64
140000	5.19	3.47	8.19	4.55	71.82	0.27	1.92	1.79	0.13	0.00	31.56	69.75	0.00	0.00	85.80
150000	4.97	3.45	8.11	4.47	72.70	0.26	1.92	1.79	0.13	0.00	31.55	69.75	0.00	0.00	77.65
160000	4.42	3.44	8.15	4.54	61.43	0.27	1.92	1.79	0.13	0.00	31.54	69.74	0.00	0.00	103.02
170000	4.28	3.37	8.13	4.59	52.71	0.26	1.92	1.79	0.13	0.00	31.51	69.69	0.00	0.00	56.17
180000	4.13	3.46	8.14	4.51	38.20	0.27	1.92	1.79	0.13	0.00	31.51	69.69	0.00	0.00	50.29
190000	4.13	3.43	8.16	4.59	39.07	0.27	1.92	1.79	0.13	0.00	31.48	69.66	0.00	0.00	46.62
200000	4.48	3.42	8.14	4.56	43.60	0.27	1.92	1.79	0.13	0.00	31.42	69.64	0.00	0.00	38.67
210000	3.42	3.36	8.05	4.52	35.27	0.27	1.92	1.79	0.13	0.00	31.46	69.61	0.00	0.00	44.18
220000	3.34	3.44	8.15	4.57	34.59	0.27	1.92	1.79	0.13	0.00	31.47	69.61	0.00	0.00	24.25
230000	3.25	3.43	8.15	4.56	31.59	0.27	1.92	1.79	0.13	0.00	31.51	69.61	0.00	0.00	50.29
極大值	6.90	3.56	8.27	4.64	72.70	0.27	1.92	1.79	0.13	0.00	31.79	69.75	0.00	0.00	103.02
極小值	2.90	3.36	8.05	4.47	16.33	0.26	1.92	1.79	0.13	0.00	31.42	69.61	0.00	0.00	24.25
平均值	3.96	3.44	8.16	4.56	39.96	0.27	1.92	1.79	0.13	0.00	31.58	69.66	0.00	0.00	63.35
標準差	0.98	0.05	0.06	0.04	18.76	0	0	0	0	0	0.1	0.05	0	0	20.08



## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	4.72	1.69	15.30	11.47	9.93	0.35	3.66	0.64	3.02	0.00	35.69	69.19	0.00	0.00	41.62
010000	4.93	1.66	15.44	11.63	9.39	0.34	3.64	0.65	2.99	0.00	35.69	69.19	0.00	0.00	25.89
020000	4.70	1.59	13.58	10.00	8.02	0.34	3.54	0.63	2.91	0.00	35.69	69.19	0.00	0.00	39.23
030000	4.74	1.71	14.71	10.82	6.34	0.34	3.55	0.67	2.88	0.00	35.69	69.19	0.00	0.00	33.62
040000	4.89	1.90	16.21	11.96	5.06	0.35	3.58	0.79	2.79	0.00	35.69	69.19	0.00	0.00	39.88
050000	4.63	1.91	16.29	11.96	2.72	0.35	3.52	0.66	2.86	0.00	35.69	69.19	0.00	0.00	40.44
060000	4.67	2.05	16.15	11.61	1.76	0.35	3.45	0.67	2.78	0.00	35.69	69.19	0.00	0.00	49.42
070000	4.86	2.94	17.68	11.37	2.15	0.36	3.38	0.66	2.72	0.00	35.69	69.19	0.00	0.00	49.19
080000	5.07	2.61	16.08	10.40	3.70	0.36	3.34	0.67	2.67	0.00	35.69	69.19	0.00	0.00	47.46
090000	5.18	2.24	14.18	9.27	5.83	0.35	3.30	0.70	2.60	0.00	35.69	69.19	0.00	0.00	48.64
100000	5.77	1.90	11.63	7.35	12.28	0.35	3.14	0.68	2.46	0.00	35.69	69.19	0.00	0.00	50.10
110000	6.03	1.99	13.44	8.98	23.30	0.35	3.03	0.65	2.38	0.00	35.69	69.19	0.00	0.00	49.58
120000	8.19	1.87	13.68	9.48	39.46	0.36	3.00	0.63	2.37	0.00	35.69	69.19	0.00	0.00	69.07
130000	7.73	1.97	13.66	9.27	32.66	0.36	2.88	0.53	2.35	0.00	35.69	69.19	0.00	0.00	49.64
140000	7.20	1.84	13.68	9.55	35.81	0.35	2.88	0.54	2.34	0.00	35.69	69.19	0.00	0.00	45.32
150000	6.26	2.11	13.71	9.07	32.36	0.35	2.84	0.53	2.31	0.00	35.69	69.19	0.00	0.00	51.13
160000	7.06	1.82	14.88	10.79	28.07	0.35	2.86	0.55	2.31	0.00	35.69	69.19	0.00	0.00	41.80
170000	6.07	1.92	20.19	15.91	13.93	0.35	2.97	0.65	2.32	0.00	35.69	69.19	0.00	0.00	40.88
180000	5.10	2.70	24.04	18.18	8.33	0.35	3.09	0.69	2.40	0.00	35.69	69.19	0.00	0.00	47.08
190000	5.44	2.41	22.63	17.36	8.66	0.35	3.14	0.67	2.47	0.00	35.69	69.19	0.00	0.00	49.35
200000	5.97	3.31	25.53	18.45	6.62	0.36	3.17	0.68	2.49	0.00	35.69	69.19	0.00	0.00	52.54
210000	6.30	1.88	19.80	15.60	6.49	0.35	3.37	0.74	2.63	0.00	35.69	69.19	0.00	0.00	52.22
220000	5.70	1.62	16.02	12.34	8.27	0.35	3.37	0.66	2.71	0.00	35.69	69.19	0.00	0.00	63.59
230000	5.59	1.68	15.73	11.94	7.41	0.35	3.33	0.64	2.69	0.00	35.69	69.19	0.00	0.00	65.72
極大值	8.19	3.31	25.53	18.45	39.46	0.36	3.66	0.79	3.02	0.00	35.69	69.19	0.00	0.00	69.07
極小值	4.63	1.59	11.63	7.35	1.76	0.34	2.84	0.53	2.31	0.00	35.69	69.19	0.00	0.00	25.89
平均值	5.70	2.06	16.43	11.86	13.27	0.35	3.25	0.65	2.60	0.00	35.69	69.19	0.00	0.00	46.64
標準差	1.01	0.44	3.55	3.05	11.67	0.01	0.27	0.06	0.23	0	0	0	0	0	9.54

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	5.12	1.65	15.54	11.78	43.91	0.35	3.18	0.67	2.51	0.00	35.69	69.19	0.00	0.00	51.38
010000	5.00	1.64	14.36	10.64	10.00	0.35	3.12	0.61	2.51	0.00	35.69	69.19	0.00	0.00	41.63
020000	4.85	1.64	13.48	9.73	60.17	0.35	3.13	0.59	2.54	0.00	35.69	69.19	0.00	0.00	40.15
030000	4.75	1.61	12.87	9.21	10.00	0.35	3.25	0.61	2.64	0.00	35.69	69.19	0.00	0.00	49.62
040000	4.52	1.65	12.70	8.99	64.17	0.34	3.28	0.62	2.66	0.00	35.69	69.19	0.00	0.00	46.92
050000	4.46	1.94	12.80	8.51	58.00	0.34	3.22	0.60	2.62	0.00	35.69	69.19	0.00	0.00	42.31
060000	4.66	2.14	13.53	8.77	26.00	0.35	3.19	0.59	2.60	0.00	35.69	69.19	0.00	0.00	41.90
070000	4.76	2.55	14.57	9.00	28.85	0.35	3.12	0.57	2.55	0.00	35.69	69.19	0.00	0.00	44.04
080000	4.87	4.45	20.26	10.94	76.46	0.35	3.17	0.59	2.58	0.00	35.69	69.19	0.00	0.00	40.18
090000	4.57	3.29	17.38	10.35	67.80	0.36	3.28	0.62	2.66	0.00	35.69	69.19	0.00	0.00	50.42
100000	5.21	3.26	19.15	12.17	25.00	0.36	3.29	0.68	2.61	0.00	35.69	69.19	0.00	0.00	57.10
110000	5.19	2.57	16.15	10.51	67.34	0.36	3.30	0.70	2.60	0.00	35.69	69.19	0.00	0.00	65.66
120000	6.71	1.87	16.26	12.03	82.45	0.37	3.26	0.72	2.54	0.00	35.69	69.19	0.00	0.00	63.11
130000	6.30	5.11	33.36	22.69	74.68	0.39	3.19	0.71	2.48	0.00	35.69	69.19	0.00	0.00	60.45
140000	7.34	1.94	17.69	13.33	67.69	0.37	3.01	0.57	2.44	0.00	35.69	69.19	0.00	0.00	64.55
150000	7.59	1.75	12.74	8.79	71.30	0.35	2.94	0.54	2.40	0.00	35.69	69.19	0.00	0.00	56.57
160000	5.53	1.73	11.45	7.52	68.43	0.34	2.83	0.47	2.36	0.00	35.69	69.19	0.00	0.00	60.42
170000	5.23	1.85	12.64	8.51	58.34	0.35	2.82	0.47	2.35	0.00	35.69	69.19	0.00	0.00	57.64
180000	5.30	1.67	11.51	7.73	58.25	0.34	2.81	0.46	2.35	0.00	35.69	69.19	0.00	0.00	59.99
190000	5.17	1.67	11.84	8.05	42.09	0.34	2.82	0.48	2.34	0.00	35.69	69.19	0.00	0.00	63.26
200000	4.90	2.32	17.05	11.94	32.95	0.35	3.02	0.58	2.44	0.00	35.69	69.19	0.00	0.00	58.49
210000	4.80	2.31	15.75	10.67	20.26	0.35	3.07	0.59	2.48	0.00	35.69	69.19	0.00	0.00	64.72
220000	5.02	1.62	14.35	10.69	10.05	0.35	3.17	0.62	2.55	0.00	35.69	69.19	0.00	0.00	68.80
230000	4.95	1.61	14.40	10.69	5.68	0.35	3.22	0.61	2.61	0.00	35.69	69.19	0.00	0.00	67.22
極大值	7.59	5.11	33.36	22.69	82.45	0.39	3.30	0.72	2.66	0.00	35.69	69.19	0.00	0.00	68.80
極小值	4.46	1.61	11.45	7.52	5.68	0.34	2.81	0.46	2.34	0.00	35.69	69.19	0.00	0.00	40.18
平均值	5.28	2.24	15.49	10.55	47.08	0.35	3.11	0.59	2.52	0.00	35.69	69.19	0.00	0.00	54.86
標準差	0.85	0.93	4.49	3.01	24.73	0.01	0.16	0.07	0.1	0	0	0	0	0	9.52

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.43	3.57	6.92	3.66	23.63	0.29	1.91	1.78	0.13	0.00	31.34	69.61	0.00	0.00	83.84
010000	3.32	3.86	7.40	3.94	34.70	0.28	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	19.21
020000	3.54	3.71	7.31	4.03	21.84	0.29	1.91	1.78	0.13	0.00	31.38	69.62	0.00	0.00	44.40
030000	3.29	3.94	6.98	3.35	19.66	0.29	1.91	1.78	0.13	0.00	31.40	69.62	0.00	0.00	30.46
040000	3.17	3.97	7.14	3.49	23.74	0.29	1.91	1.78	0.13	0.00	31.32	69.62	0.00	0.00	24.33
050000	3.14	3.98	7.55	4.00	18.71	0.29	1.91	1.78	0.13	0.00	31.35	69.63	0.00	0.00	26.44
060000	3.24	4.74	8.35	4.15	21.70	0.29	1.91	1.78	0.13	0.00	31.38	69.62	0.00	0.00	53.68
070000	3.47	5.23	8.31	3.52	15.91	0.29	1.91	1.78	0.13	0.00	31.41	69.61	0.00	0.00	59.60
080000	3.59	5.01	8.16	3.63	20.51	0.28	1.91	1.78	0.13	0.00	31.38	69.61	0.00	0.00	40.21
090000	3.59	3.90	7.02	3.44	39.36	0.29	1.91	1.78	0.13	0.00	31.34	69.61	0.00	0.00	41.84
100000	3.50	3.61	6.80	3.46	55.02	0.28	1.91	1.78	0.13	0.00	31.32	69.61	0.00	0.00	50.92
110000	4.31	3.54	7.76	4.52	68.43	0.28	1.91	1.78	0.13	0.00	31.36	69.61	0.00	0.00	64.34
120000	5.82	3.30	8.97	5.97	74.96	0.29	1.92	1.79	0.13	0.00	31.34	69.68	0.00	0.00	65.65
130000	4.92	3.36	8.26	5.12	73.96	0.29	1.92	1.79	0.13	0.00	31.39	69.72	0.00	0.00	64.55
140000	4.97	3.20	7.33	4.18	61.80	0.29	1.92	1.79	0.13	0.00	31.46	69.67	0.00	0.00	61.41
150000	3.80	3.46	5.08	1.40	52.85	0.28	1.92	1.79	0.13	0.00	31.40	69.61	0.00	0.00	57.20
160000	3.80	3.44	5.03	1.36	28.72	0.29	1.92	1.79	0.13	0.00	31.43	69.61	0.00	0.00	63.03
170000	8.38	3.46	5.05	1.37	13.61	0.29	1.91	1.78	0.13	0.00	31.29	69.61	0.00	0.00	68.89
180000	4.68	3.58	5.14	1.37	15.02	0.29	1.91	1.78	0.13	0.00	31.37	69.61	0.00	0.00	63.54
190000	4.14	3.41	5.08	1.46	25.17	0.29	1.91	1.78	0.13	0.00	31.41	69.61	0.00	0.00	32.34
200000	3.76	3.47	5.10	1.42	36.71	0.29	1.91	1.78	0.13	0.00	31.45	69.61	0.00	0.00	43.99
210000	3.57	3.43	5.01	1.35	25.88	0.29	1.91	1.78	0.13	0.00	31.41	69.61	0.00	0.00	68.40
220000	3.45	3.51	5.04	1.32	31.46	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	50.24
230000	3.34	3.47	5.03	1.35	34.71	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	49.52
極大值	8.38	5.23	8.97	5.97	74.96	0.29	1.92	1.79	0.13	0.00	31.46	69.72	0.00	0.00	83.84
極小值	3.14	3.30	5.01	1.32	13.61	0.28	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	19.21
平均值	4.01	3.76	6.66	3.04	34.92	0.29	1.91	1.78	0.13	0.00	31.37	69.62	0.00	0.00	51.17
標準差	1.15	0.53	1.36	1.43	19.18	0	0	0	0	0	0.05	0.03	0	0	16.42

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.02	5.41	7.96	2.35	16.63	0.63	1.95	1.82	0.13	0.00	34.95	69.36	0.00	0.00	52.17
010000	2.99	5.59	8.16	2.39	15.69	0.64	1.95	1.82	0.13	0.00	34.51	69.19	0.00	0.00	49.92
020000	2.95	5.70	8.09	2.19	20.14	0.65	1.95	1.81	0.14	0.00	34.45	69.19	0.00	0.00	54.80
030000	3.11	5.63	8.16	2.34	15.68	0.66	1.95	1.81	0.14	0.00	34.42	69.19	0.00	0.00	38.03
040000	3.01	5.52	8.05	2.35	21.94	0.65	1.95	1.81	0.14	0.00	34.25	69.19	0.00	0.00	59.88
050000	3.05	5.49	8.07	2.39	24.63	0.66	1.95	1.81	0.14	0.00	34.09	69.19	0.00	0.00	74.29
060000	2.97	5.75	8.15	2.20	31.73	0.65	1.95	1.81	0.14	0.00	34.06	69.19	0.00	0.00	62.76
070000	2.95	5.62	8.10	2.31	34.48	0.65	1.95	1.81	0.14	0.00	33.92	69.19	0.00	0.00	43.69
080000	2.92	5.56	8.08	2.34	37.35	0.65	1.95	1.82	0.13	0.00	33.89	69.19	0.00	0.00	42.85
090000	3.06	5.57	8.10	2.33	37.40	0.64	1.95	1.82	0.13	0.00	33.70	69.19	0.00	0.00	44.36
100000	3.21	5.59	8.09	2.29	38.40	0.64	1.95	1.81	0.14	0.00	33.71	69.19	0.00	0.00	40.90
110000	3.25	5.68	8.12	2.26	44.64	0.63	1.95	1.81	0.14	0.00	33.56	69.19	0.00	0.00	40.61
120000	3.26	5.67	8.19	2.33	45.08	0.66	1.96	1.82	0.14	0.00	33.59	69.27	0.00	0.00	41.13
130000	3.18	5.58	8.14	2.40	39.77	0.65	1.96	1.83	0.13	0.00	33.45	69.45	0.00	0.00	40.50
140000	2.97	5.52	8.13	2.45	27.75	0.63	1.96	1.83	0.13	0.00	33.51	69.47	0.00	0.00	38.91
150000	3.00	5.61	8.10	2.36	39.45	0.61	1.96	1.83	0.13	0.00	33.32	69.47	0.00	0.00	47.58
160000	2.88	5.52	8.08	2.40	16.37	0.62	1.96	1.83	0.13	0.00	33.32	69.46	0.00	0.00	37.98
170000	2.82	5.51	8.11	2.45	18.60	0.62	1.96	1.83	0.13	0.00	33.20	69.46	0.00	0.00	25.36
180000	2.96	5.56	8.11	2.41	17.80	0.62	1.95	1.82	0.13	0.00	33.10	69.45	0.00	0.00	24.41
190000	3.24	5.60	8.12	2.37	16.09	0.63	1.95	1.82	0.13	0.00	32.97	69.44	0.00	0.00	49.03
200000	3.15	5.58	8.14	2.41	20.96	0.63	1.95	1.82	0.13	0.00	32.99	69.46	0.00	0.00	42.33
210000	3.06	5.57	8.15	2.43	18.18	0.64	1.95	1.82	0.13	0.00	33.02	69.43	0.00	0.00	47.90
220000	2.91	5.57	8.15	2.43	17.71	0.64	1.95	1.82	0.13	0.00	33.14	69.43	0.00	0.00	67.51
230000	2.90	5.51	8.10	2.44	25.46	0.64	1.95	1.82	0.13	0.00	33.15	69.46	0.00	0.00	55.77
極大值	3.26	5.75	8.19	2.45	45.08	0.66	1.96	1.83	0.14	0.00	34.95	69.47	0.00	0.00	74.29
極小值	2.82	5.41	7.96	2.19	15.68	0.61	1.95	1.81	0.13	0.00	32.97	69.19	0.00	0.00	24.41
平均值	3.03	5.58	8.11	2.36	26.75	0.64	1.95	1.82	0.13	0.00	33.68	69.32	0.00	0.00	46.78
標準差	0.13	0.07	0.05	0.07	10.24	0.01	0	0.01	0	0	0.56	0.13	0	0	11.75

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.65	3.40	6.81	3.58	22.75	0.29	1.91	1.78	0.13	0.00	30.87	69.29	0.00	0.00	35.26
010000	3.60	3.48	6.65	3.31	32.05	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	28.31
020000	3.60	3.50	6.80	3.45	20.32	0.29	1.91	1.77	0.14	0.00	30.82	69.19	0.00	0.00	44.96
030000	3.50	3.38	6.76	3.55	14.54	0.29	1.91	1.77	0.14	0.00	30.75	69.19	0.00	0.00	53.77
040000	3.45	3.42	6.72	3.45	17.76	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	36.17
050000	3.42	3.50	6.62	3.31	15.99	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	38.73
060000	3.69	3.78	6.89	3.31	17.03	0.29	1.91	1.78	0.13	0.00	30.83	69.21	0.00	0.00	15.99
070000	3.66	3.73	6.82	3.25	16.24	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	21.92
080000	3.91	3.58	6.69	3.31	16.94	0.29	1.91	1.78	0.13	0.00	30.86	69.19	0.00	0.00	34.60
090000	4.20	3.72	6.24	2.64	21.43	0.29	1.91	1.78	0.13	0.00	30.83	69.19	0.00	0.00	38.18
100000	5.66	3.76	6.38	2.60	20.14	0.29	1.91	1.78	0.13	0.00	30.81	69.19	0.00	0.00	37.17
110000	7.66	3.34	5.90	2.53	21.54	0.29	1.91	1.77	0.14	0.00	30.80	69.19	0.00	0.00	38.37
120000	7.95	3.43	5.95	2.57	21.95	0.29	1.92	1.79	0.13	0.00	31.04	69.45	0.00	0.00	37.44
130000	5.18	3.44	5.94	2.52	23.07	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	37.12
140000	5.49	3.66	6.19	2.61	22.56	0.29	1.92	1.79	0.13	0.00	31.06	69.61	0.00	0.00	34.15
150000	5.85	3.35	5.90	2.60	24.26	0.29	1.92	1.79	0.13	0.00	31.05	69.61	0.00	0.00	36.33
160000	4.45	3.51	5.90	2.42	27.57	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	47.08
170000	4.34	3.44	5.93	2.53	52.19	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	53.19
180000	4.15	3.42	5.87	2.48	46.62	0.29	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	52.37
190000	4.03	3.42	5.88	2.52	35.68	0.29	1.91	1.78	0.13	0.00	30.99	69.61	0.00	0.00	51.06
200000	3.92	3.34	5.80	2.49	32.58	0.29	1.92	1.79	0.13	0.00	30.97	69.61	0.00	0.00	40.27
210000	3.88	3.39	5.81	2.44	30.74	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	35.26
220000	3.73	3.34	5.74	2.43	31.29	0.29	1.92	1.79	0.13	0.00	31.00	69.61	0.00	0.00	28.25
230000	3.67	3.30	5.75	2.43	29.28	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	38.07
極大值	7.95	3.78	6.89	3.58	52.19	0.29	1.92	1.79	0.14	0.00	31.15	69.61	0.00	0.00	53.19
極小值	3.42	3.30	5.74	2.42	14.54	0.29	1.91	1.77	0.13	0.00	30.75	69.19	0.00	0.00	15.99
平均值	4.44	3.48	6.25	2.85	25.61	0.29	1.91	1.78	0.13	0.00	30.92	69.40	0.00	0.00	38.08
標準差	1.25	0.14	0.43	0.44	9.46	0	0	0.01	0	0	0.11	0.21	0	0	9.27

## 測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.38	3.39	6.30	3.06	19.36	0.29	1.91	1.78	0.13	0.00	30.87	69.29	0.00	0.00	59.06
010000	3.33	3.38	6.23	2.97	20.75	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	49.84
020000	3.30	3.39	6.22	2.96	22.76	0.29	1.91	1.77	0.14	0.00	30.82	69.19	0.00	0.00	45.49
030000	3.30	3.31	6.02	2.80	24.60	0.29	1.91	1.77	0.14	0.00	30.75	69.19	0.00	0.00	61.39
040000	3.43	3.32	6.05	2.89	25.73	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	52.05
050000	3.31	3.46	6.10	2.70	25.86	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	27.39
060000	3.33	3.48	6.20	2.86	25.56	0.29	1.91	1.78	0.13	0.00	30.83	69.21	0.00	0.00	22.33
070000	2.93	3.38	6.13	2.85	25.33	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	82.27
080000	2.80	3.63	6.78	3.25	25.05	0.29	1.91	1.78	0.13	0.00	30.86	69.19	0.00	0.00	103.31
090000	2.56	3.46	6.65	3.30	23.84	0.29	1.91	1.78	0.13	0.00	30.83	69.19	0.00	0.00	67.89
100000	2.35	3.49	6.99	3.67	23.29	0.29	1.91	1.78	0.13	0.00	30.81	69.19	0.00	0.00	80.13
110000	2.27	3.38	6.52	3.24	21.62	0.29	1.91	1.77	0.14	0.00	30.80	69.19	0.00	0.00	74.16
120000	2.22	3.40	6.43	3.12	20.94	0.29	1.92	1.79	0.13	0.00	31.04	69.45	0.00	0.00	68.72
130000	2.20	3.46	6.32	2.99	20.43	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	57.72
140000	2.18	3.43	6.19	2.86	20.01	0.29	1.92	1.79	0.13	0.00	31.06	69.61	0.00	0.00	49.53
150000	2.18	3.44	6.16	2.83	19.68	0.29	1.92	1.79	0.13	0.00	31.05	69.61	0.00	0.00	62.24
160000	2.18	3.32	6.00	2.78	19.70	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	55.46
170000	2.18	3.46	6.31	2.91	19.81	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	76.63
180000	2.19	3.62	6.63	3.15	19.94	0.29	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	55.25
190000	2.22	3.59	6.94	3.57	19.86	0.29	1.91	1.78	0.13	0.00	30.99	69.61	0.00	0.00	63.43
200000	2.28	3.74	7.15	3.58	19.88	0.29	1.92	1.79	0.13	0.00	30.97	69.61	0.00	0.00	53.11
210000	2.30	3.47	6.26	2.95	19.46	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	64.14
220000	2.59	3.47	6.30	3.05	19.36	0.29	1.92	1.79	0.13	0.00	31.00	69.61	0.00	0.00	72.35
230000	2.57	3.35	6.09	2.86	19.31	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	54.09
極大值	3.43	3.74	7.15	3.67	25.86	0.29	1.92	1.79	0.14	0.00	31.15	69.61	0.00	0.00	103.31
極小值	2.18	3.31	6.00	2.70	19.31	0.29	1.91	1.77	0.13	0.00	30.75	69.19	0.00	0.00	22.33
平均值	2.65	3.45	6.37	3.05	21.76	0.29	1.91	1.78	0.13	0.00	30.92	69.40	0.00	0.00	60.75
標準差	0.49	0.11	0.32	0.27	2.45	0	0	0.01	0	0	0.11	0.21	0	0	17.03

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.95	1.51	7.26	3.86	30.82	0.29	1.91	1.78	0.13	0.00	30.87	69.29	0.00	0.00	98.49
010000	2.96	1.51	6.96	3.48	30.80	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	101.05
020000	3.09	1.50	6.70	3.24	30.49	0.29	1.91	1.77	0.14	0.00	30.82	69.19	0.00	0.00	99.70
030000	2.97	1.50	6.51	3.07	30.44	0.29	1.91	1.77	0.14	0.00	30.75	69.19	0.00	0.00	101.21
040000	3.29	1.65	7.02	3.30	30.49	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	101.05
050000	3.31	1.61	6.65	2.99	30.44	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	100.11
060000	3.20	1.73	6.72	2.82	35.76	0.29	1.91	1.78	0.13	0.00	30.83	69.21	0.00	0.00	85.09
070000	3.14	1.86	7.08	2.93	40.73	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	66.70
080000	3.01	1.69	6.64	2.85	40.54	0.29	1.91	1.78	0.13	0.00	30.86	69.19	0.00	0.00	62.61
090000	2.92	1.54	6.46	2.95	39.22	0.29	1.91	1.78	0.13	0.00	30.83	69.19	0.00	0.00	53.79
100000	2.80	1.48	6.18	2.83	38.35	0.29	1.91	1.78	0.13	0.00	30.81	69.19	0.00	0.00	51.20
110000	2.78	1.49	6.20	2.84	37.80	0.29	1.91	1.77	0.14	0.00	30.80	69.19	0.00	0.00	46.38
120000	2.81	1.47	6.59	3.24	36.75	0.29	1.92	1.79	0.13	0.00	31.04	69.45	0.00	0.00	41.85
130000	2.81	1.51	6.83	3.39	35.70	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	34.01
140000	2.77	1.54	7.64	4.06	35.12	0.29	1.92	1.79	0.13	0.00	31.06	69.61	0.00	0.00	25.78
150000	2.82	1.52	7.44	3.92	34.81	0.29	1.92	1.79	0.13	0.00	31.05	69.61	0.00	0.00	22.74
160000	2.81	1.57	7.48	3.90	34.59	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	25.67
170000	2.77	2.12	10.05	5.34	36.00	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	30.58
180000	2.76	2.06	11.10	6.52	32.27	0.29	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	45.24
190000	2.86	2.25	12.04	7.09	28.21	0.29	1.91	1.78	0.13	0.00	30.99	69.61	0.00	0.00	74.13
200000	2.90	2.02	10.16	5.69	28.27	0.29	1.92	1.79	0.13	0.00	30.97	69.61	0.00	0.00	92.04
210000	2.94	1.88	9.90	5.78	28.87	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	95.52
220000	2.88	1.47	6.75	3.38	29.31	0.29	1.92	1.79	0.13	0.00	31.00	69.61	0.00	0.00	100.30
230000	2.75	1.43	6.04	2.78	29.53	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	98.81
極大值	3.31	2.25	12.04	7.09	40.73	0.29	1.92	1.79	0.14	0.00	31.15	69.61	0.00	0.00	101.21
極小值	2.75	1.43	6.04	2.78	28.21	0.29	1.91	1.77	0.13	0.00	30.75	69.19	0.00	0.00	22.74
平均值	2.93	1.66	7.60	3.84	33.55	0.29	1.91	1.78	0.13	0.00	30.92	69.40	0.00	0.00	68.92
標準差	0.17	0.24	1.69	1.27	4.02	0	0	0.01	0	0	0.11	0.21	0	0	29.67

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.16	1.60	6.33	2.73	16.76	0.30	1.91	1.78	0.13	0.00	30.69	69.30	0.00	0.00	70.93
010000	2.81	1.69	6.36	2.57	16.99	0.29	1.91	1.78	0.13	0.00	30.58	69.19	0.00	0.00	75.05
020000	3.76	1.76	6.50	2.58	14.34	0.29	1.91	1.78	0.13	0.00	30.62	69.19	0.00	0.00	75.90
030000	3.62	1.74	6.58	2.71	10.46	0.28	1.92	1.79	0.13	0.00	30.61	69.19	0.00	0.00	75.18
040000	3.44	1.95	7.13	2.79	14.03	0.29	1.92	1.79	0.13	0.00	30.66	69.19	0.00	0.00	74.40
050000	3.58	2.19	7.56	2.74	15.41	0.29	1.91	1.77	0.14	0.00	30.68	69.19	0.00	0.00	71.43
060000	3.35	2.40	7.88	2.64	19.08	0.29	1.91	1.78	0.13	0.00	30.66	69.19	0.00	0.00	71.26
070000	3.66	2.73	8.62	2.72	19.48	0.28	1.91	1.77	0.14	0.00	30.65	69.19	0.00	0.00	67.78
080000	3.96	2.15	7.55	2.84	17.35	0.28	1.91	1.78	0.13	0.00	30.62	69.19	0.00	0.00	69.80
090000	3.90	1.96	12.40	8.03	22.90	0.29	1.91	1.78	0.13	0.00	30.59	69.19	0.00	0.00	10.04
100000	3.82	2.11	9.76	5.00	34.51	0.29	1.91	1.77	0.14	0.00	30.64	69.19	0.00	0.00	39.96
110000	3.52	2.34	8.99	3.86	16.42	0.28	1.92	1.79	0.13	0.00	30.63	69.15	0.00	0.00	42.39
120000	3.33	2.00	7.55	3.09	12.99	0.29	1.92	1.79	0.13	0.00	30.89	69.44	0.00	0.00	53.45
130000	3.02	2.43	9.31	4.03	16.42	0.29	1.92	1.79	0.13	0.00	31.01	69.64	0.00	0.00	52.94
140000	2.86	2.36	8.99	3.87	13.18	0.29	1.92	1.79	0.13	0.00	31.03	69.65	0.00	0.00	56.65
150000	3.57	1.95	7.29	2.90	12.45	0.29	1.92	1.79	0.13	0.00	31.01	69.61	0.00	0.00	55.52
160000	3.49	2.01	7.36	2.90	12.10	0.28	1.92	1.79	0.13	0.00	31.08	69.61	0.00	0.00	58.96
170000	2.56	2.14	8.04	3.28	29.28	0.29	1.92	1.79	0.13	0.00	31.37	69.61	0.00	0.00	61.43
180000	3.90	2.27	8.54	3.56	11.47	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	63.76
190000	2.68	2.22	8.72	3.86	11.88	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	70.12
200000	3.06	2.13	8.26	3.57	14.75	0.29	1.92	1.79	0.13	0.00	31.08	69.61	0.00	0.00	71.30
210000	3.10	1.58	6.82	3.20	39.25	0.29	1.91	1.78	0.13	0.00	31.07	69.61	0.00	0.00	70.54
220000	2.92	1.56	7.38	3.88	25.97	0.29	1.92	1.79	0.13	0.00	31.08	69.61	0.00	0.00	71.95
230000	3.73	1.56	6.67	3.13	13.84	0.29	1.92	1.79	0.13	0.00	30.86	69.61	0.00	0.00	69.63
極大值	3.90	2.73	12.40	8.03	39.25	0.30	1.92	1.79	0.14	0.00	31.37	69.65	0.00	0.00	75.90
極小值	2.56	1.56	6.33	2.57	10.46	0.28	1.91	1.77	0.13	0.00	30.58	69.15	0.00	0.00	10.04
平均值	3.37	2.03	7.94	3.44	17.97	0.29	1.92	1.78	0.13	0.00	30.84	69.40	0.00	0.00	62.52
標準差	0.41	0.31	1.37	1.15	7.42	0	0.01	0.01	0	0	0.23	0.21	0	0	15.07



## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.88	1.52	5.66	2.19	24.63	0.29	1.91	1.78	0.13	0.00	31.47	69.61	0.00	0.00	45.69
010000	4.88	1.56	5.97	2.40	21.63	0.29	1.91	1.78	0.13	0.00	31.47	69.61	0.00	0.00	45.62
020000	4.74	1.95	6.76	2.44	23.42	0.29	1.91	1.78	0.13	0.00	31.50	69.61	0.00	0.00	28.02
030000	4.59	1.81	6.44	2.37	21.88	0.29	1.91	1.78	0.13	0.00	31.45	69.61	0.00	0.00	38.73
040000	4.54	2.00	6.99	2.53	19.45	0.29	1.91	1.78	0.13	0.00	31.42	69.61	0.00	0.00	38.33
050000	4.52	1.88	6.84	2.67	15.22	0.29	1.91	1.78	0.13	0.00	31.36	69.62	0.00	0.00	36.56
060000	4.46	1.84	6.67	2.53	19.00	0.29	1.91	1.78	0.13	0.00	31.34	69.63	0.00	0.00	41.76
070000	4.59	2.15	7.48	2.73	16.25	0.29	1.91	1.78	0.13	0.00	31.33	69.61	0.00	0.00	36.91
080000	4.81	2.37	8.25	3.05	23.80	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	54.87
090000	5.15	2.17	7.58	2.81	33.23	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	60.46
100000	5.95	2.03	7.10	2.58	53.51	0.28	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	55.08
110000	7.10	1.78	6.52	2.49	61.65	0.28	1.91	1.78	0.13	0.00	31.17	69.61	0.00	0.00	60.18
120000	8.53	1.73	6.31	2.40	69.98	0.29	1.92	1.79	0.13	0.00	31.18	69.64	0.00	0.00	84.54
130000	6.85	1.63	6.07	2.35	81.85	0.29	1.92	1.79	0.13	0.00	31.39	69.67	0.00	0.00	65.25
140000	7.21	4.72	13.62	3.74	75.00	0.29	1.92	1.79	0.13	0.00	31.23	69.62	0.00	0.00	42.37
150000	7.16	4.81	14.15	4.09	69.30	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	43.16
160000	6.63	2.00	7.09	2.60	59.42	0.29	1.92	1.79	0.13	0.00	31.21	69.61	0.00	0.00	47.25
170000	5.96	1.72	6.40	2.51	47.63	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	52.18
180000	6.13	1.64	6.12	2.42	39.69	0.29	1.91	1.78	0.13	0.00	31.20	69.61	0.00	0.00	55.55
190000	7.14	1.67	6.42	2.64	35.90	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	66.98
200000	5.67	1.60	6.13	2.47	29.09	0.29	1.91	1.78	0.13	0.00	31.22	69.61	0.00	0.00	78.52
210000	5.50	1.58	6.50	2.94	29.67	0.29	1.91	1.78	0.13	0.00	31.17	69.61	0.00	0.00	98.64
220000	5.69	1.55	6.29	2.75	25.92	0.29	1.91	1.78	0.13	0.00	31.25	69.61	0.00	0.00	97.00
230000	5.52	1.53	5.77	2.27	25.59	0.29	1.91	1.78	0.13	0.00	31.30	69.61	0.00	0.00	88.03
極大值	8.53	4.81	14.15	4.09	81.85	0.29	1.92	1.79	0.13	0.00	31.50	69.67	0.00	0.00	98.64
極小值	4.46	1.52	5.66	2.19	15.22	0.28	1.91	1.78	0.13	0.00	31.15	69.61	0.00	0.00	28.02
平均值	5.76	2.05	7.21	2.67	38.45	0.29	1.91	1.78	0.13	0.00	31.29	69.62	0.00	0.00	57.74
標準差	1.12	0.87	2.14	0.44	20.79	0	0	0	0	0	0.11	0.01	0	0	19.86

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.62	1.51	7.26	3.86	49.78	0.29	1.91	1.78	0.13	0.00	31.47	69.61	0.00	0.00	66.93
010000	2.84	1.51	6.96	3.48	52.90	0.29	1.91	1.78	0.13	0.00	31.47	69.61	0.00	0.00	68.20
020000	2.97	1.50	6.70	3.24	51.30	0.29	1.91	1.78	0.13	0.00	31.50	69.61	0.00	0.00	65.32
030000	3.01	1.50	6.51	3.07	52.37	0.29	1.91	1.78	0.13	0.00	31.45	69.61	0.00	0.00	64.94
040000	3.16	1.65	7.02	3.30	49.94	0.29	1.91	1.78	0.13	0.00	31.42	69.61	0.00	0.00	65.59
050000	3.20	1.61	6.65	2.99	45.99	0.29	1.91	1.78	0.13	0.00	31.36	69.62	0.00	0.00	65.45
060000	3.06	1.73	6.72	2.82	42.32	0.29	1.91	1.78	0.13	0.00	31.34	69.63	0.00	0.00	68.12
070000	2.71	1.86	7.08	2.93	46.81	0.29	1.91	1.78	0.13	0.00	31.33	69.61	0.00	0.00	68.70
080000	2.60	1.69	6.64	2.85	39.22	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	76.48
090000	2.56	1.54	6.46	2.95	46.42	0.29	1.91	1.78	0.13	0.00	31.28	69.61	0.00	0.00	83.38
100000	2.55	1.48	6.18	2.83	46.20	0.28	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	90.21
110000	2.53	1.49	6.20	2.84	51.70	0.28	1.91	1.78	0.13	0.00	31.17	69.61	0.00	0.00	96.30
120000	2.50	1.47	6.59	3.24	58.37	0.29	1.92	1.79	0.13	0.00	31.18	69.64	0.00	0.00	100.57
130000	2.51	1.51	6.83	3.39	64.13	0.29	1.92	1.79	0.13	0.00	31.39	69.67	0.00	0.00	93.87
140000	2.49	1.54	7.64	4.06	46.00	0.29	1.92	1.79	0.13	0.00	31.23	69.62	0.00	0.00	79.64
150000	2.50	1.52	7.44	3.92	31.41	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	76.57
160000	2.48	1.57	7.48	3.90	50.80	0.29	1.92	1.79	0.13	0.00	31.21	69.61	0.00	0.00	69.68
170000	2.46	2.12	10.05	5.34	55.18	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	56.05
180000	2.50	2.06	11.10	6.52	63.75	0.29	1.91	1.78	0.13	0.00	31.20	69.61	0.00	0.00	54.06
190000	2.58	2.25	12.04	7.09	70.77	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	61.66
200000	2.67	2.02	10.16	5.69	69.64	0.29	1.91	1.78	0.13	0.00	31.22	69.61	0.00	0.00	71.37
210000	2.76	1.88	9.90	5.78	65.04	0.29	1.91	1.78	0.13	0.00	31.17	69.61	0.00	0.00	66.42
220000	2.78	1.47	6.75	3.38	58.15	0.29	1.91	1.78	0.13	0.00	31.25	69.61	0.00	0.00	65.90
230000	2.52	1.43	6.04	2.78	40.15	0.29	1.91	1.78	0.13	0.00	31.30	69.61	0.00	0.00	68.74
極大值	3.20	2.25	12.04	7.09	70.77	0.29	1.92	1.79	0.13	0.00	31.50	69.67	0.00	0.00	100.57
極小值	2.46	1.43	6.04	2.78	31.41	0.28	1.91	1.78	0.13	0.00	31.15	69.61	0.00	0.00	54.06
平均值	2.69	1.66	7.60	3.84	52.01	0.29	1.91	1.78	0.13	0.00	31.29	69.62	0.00	0.00	72.67
標準差	0.23	0.24	1.69	1.27	9.79	0	0	0	0	0	0.11	0.01	0	0	12.24

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.36	1.33	4.29	2.96	39.61	0.29	1.91	1.78	0.13	0.00	31.03	69.30	0.00	0.00	70.91
010000	3.49	1.31	4.51	3.20	38.94	0.29	1.91	1.78	0.13	0.00	30.84	69.19	0.00	0.00	78.05
020000	3.19	1.23	4.56	3.33	39.32	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	73.71
030000	3.25	1.16	4.43	3.27	39.18	0.28	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	70.79
040000	3.34	1.11	4.53	3.42	38.92	0.29	1.91	1.78	0.13	0.00	30.79	69.19	0.00	0.00	67.89
050000	3.53	1.13	4.53	3.40	38.31	0.29	1.91	1.77	0.14	0.00	30.79	69.19	0.00	0.00	64.63
060000	3.25	1.18	4.58	3.40	37.20	0.29	1.91	1.78	0.13	0.00	30.78	69.19	0.00	0.00	62.64
070000	3.21	1.18	4.71	3.53	37.01	0.29	1.91	1.78	0.13	0.00	30.84	69.19	0.00	0.00	66.71
080000	4.20	1.16	4.56	3.40	37.64	0.28	1.91	1.77	0.14	0.00	30.81	69.19	0.00	0.00	64.85
090000	3.38	1.31	4.29	2.98	40.11	0.29	1.90	1.77	0.13	0.00	30.83	69.19	0.00	0.00	73.94
100000	4.24	1.54	4.44	2.90	40.39	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	78.38
110000	5.07	1.62	4.23	2.61	41.07	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	65.77
120000	4.72	1.39	3.85	2.46	40.00	0.29	1.91	1.78	0.13	0.00	31.08	69.45	0.00	0.00	70.03
130000	4.34	1.18	3.57	2.39	40.35	0.29	1.91	1.78	0.13	0.00	31.26	69.61	0.00	0.00	67.94
140000	3.77	1.20	3.57	2.37	40.94	0.29	1.91	1.78	0.13	0.00	31.27	69.62	0.00	0.00	68.03
150000	3.58	1.38	3.72	2.34	40.96	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	68.69
160000	3.46	1.29	3.60	2.31	40.72	0.29	1.91	1.78	0.13	0.00	31.23	69.61	0.00	0.00	68.61
170000	3.38	1.34	3.63	2.29	40.69	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	64.42
180000	3.94	1.32	3.63	2.31	40.90	0.29	1.91	1.78	0.13	0.00	31.18	69.61	0.00	0.00	65.55
190000	4.51	1.19	3.54	2.35	40.62	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	70.93
200000	3.78	1.11	3.45	2.34	40.17	0.29	1.91	1.78	0.13	0.00	31.23	69.61	0.00	0.00	80.56
210000	3.71	1.20	3.79	2.59	39.63	0.29	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	81.09
220000	2.55	1.19	3.91	2.72	39.57	0.29	1.91	1.78	0.13	0.00	31.15	69.61	0.00	0.00	84.31
230000	2.73	1.14	3.86	2.72	39.58	0.29	1.91	1.78	0.13	0.00	31.14	69.61	0.00	0.00	89.76
極大值	5.07	1.62	4.71	3.53	41.07	0.29	1.91	1.78	0.14	0.00	31.27	69.62	0.00	0.00	89.76
極小值	2.55	1.11	3.45	2.29	37.01	0.28	1.90	1.77	0.13	0.00	30.78	69.19	0.00	0.00	62.64
平均值	3.67	1.26	4.07	2.82	39.66	0.29	1.91	1.78	0.13	0.00	31.02	69.40	0.00	0.00	71.59
標準差	0.6	0.13	0.43	0.45	1.18	0	0	0	0	0	0.19	0.21	0	0	7.04

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.54	2.47	6.10	3.63	45.11	0.29	1.91	1.78	0.13	0.00	31.03	69.30	0.00	0.00	43.34
010000	3.68	2.62	6.88	4.26	43.83	0.29	1.91	1.78	0.13	0.00	30.84	69.19	0.00	0.00	49.73
020000	4.06	3.26	8.56	5.30	50.30	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	98.23
030000	4.23	3.56	8.69	5.13	54.68	0.28	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	77.92
040000	3.76	2.83	6.98	4.15	53.55	0.29	1.91	1.78	0.13	0.00	30.79	69.19	0.00	0.00	57.77
050000	3.28	2.45	8.95	6.40	50.22	0.29	1.91	1.77	0.14	0.00	30.79	69.19	0.00	0.00	62.20
060000	3.20	2.36	8.04	5.76	47.23	0.29	1.91	1.78	0.13	0.00	30.78	69.19	0.00	0.00	34.57
070000	3.24	2.48	8.46	5.47	45.79	0.29	1.91	1.78	0.13	0.00	30.84	69.19	0.00	0.00	26.66
080000	3.28	2.63	9.04	6.41	54.19	0.28	1.91	1.77	0.14	0.00	30.81	69.19	0.00	0.00	37.88
090000	3.28	2.56	8.89	5.82	58.10	0.29	1.90	1.77	0.13	0.00	30.83	69.19	0.00	0.00	48.68
100000	3.43	2.53	9.29	6.27	55.17	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	36.59
110000	3.15	2.26	9.01	6.85	56.81	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	26.08
120000	3.13	2.20	8.80	6.60	57.16	0.29	1.91	1.78	0.13	0.00	31.08	69.45	0.00	0.00	40.21
130000	3.13	2.15	9.98	7.83	55.16	0.29	1.91	1.78	0.13	0.00	31.26	69.61	0.00	0.00	30.06
140000	3.05	2.16	9.47	6.73	45.10	0.29	1.91	1.78	0.13	0.00	31.27	69.62	0.00	0.00	55.17
150000	3.16	2.17	10.58	7.85	33.97	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	56.81
160000	3.16	2.25	6.37	4.12	33.40	0.29	1.91	1.78	0.13	0.00	31.23	69.61	0.00	0.00	57.16
170000	3.21	2.48	8.63	6.15	38.81	0.29	1.91	1.78	0.13	0.00	31.24	69.61	0.00	0.00	55.16
180000	3.29	2.54	7.15	4.61	36.70	0.29	1.91	1.78	0.13	0.00	31.18	69.61	0.00	0.00	45.10
190000	3.33	2.99	8.46	5.15	43.83	0.29	1.91	1.78	0.13	0.00	31.16	69.61	0.00	0.00	33.97
200000	3.35	2.93	6.68	3.75	48.58	0.29	1.91	1.78	0.13	0.00	31.23	69.61	0.00	0.00	33.40
210000	3.27	2.57	7.87	5.30	38.57	0.29	1.91	1.78	0.13	0.00	31.19	69.61	0.00	0.00	38.81
220000	3.36	2.68	6.88	4.20	34.65	0.29	1.91	1.78	0.13	0.00	31.15	69.61	0.00	0.00	36.70
230000	3.44	2.63	6.36	3.73	33.91	0.29	1.91	1.78	0.13	0.00	31.14	69.61	0.00	0.00	51.75
極大值	4.23	3.56	10.58	7.85	58.10	0.29	1.91	1.78	0.14	0.00	31.27	69.62	0.00	0.00	98.23
極小值	3.05	2.15	6.10	3.63	33.40	0.28	1.90	1.77	0.13	0.00	30.78	69.19	0.00	0.00	26.08
平均值	3.38	2.57	8.17	5.46	46.45	0.29	1.91	1.78	0.13	0.00	31.02	69.40	0.00	0.00	47.25
標準差	0.29	0.35	1.23	1.24	8.28	0	0	0	0	0	0.19	0.21	0	0	16.64

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.65	2.72	6.90	4.33	28.29	0.29	1.91	1.78	0.13	0.00	30.87	69.29	0.00	0.00	46.16
010000	3.80	2.96	7.02	4.28	28.54	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	44.91
020000	4.26	2.94	6.69	3.89	28.27	0.29	1.91	1.77	0.14	0.00	30.82	69.19	0.00	0.00	44.61
030000	4.19	2.90	6.21	3.44	28.52	0.29	1.91	1.77	0.14	0.00	30.75	69.19	0.00	0.00	44.83
040000	4.33	2.97	6.14	3.31	27.10	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	44.68
050000	4.05	3.02	6.46	3.57	25.79	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	44.45
060000	4.53	3.02	6.46	3.54	25.11	0.29	1.91	1.78	0.13	0.00	30.83	69.21	0.00	0.00	44.25
070000	5.00	3.18	6.61	3.59	23.61	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	44.77
080000	4.63	3.21	6.66	3.58	24.47	0.29	1.91	1.78	0.13	0.00	30.86	69.19	0.00	0.00	47.48
090000	3.87	3.20	6.67	3.59	25.45	0.29	1.91	1.78	0.13	0.00	30.83	69.19	0.00	0.00	50.62
100000	3.62	3.04	6.28	3.30	26.72	0.29	1.91	1.78	0.13	0.00	30.81	69.19	0.00	0.00	52.74
110000	3.38	3.06	6.33	3.27	32.38	0.29	1.91	1.77	0.14	0.00	30.80	69.19	0.00	0.00	54.33
120000	3.44	2.71	7.29	4.60	35.94	0.29	1.92	1.79	0.13	0.00	31.04	69.45	0.00	0.00	54.86
130000	3.32	2.60	6.54	3.89	55.14	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	55.67
140000	3.26	2.34	6.80	4.36	42.58	0.29	1.92	1.79	0.13	0.00	31.06	69.61	0.00	0.00	54.59
150000	3.17	2.13	6.45	4.13	32.90	0.29	1.92	1.79	0.13	0.00	31.05	69.61	0.00	0.00	54.16
160000	3.16	2.05	5.95	3.70	39.15	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	53.71
170000	3.18	1.97	6.04	3.87	32.84	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	51.47
180000	3.15	1.87	5.77	3.76	34.09	0.29	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	49.71
190000	3.18	2.04	6.25	4.13	34.90	0.29	1.91	1.78	0.13	0.00	30.99	69.61	0.00	0.00	48.53
200000	3.33	2.19	6.32	4.11	34.83	0.29	1.92	1.79	0.13	0.00	30.97	69.61	0.00	0.00	47.77
210000	3.46	2.08	6.18	4.00	32.58	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	47.36
220000	3.57	2.10	6.04	3.88	30.60	0.29	1.92	1.79	0.13	0.00	31.00	69.61	0.00	0.00	47.22
230000	3.72	2.04	6.08	4.03	28.32	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	46.17
極大值	5.00	3.21	7.29	4.60	55.14	0.29	1.92	1.79	0.14	0.00	31.15	69.61	0.00	0.00	55.67
極小值	3.15	1.87	5.77	3.27	23.61	0.29	1.91	1.77	0.13	0.00	30.75	69.19	0.00	0.00	44.25
平均值	3.72	2.60	6.42	3.84	31.59	0.29	1.91	1.78	0.13	0.00	30.92	69.40	0.00	0.00	48.96
標準差	0.53	0.47	0.36	0.36	6.94	0	0	0.01	0	0	0.11	0.21	0	0	4.01

## 測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.69	2.71	7.15	4.75	24.67	0.29	1.91	1.78	0.13	0.00	30.87	69.29	0.00	0.00	39.82
010000	3.53	2.98	7.13	4.53	26.94	0.29	1.91	1.77	0.14	0.00	30.84	69.19	0.00	0.00	40.51
020000	3.68	2.95	6.80	4.24	34.28	0.29	1.91	1.77	0.14	0.00	30.82	69.19	0.00	0.00	40.77
030000	3.47	3.00	6.65	4.00	37.33	0.29	1.91	1.77	0.14	0.00	30.75	69.19	0.00	0.00	40.23
040000	3.54	2.95	6.62	3.98	34.40	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	40.04
050000	3.43	3.03	6.66	3.96	27.45	0.29	1.91	1.78	0.13	0.00	30.82	69.19	0.00	0.00	40.81
060000	3.63	3.03	6.70	4.03	23.16	0.29	1.91	1.78	0.13	0.00	30.83	69.21	0.00	0.00	40.18
070000	3.82	3.16	7.12	4.35	27.05	0.29	1.91	1.78	0.13	0.00	30.85	69.19	0.00	0.00	39.57
080000	3.96	3.36	7.37	4.38	34.45	0.29	1.91	1.78	0.13	0.00	30.86	69.19	0.00	0.00	40.87
090000	4.41	3.41	7.63	4.60	44.19	0.29	1.91	1.78	0.13	0.00	30.83	69.19	0.00	0.00	40.02
100000	4.63	3.25	7.23	4.26	31.07	0.29	1.91	1.78	0.13	0.00	30.81	69.19	0.00	0.00	39.66
110000	4.75	3.20	6.80	3.79	33.20	0.29	1.91	1.77	0.14	0.00	30.80	69.19	0.00	0.00	40.77
120000	5.42	3.20	7.68	4.77	22.00	0.29	1.92	1.79	0.13	0.00	31.04	69.45	0.00	0.00	42.56
130000	4.67	3.03	8.52	5.79	27.69	0.29	1.92	1.79	0.13	0.00	31.15	69.61	0.00	0.00	39.11
140000	4.78	2.79	8.99	6.51	42.85	0.29	1.92	1.79	0.13	0.00	31.06	69.61	0.00	0.00	37.22
150000	5.21	2.89	8.07	5.41	33.17	0.29	1.92	1.79	0.13	0.00	31.05	69.61	0.00	0.00	37.17
160000	4.99	2.79	7.48	4.86	29.33	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	36.29
170000	5.18	2.59	7.33	4.89	36.70	0.29	1.92	1.79	0.13	0.00	30.98	69.61	0.00	0.00	35.77
180000	4.33	2.40	7.47	5.24	34.38	0.29	1.91	1.78	0.13	0.00	30.97	69.61	0.00	0.00	37.60
190000	3.75	2.36	8.33	6.24	34.01	0.29	1.91	1.78	0.13	0.00	30.99	69.61	0.00	0.00	37.99
200000	3.99	2.32	8.45	6.39	26.27	0.29	1.92	1.79	0.13	0.00	30.97	69.61	0.00	0.00	39.44
210000	4.31	2.26	7.65	5.62	30.44	0.29	1.91	1.78	0.13	0.00	31.02	69.61	0.00	0.00	38.79
220000	4.48	2.51	7.17	4.87	41.07	0.29	1.92	1.79	0.13	0.00	31.00	69.61	0.00	0.00	38.41
230000	4.41	2.61	7.16	4.81	38.75	0.29	1.92	1.79	0.13	0.00	31.02	69.61	0.00	0.00	41.14
極大值	5.42	3.41	8.99	6.51	44.19	0.29	1.92	1.79	0.14	0.00	31.15	69.61	0.00	0.00	42.56
極小值	3.43	2.26	6.62	3.79	22.00	0.29	1.91	1.77	0.13	0.00	30.75	69.19	0.00	0.00	35.77
平均值	4.25	2.87	7.42	4.84	32.29	0.29	1.91	1.78	0.13	0.00	30.92	69.40	0.00	0.00	39.36
標準差	0.61	0.33	0.65	0.79	6.03	0	0	0.01	0	0	0.11	0.21	0	0	1.66

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.55	1.57	11.64	12.25	10.82	0.32	28.91	5.55	23.36	41.82	28.97	90.19	622.76	0.02	1000.00
010000	2.54	1.57	11.40	12.25	8.65	0.32	30.71	5.62	25.09	29.23	28.98	90.25	755.48	0.03	498.11
020000	2.63	1.58	11.43	12.35	7.58	0.32	32.87	5.57	27.30	16.00	28.94	90.00	183.05	0.11	93.49
030000	2.83	1.60	11.44	12.55	7.02	0.32	33.79	5.70	28.09	19.32	28.96	90.12	441.24	0.26	86.44
040000	2.70	1.56	11.50	12.42	6.80	0.33	34.70	6.04	28.66	25.76	28.95	90.00	226.27	0.46	87.86
050000	2.73	1.53	11.39	12.44	6.88	0.33	33.63	6.18	27.45	21.70	28.95	89.99	223.58	0.30	92.89
060000	3.11	1.55	12.04	12.82	6.77	0.33	33.56	6.44	27.12	16.66	28.94	89.96	138.35	0.71	90.35
070000	2.81	1.55	11.61	12.50	6.75	0.34	32.82	6.56	26.26	20.48	28.94	89.96	169.80	0.70	109.12
080000	2.66	1.60	11.54	12.38	9.36	0.33	31.82	6.72	25.10	18.61	28.94	89.96	177.84	0.89	85.66
090000	2.76	1.56	11.62	12.46	13.70	0.34	30.78	6.75	24.03	33.94	28.96	90.11	569.73	0.81	95.05
100000	2.79	1.56	11.57	12.48	18.20	0.33	29.68	6.24	23.44	39.99	28.97	90.21	741.59	0.41	98.69
110000	2.79	1.57	11.60	12.48	24.02	0.34	28.61	5.68	22.93	45.00	29.00	90.42	1130.20	0.71	86.60
120000	2.67	1.56	11.54	12.37	25.82	0.33	27.90	5.25	22.65	45.00	29.00	90.44	1162.15	0.92	80.73
130000	2.74	1.58	11.54	12.43	27.03	0.33	27.52	5.02	22.50	45.00	29.00	90.42	1114.84	0.97	73.15
140000	2.67	1.58	11.78	12.38	19.09	0.33	27.35	5.07	22.28	45.00	29.00	90.43	1138.50	0.89	83.87
150000	2.78	1.58	11.76	12.47	14.18	0.37	27.81	5.36	22.45	36.58	28.98	90.28	823.62	1.06	102.58
160000	2.71	1.56	11.50	12.40	15.15	0.33	28.42	5.95	22.47	18.73	28.94	89.97	154.86	0.62	94.74
170000	2.73	1.56	11.50	12.43	11.03	0.34	28.74	6.17	22.57	30.00	28.97	90.16	578.92	0.03	85.59
180000	2.75	1.59	11.39	12.44	8.92	0.34	29.50	6.51	22.99	23.38	28.97	90.19	654.85	0.01	93.51
190000	2.71	1.54	11.45	12.42	7.14	0.34	30.54	6.23	24.31	25.10	28.96	90.13	524.47	0.02	95.64
200000	2.59	1.56	11.51	12.31	7.04	0.33	32.59	5.90	26.69	23.37	28.94	89.98	219.38	0.03	90.66
210000	2.59	1.57	11.48	12.31	8.72	0.33	30.51	5.86	24.65	27.91	28.97	90.17	618.10	0.08	81.15
220000	2.57	1.56	11.47	12.28	9.32	0.33	29.56	5.87	23.69	17.44	28.95	90.04	341.39	0.06	63.34
230000	2.57	1.54	11.42	12.27	8.56	0.33	30.08	5.71	24.37	20.05	28.95	90.06	422.15	0.07	82.20
極大值	3.11	1.60	12.04	12.82	27.03	0.37	34.70	6.75	28.66	45.00	29.00	90.44	1162.15	1.06	1000.00
極小值	2.54	1.53	11.39	12.25	6.75	0.32	27.35	5.02	22.28	16.00	28.94	89.96	138.35	0.01	63.34
平均值	2.71	1.57	11.55	12.41	12.02	0.33	30.52	5.91	24.60	28.59	28.96	90.14	547.21	0.42	133.65
標準差	0.12	0.02	0.15	0.12	6.35	0.01	2.23	0.49	2.03	10.31	0.02	0.16	341.91	0.38	176.88

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.59	1.57	11.39	12.29	7.99	0.33	2.86	0.49	2.37	28.58	28.98	90.30	96.14	0.55	13.38
010000	2.60	1.57	11.46	12.32	7.18	0.33	2.69	0.22	2.47	34.74	28.96	90.13	178.58	0.07	774.96
020000	2.61	1.61	11.61	12.34	7.02	0.32	2.64	0.18	2.46	21.88	28.96	90.09	237.62	0.10	251.47
030000	2.63	1.56	11.59	12.34	10.38	0.33	3.12	0.50	2.62	22.26	28.94	89.96	77.14	0.28	15.35
040000	2.63	1.55	11.45	12.33	7.32	0.33	3.28	0.51	2.77	21.26	28.94	89.96	203.95	0.09	15.38
050000	2.65	1.55	11.34	12.34	6.88	0.33	3.56	0.69	2.87	13.11	28.94	89.92	83.22	0.24	16.32
060000	2.67	1.54	11.70	12.40	6.22	0.33	3.64	0.99	2.65	40.72	28.97	90.23	189.21	0.09	20.22
070000	2.77	1.56	11.54	12.48	6.17	0.33	3.06	0.72	2.34	19.90	28.94	89.97	184.53	0.75	28.32
080000	2.67	1.61	11.51	12.37	8.63	0.33	3.97	1.63	2.34	27.93	28.95	90.01	140.95	1.64	27.08
090000	2.76	1.57	11.56	12.46	13.85	0.33	3.77	1.47	2.30	33.03	28.95	90.06	132.06	2.08	25.40
100000	2.79	1.55	11.48	12.49	18.38	0.34	3.38	1.08	2.30	40.02	28.97	90.15	106.43	1.44	14.79
110000	2.73	1.57	11.25	12.44	27.16	0.35	2.84	0.61	2.23	45.00	29.00	90.41	269.21	2.13	20.30
120000	2.97	1.54	11.37	12.67	44.57	0.35	2.35	0.21	2.14	45.00	29.00	90.43	281.65	4.72	30.76
130000	2.96	1.57	11.57	12.67	48.28	0.35	2.28	0.14	2.14	45.00	29.00	90.42	269.11	4.88	21.28
140000	2.83	1.58	11.58	12.54	36.93	0.34	2.26	0.13	2.13	39.06	28.98	90.30	274.76	5.68	16.21
150000	2.66	1.58	11.53	12.36	20.87	0.33	2.24	0.12	2.12	29.79	28.95	90.06	270.20	6.49	53.53
160000	2.81	1.58	11.62	12.50	18.03	0.33	2.23	0.11	2.12	20.72	28.94	89.95	282.27	5.22	39.14
170000	2.75	1.56	11.53	12.45	17.46	0.33	2.23	0.11	2.12	30.91	28.95	90.05	279.66	2.46	21.74
180000	2.79	1.57	11.68	12.49	13.66	0.35	2.42	0.20	2.22	26.56	28.94	89.97	220.82	1.39	24.11
190000	2.80	1.57	11.63	12.49	13.16	0.35	2.78	0.32	2.46	21.27	28.94	89.97	88.36	4.67	18.35
200000	2.84	1.57	11.60	12.55	11.89	0.35	2.68	0.21	2.47	23.36	28.94	89.97	58.09	4.96	13.88
210000	2.70	1.56	11.40	12.40	11.54	0.35	2.61	0.24	2.37	24.40	28.94	89.96	66.60	3.76	11.30
220000	2.75	1.55	11.54	12.47	9.83	0.35	2.76	0.29	2.47	32.75	28.95	90.06	52.91	2.50	13.85
230000	2.72	1.57	11.54	12.44	7.71	0.35	3.04	0.47	2.57	34.49	28.96	90.13	45.91	2.05	17.33
極大值	2.97	1.61	11.70	12.67	48.28	0.35	3.97	1.63	2.87	45.00	29.00	90.43	282.27	6.49	774.96
極小值	2.59	1.54	11.25	12.29	6.17	0.32	2.23	0.11	2.12	13.11	28.94	89.92	45.91	0.07	11.30
平均值	2.74	1.57	11.52	12.44	15.88	0.34	2.86	0.48	2.38	30.07	28.96	90.10	170.39	2.43	62.69
標準差	0.1	0.02	0.11	0.1	11.94	0.01	0.52	0.43	0.21	9.04	0.02	0.16	86.89	2.09	159.06



## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.78	1.55	11.37	12.48	6.38	0.35	3.56	0.66	2.90	20.04	28.94	89.95	64.82	1.57	15.71
010000	2.82	1.56	11.50	12.53	6.29	0.35	3.92	0.83	3.09	18.20	28.95	90.04	57.37	1.91	745.25
020000	2.78	1.54	11.28	12.50	5.92	0.35	3.59	0.66	2.93	16.13	28.94	89.94	46.00	2.16	231.79
030000	2.88	1.57	11.35	12.60	5.51	0.34	3.87	1.16	2.71	10.96	28.94	89.98	55.29	0.36	16.48
040000	2.79	1.55	11.06	12.51	5.30	0.34	3.78	0.93	2.85	16.78	28.94	89.97	59.55	1.50	15.49
050000	2.63	1.59	10.89	12.35	7.70	0.33	4.75	1.54	3.21	13.71	28.94	89.94	74.52	0.37	21.78
060000	2.72	1.57	11.36	12.43	8.28	0.34	4.72	1.50	3.22	26.89	28.94	89.98	70.10	1.42	23.88
070000	2.69	1.58	11.37	12.41	10.47	0.34	4.54	1.89	2.65	34.44	28.97	90.19	111.05	0.98	19.27
080000	2.67	1.58	11.36	12.38	14.91	0.34	3.62	1.21	2.41	34.52	28.97	90.18	92.20	2.61	20.25
090000	2.66	1.58	11.33	12.36	19.41	0.34	3.33	0.99	2.34	43.69	28.99	90.34	79.53	2.51	16.32
100000	2.73	1.56	11.48	12.43	22.33	0.33	3.05	0.76	2.29	45.00	29.00	90.40	207.70	2.03	17.54
110000	2.85	1.55	11.51	12.53	29.42	0.36	2.62	0.29	2.33	45.00	29.00	90.42	275.18	2.41	20.59
120000	2.83	1.58	11.60	12.53	32.72	0.35	2.49	0.25	2.24	45.00	29.00	90.43	274.42	2.24	23.92
130000	2.86	1.58	11.74	12.55	34.60	0.33	2.45	0.24	2.21	45.00	29.00	90.42	262.14	3.13	25.24
140000	2.89	1.57	11.84	12.57	31.21	0.35	2.40	0.22	2.18	45.00	29.00	90.41	280.57	2.94	21.69
150000	2.96	1.57	12.00	12.66	32.32	0.35	2.32	0.16	2.16	45.00	29.00	90.41	274.91	3.41	19.84
160000	2.92	1.57	11.97	12.61	33.66	0.34	2.26	0.13	2.13	45.00	29.00	90.43	270.42	4.23	14.40
170000	2.80	1.57	11.88	12.49	28.67	0.33	2.24	0.12	2.12	45.00	29.00	90.41	280.77	3.61	14.85
180000	2.73	1.58	11.97	12.43	22.98	0.33	2.25	0.12	2.13	45.00	29.00	90.41	276.20	3.30	14.36
190000	2.72	1.55	11.48	12.41	20.74	0.34	2.26	0.12	2.14	45.00	29.00	90.42	274.05	1.72	14.92
200000	2.73	1.54	11.25	12.43	20.87	0.34	2.28	0.13	2.15	45.00	28.97	90.21	259.12	0.85	19.93
210000	2.69	1.60	11.51	12.41	23.82	0.34	2.43	0.20	2.23	13.41	28.95	89.99	93.29	4.85	14.43
220000	2.64	1.56	11.54	12.35	27.41	0.33	2.68	0.27	2.41	20.77	28.95	90.03	160.59	1.29	17.45
230000	2.68	1.57	11.52	12.39	32.82	0.33	2.99	0.39	2.60	24.93	28.95	90.07	86.15	1.68	14.93
極大值	2.96	1.60	12.00	12.66	34.60	0.36	4.75	1.89	3.22	45.00	29.00	90.43	280.77	4.85	745.25
極小值	2.63	1.54	10.89	12.35	5.30	0.33	2.24	0.12	2.12	10.96	28.94	89.94	46.00	0.36	14.36
平均值	2.77	1.57	11.51	12.47	20.16	0.34	3.10	0.62	2.48	32.89	28.97	90.21	166.08	2.21	57.51
標準差	0.09	0.02	0.28	0.09	10.74	0.01	0.84	0.53	0.37	13.4	0.03	0.2	98.12	1.15	152.85

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.52	1.58	11.56	12.24	26.51	0.33	3.99	0.92	3.07	26.96	28.95	90.03	36.97	6.24	30.23
010000	2.67	1.56	11.54	12.38	41.63	0.33	4.01	0.91	3.10	25.80	28.96	90.06	47.59	6.66	983.56
020000	2.69	1.57	11.65	12.42	43.55	0.33	4.22	0.89	3.33	22.07	28.95	89.99	70.17	5.63	51.35
030000	2.66	1.58	11.64	12.39	47.93	0.33	4.16	0.89	3.27	17.13	28.94	89.95	75.90	4.19	28.79
040000	2.76	1.56	11.78	12.49	50.63	0.33	4.15	0.85	3.30	14.59	28.94	89.95	89.05	1.46	32.73
050000	2.67	1.57	11.65	12.38	57.16	0.33	3.92	0.86	3.06	20.04	28.94	89.98	95.70	0.48	33.99
060000	2.88	1.57	11.69	12.58	0.00	0.33	4.12	1.07	3.05	12.45	28.94	89.95	62.10	4.45	42.74
070000	2.67	1.55	11.53	12.40	65.76	0.33	3.94	0.97	2.97	24.63	28.94	89.95	103.29	4.57	30.81
080000	2.65	1.58	11.46	12.35	72.02	0.32	3.55	0.85	2.70	33.50	28.95	90.02	114.43	3.80	39.27
090000	2.70	1.55	11.76	12.46	62.67	0.33	3.20	0.65	2.55	41.36	28.97	90.22	251.15	2.43	43.54
100000	2.59	1.55	11.85	12.32	27.66	0.32	3.04	0.60	2.44	44.60	28.99	90.36	263.30	5.32	33.93
110000	2.63	1.52	11.14	12.33	31.37	0.33	2.96	0.57	2.39	45.00	2.76	9.00	287.76	8.57	54.94
120000	2.62	1.49	10.91	12.33	27.99	0.33	3.14	0.68	2.46	44.30	8.48	18.51	285.59	8.81	64.93
130000	2.67	1.51	11.03	12.38	22.85	0.33	3.00	0.62	2.38	45.00	28.53	78.55	282.13	8.89	63.93
140000	2.66	1.55	11.50	12.37	17.74	0.33	3.00	0.67	2.33	45.00	23.65	66.78	288.37	8.43	50.73
150000	2.62	1.57	11.68	12.33	15.90	0.33	2.96	0.67	2.29	45.00	21.41	60.81	285.99	7.49	36.53
160000	2.75	1.57	11.58	12.44	14.62	0.33	2.99	0.69	2.30	45.00	22.36	63.13	282.81	5.51	36.02
170000	2.64	1.58	11.42	12.32	13.22	0.33	2.98	0.67	2.31	45.00	20.82	59.23	282.79	5.70	35.29
180000	2.65	1.55	11.48	12.35	9.17	0.34	2.92	0.60	2.32	45.00	37.37	99.50	284.80	5.71	43.94
190000	2.74	1.57	11.51	12.44	3.46	0.34	2.85	0.55	2.30	45.00	24.74	68.34	287.73	4.91	42.18
200000	2.67	1.57	11.57	12.37	1.81	0.34	2.82	0.51	2.31	29.07	22.71	59.91	238.95	4.01	27.18
210000	2.57	1.59	11.51	12.28	2.04	0.34	3.10	0.63	2.47	21.24	26.59	68.92	34.55	6.72	23.12
220000	2.54	1.58	11.52	12.25	3.88	0.34	3.29	0.67	2.62	19.92	24.87	64.43	105.31	3.42	52.60
230000	2.64	1.55	11.53	12.34	3.44	0.33	3.39	0.66	2.73	13.33	22.05	56.42	106.89	0.82	49.17
極大值	2.88	1.59	11.85	12.58	72.02	0.34	4.22	1.07	3.33	45.00	37.37	99.50	288.37	8.89	983.56
極小值	2.52	1.49	10.91	12.24	0.00	0.32	2.82	0.51	2.29	12.45	2.76	9.00	34.55	0.48	23.12
平均值	2.66	1.56	11.52	12.37	27.63	0.33	3.40	0.74	2.67	32.12	25.20	73.50	177.64	5.18	80.48
標準差	0.07	0.02	0.22	0.08	22.58	0.01	0.51	0.15	0.37	12.57	7.1	22.86	103.77	2.39	192.68

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.56	1.62	11.42	12.27	2.95	0.33	3.16	0.62	2.54	18.27	23.50	60.19	70.60	5.44	34.48
010000	2.50	1.54	11.57	12.22	2.59	0.33	3.09	0.63	2.46	22.61	710.04	1740.90	55.52	7.14	983.06
020000	2.60	1.56	11.65	12.32	2.59	0.33	3.13	0.63	2.50	15.80	86.98	215.62	70.58	2.89	47.11
030000	2.52	1.59	11.31	12.23	2.75	0.33	3.22	0.64	2.58	14.29	21.44	55.23	45.40	4.95	30.59
040000	2.58	1.59	11.35	12.30	1.74	0.33	3.32	0.63	2.69	27.19	23.95	62.63	51.81	4.88	32.76
050000	2.69	1.55	11.29	12.41	1.37	0.33	3.60	0.62	2.98	36.55	20.96	57.57	61.75	1.85	31.59
060000	2.61	1.55	11.55	12.34	1.36	0.33	3.43	0.62	2.81	33.56	20.20	55.00	101.22	1.89	26.51
070000	2.70	1.58	11.64	12.41	1.86	0.34	3.19	0.59	2.60	35.99	22.74	61.12	35.03	6.78	32.41
080000	2.57	1.58	11.47	12.28	5.56	0.33	2.95	0.60	2.35	32.16	24.25	63.61	76.85	4.55	33.52
090000	2.74	1.55	11.68	12.45	25.99	0.34	2.79	0.48	2.31	41.21	28.71	76.05	143.42	5.56	39.80
100000	2.64	1.54	11.56	12.36	41.20	0.35	2.81	0.46	2.35	44.63	39.63	103.03	155.23	5.77	43.33
110000	2.56	1.52	11.35	12.27	30.70	0.33	2.57	0.31	2.26	42.05	105.84	294.18	227.50	5.48	39.26
120000	2.68	1.53	11.18	12.38	25.67	0.34	2.60	0.38	2.22	35.84	27.04	76.66	291.30	9.35	48.63
130000	2.70	1.55	11.67	12.40	20.27	0.35	2.71	0.48	2.23	35.96	2.39	7.00	286.52	7.55	52.34
140000	2.72	1.56	11.74	12.43	16.55	0.37	2.82	0.58	2.24	35.83	25.08	71.14	290.58	5.91	45.43
150000	2.77	1.57	11.81	12.47	15.61	0.35	2.81	0.58	2.23	35.11	3.14	9.11	287.77	6.61	46.78
160000	2.78	1.55	11.70	12.47	15.39	0.33	2.75	0.54	2.21	34.41	0.99	3.01	280.20	5.39	39.81
170000	2.74	1.59	11.85	12.46	12.35	0.35	2.72	0.51	2.21	33.90	0.62	1.95	285.65	3.40	37.74
180000	2.64	1.55	11.59	12.34	11.73	0.35	2.76	0.53	2.23	33.66	0.84	2.57	255.39	2.77	36.51
190000	2.67	1.56	11.77	12.39	6.30	0.34	2.88	0.58	2.30	33.41	0.75	2.32	66.79	0.21	38.92
200000	2.69	1.55	11.69	12.40	3.95	0.33	2.88	0.59	2.29	33.25	0.78	2.40	263.91	0.14	29.07
210000	2.69	1.54	11.61	12.40	2.84	0.33	3.04	0.58	2.46	32.42	0.96	2.88	102.03	0.35	36.85
220000	2.71	1.54	11.70	12.44	3.90	0.33	3.35	0.57	2.78	32.06	0.86	2.59	51.78	0.56	40.37
230000	2.61	1.59	11.79	12.34	4.20	0.33	3.14	0.56	2.58	31.97	0.85	2.62	140.80	0.43	33.43
極大值	2.78	1.62	11.85	12.47	41.20	0.37	3.60	0.64	2.98	44.63	710.04	1740.90	291.30	9.35	983.06
極小值	2.50	1.52	11.18	12.22	1.36	0.33	2.57	0.31	2.21	14.29	0.62	1.95	35.03	0.14	26.51
平均值	2.65	1.56	11.58	12.37	10.81	0.34	2.99	0.55	2.43	32.17	49.69	126.22	154.07	4.16	77.51
標準差	0.08	0.02	0.18	0.08	11.02	0.01	0.27	0.08	0.22	7.61	143.1	351	100.49	2.65	192.99

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.55	1.57	11.73	12.28	2.59	0.33	3.26	0.60	2.66	31.77	0.70	2.13	61.73	3.03	24.41
010000	2.66	1.59	11.82	12.40	2.27	0.34	3.32	0.63	2.69	31.82	24.79	70.24	53.57	3.95	917.29
020000	2.60	1.55	11.66	12.30	2.77	0.33	3.21	0.65	2.56	31.63	3.22	9.25	83.23	1.93	117.73
030000	2.55	1.58	11.61	12.27	2.47	0.33	3.33	0.63	2.70	31.46	0.80	2.42	67.55	1.65	28.26
040000	2.72	1.55	11.81	12.44	1.88	0.33	3.36	0.59	2.77	31.17	0.74	2.27	124.72	0.34	25.88
050000	2.66	1.57	11.82	12.37	3.11	0.33	3.22	0.56	2.66	31.36	0.71	2.20	242.53	1.41	24.08
060000	2.69	1.56	11.70	12.40	2.62	0.33	3.17	0.60	2.57	31.53	0.65	1.97	33.67	7.66	22.61
070000	2.68	1.55	11.65	12.41	2.80	0.34	3.24	0.63	2.61	32.09	0.91	2.69	29.19	8.74	32.09
080000	2.69	1.55	11.64	12.42	4.78	0.34	3.38	0.64	2.74	32.76	0.99	3.83	71.04	13.36	30.57
090000	2.69	1.58	11.65	12.39	15.20	0.34	2.81	0.28	2.53	33.42	32.91	95.25	77.28	5.60	41.73
100000	2.72	1.57	11.76	12.42	7.75	0.34	2.97	0.54	2.43	34.31	30.75	90.12	95.85	3.20	38.31
110000	2.72	1.58	11.75	12.44	12.56	0.33	2.98	0.62	2.36	35.87	33.61	98.34	118.74	2.78	42.00
120000	2.68	1.58	11.77	12.39	24.05	0.33	2.87	0.58	2.29	35.52	36.57	108.25	289.09	6.22	45.35
130000	2.66	1.58	11.73	12.38	30.05	0.33	2.86	0.59	2.27	35.91	30.16	90.25	280.82	5.55	37.02
140000	2.82	1.56	11.80	12.52	28.07	0.34	2.81	0.56	2.25	35.79	31.26	93.27	278.87	9.02	38.53
150000	2.72	1.57	11.69	12.42	20.31	0.34	2.72	0.50	2.22	35.19	28.10	84.43	285.67	8.67	34.41
160000	2.84	1.58	11.83	12.53	14.93	0.34	2.78	0.56	2.22	34.32	25.68	77.65	279.04	6.89	31.30
170000	2.83	1.58	11.77	12.53	9.57	0.38	2.93	0.67	2.26	34.05	26.21	79.13	277.94	3.80	31.95
180000	2.84	1.56	11.80	12.53	7.53	0.36	2.95	0.66	2.29	33.58	30.26	90.46	279.11	4.41	37.21
190000	2.74	1.57	11.82	12.46	12.41	0.32	2.75	0.51	2.24	33.68	28.17	84.43	275.82	4.70	34.52
200000	2.64	1.60	11.78	12.34	11.35	0.32	2.74	0.50	2.24	33.50	25.47	76.93	277.15	4.71	31.05
210000	2.79	1.57	11.82	12.48	13.27	0.33	2.74	0.50	2.24	33.37	20.81	63.87	275.73	2.71	25.01
220000	2.71	1.58	11.66	12.41	8.92	0.33	2.82	0.51	2.31	32.71	18.84	57.51	176.91	1.11	22.67
230000	2.68	1.57	11.68	12.39	4.99	0.33	3.17	0.56	2.61	32.24	17.04	51.75	82.05	1.97	20.50
極大值	2.84	1.60	11.83	12.53	30.05	0.38	3.38	0.67	2.77	35.91	36.57	108.25	289.09	13.36	917.29
極小值	2.55	1.55	11.61	12.27	1.88	0.32	2.72	0.28	2.22	31.17	0.65	1.97	29.19	0.34	20.50
平均值	2.70	1.57	11.74	12.41	10.26	0.34	3.02	0.57	2.45	33.29	18.72	55.78	171.55	4.73	72.27
標準差	0.08	0.01	0.07	0.07	8.38	0.01	0.23	0.08	0.2	1.57	13.47	39.86	103.06	3.12	180.97

## 測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.79	1.57	11.65	12.50	5.65	0.32	3.36	0.55	2.81	22.30	17.28	53.38	169.05	2.22	20.58
010000	2.68	1.57	11.56	12.40	5.62	0.32	3.22	0.54	2.68	22.22	707.02	1979.79	99.00	0.96	915.57
020000	2.72	1.56	11.50	12.42	4.49	0.32	3.04	0.53	2.51	22.18	84.23	240.01	143.99	0.88	107.54
030000	2.77	1.59	11.87	12.48	4.72	0.32	3.09	0.52	2.57	22.27	16.74	52.77	283.05	0.64	19.62
040000	2.66	1.56	11.64	12.37	3.24	0.32	3.18	0.55	2.63	22.24	16.95	51.43	74.91	4.00	20.47
050000	2.64	1.58	11.62	12.37	2.82	0.33	3.32	0.57	2.75	22.08	17.76	53.67	66.23	3.29	21.48
060000	2.75	1.57	11.78	12.48	3.02	0.34	3.35	0.65	2.70	22.15	18.32	55.13	47.59	7.02	22.24
070000	2.60	1.54	11.62	12.34	2.22	0.34	3.47	0.65	2.82	22.34	26.62	78.38	56.94	3.91	32.97
080000	2.65	1.56	11.76	12.38	2.61	0.35	3.42	0.64	2.78	23.18	26.31	78.10	119.22	4.89	32.43
090000	2.69	1.56	11.71	12.40	6.21	0.33	3.20	0.66	2.54	23.75	45.46	130.85	45.58	6.27	57.57
100000	2.60	1.55	11.66	12.32	8.89	0.33	3.03	0.65	2.38	24.21	32.84	95.64	54.76	6.68	41.12
110000	2.50	1.56	11.71	12.22	12.26	0.33	2.95	0.66	2.29	24.72	31.84	92.79	54.54	7.64	39.87
120000	2.58	1.53	11.75	12.29	12.23	0.33	2.88	0.63	2.25	25.17	28.89	85.28	137.98	4.14	35.82
130000	2.76	1.58	11.87	12.46	20.66	0.33	2.81	0.55	2.26	24.66	30.79	91.77	263.75	7.25	37.97
140000	2.87	1.57	11.91	12.56	19.50	0.36	2.77	0.52	2.25	24.45	30.13	89.92	270.74	7.47	37.11
150000	3.08	1.58	11.98	12.77	11.68	0.35	2.97	0.69	2.28	23.90	33.24	98.58	256.14	4.07	41.10
160000	2.81	1.55	11.64	12.50	9.80	0.33	2.95	0.68	2.27	22.58	26.83	79.01	68.62	14.75	33.28
170000	2.71	1.55	11.47	12.39	8.56	0.33	2.88	0.62	2.26	21.60	19.83	59.32	81.97	2.79	24.26
180000	2.81	1.59	11.53	12.51	5.97	0.33	2.86	0.58	2.28	21.36	12.77	40.42	166.75	0.65	14.81
190000	2.81	1.57	11.75	12.50	4.26	0.33	2.86	0.56	2.30	21.72	14.62	46.04	215.00	1.32	17.09
200000	2.83	1.56	11.78	12.50	4.43	0.32	2.75	0.51	2.24	21.94	22.05	67.43	291.95	1.16	26.57
210000	2.75	1.55	11.81	12.44	2.43	0.32	2.68	0.50	2.18	21.84	11.13	36.77	276.09	0.51	12.42
220000	2.70	1.57	11.62	12.39	4.19	0.32	2.71	0.53	2.18	21.84	12.41	39.23	162.70	0.37	14.39
230000	2.85	1.54	11.93	12.55	2.73	0.33	2.89	0.55	2.34	21.67	10.65	34.67	186.71	0.87	12.05
極大值	3.08	1.59	11.98	12.77	20.66	0.36	3.47	0.69	2.82	25.17	707.02	1979.79	291.95	14.75	915.57
極小值	2.50	1.53	11.47	12.22	2.22	0.32	2.68	0.50	2.18	21.36	10.65	34.67	45.58	0.37	12.05
平均值	2.73	1.56	11.71	12.44	7.01	0.33	3.03	0.59	2.44	22.77	53.95	155.43	149.72	3.91	68.26
標準差	0.12	0.02	0.14	0.11	5.11	0.01	0.24	0.06	0.22	1.16	139.93	390.89	87.17	3.43	181.55

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	5.41	2.88	12.29	8.91	3.57	0.34	2.81	0.36	2.45	23.42	14.27	39.48	39.47	1.31	105.14
010000	5.41	2.86	11.85	8.48	3.33	0.33	2.77	0.34	2.43	23.27	13.38	37.03	48.07	1.45	108.73
020000	5.23	2.96	11.18	7.64	2.93	0.33	2.78	0.34	2.44	23.08	14.21	39.33	73.50	1.27	106.30
030000	5.10	3.27	11.59	7.77	1.83	0.33	3.07	0.34	2.73	22.93	1.50	4.26	36.31	1.08	98.41
040000	5.21	3.73	11.96	7.71	1.87	0.33	3.25	0.34	2.91	22.76	1.51	4.29	17.53	1.03	91.71
050000	5.15	5.58	14.03	7.96	1.57	0.33	3.29	0.35	2.94	22.61	1.53	4.35	65.21	0.80	81.48
060000	5.17	5.51	12.49	6.45	1.27	0.34	3.26	0.35	2.91	22.26	1.48	4.21	91.98	0.05	76.48
070000	5.31	11.86	19.36	7.02	1.36	0.34	3.09	0.36	2.73	22.55	13.10	36.29	84.73	0.12	85.31
080000	5.54	7.65	16.74	8.57	1.75	0.34	2.89	0.37	2.52	24.33	14.72	40.74	95.84	0.41	99.03
090000	5.74	3.94	13.63	9.17	3.31	0.33	2.86	0.36	2.50	25.82	13.66	37.83	81.22	0.83	107.55
100000	5.85	3.32	15.34	11.53	7.64	0.34	2.87	0.35	2.52	27.27	14.38	39.82	102.03	0.59	118.74
110000	6.29	2.85	12.99	9.63	7.34	0.33	2.89	0.43	2.46	28.45	1.45	4.13	82.43	0.77	113.45
120000	6.06	2.58	11.00	7.93	11.22	0.32	2.76	0.45	2.31	29.34	13.16	36.47	111.29	0.67	113.74
130000	6.35	2.55	11.19	8.16	12.22	0.32	2.70	0.45	2.25	29.68	14.53	40.24	97.07	0.94	108.57
140000	6.61	2.55	12.23	9.14	14.01	0.34	2.71	0.46	2.25	29.60	0.81	2.38	98.21	0.92	102.82
150000	6.34	2.46	12.03	9.06	14.47	0.34	2.80	0.55	2.25	29.13	12.39	34.35	115.05	0.97	102.29
160000	6.26	2.44	12.00	9.06	13.64	0.32	2.67	0.43	2.24	28.42	14.43	39.96	124.52	0.82	93.16
170000	6.64	2.57	16.76	13.71	11.88	0.34	2.71	0.44	2.27	26.94	12.74	35.29	95.14	0.82	86.25
180000	6.04	2.74	18.19	14.91	8.95	0.34	2.74	0.44	2.30	25.88	14.97	41.44	104.60	0.71	85.10
190000	5.78	2.68	16.81	13.62	8.44	0.34	2.76	0.42	2.34	25.19	1.71	4.86	122.25	0.59	95.41
200000	5.74	2.80	15.20	11.88	7.64	0.34	2.74	0.39	2.35	24.58	1.51	4.30	112.35	0.50	110.09
210000	5.94	2.84	15.42	12.02	5.58	0.35	2.80	0.40	2.40	24.27	1.45	4.12	83.10	0.62	102.77
220000	6.19	2.84	15.58	12.21	5.25	0.34	2.80	0.41	2.39	24.10	1.50	4.26	83.70	0.95	94.18
230000	6.12	2.70	12.64	9.44	6.09	0.34	2.74	0.37	2.37	24.02	12.95	35.88	101.80	0.59	88.34
極大值	6.64	11.86	19.36	14.91	14.47	0.35	3.29	0.55	2.94	29.68	14.97	41.44	124.52	1.45	118.74
極小值	5.10	2.44	11.00	6.45	1.27	0.32	2.67	0.34	2.24	22.26	0.81	2.38	17.53	0.05	76.48
平均值	5.81	3.67	13.85	9.67	6.55	0.34	2.86	0.40	2.47	25.41	8.64	23.97	86.14	0.78	98.96
標準差	0.48	2.14	2.42	2.3	4.45	0.01	0.19	0.05	0.22	2.55	6.24	17.23	27.75	0.33	11.27

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.80	2.53	11.00	7.98	13.43	0.33	2.86	0.30	2.56	22.91	26.06	72.02	19.26	1.16	79.55
010000	2.83	2.49	11.29	8.29	10.99	0.34	2.88	0.29	2.59	22.90	26.06	72.02	32.96	0.93	512.54
020000	2.88	2.63	11.45	8.39	8.77	0.34	3.05	0.30	2.75	22.82	26.06	72.02	40.42	0.85	536.54
030000	2.89	2.68	11.55	8.43	6.54	0.34	3.24	0.30	2.94	22.73	26.06	72.04	45.06	0.69	53.40
040000	2.90	2.67	11.19	8.09	5.43	0.34	3.33	0.31	3.02	22.74	26.06	72.05	67.81	0.47	49.30
050000	2.90	2.90	11.19	7.78	4.19	0.34	3.50	0.32	3.18	22.75	26.07	72.09	106.76	0.32	40.33
060000	2.90	3.08	12.98	9.41	3.53	0.35	3.32	0.37	2.95	22.51	26.07	72.09	119.51	0.07	29.34
070000	2.90	7.31	21.69	13.92	1.54	0.36	3.22	0.45	2.77	22.41	26.07	72.07	105.22	0.41	26.65
080000	2.96	5.14	21.26	15.60	2.82	0.35	3.13	0.44	2.69	23.15	26.06	72.05	67.36	0.65	29.01
090000	2.93	3.42	18.34	14.41	5.10	0.35	3.03	0.38	2.65	24.68	26.06	72.04	67.25	0.64	36.16
100000	2.90	2.62	15.00	11.83	10.94	0.35	2.93	0.37	2.56	26.30	26.07	72.05	85.04	0.56	44.73
110000	2.94	2.47	14.52	11.53	18.14	0.36	2.83	0.40	2.43	26.74	26.07	72.06	116.49	0.65	50.46
120000	2.95	2.65	17.50	14.34	21.72	0.37	2.79	0.42	2.37	26.88	26.07	72.12	206.15	0.94	60.43
130000	2.88	2.48	17.34	14.34	30.25	0.35	2.74	0.40	2.34	27.03	26.08	72.14	221.93	1.23	68.42
140000	2.95	2.63	18.26	15.12	28.87	0.35	2.73	0.40	2.33	27.18	26.08	72.14	226.55	1.07	67.17
150000	2.93	2.52	18.67	15.65	26.42	0.35	2.75	0.42	2.33	27.13	26.07	72.11	178.33	0.97	55.67
160000	2.99	2.56	17.59	14.62	22.40	0.34	2.72	0.40	2.32	26.70	26.07	72.07	133.55	0.70	47.59
170000	3.00	2.62	18.99	15.98	20.12	0.35	2.73	0.40	2.33	25.66	26.07	72.05	107.18	0.66	69.01
180000	2.89	2.76	19.75	16.60	15.22	0.36	2.77	0.40	2.37	24.87	26.06	72.05	103.80	0.57	85.96
190000	2.96	2.80	22.76	19.52	9.70	0.36	2.85	0.41	2.44	24.45	26.06	72.03	75.48	0.54	82.79
200000	2.94	2.62	19.46	16.41	11.28	0.36	2.91	0.43	2.48	24.24	26.06	72.01	46.67	0.52	73.62
210000	3.00	2.60	17.08	14.05	12.22	0.36	3.05	0.43	2.62	24.00	26.06	72.01	41.78	0.73	59.61
220000	2.97	2.63	16.18	13.13	10.83	0.36	3.22	0.44	2.78	23.72	26.06	72.01	27.37	1.00	49.16
230000	2.87	2.70	17.10	13.99	6.60	0.36	3.48	0.43	3.05	23.39	26.06	72.02	26.00	1.10	44.89
極大值	3.00	7.31	22.76	19.52	30.25	0.37	3.50	0.45	3.18	27.18	26.08	72.14	226.55	1.23	536.54
極小值	2.80	2.47	11.00	7.78	1.54	0.33	2.72	0.29	2.32	22.41	26.06	72.01	19.26	0.07	26.65
平均值	2.92	2.98	16.34	12.89	12.79	0.35	3.00	0.38	2.62	24.50	26.07	72.06	94.50	0.73	93.85
標準差	0.05	1.07	3.68	3.38	8.41	0.01	0.25	0.05	0.26	1.75	0.01	0.04	61.87	0.28	133.73

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.96	1.58	11.95	12.68	1.61	0.33	3.47	0.62	2.85	32.29	20.81	62.21	202.82	2.30	29.48
010000	2.99	1.57	11.90	12.70	2.00	0.33	3.48	0.61	2.87	32.15	703.71	1970.10	22.39	2.30	983.83
020000	2.92	1.57	11.87	12.63	2.22	0.33	3.27	0.61	2.66	32.16	84.17	239.20	52.41	2.75	44.55
030000	2.94	1.57	11.92	12.64	1.81	0.33	3.48	0.61	2.87	31.93	19.32	58.14	58.00	3.81	25.75
040000	2.87	1.54	11.84	12.60	2.05	0.33	3.42	0.59	2.83	31.79	24.36	72.47	38.13	7.20	24.03
050000	2.95	1.56	12.01	12.67	1.55	0.33	3.44	0.59	2.85	31.57	18.09	55.15	23.68	12.18	36.56
060000	2.82	1.57	11.95	12.55	1.72	0.32	3.34	0.59	2.75	31.40	18.01	54.13	157.96	3.60	32.38
070000	2.85	1.52	11.91	12.56	2.43	0.33	3.21	0.61	2.60	32.52	20.56	61.20	138.35	3.28	30.15
080000	2.91	1.57	12.18	12.61	4.16	0.33	3.21	0.62	2.59	34.30	30.20	88.79	283.94	3.13	41.98
090000	2.83	1.57	12.23	12.54	9.00	0.32	3.12	0.59	2.53	35.75	32.37	95.34	270.24	2.19	44.07
100000	2.87	1.58	11.91	12.55	13.78	0.32	2.89	0.58	2.31	36.65	20.33	61.97	280.53	5.20	41.73
110000	2.88	1.59	12.07	12.57	25.08	0.34	2.87	0.58	2.29	36.33	17.47	54.80	279.74	4.16	51.73
120000	2.89	1.58	11.73	12.60	30.46	0.34	2.82	0.54	2.28	35.94	27.93	84.00	287.85	7.22	65.62
130000	2.95	1.57	11.39	12.63	26.69	0.32	2.70	0.48	2.22	35.85	26.30	79.42	286.83	9.37	57.47
140000	2.83	1.58	11.53	12.52	22.68	0.32	2.64	0.44	2.20	35.47	19.29	59.70	290.78	8.40	46.60
150000	2.74	1.55	11.67	12.43	21.39	0.32	2.63	0.44	2.19	35.21	19.25	59.63	280.84	5.47	40.09
160000	2.75	1.57	11.72	12.44	19.97	0.32	2.64	0.44	2.20	34.38	19.44	60.12	286.49	5.02	46.72
170000	2.85	1.61	11.81	12.54	16.10	0.34	2.68	0.46	2.22	33.66	25.64	77.31	210.60	3.77	45.86
180000	2.87	1.53	11.86	12.55	12.66	0.34	2.74	0.50	2.24	33.16	26.89	80.67	111.67	4.64	51.81
190000	2.99	1.58	11.89	12.68	12.31	0.34	2.74	0.49	2.25	33.13	38.60	113.50	103.47	1.39	35.30
200000	3.00	1.58	11.96	12.68	9.94	0.33	2.79	0.50	2.29	32.82	29.91	88.99	274.07	0.23	27.04
210000	3.02	1.55	11.97	12.72	5.18	0.32	3.04	0.54	2.50	32.10	38.66	112.35	233.91	0.37	31.72
220000	2.89	1.57	11.91	12.60	3.58	0.32	3.22	0.56	2.66	31.90	23.06	68.23	210.82	0.14	35.92
230000	2.93	1.55	11.74	12.63	3.80	0.33	3.15	0.60	2.55	32.04	22.40	66.47	90.26	5.34	36.49
極大值	3.02	1.61	12.23	12.72	30.46	0.34	3.48	0.62	2.87	36.65	703.71	1970.10	290.78	12.18	983.83
極小值	2.74	1.52	11.39	12.43	1.55	0.32	2.63	0.44	2.19	31.40	17.47	54.13	22.39	0.14	24.03
平均值	2.90	1.57	11.87	12.60	10.51	0.33	3.04	0.55	2.49	33.52	55.28	159.33	186.49	4.31	79.45
標準差	0.07	0.02	0.18	0.08	9.4	0.01	0.31	0.06	0.26	1.74	138.78	387.54	100.07	2.96	192.91



## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.97	1.58	11.91	12.66	4.28	0.33	3.12	0.61	2.51	32.07	21.06	62.62	70.60	5.44	34.48
010000	3.09	1.54	12.28	12.78	4.29	0.33	3.14	0.61	2.53	32.17	708.41	1983.23	55.52	7.14	983.06
020000	3.09	1.59	12.37	12.81	3.25	0.33	3.53	0.59	2.94	32.13	87.68	249.41	70.58	2.89	47.11
030000	3.03	1.56	11.95	12.75	3.27	0.33	3.64	0.59	3.05	31.99	25.09	75.02	45.40	4.95	30.59
040000	2.99	1.55	11.76	12.71	4.39	0.33	3.36	0.57	2.79	31.99	21.36	64.40	51.81	4.88	32.76
050000	3.11	1.60	11.89	12.82	3.78	0.33	3.41	0.58	2.83	32.09	25.63	76.11	61.75	1.85	31.59
060000	3.12	1.55	12.15	12.83	2.83	0.34	3.60	0.62	2.98	32.04	27.53	81.15	101.22	1.89	26.51
070000	3.02	1.54	12.00	12.73	2.44	0.34	3.43	0.63	2.80	32.27	25.56	75.50	35.03	6.78	32.41
080000	3.00	1.56	11.99	12.69	3.09	0.34	3.16	0.63	2.53	32.79	25.84	76.34	76.85	4.55	33.52
090000	3.11	1.55	12.07	12.80	5.13	0.33	3.07	0.63	2.44	33.36	27.98	82.35	143.42	5.56	39.80
100000	3.04	1.53	12.02	12.74	7.35	0.33	3.02	0.62	2.40	33.50	32.19	94.17	155.23	5.77	43.33
110000	3.14	1.56	12.07	12.82	5.40	0.34	3.00	0.59	2.41	32.90	37.73	110.35	227.50	5.48	39.26
120000	3.02	1.56	12.00	12.73	7.09	0.33	2.89	0.53	2.36	32.81	29.37	87.78	291.30	9.35	48.63
130000	3.09	1.56	12.05	12.78	8.49	0.34	3.02	0.58	2.44	32.75	27.81	82.56	286.52	7.55	52.34
140000	3.04	1.52	11.88	12.72	6.27	0.34	2.93	0.62	2.31	32.16	22.69	67.08	290.58	5.91	45.43
150000	3.04	1.57	11.92	12.73	8.90	0.35	2.93	0.61	2.32	32.10	18.70	56.25	287.77	6.61	46.78
160000	3.17	1.55	12.15	12.85	8.46	0.36	2.99	0.62	2.37	31.97	26.12	77.21	280.20	5.39	39.81
170000	3.09	1.58	12.14	12.78	8.85	0.33	2.97	0.60	2.37	31.14	32.82	95.65	285.65	3.40	37.74
180000	3.04	1.57	12.23	12.74	9.46	0.35	2.88	0.58	2.30	30.83	25.38	75.32	255.39	2.77	36.51
190000	3.11	1.57	12.36	12.79	6.69	0.34	2.93	0.57	2.36	30.86	24.96	74.07	66.79	0.21	38.92
200000	3.10	1.54	12.36	12.79	4.41	0.34	2.95	0.55	2.40	31.02	16.60	50.83	263.91	0.14	29.07
210000	3.09	1.55	11.96	12.76	2.35	0.33	3.01	0.58	2.43	31.00	19.47	59.77	102.03	0.35	36.85
220000	3.08	1.59	11.65	12.77	2.68	0.33	3.07	0.57	2.50	30.89	14.81	45.99	51.78	0.56	40.37
230000	3.16	1.56	11.80	12.83	5.64	0.32	2.89	0.50	2.39	30.54	9.74	32.68	140.80	0.43	33.43
極大值	3.17	1.60	12.37	12.85	9.46	0.36	3.64	0.63	3.05	33.50	708.41	1983.23	291.30	9.35	983.06
極小值	2.97	1.52	11.65	12.66	2.35	0.32	2.88	0.50	2.30	30.54	9.74	32.68	35.03	0.14	26.51
平均值	3.07	1.56	12.04	12.77	5.37	0.34	3.12	0.59	2.53	31.97	55.61	159.83	154.07	4.16	77.51
標準差	0.05	0.02	0.19	0.05	2.31	0.01	0.24	0.03	0.23	0.82	139.77	390.4	100.49	2.65	192.99

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.09	1.57	12.03	12.76	5.78	0.32	2.80	0.51	2.29	30.49	6.19	72.00	36.87	5.28	41.07
010000	2.97	1.56	11.78	12.66	6.01	0.32	2.80	0.50	2.30	30.49	704.86	133.92	70.63	2.84	984.02
020000	3.12	1.57	11.85	12.80	5.67	0.32	2.85	0.52	2.33	30.71	82.49	73.13	146.01	0.16	60.96
030000	3.01	1.54	12.03	12.70	4.43	0.32	2.97	0.53	2.44	30.72	11.95	72.00	93.05	2.31	43.41
040000	3.14	1.54	12.07	12.81	4.24	0.32	2.93	0.52	2.41	30.65	8.18	72.00	21.99	6.25	41.94
050000	3.02	1.56	11.95	12.71	3.31	0.32	2.87	0.52	2.35	30.70	4.86	72.00	19.41	8.53	40.23
060000	3.04	1.56	12.13	12.72	2.34	0.32	2.92	0.55	2.37	30.74	6.21	72.00	42.32	6.06	30.78
070000	2.98	1.56	12.25	12.67	1.94	0.33	2.94	0.55	2.39	30.77	6.52	72.00	41.00	8.88	30.16
080000	3.03	1.55	12.60	12.72	1.45	0.33	2.91	0.57	2.34	30.91	6.80	72.00	49.20	7.59	43.18
090000	3.11	1.54	12.26	12.78	2.43	0.33	2.88	0.52	2.36	31.04	8.22	72.00	49.32	9.93	46.54
100000	3.01	1.53	11.52	12.68	4.03	0.32	2.75	0.51	2.24	31.05	5.99	72.00	76.67	6.43	41.50
110000	3.03	1.58	11.38	12.70	4.27	0.32	2.82	0.56	2.26	31.33	5.34	72.00	184.66	3.19	47.49
120000	3.11	1.55	11.86	12.80	3.66	0.32	2.89	0.58	2.31	31.61	5.72	72.00	127.38	4.33	55.75
130000	3.08	1.55	11.89	12.77	3.82	0.33	2.93	0.57	2.36	31.53	7.05	72.00	273.60	5.77	55.61
140000	3.05	1.56	12.06	12.73	4.07	0.33	2.84	0.54	2.30	32.07	6.72	72.00	284.76	8.18	50.18
150000	3.02	1.56	11.97	12.69	5.28	0.32	2.73	0.52	2.21	33.07	5.35	72.00	293.44	7.19	26.21
160000	3.09	1.56	11.97	12.77	6.10	0.31	2.61	0.46	2.15	33.73	10.31	72.00	144.96	5.64	32.24
170000	2.97	1.55	11.78	12.64	6.32	0.31	2.58	0.44	2.14	33.84	11.44	72.00	149.56	4.88	31.90
180000	3.03	1.55	11.85	12.70	6.98	0.31	2.57	0.43	2.14	33.97	11.71	72.00	124.31	3.58	34.27
190000	3.06	1.55	11.91	12.73	6.22	0.31	2.61	0.44	2.17	33.48	9.49	72.00	124.80	5.38	35.78
200000	3.08	1.55	11.98	12.76	3.41	0.32	2.73	0.50	2.23	32.59	6.74	72.00	118.96	7.40	39.86
210000	3.14	1.53	12.04	12.83	1.98	0.33	2.99	0.63	2.36	31.87	7.92	72.00	74.14	6.18	34.11
220000	3.11	1.55	12.03	12.80	2.05	0.34	2.99	0.64	2.35	31.86	14.98	72.00	97.28	6.16	29.97
230000	3.08	1.58	12.04	12.76	4.70	0.32	2.83	0.55	2.28	31.33	17.36	72.00	80.82	5.66	29.41
極大值	3.14	1.58	12.60	12.83	6.98	0.34	2.99	0.64	2.44	33.97	704.86	133.92	293.44	9.93	984.02
極小值	2.97	1.53	11.38	12.64	1.45	0.31	2.57	0.43	2.14	30.49	4.86	72.00	19.41	0.16	26.21
平均值	3.06	1.55	11.97	12.74	4.19	0.32	2.82	0.53	2.30	31.69	40.52	74.63	113.55	5.74	79.44
標準差	0.05	0.01	0.24	0.05	1.62	0.01	0.13	0.05	0.09	1.15	142.34	12.63	79.23	2.25	192.9

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.06	1.59	12.08	12.73	4.33	0.32	2.84	0.55	2.29	31.16	24.00	72.00	47.69	8.64	54.02
010000	3.06	1.58	12.34	12.74	3.77	0.32	2.86	0.56	2.30	31.05	47.84	133.89	38.68	10.74	984.23
020000	3.09	1.57	12.38	12.76	4.39	0.32	2.85	0.51	2.34	30.93	24.43	73.12	32.79	7.02	78.06
030000	3.03	1.57	12.19	12.70	5.71	0.31	2.73	0.47	2.26	30.77	24.00	72.00	29.18	8.17	63.46
040000	2.97	1.57	11.72	12.64	6.41	0.31	2.67	0.46	2.21	30.80	24.00	72.00	32.92	8.61	64.00
050000	3.03	1.56	11.37	12.69	5.52	0.31	2.67	0.47	2.20	30.90	24.00	72.00	47.67	9.28	64.40
060000	3.11	1.59	11.95	12.78	4.26	0.32	2.75	0.51	2.24	30.94	24.00	72.00	37.25	7.68	61.84
070000	3.02	1.58	11.82	12.69	2.67	0.32	2.83	0.54	2.29	31.08	24.00	72.00	49.21	7.71	68.58
080000	3.12	1.56	12.11	12.80	1.56	0.33	2.87	0.56	2.31	31.26	24.00	72.00	54.27	7.71	65.24
090000	3.08	1.58	11.89	12.74	1.48	0.33	2.93	0.56	2.37	31.62	24.00	72.00	118.57	5.32	55.77
100000	3.11	1.57	11.97	12.79	1.75	0.32	2.97	0.57	2.40	32.59	24.00	72.00	143.55	4.01	50.38
110000	3.11	1.57	11.97	12.79	3.08	0.32	2.97	0.62	2.35	33.16	24.00	72.00	253.89	4.53	42.58
120000	3.05	1.56	11.93	12.73	3.49	0.32	2.90	0.60	2.30	33.01	24.00	72.00	281.90	9.19	42.49
130000	3.07	1.55	11.97	12.76	4.49	0.32	2.87	0.61	2.26	32.14	24.00	72.00	291.01	10.92	46.61
140000	3.18	1.58	12.06	12.86	3.58	0.32	2.78	0.57	2.21	31.58	24.00	72.00	299.95	10.70	52.39
150000	3.06	1.55	11.95	12.73	3.45	0.32	2.73	0.52	2.21	31.45	24.00	72.00	289.12	10.04	46.53
160000	3.08	1.58	12.04	12.76	3.43	0.32	2.76	0.55	2.21	31.17	24.00	72.00	294.48	7.72	35.10
170000	3.07	1.58	12.02	12.75	2.49	0.33	2.87	0.61	2.26	31.26	24.00	72.00	196.13	1.16	38.44
180000	3.09	1.54	12.28	12.77	2.17	0.32	3.01	0.62	2.39	31.23	24.00	72.00	95.43	0.76	41.52
190000	3.11	1.56	12.60	12.80	1.57	0.33	3.00	0.60	2.40	31.21	24.00	72.00	47.08	6.70	52.99
200000	3.14	1.55	12.66	12.81	1.52	0.33	3.04	0.57	2.47	31.30	24.00	72.00	81.19	6.41	60.96
210000	3.15	1.56	11.94	12.84	1.43	0.33	3.09	0.61	2.48	31.32	24.00	72.00	40.90	2.87	61.50
220000	3.14	1.55	11.42	12.83	1.41	0.34	3.25	0.64	2.61	31.23	24.00	72.00	40.71	4.17	60.32
230000	3.17	1.57	11.37	12.86	1.33	0.34	3.33	0.62	2.71	31.19	24.00	72.00	25.78	4.78	51.44
極大值	3.18	1.59	12.66	12.86	6.41	0.34	3.33	0.64	2.71	33.16	47.84	133.89	299.95	10.92	984.23
極小值	2.97	1.54	11.37	12.64	1.33	0.31	2.67	0.46	2.20	30.77	24.00	72.00	25.78	0.76	35.10
平均值	3.09	1.57	12.00	12.76	3.14	0.32	2.90	0.56	2.34	31.43	25.01	74.63	119.56	6.87	93.45
標準差	0.05	0.01	0.33	0.06	1.52	0.01	0.17	0.05	0.13	0.65	4.86	12.63	105.64	2.89	190.03

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.09	1.59	11.66	12.79	1.43	0.33	3.30	0.60	2.70	31.08	26.17	77.64	180.90	1.99	108.99
010000	3.06	1.56	12.02	12.75	1.57	0.31	3.15	0.57	2.58	30.83	46.55	130.57	198.37	0.14	931.04
020000	3.04	1.58	12.07	12.74	1.98	0.31	3.10	0.56	2.54	30.71	24.00	72.00	317.01	0.23	17.28
030000	3.06	1.55	12.00	12.74	2.17	0.31	2.94	0.56	2.38	30.69	24.00	72.00	236.14	0.36	17.21
040000	3.05	1.56	11.89	12.73	2.58	0.31	2.94	0.57	2.37	30.63	24.00	72.00	240.88	0.27	14.06
050000	3.02	1.57	11.80	12.70	2.98	0.31	2.92	0.53	2.39	30.56	24.00	72.00	144.30	0.41	14.94
060000	3.09	1.57	12.00	12.77	2.41	0.31	2.89	0.53	2.36	30.57	24.00	72.00	206.10	0.23	26.47
070000	3.05	1.57	12.21	12.74	1.87	0.33	2.83	0.53	2.30	30.73	24.00	72.00	130.18	3.67	25.38
080000	3.08	1.58	12.13	12.75	1.76	0.32	2.78	0.53	2.25	30.77	24.00	72.00	264.22	3.95	53.81
090000	3.11	1.56	12.16	12.79	2.43	0.31	2.79	0.50	2.29	30.79	24.00	72.00	273.78	4.41	45.72
100000	3.11	1.56	12.51	12.79	2.52	0.31	2.79	0.53	2.26	31.06	24.00	72.00	259.09	7.79	25.07
110000	3.09	1.57	12.56	12.75	2.70	0.32	2.79	0.54	2.25	31.47	24.00	72.00	281.36	8.77	26.57
120000	3.06	1.57	12.00	12.71	3.83	0.31	2.76	0.56	2.20	31.92	24.00	72.00	275.98	9.09	32.90
130000	3.11	1.57	11.34	12.78	5.14	0.32	2.84	0.58	2.26	32.63	24.00	72.00	280.90	9.01	37.56
140000	3.09	1.58	11.20	12.77	6.72	0.32	2.90	0.61	2.29	33.15	24.00	72.00	272.65	8.44	35.47
150000	3.13	1.53	11.64	12.80	4.73	0.32	2.91	0.63	2.28	33.10	24.00	72.00	262.79	3.80	37.23
160000	3.21	1.58	12.10	12.88	3.50	0.33	2.86	0.60	2.26	32.32	24.00	72.00	141.79	4.94	34.48
170000	3.09	1.57	12.11	12.78	1.75	0.34	2.89	0.60	2.29	31.98	24.00	72.00	152.04	3.42	15.55
180000	3.16	1.58	11.93	12.85	1.51	0.33	3.11	0.59	2.52	31.86	24.00	72.00	157.17	4.25	8.56
190000	3.20	1.57	12.06	12.89	1.33	0.34	3.09	0.60	2.49	31.75	24.00	72.00	209.83	5.80	12.28
200000	3.08	1.57	12.05	12.77	1.33	0.33	3.21	0.59	2.62	31.70	24.00	72.00	251.55	5.02	11.96
210000	3.13	1.55	12.17	12.82	1.35	0.33	3.24	0.57	2.67	31.50	24.00	72.00	260.69	1.46	10.46
220000	3.18	1.57	12.43	12.86	1.45	0.32	3.09	0.55	2.54	31.33	24.00	72.00	58.16	5.26	9.45
230000	3.19	1.59	12.55	12.88	1.52	0.33	3.15	0.54	2.61	31.36	24.00	72.00	52.32	6.59	15.76
極大值	3.21	1.59	12.56	12.89	6.72	0.34	3.30	0.63	2.70	33.15	46.55	130.57	317.01	9.09	931.04
極小值	3.02	1.53	11.20	12.70	1.33	0.31	2.76	0.50	2.20	30.56	24.00	72.00	52.32	0.14	8.56
平均值	3.10	1.57	12.02	12.78	2.52	0.32	2.97	0.57	2.40	31.44	25.03	74.68	212.84	4.14	65.34
標準差	0.05	0.01	0.33	0.05	1.38	0.01	0.16	0.03	0.16	0.78	4.61	11.96	71.69	3.06	185.6

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.07	1.57	11.69	12.76	2.33	0.33	3.14	0.53	2.61	31.37	24.00	72.00	80.64	0.07	13.10
010000	3.10	1.52	11.30	12.78	2.31	0.32	3.16	0.56	2.60	31.33	42.17	119.04	52.12	0.07	752.45
020000	3.13	1.57	11.30	12.82	2.56	0.32	3.13	0.54	2.59	31.18	29.85	87.14	46.16	0.07	257.32
030000	3.05	1.56	11.82	12.75	4.08	0.31	2.85	0.52	2.33	30.95	24.00	72.00	46.15	0.07	15.97
040000	3.14	1.56	12.12	12.83	2.63	0.31	2.91	0.53	2.38	30.93	24.00	72.00	46.15	0.07	17.76
050000	3.08	1.57	12.09	12.78	2.83	0.32	2.88	0.53	2.35	30.91	24.00	72.00	28.20	0.11	22.90
060000	3.07	1.56	11.96	12.76	1.91	0.32	3.01	0.55	2.46	31.00	24.00	72.00	31.13	0.07	24.36
070000	3.09	1.54	11.95	12.77	1.59	0.33	3.11	0.59	2.52	31.47	24.00	72.00	71.88	0.11	23.50
080000	3.23	1.55	12.24	12.91	2.27	0.33	2.99	0.62	2.37	33.24	24.00	72.00	161.15	0.26	22.84
090000	3.25	1.57	12.39	12.95	4.99	0.33	3.08	0.73	2.35	34.07	24.00	72.00	238.76	0.49	23.64
100000	3.21	1.56	12.35	12.89	6.93	0.32	2.88	0.62	2.26	34.35	24.00	72.00	271.44	2.88	26.29
110000	3.18	1.57	12.64	12.85	9.08	0.32	2.88	0.63	2.25	35.22	24.00	72.00	277.67	3.50	27.90
120000	3.21	1.55	12.76	12.90	23.62	0.35	2.96	0.65	2.31	35.34	24.00	72.00	275.17	2.45	39.24
130000	3.23	1.57	12.69	12.92	26.84	0.33	2.82	0.54	2.28	34.99	24.00	72.00	276.92	3.63	31.76
140000	3.23	1.62	12.32	12.89	17.84	0.32	2.62	0.44	2.18	34.63	24.00	72.00	269.67	3.06	29.70
150000	3.24	1.59	11.72	12.92	15.67	0.32	2.63	0.44	2.19	34.42	24.00	72.00	277.30	2.55	21.95
160000	3.24	1.57	11.69	12.90	11.76	0.32	2.63	0.47	2.16	33.81	24.00	72.00	277.53	1.42	27.22
170000	3.29	1.55	11.70	12.96	7.59	0.33	2.67	0.50	2.17	33.25	24.00	72.00	283.38	0.40	29.68
180000	3.28	1.55	11.77	12.95	5.17	0.33	2.78	0.55	2.23	32.90	24.00	72.00	194.61	0.16	22.55
190000	3.24	1.56	12.15	12.92	2.56	0.33	2.87	0.58	2.29	32.53	24.00	72.00	149.30	0.25	23.61
200000	3.20	1.57	12.22	12.88	2.97	0.33	2.87	0.59	2.28	32.38	24.00	72.00	191.49	0.44	21.03
210000	3.16	1.54	11.97	12.82	2.58	0.33	2.89	0.57	2.32	31.76	24.00	72.00	139.09	0.07	16.95
220000	3.16	1.56	12.08	12.83	2.65	0.32	3.04	0.56	2.48	31.38	24.00	72.00	218.40	0.18	18.09
230000	3.16	1.57	12.20	12.86	2.79	0.32	3.24	0.54	2.70	31.31	24.00	72.00	38.61	0.09	17.94
極大值	3.29	1.62	12.76	12.96	26.84	0.35	3.24	0.73	2.70	35.34	42.17	119.04	283.38	3.63	752.45
極小值	3.05	1.52	11.30	12.75	1.59	0.31	2.62	0.44	2.16	30.91	24.00	72.00	28.20	0.07	13.10
平均值	3.18	1.56	12.05	12.86	6.90	0.32	2.92	0.56	2.36	32.70	25.00	74.59	164.29	0.94	63.66
標準差	0.07	0.02	0.39	0.07	7.15	0.01	0.18	0.07	0.15	1.56	3.85	9.96	100.7	1.28	154.37

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.21	1.59	12.29	12.90	3.06	0.32	2.98	0.54	2.44	31.23	24.00	72.00	27.68	10.66	71.42
010000	3.13	1.55	12.39	12.83	2.25	0.32	3.09	0.56	2.53	31.10	47.80	133.81	40.20	9.86	982.48
020000	3.15	1.59	12.49	12.84	1.50	0.32	3.07	0.57	2.50	31.17	24.43	73.12	29.83	12.84	80.21
030000	3.05	1.58	12.36	12.74	1.44	0.33	3.13	0.60	2.53	31.10	24.00	72.00	40.61	12.20	62.03
040000	3.10	1.54	12.36	12.81	1.98	0.32	3.27	0.58	2.69	31.02	24.00	72.00	24.78	13.62	49.58
050000	3.12	1.54	11.72	12.81	1.61	0.32	3.19	0.58	2.61	30.93	24.00	72.00	26.67	10.65	49.39
060000	3.18	1.55	11.33	12.88	1.38	0.32	3.19	0.58	2.61	30.95	24.00	72.00	48.63	14.02	50.08
070000	3.22	1.58	11.52	12.92	1.74	0.33	3.10	0.60	2.50	31.93	24.00	72.00	38.04	10.42	39.45
080000	3.16	1.54	12.12	12.84	3.47	0.33	3.00	0.60	2.40	33.76	24.00	72.00	46.51	8.13	41.72
090000	3.10	1.57	12.07	12.79	7.35	0.32	2.87	0.58	2.29	34.84	24.00	72.00	78.27	5.00	28.46
100000	3.16	1.56	11.98	12.82	9.73	0.32	2.84	0.59	2.25	35.17	24.00	72.00	76.67	5.16	27.71
110000	3.24	1.56	12.12	12.92	10.97	0.33	2.82	0.56	2.26	34.59	24.00	72.00	160.73	4.79	20.54
120000	3.22	1.56	12.02	12.90	17.45	0.32	2.74	0.51	2.23	35.27	24.00	72.00	251.11	7.27	24.75
130000	3.18	1.59	12.09	12.85	17.90	0.32	2.68	0.49	2.19	35.38	24.00	72.00	292.90	11.22	36.19
140000	3.21	1.58	12.11	12.88	17.32	0.32	2.65	0.47	2.18	34.86	24.00	72.00	286.93	9.88	38.58
150000	3.24	1.59	12.26	12.92	14.92	0.32	2.65	0.47	2.18	34.26	24.00	72.00	297.92	9.23	49.25
160000	3.32	1.56	12.21	12.98	14.08	0.32	2.60	0.42	2.18	33.97	24.00	72.00	292.08	6.64	37.54
170000	3.22	1.56	12.25	12.89	13.24	0.31	2.57	0.40	2.17	33.57	24.00	72.00	274.93	2.90	30.82
180000	3.23	1.56	12.20	12.89	11.66	0.32	2.61	0.42	2.19	33.35	24.00	72.00	109.66	0.36	38.18
190000	3.29	1.57	12.49	12.96	8.19	0.32	2.67	0.45	2.22	33.14	24.00	72.00	105.22	3.23	45.08
200000	3.29	1.57	12.34	12.96	6.20	0.33	2.86	0.52	2.34	32.57	24.00	72.00	49.05	9.17	54.03
210000	3.27	1.56	12.42	12.96	4.72	0.33	3.06	0.56	2.50	32.14	24.00	72.00	31.55	11.13	57.89
220000	3.28	1.60	12.28	12.97	4.35	0.32	3.15	0.57	2.58	31.85	24.00	72.00	33.16	11.73	56.43
230000	3.28	1.57	12.03	12.98	3.69	0.32	3.29	0.56	2.73	31.66	24.00	72.00	19.97	10.94	60.03
極大值	3.32	1.60	12.49	12.98	17.90	0.33	3.29	0.60	2.73	35.38	47.80	133.81	297.92	14.02	982.48
極小值	3.05	1.54	11.33	12.74	1.38	0.31	2.57	0.40	2.17	30.93	24.00	72.00	19.97	0.36	20.54
平均值	3.20	1.57	12.14	12.88	7.51	0.32	2.92	0.53	2.39	32.91	25.01	74.62	111.80	8.79	84.66
標準差	0.07	0.02	0.29	0.07	5.81	0.01	0.23	0.06	0.18	1.61	4.86	12.61	106.1	3.63	191.8

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.30	1.58	12.26	13.00	2.70	0.33	3.42	0.58	2.84	31.33	26.09	77.44	268.97	1.03	102.56
010000	3.21	1.55	12.14	12.90	3.06	0.32	3.35	0.57	2.78	30.91	46.55	130.52	155.60	1.17	934.48
020000	3.23	1.53	12.19	12.93	2.60	0.32	3.26	0.56	2.70	30.80	24.00	72.00	131.44	2.41	67.33
030000	3.21	1.57	12.18	12.92	2.86	0.32	3.23	0.55	2.68	30.66	24.00	72.00	109.99	2.50	76.68
040000	3.26	1.56	12.21	12.96	2.19	0.33	3.28	0.57	2.71	30.81	24.00	72.00	104.70	0.68	69.15
050000	3.24	1.52	12.22	12.95	1.55	0.33	3.76	0.57	3.19	30.79	24.00	72.00	110.64	0.78	71.69
060000	3.27	1.56	12.36	13.01	1.54	0.33	3.81	0.58	3.23	30.99	24.00	72.00	136.99	0.17	70.29
070000	3.27	1.56	12.20	12.99	1.91	0.33	3.60	0.59	3.01	31.75	24.00	72.00	240.35	2.39	74.74
080000	3.23	1.56	12.17	12.94	3.22	0.32	3.30	0.59	2.71	33.20	24.00	72.00	270.12	4.14	71.49
090000	3.25	1.58	12.09	12.93	6.55	0.33	3.08	0.58	2.50	34.39	24.00	72.00	287.44	4.77	57.63
100000	3.20	1.56	12.13	12.87	12.10	0.33	2.89	0.58	2.31	34.73	24.00	72.00	281.34	3.77	50.15
110000	3.25	1.59	12.17	12.94	16.31	0.33	2.79	0.51	2.28	33.60	24.00	72.00	273.42	6.38	41.65
120000	3.26	1.56	12.25	12.94	17.32	0.32	2.78	0.50	2.28	34.09	24.00	72.00	278.40	6.96	39.25
130000	3.25	1.56	12.28	12.92	16.86	0.32	2.72	0.47	2.25	34.35	24.00	72.00	275.87	6.13	42.58
140000	3.29	1.56	12.52	12.97	20.54	0.33	2.74	0.46	2.28	33.50	24.00	72.00	276.72	6.54	41.84
150000	3.32	1.60	12.79	13.01	25.70	0.33	2.74	0.44	2.30	33.33	24.00	72.00	274.07	4.77	38.51
160000	3.28	1.56	12.61	12.96	26.07	0.33	2.72	0.42	2.30	33.04	24.00	72.00	268.47	5.10	41.20
170000	3.34	1.55	12.68	13.01	26.24	0.33	2.66	0.38	2.28	32.72	24.00	72.00	276.94	4.45	37.94
180000	3.26	1.56	12.43	12.93	13.88	0.32	2.61	0.37	2.24	32.39	24.00	72.00	271.74	2.95	32.20
190000	3.30	1.58	12.52	12.95	12.31	0.32	2.62	0.38	2.24	32.09	24.00	72.00	278.94	2.29	33.30
200000	3.22	1.57	12.02	12.88	12.21	0.32	2.64	0.40	2.24	31.89	24.00	72.00	273.28	2.00	33.28
210000	3.19	1.56	11.81	12.85	10.95	0.32	2.66	0.43	2.23	31.75	24.00	72.00	267.49	1.65	33.07
220000	3.34	1.56	11.96	13.00	9.06	0.32	2.71	0.48	2.23	31.49	24.00	72.00	201.38	1.96	32.43
230000	3.34	1.58	12.28	13.01	4.78	0.33	2.98	0.58	2.40	30.96	24.00	72.00	118.06	0.14	28.97
極大值	3.34	1.60	12.79	13.01	26.24	0.33	3.81	0.59	3.23	34.73	46.55	130.52	287.44	6.96	934.48
極小值	3.19	1.52	11.81	12.85	1.54	0.32	2.61	0.37	2.23	30.66	24.00	72.00	104.70	0.14	28.97
平均值	3.26	1.56	12.27	12.95	10.52	0.33	3.01	0.51	2.51	32.32	25.03	74.66	226.35	3.13	88.43
標準差	0.04	0.02	0.23	0.05	8.36	0.01	0.38	0.08	0.32	1.33	4.6	11.95	69.78	2.11	181.25

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.31	1.55	12.24	13.00	3.78	0.33	3.10	0.62	2.48	30.63	24.00	72.00	33.71	12.83	26.78
010000	3.34	1.57	12.24	13.01	3.19	0.33	3.12	0.60	2.52	30.53	47.38	132.67	32.38	9.34	965.24
020000	3.30	1.57	12.18	12.99	2.42	0.33	3.13	0.59	2.54	30.36	24.87	74.25	38.88	9.77	64.08
030000	3.32	1.56	12.20	13.01	2.07	0.33	3.37	0.59	2.78	30.38	24.00	72.00	52.62	8.07	27.97
040000	3.41	1.56	12.39	13.12	1.76	0.33	3.65	0.60	3.05	30.42	24.00	72.00	51.13	7.22	35.97
050000	3.29	1.56	12.30	13.01	1.52	0.33	3.74	0.60	3.14	30.49	24.00	72.00	30.14	12.81	38.87
060000	3.32	1.58	12.38	13.04	1.54	0.33	3.81	0.59	3.22	30.62	24.00	72.00	80.15	9.52	36.11
070000	3.34	1.56	12.43	13.06	1.69	0.33	3.77	0.57	3.20	31.20	24.00	72.00	38.09	16.70	36.97
080000	3.33	1.58	12.37	13.04	2.17	0.33	3.78	0.76	3.02	32.18	24.00	72.00	38.05	16.63	25.61
090000	3.41	1.57	12.83	13.22	11.98	0.33	4.40	1.68	2.72	33.36	24.00	72.00	127.23	6.06	18.16
100000	3.35	1.55	12.59	13.07	22.62	0.32	3.23	0.95	2.28	33.88	24.00	72.00	282.94	8.52	14.39
110000	3.33	1.53	12.75	13.09	32.53	0.32	3.47	1.07	2.40	34.16	24.00	72.00	179.78	11.35	25.35
120000	3.31	1.53	13.27	13.34	20.21	0.33	5.00	2.59	2.41	34.01	24.00	72.00	105.43	9.99	28.60
130000	3.35	1.56	12.47	13.13	16.68	0.33	4.43	2.12	2.31	34.05	24.00	72.00	136.50	6.11	24.74
140000	3.24	1.54	11.95	12.96	16.17	0.32	3.45	1.19	2.26	33.82	24.00	72.00	175.60	6.32	17.20
150000	3.27	1.57	11.78	12.97	16.18	0.32	3.15	0.91	2.24	33.54	24.00	72.00	275.50	14.53	28.56
160000	3.29	1.56	12.17	12.99	15.74	0.32	3.01	0.78	2.23	32.98	24.00	72.00	296.61	13.79	33.39
170000	3.30	1.58	12.32	12.98	14.01	0.33	2.95	0.72	2.23	32.46	24.00	72.00	298.29	10.47	19.16
180000	3.25	1.56	12.16	12.94	13.07	0.33	3.01	0.73	2.28	32.09	24.00	72.00	293.47	8.49	17.99
190000	3.23	1.59	12.13	12.92	10.66	0.32	3.08	0.77	2.31	31.76	24.00	72.00	295.21	7.93	17.98
200000	3.27	1.60	12.13	12.97	6.63	0.33	3.18	0.78	2.40	31.72	24.00	72.00	122.47	5.04	15.11
210000	3.15	1.59	12.04	12.83	5.91	0.33	3.20	0.76	2.44	31.62	24.00	72.00	52.00	12.06	17.61
220000	3.18	1.60	12.24	12.89	7.37	0.33	3.18	0.73	2.45	31.64	24.00	72.00	53.21	7.40	33.90
230000	3.19	1.60	12.31	12.89	6.44	0.33	3.16	0.71	2.45	31.37	24.00	72.00	138.45	1.47	29.37
極大值	3.41	1.60	13.27	13.34	32.53	0.33	5.00	2.59	3.22	34.16	47.38	132.67	298.29	16.70	965.24
極小值	3.15	1.53	11.78	12.83	1.52	0.32	2.95	0.57	2.23	30.36	24.00	72.00	30.14	1.47	14.39
平均值	3.30	1.57	12.33	13.02	9.85	0.33	3.47	0.92	2.56	32.05	25.01	74.62	134.49	9.68	66.63
標準差	0.06	0.02	0.31	0.11	8.21	0	0.52	0.51	0.33	1.36	4.77	12.37	102.19	3.69	191.71



## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.17	1.57	12.40	12.87	4.78	0.33	3.19	0.71	2.48	31.06	26.06	72.01	24.19	0.88	61.58
010000	3.35	1.54	12.41	13.04	4.31	0.33	3.44	0.72	2.72	30.79	26.06	72.03	64.94	1.18	51.71
020000	3.48	1.60	12.39	13.18	3.75	0.33	3.55	0.74	2.81	30.75	26.06	72.02	44.41	0.59	61.56
030000	3.49	1.57	12.26	13.19	2.62	0.34	3.49	0.81	2.68	30.61	26.06	72.01	24.83	0.92	61.55
040000	3.42	1.57	12.38	13.12	2.26	0.34	3.44	0.78	2.66	30.14	26.06	72.00	26.02	1.03	62.92
050000	3.49	1.54	12.44	13.18	1.82	0.34	3.48	0.76	2.72	29.91	26.06	72.01	29.36	0.86	60.57
060000	3.50	1.55	12.57	13.22	1.38	0.34	3.73	0.82	2.91	30.26	26.06	72.02	61.46	0.45	56.99
070000	3.48	1.58	12.42	13.18	1.97	0.35	3.68	0.88	2.80	31.58	26.06	72.00	33.22	0.76	47.75
080000	3.40	1.58	12.38	13.10	4.88	0.35	3.48	0.81	2.67	33.24	26.06	72.03	56.28	0.86	47.25
090000	3.39	1.59	12.32	13.08	14.87	0.34	3.14	0.66	2.48	33.58	26.06	72.03	50.54	0.70	51.59
100000	3.40	1.58	12.28	13.08	18.44	0.35	2.91	0.56	2.35	33.77	26.06	72.04	91.32	0.73	50.12
110000	3.75	1.58	12.57	13.40	18.49	0.32	2.84	0.55	2.29	34.16	26.07	72.08	135.75	0.51	48.97
120000	3.37	1.58	12.36	13.05	15.75	0.32	2.73	0.50	2.23	34.33	26.08	72.13	192.83	0.78	47.46
130000	3.33	1.53	12.23	13.00	17.98	0.32	2.68	0.46	2.22	34.26	26.08	72.15	224.11	1.12	55.70
140000	3.45	1.59	12.51	13.12	19.08	0.32	2.76	0.52	2.24	34.07	26.08	72.15	227.11	1.03	61.10
150000	3.48	1.56	12.56	13.15	23.82	0.33	2.75	0.50	2.25	33.58	26.08	72.15	223.20	1.07	48.39
160000	3.46	1.56	12.55	13.14	28.19	0.33	2.78	0.51	2.27	33.04	26.08	72.14	220.02	1.19	41.01
170000	3.42	1.55	12.65	13.10	25.90	0.34	2.83	0.53	2.30	32.39	26.07	72.13	217.14	0.79	42.01
180000	3.46	1.58	12.58	13.14	21.76	0.34	2.86	0.53	2.33	32.18	26.07	72.09	161.81	0.36	46.11
190000	3.52	1.57	12.56	13.19	22.45	0.34	2.91	0.54	2.37	32.16	26.06	72.02	50.43	0.82	58.99
200000	3.54	1.61	12.22	13.21	20.38	0.33	3.00	0.63	2.37	32.32	26.07	72.10	170.85	0.17	73.09
210000	3.29	1.56	12.03	12.97	16.89	0.34	2.95	0.56	2.39	31.90	26.07	72.07	123.57	0.11	72.78
220000	3.40	1.57	12.32	13.08	9.01	0.34	3.12	0.58	2.54	31.30	26.06	72.05	77.23	0.29	69.05
230000	3.30	1.58	12.37	13.00	7.10	0.32	3.40	0.59	2.81	31.03	26.07	72.10	138.78	0.32	56.96
極大值	3.75	1.61	12.65	13.40	28.19	0.35	3.73	0.88	2.91	34.33	26.08	72.15	227.11	1.19	73.09
極小值	3.17	1.53	12.03	12.87	1.38	0.32	2.68	0.46	2.22	29.91	26.06	72.00	24.19	0.11	41.01
平均值	3.43	1.57	12.41	13.12	12.83	0.33	3.13	0.64	2.50	32.18	26.07	72.06	111.22	0.73	55.63
標準差	0.11	0.02	0.15	0.1	8.92	0.01	0.34	0.13	0.22	1.45	0.01	0.05	75.81	0.32	8.98

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.34	1.57	12.34	13.04	5.83	0.32	3.16	0.59	2.57	30.98	26.06	72.07	76.54	0.40	26.80
010000	3.42	1.54	12.32	13.10	6.48	0.32	3.16	0.59	2.57	30.83	26.07	72.10	128.76	0.40	911.50
020000	3.33	1.56	12.32	13.03	4.89	0.32	3.21	0.60	2.61	30.76	26.06	72.05	43.52	0.61	127.36
030000	3.34	1.59	12.25	13.02	3.49	0.33	3.31	0.59	2.72	30.51	26.06	72.04	32.31	0.93	21.03
040000	3.39	1.59	12.38	13.09	4.46	0.32	3.24	0.58	2.66	30.51	26.07	72.08	88.29	0.56	23.81
050000	3.35	1.55	12.32	13.04	3.27	0.32	3.26	0.59	2.67	30.43	26.07	72.07	66.32	0.35	18.37
060000	3.39	1.57	12.28	13.07	1.85	0.33	3.28	0.59	2.69	30.32	26.06	72.05	54.67	1.05	24.41
070000	3.37	1.56	12.28	13.06	2.14	0.34	3.38	0.60	2.78	31.86	26.06	72.03	27.01	0.72	27.45
080000	3.39	1.58	12.41	13.08	6.38	0.33	3.07	0.59	2.48	33.81	26.06	72.05	53.49	0.81	27.88
090000	3.34	1.59	12.30	13.02	12.09	0.33	2.91	0.60	2.31	34.62	26.06	72.03	30.60	1.25	23.71
100000	3.41	1.57	12.37	13.09	14.32	0.33	2.94	0.65	2.29	35.23	26.06	72.04	62.32	0.99	20.25
110000	3.43	1.56	12.44	13.12	25.65	0.34	2.89	0.59	2.30	34.60	26.06	72.04	85.38	0.92	25.74
120000	3.43	2.44	12.51	13.10	32.40	0.35	2.85	0.54	2.31	34.46	26.06	72.03	77.32	0.80	33.60
130000	3.44	11.57	12.44	13.12	40.77	0.32	2.49	0.23	2.26	34.35	26.06	72.04	78.60	0.85	30.12
140000	3.61	24.67	45.12	10.91	34.51	0.33	2.51	0.24	2.27	34.10	26.07	72.06	103.11	0.73	25.69
150000	3.67	49.84	103.19	10.43	45.83	0.33	2.52	0.22	2.30	33.65	26.06	72.04	105.63	0.85	28.77
160000	3.49	1.49	10.93	7.46	27.17	0.35	2.76	0.46	2.30	33.15	26.06	72.03	76.99	0.95	36.34
170000	3.47	1.63	12.60	8.85	21.73	0.36	2.86	0.56	2.30	32.71	26.06	72.03	79.82	1.07	37.02
180000	3.51	1.50	12.88	9.43	16.30	0.34	2.91	0.59	2.32	32.37	26.06	72.03	77.28	1.21	30.26
190000	3.54	1.51	10.95	7.48	13.56	0.34	3.03	0.66	2.37	32.19	26.06	72.03	90.14	0.92	35.14
200000	3.51	1.49	9.84	6.48	13.72	0.34	3.10	0.64	2.46	31.93	26.06	72.03	71.18	0.99	34.39
210000	3.48	1.49	10.00	6.59	9.96	0.35	3.10	0.67	2.43	31.50	26.06	72.04	72.28	1.24	38.76
220000	3.56	1.51	9.49	6.06	8.22	0.35	3.18	0.67	2.51	31.32	26.06	72.04	61.22	1.42	41.86
230000	3.56	1.48	9.97	6.56	6.46	0.36	3.42	0.67	2.75	31.10	26.06	72.04	71.52	1.32	44.77
極大值	3.67	49.84	103.19	13.12	45.83	0.36	3.42	0.67	2.78	35.23	26.07	72.10	128.76	1.42	911.50
極小值	3.33	1.48	9.49	6.06	1.85	0.32	2.49	0.22	2.26	30.32	26.06	72.03	27.01	0.35	18.37
平均值	3.45	4.98	17.00	10.97	15.06	0.34	3.02	0.55	2.47	32.39	26.06	72.05	71.43	0.89	70.63
標準差	0.09	10.81	19.6	2.77	12.88	0.01	0.27	0.13	0.18	1.61	0	0.02	24.05	0.29	180.33

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.44	1.56	11.57	7.96	3.31	0.36	3.62	0.66	2.96	30.66	24.00	72.00	44.67	0.40	43.76
010000	3.46	1.50	9.58	6.10	2.90	0.34	3.76	0.65	3.11	30.39	43.32	122.15	62.85	0.21	914.61
020000	3.50	1.52	9.19	5.69	3.07	0.34	3.78	0.64	3.14	30.34	29.34	85.86	38.57	4.57	134.47
030000	3.63	1.51	9.28	5.76	3.40	0.34	3.95	0.61	3.34	30.45	24.00	72.00	43.68	6.50	33.01
040000	3.64	1.57	8.94	5.36	3.25	0.33	3.71	0.61	3.10	30.43	24.00	72.00	74.70	4.27	28.29
050000	3.57	1.71	11.24	7.37	2.54	0.33	3.67	0.61	3.06	30.39	24.00	72.00	24.38	5.86	31.20
060000	3.50	1.86	11.19	7.05	2.55	0.34	3.64	0.59	3.05	30.55	24.00	72.00	35.19	9.48	31.12
070000	3.53	2.11	11.08	6.43	3.16	0.33	3.37	0.55	2.82	31.49	24.00	72.00	55.42	8.42	33.50
080000	3.51	1.79	9.32	5.28	6.20	0.33	3.18	0.61	2.57	33.45	24.00	72.00	57.27	10.89	34.25
090000	3.45	75.77	120.36	4.44	18.11	0.32	2.79	0.45	2.34	34.79	24.00	72.00	74.98	10.38	29.71
100000	3.47	1.75	9.03	5.05	17.15	0.32	2.73	0.46	2.27	35.56	24.00	72.00	95.04	8.53	21.07
110000	3.49	2.03	9.71	5.19	13.63	0.32	2.87	0.63	2.24	35.95	24.00	72.00	116.57	9.03	17.66
120000	3.54	1.87	11.91	7.68	21.30	0.33	2.97	0.67	2.30	35.31	24.00	72.00	123.83	8.75	21.35
130000	3.49	1.89	12.08	7.82	19.01	0.33	3.00	0.65	2.35	34.63	24.00	72.00	145.74	7.11	23.99
140000	3.54	1.91	11.09	6.81	17.25	0.33	2.93	0.63	2.30	35.42	24.00	72.00	151.21	8.66	31.93
150000	3.64	1.71	9.63	5.70	16.88	0.33	2.92	0.63	2.29	34.66	24.00	72.00	137.45	11.77	30.55
160000	3.58	1.60	9.53	5.88	16.15	0.32	2.90	0.62	2.28	33.78	24.00	72.00	87.12	10.41	41.98
170000	3.65	1.62	9.78	6.12	15.13	0.33	2.88	0.59	2.29	33.10	24.00	72.00	92.50	13.60	35.18
180000	3.57	1.53	9.70	6.11	12.79	0.33	2.89	0.57	2.32	32.46	24.00	72.00	69.47	11.32	35.38
190000	3.49	1.56	9.44	5.81	12.42	0.33	2.90	0.56	2.34	31.89	24.00	72.00	67.84	6.98	33.08
200000	3.63	3.03	15.93	9.41	6.51	0.33	3.03	0.60	2.43	31.41	24.00	72.00	118.11	4.63	32.35
210000	3.57	1.87	12.41	8.19	5.05	0.33	3.12	0.64	2.48	30.98	24.00	72.00	88.77	2.75	30.14
220000	3.52	1.59	12.00	8.36	4.55	0.33	3.17	0.65	2.52	30.62	24.00	72.00	160.00	1.36	26.57
230000	3.59	1.60	13.80	10.16	2.99	0.34	3.30	0.74	2.56	30.32	24.00	72.00	123.37	6.58	29.50
極大值	3.65	75.77	120.36	10.16	21.30	0.36	3.95	0.74	3.34	35.95	43.32	122.15	160.00	13.60	914.61
極小值	3.44	1.50	8.94	4.44	2.54	0.32	2.73	0.45	2.24	30.32	24.00	72.00	24.38	0.21	17.66
平均值	3.54	4.85	15.32	6.66	9.55	0.33	3.21	0.61	2.60	32.46	25.03	74.67	87.03	7.19	71.86
標準差	0.06	15.11	22.44	1.45	6.7	0.01	0.38	0.06	0.36	2.06	4.05	10.5	39.63	3.63	180.84

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.60	1.64	11.92	8.17	3.46	0.34	3.11	0.64	2.47	29.95	24.00	72.00	62.17	0.62	68.03
010000	3.60	1.52	10.77	7.23	3.90	0.33	3.03	0.58	2.45	30.11	42.81	120.83	51.53	0.56	66.71
020000	3.60	1.54	10.67	7.12	2.98	0.33	3.13	0.61	2.52	30.18	28.68	84.14	37.17	0.64	64.72
030000	3.53	1.57	10.52	6.89	2.38	0.33	3.24	0.63	2.61	29.95	24.00	72.00	108.90	0.35	59.18
040000	3.64	1.65	11.08	7.30	2.48	0.33	3.15	0.63	2.52	29.85	24.00	72.00	140.13	0.26	53.64
050000	3.60	1.71	10.56	6.67	2.51	0.33	3.08	0.63	2.45	29.70	24.00	72.00	113.61	0.20	48.47
060000	3.65	2.55	13.45	7.91	1.83	0.34	3.13	0.64	2.49	29.71	24.00	72.00	104.75	0.27	43.38
070000	3.71	2.73	13.74	7.81	2.00	0.34	3.10	0.63	2.47	30.31	24.00	72.00	35.32	0.44	38.93
080000	3.54	2.31	11.96	6.86	2.69	0.33	3.09	0.63	2.46	31.56	24.00	72.00	59.21	0.55	40.17
090000	3.50	1.89	10.48	6.26	4.99	0.33	3.14	0.67	2.47	32.59	24.00	72.00	72.09	0.57	45.61
100000	3.66	1.92	11.15	6.86	10.70	0.35	3.07	0.66	2.41	33.94	24.00	72.00	179.61	0.31	48.00
110000	3.83	1.87	11.91	7.67	14.90	0.35	3.03	0.66	2.37	34.22	24.00	72.00	226.72	0.80	48.31
120000	4.33	1.72	14.81	10.96	24.76	0.37	3.05	0.66	2.39	33.63	24.00	72.00	220.72	0.77	55.50
130000	3.76	1.64	12.41	8.69	44.56	0.36	2.91	0.51	2.40	32.76	43.24	121.93	227.73	0.76	67.78
140000	3.82	1.62	11.67	8.00	44.63	0.37	2.81	0.45	2.36	32.37	29.02	85.02	166.35	0.57	83.26
150000	4.45	1.61	9.58	5.91	36.81	0.35	2.75	0.42	2.33	32.48	24.00	72.00	140.62	0.36	87.67
160000	3.99	1.78	11.08	7.06	32.88	0.35	2.75	0.43	2.32	32.38	24.00	72.00	116.59	0.40	75.35
170000	3.51	1.75	12.21	8.20	26.69	0.35	2.78	0.47	2.31	32.11	24.00	72.00	202.73	0.76	62.49
180000	3.48	1.95	15.16	10.78	21.67	0.35	2.80	0.49	2.31	32.02	24.00	72.00	217.76	0.49	64.49
190000	3.51	2.25	18.27	13.35	12.47	0.34	2.90	0.54	2.36	31.79	24.00	72.00	143.60	0.35	66.66
200000	3.61	2.97	19.84	13.45	6.84	0.35	3.10	0.65	2.45	31.50	24.00	72.00	80.59	0.17	94.62
210000	3.74	1.85	15.85	11.66	4.66	0.35	3.15	0.68	2.47	31.02	24.00	72.00	24.06	0.80	115.02
220000	3.79	1.69	13.29	9.49	4.58	0.35	3.16	0.68	2.48	30.73	24.00	72.00	43.74	0.74	104.82
230000	3.83	1.62	13.47	9.76	3.96	0.34	3.19	0.67	2.52	30.74	24.00	72.00	60.75	0.56	97.53
極大值	4.45	2.97	19.84	13.45	44.63	0.37	3.24	0.68	2.61	34.22	43.24	121.93	227.73	0.80	115.02
極小值	3.48	1.52	9.58	5.91	1.83	0.33	2.75	0.42	2.31	29.70	24.00	72.00	24.06	0.17	38.93
平均值	3.72	1.89	12.74	8.50	13.31	0.34	3.03	0.59	2.43	31.48	25.99	77.16	118.19	0.51	66.68
標準差	0.24	0.39	2.53	2.13	14.22	0.01	0.15	0.09	0.08	1.39	5.42	14.07	67.6	0.2	21.03

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.68	1.64	13.49	9.76	3.01	0.35	3.38	0.67	2.71	30.64	24.00	72.00	44.55	0.53	46.40
010000	3.71	1.62	13.75	10.01	2.34	0.35	3.58	0.67	2.91	30.34	42.81	120.83	19.56	0.84	45.68
020000	3.73	1.70	14.43	10.59	1.81	0.35	3.62	0.67	2.95	30.32	28.68	84.14	43.79	1.18	48.04
030000	3.78	1.70	14.18	10.33	1.50	0.35	3.67	0.71	2.96	29.93	24.00	72.00	59.47	1.05	49.35
040000	3.78	2.56	16.45	10.86	1.26	0.35	3.55	0.71	2.84	29.67	24.00	72.00	41.73	1.56	49.70
050000	3.81	1.80	14.73	10.67	1.26	0.35	3.59	0.71	2.88	29.58	24.00	72.00	61.93	1.71	56.02
060000	3.70	2.50	14.84	9.38	1.39	0.35	3.80	0.69	3.11	29.72	24.00	72.00	84.17	0.52	56.67
070000	3.51	2.64	13.94	8.18	1.54	0.35	3.85	0.66	3.19	30.92	24.00	72.00	100.69	0.33	62.47
080000	3.61	1.84	14.29	10.10	12.80	0.36	3.53	0.89	2.64	32.98	24.00	72.00	201.84	0.37	59.01
090000	3.72	2.00	14.13	9.72	18.23	0.36	3.35	0.84	2.51	33.01	24.00	72.00	222.38	0.52	62.08
100000	3.73	2.61	16.15	10.47	16.80	0.35	3.10	0.68	2.42	32.68	24.00	72.00	221.36	0.90	70.05
110000	4.28	2.43	18.42	13.09	15.84	0.35	3.00	0.66	2.34	33.02	24.00	72.00	221.40	0.80	65.71
120000	4.83	3.11	19.02	12.33	18.01	0.36	2.96	0.63	2.33	33.31	24.00	72.00	226.93	1.05	57.22
130000	4.40	2.38	14.33	9.13	17.31	0.35	2.93	0.57	2.36	32.72	43.24	121.93	227.40	0.93	58.77
140000	4.00	2.33	13.91	8.81	16.87	0.34	2.93	0.58	2.35	32.68	29.02	85.02	233.46	1.29	66.03
150000	3.86	2.14	12.02	7.26	18.58	0.34	2.93	0.56	2.37	32.52	24.00	72.00	229.91	1.16	46.17
160000	3.90	2.18	15.18	10.34	17.17	0.34	3.03	0.59	2.44	32.29	24.00	72.00	227.24	0.95	22.59
170000	3.87	2.28	17.47	12.43	8.42	0.35	2.98	0.64	2.34	31.90	24.00	72.00	231.24	0.86	15.66
180000	3.76	1.59	13.00	9.38	10.17	0.35	2.95	0.63	2.32	31.75	24.00	72.00	234.06	0.81	21.27
190000	3.60	2.05	15.08	10.51	7.66	0.34	2.96	0.59	2.37	31.56	24.00	72.00	229.37	0.70	27.06
200000	3.68	1.86	11.03	6.84	8.52	0.33	2.93	0.50	2.43	31.62	24.00	72.00	246.24	0.60	28.37
210000	4.02	1.59	9.50	5.85	8.80	0.33	2.85	0.49	2.36	31.59	24.00	72.00	99.32	0.39	34.53
220000	3.82	1.58	9.59	5.99	8.08	0.33	2.84	0.53	2.31	31.19	24.00	72.00	30.22	0.52	41.94
230000	3.62	1.58	10.44	6.76	5.10	0.33	3.33	0.56	2.77	30.57	24.00	72.00	30.67	0.75	51.02
極大值	4.83	3.11	19.02	13.09	18.58	0.36	3.85	0.89	3.19	33.31	43.24	121.93	246.24	1.71	70.05
極小值	3.51	1.58	9.50	5.85	1.26	0.33	2.84	0.49	2.31	29.58	24.00	72.00	19.56	0.33	15.66
平均值	3.85	2.07	14.14	9.53	9.27	0.35	3.24	0.64	2.59	31.52	25.99	77.16	148.71	0.85	47.58
標準差	0.29	0.43	2.45	1.93	6.65	0.01	0.34	0.09	0.29	1.21	5.42	14.07	89.33	0.36	15.41

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.52	1.61	11.48	7.80	3.75	0.34	3.49	0.57	2.92	30.37	24.00	72.00	21.85	2.46	11.41
010000	3.53	2.19	13.24	8.36	1.56	0.34	3.49	0.57	2.92	30.05	42.29	119.40	20.59	0.18	894.07
020000	3.60	1.67	11.01	7.26	2.02	0.34	3.57	0.59	2.98	30.20	29.62	86.56	21.52	3.47	104.95
030000	3.60	1.67	11.89	8.07	3.36	0.35	3.70	0.60	3.10	30.45	24.00	72.00	40.80	5.24	30.71
040000	3.58	1.70	11.69	7.85	1.64	0.35	3.88	0.63	3.25	30.23	24.00	72.00	53.93	1.76	40.11
050000	3.48	1.67	10.57	6.78	2.29	0.35	3.75	0.61	3.14	30.11	24.00	72.00	40.81	6.10	30.14
060000	3.50	1.97	10.84	6.43	2.54	0.35	3.45	0.60	2.85	30.12	24.00	72.00	215.18	2.77	28.67
070000	3.71	2.06	10.74	6.15	2.69	0.35	3.74	0.62	3.12	31.19	24.00	72.00	110.88	6.17	27.54
080000	3.61	1.88	10.42	6.20	7.40	0.35	3.39	0.63	2.76	32.97	24.00	72.00	154.92	4.06	43.58
090000	3.57	1.71	9.49	5.62	15.38	0.35	3.13	0.62	2.51	33.98	24.00	72.00	271.71	2.80	43.30
100000	3.73	1.72	11.04	7.19	26.17	0.35	3.04	0.59	2.45	33.75	24.00	72.00	276.97	5.47	45.56
110000	3.71	1.69	12.08	8.29	33.31	0.36	3.12	0.65	2.47	34.34	24.00	72.00	234.72	5.30	50.86
120000	3.69	1.60	10.66	6.96	31.58	0.36	3.11	0.65	2.46	34.44	24.00	72.00	199.36	2.94	56.69
130000	3.70	1.68	10.86	7.04	37.87	0.36	3.06	0.61	2.45	35.08	24.00	72.00	289.58	5.11	48.57
140000	3.72	1.64	10.86	7.13	42.87	0.36	3.02	0.54	2.48	34.55	24.00	72.00	283.10	9.47	42.84
150000	3.78	1.63	10.21	6.50	46.64	0.35	2.98	0.50	2.48	33.66	24.00	72.00	290.04	11.00	42.58
160000	3.78	1.63	8.53	4.79	38.86	0.34	2.80	0.43	2.37	32.85	24.00	72.00	290.13	9.16	48.70
170000	3.85	1.56	8.49	4.85	32.47	0.34	2.79	0.45	2.34	32.46	24.00	72.00	299.66	6.55	43.29
180000	3.95	1.59	8.93	5.23	29.33	0.34	2.79	0.46	2.33	32.30	24.00	72.00	294.74	5.64	31.84
190000	3.75	1.61	9.93	6.22	24.44	0.34	2.78	0.47	2.31	32.21	24.00	72.00	267.12	4.70	33.97
200000	3.96	1.60	9.53	5.88	14.93	0.34	2.89	0.53	2.36	31.59	24.00	72.00	113.86	7.07	29.51
210000	4.23	1.59	10.41	6.76	10.29	0.34	2.93	0.55	2.38	31.05	24.00	72.00	107.21	5.69	43.00
220000	4.17	1.66	11.16	7.34	6.74	0.34	2.99	0.58	2.41	30.55	24.00	72.00	71.64	3.53	39.19
230000	4.19	1.64	11.92	8.10	4.82	0.34	3.10	0.59	2.51	30.38	24.00	72.00	27.59	6.53	34.48
極大值	4.23	2.19	13.24	8.36	46.64	0.36	3.88	0.65	3.25	35.08	42.29	119.40	299.66	11.00	894.07
極小值	3.48	1.56	8.49	4.79	1.56	0.34	2.78	0.43	2.31	30.05	24.00	72.00	20.59	0.18	11.41
平均值	3.75	1.71	10.67	6.78	17.62	0.35	3.21	0.57	2.64	32.04	25.00	74.58	166.58	5.13	76.90
標準差	0.22	0.16	1.14	1.04	15.53	0.01	0.35	0.06	0.31	1.72	3.86	10	110.39	2.51	174.85

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.99	1.64	10.80	7.01	4.67	0.34	3.10	0.56	2.54	30.16	26.06	72.07	76.54	0.40	17.96
010000	3.86	1.61	10.25	6.59	5.04	0.33	3.01	0.55	2.46	29.78	26.07	72.10	128.76	0.40	16.35
020000	4.00	1.59	10.00	6.42	4.64	0.33	2.98	0.54	2.44	29.74	26.06	72.05	43.52	0.61	26.28
030000	4.05	1.58	10.05	6.42	4.07	0.33	3.05	0.56	2.49	29.79	26.06	72.04	32.31	0.93	34.69
040000	3.89	1.66	11.07	7.32	2.72	0.33	3.16	0.58	2.58	29.67	26.07	72.08	88.29	0.56	33.71
050000	3.92	1.59	9.90	6.24	2.43	0.33	3.31	0.58	2.73	29.49	26.07	72.07	66.32	0.35	29.85
060000	3.88	1.76	10.60	6.61	2.45	0.34	3.23	0.54	2.69	29.49	26.06	72.05	54.67	1.05	33.25
070000	3.99	2.34	12.15	6.97	1.94	0.34	3.25	0.59	2.66	30.31	26.06	72.03	27.01	0.72	43.03
080000	3.88	2.24	11.70	6.74	3.22	0.34	3.30	0.63	2.67	31.66	26.06	72.05	53.49	0.81	49.50
090000	3.68	1.93	10.84	6.51	7.76	0.34	3.23	0.62	2.61	33.27	26.06	72.03	30.60	1.25	41.87
100000	3.67	1.89	10.97	6.72	15.11	0.34	3.12	0.63	2.49	34.23	26.06	72.04	62.32	0.99	734.79
110000	3.78	1.78	11.21	7.20	20.95	0.35	3.11	0.68	2.43	34.50	26.06	72.04	85.38	0.92	1000.00
120000	3.77	2.00	20.40	15.98	34.65	0.41	3.15	0.67	2.48	33.52	26.06	72.03	77.32	0.80	289.14
130000	3.70	3.17	20.95	14.20	36.99	0.39	3.01	0.53	2.48	32.56	26.06	72.04	78.60	0.85	53.56
140000	3.77	2.80	16.35	10.27	29.63	0.36	2.88	0.48	2.40	32.37	26.07	72.06	103.11	0.73	50.46
150000	3.73	1.66	11.42	7.65	31.77	0.36	2.87	0.49	2.38	32.43	26.06	72.04	105.63	0.85	44.69
160000	3.71	1.64	11.25	7.49	28.29	0.35	2.85	0.50	2.35	32.47	26.06	72.03	76.99	0.95	46.82
170000	3.72	1.66	11.79	7.98	25.33	0.35	2.84	0.52	2.32	32.33	26.06	72.03	79.82	1.07	49.43
180000	3.66	1.92	13.60	9.27	24.60	0.34	2.79	0.48	2.31	32.33	26.06	72.03	77.28	1.21	45.22
190000	3.70	1.72	13.23	9.31	17.72	0.34	2.83	0.53	2.30	32.12	26.06	72.03	90.14	0.92	46.24
200000	3.62	1.77	14.43	10.41	11.04	0.35	3.03	0.57	2.46	31.44	26.06	72.03	71.18	0.99	36.57
210000	3.75	1.56	10.22	6.62	12.62	0.34	3.12	0.56	2.56	31.33	26.06	72.04	72.28	1.24	30.02
220000	3.67	1.59	10.96	7.36	10.67	0.35	3.13	0.58	2.55	31.34	26.06	72.04	61.22	1.42	26.72
230000	3.68	1.53	9.55	5.99	11.81	0.34	3.14	0.58	2.56	31.34	26.06	72.04	71.52	1.32	28.57
極大值	4.05	3.17	20.95	15.98	36.99	0.41	3.31	0.68	2.73	34.50	26.07	72.10	128.76	1.42	1000.00
極小值	3.62	1.53	9.55	5.99	1.94	0.33	2.79	0.48	2.30	29.49	26.06	72.03	27.01	0.35	16.35
平均值	3.79	1.86	12.24	8.05	14.59	0.35	3.06	0.56	2.50	31.57	26.06	72.05	71.43	0.89	117.03
標準差	0.13	0.41	3.04	2.5	11.59	0.02	0.16	0.05	0.12	1.51	0	0.02	24.05	0.29	240.15

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.73	1.56	9.09	5.46	13.28	0.33	3.08	0.59	2.49	31.45	13.75	38.07	105.35	0.59	85.41
010000	3.68	1.56	10.18	6.55	11.63	0.33	3.02	0.58	2.44	31.18	12.66	35.05	68.18	0.78	87.86
020000	3.65	1.58	10.62	7.00	4.48	0.34	3.31	0.59	2.72	30.43	26.07	72.05	99.88	0.64	85.19
030000	3.73	1.61	10.74	7.02	3.17	0.34	3.47	0.59	2.88	30.29	14.78	40.91	70.03	0.92	91.02
040000	3.63	1.62	9.65	5.92	3.12	0.34	3.47	0.59	2.88	30.08	12.42	34.39	75.23	0.93	92.31
050000	3.73	1.80	12.54	8.48	1.91	0.35	3.97	0.60	3.37	30.09	13.64	37.78	84.03	0.68	90.36
060000	3.79	3.38	16.66	9.45	1.33	0.35	4.66	0.63	4.03	30.07	12.35	34.23	97.88	0.72	84.97
070000	3.75	2.63	14.04	8.33	1.48	0.35	4.41	0.64	3.77	31.03	26.06	72.07	105.32	0.90	73.51
080000	3.74	3.75	17.42	9.49	2.82	0.35	3.74	0.66	3.08	32.88	26.06	72.04	59.27	1.00	73.22
090000	3.69	1.98	12.35	7.96	10.79	0.35	3.25	0.65	2.60	34.73	26.06	72.03	44.75	0.96	61.22
100000	3.63	1.71	9.83	5.98	19.69	0.35	3.01	0.61	2.40	34.95	26.06	72.04	79.21	0.76	75.43
110000	3.70	1.80	10.31	6.25	29.52	0.35	2.99	0.57	2.42	34.84	26.07	72.08	131.34	0.75	75.25
120000	3.68	1.89	10.66	6.41	35.44	0.35	2.92	0.52	2.40	34.50	26.06	72.05	86.94	1.00	86.11
130000	3.73	1.87	12.06	7.88	34.61	0.35	2.89	0.52	2.37	34.19	26.07	72.05	99.79	0.94	87.88
140000	3.79	1.83	10.25	6.16	32.46	0.34	2.84	0.49	2.35	33.63	26.06	72.04	76.34	0.86	84.81
150000	3.73	1.87	10.34	6.18	30.85	0.34	2.79	0.47	2.32	33.09	26.06	72.03	70.00	1.01	66.45
160000	3.72	1.82	10.52	6.44	30.61	0.34	2.77	0.45	2.32	32.78	26.06	72.02	62.97	1.06	54.96
170000	3.69	1.72	11.53	7.59	27.19	0.35	2.79	0.48	2.31	32.34	26.06	72.04	61.68	1.04	54.73
180000	3.69	1.74	12.79	8.83	24.18	0.35	2.81	0.49	2.32	32.21	26.06	72.05	56.07	0.97	62.17
190000	3.69	1.73	13.48	9.62	13.13	0.34	2.92	0.54	2.38	31.63	26.06	72.04	59.27	1.08	60.36
200000	3.70	1.71	14.99	11.14	7.64	0.34	3.09	0.57	2.52	31.51	26.06	72.04	69.75	0.73	65.45
210000	3.70	1.65	13.22	9.49	5.28	0.34	3.45	0.57	2.88	31.43	26.06	72.05	83.51	0.74	70.16
220000	3.64	1.65	10.67	6.93	4.42	0.34	3.39	0.58	2.81	31.27	26.06	72.05	63.74	1.01	73.71
230000	3.60	1.60	8.65	4.99	6.65	0.33	3.22	0.56	2.66	31.26	26.06	72.03	64.94	0.87	74.47
極大值	3.79	3.75	17.42	11.14	35.44	0.35	4.66	0.66	4.03	34.95	26.07	72.08	131.34	1.08	92.31
極小值	3.60	1.56	8.65	4.99	1.33	0.33	2.77	0.45	2.31	30.07	12.35	34.23	44.75	0.59	54.73
平均值	3.70	1.92	11.77	7.48	14.82	0.34	3.26	0.56	2.70	32.16	22.86	63.22	78.14	0.87	75.71
標準差	0.05	0.55	2.28	1.58	12.36	0.01	0.5	0.06	0.46	1.62	5.68	15.67	20.1	0.14	11.83



## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.67	1.65	9.85	6.05	6.86	0.33	3.06	0.55	2.51	31.16	26.07	72.11	185.68	0.65	26.41
010000	3.59	1.64	9.55	5.80	4.42	0.33	3.14	0.57	2.57	30.86	26.07	72.07	34.44	1.14	916.07
020000	3.67	1.56	8.95	5.35	4.40	0.34	3.16	0.56	2.60	30.51	26.07	72.10	36.73	0.34	129.01
030000	3.63	1.57	8.51	4.89	5.08	0.34	3.16	0.55	2.61	30.36	26.07	72.05	47.61	3.41	29.53
040000	3.65	1.64	9.31	5.61	3.01	0.33	3.27	0.55	2.72	30.22	26.06	72.05	227.55	0.91	26.59
050000	3.65	1.70	9.10	5.22	3.33	0.33	3.21	0.55	2.66	30.02	26.06	72.04	289.72	0.14	20.06
060000	3.63	2.93	15.28	8.95	1.94	0.34	3.14	0.57	2.57	30.08	26.06	72.03	217.67	1.17	23.55
070000	3.72	3.02	14.48	7.97	1.64	0.35	3.34	0.58	2.76	31.19	26.06	72.04	59.35	6.04	24.43
080000	3.76	2.15	11.08	6.35	3.76	0.34	3.41	0.61	2.80	32.70	26.06	72.03	99.53	6.21	34.11
090000	3.64	2.02	11.58	7.12	8.57	0.34	3.23	0.60	2.63	34.21	26.06	72.05	145.41	2.42	34.79
100000	3.75	2.03	14.01	9.48	17.99	0.38	3.17	0.66	2.51	34.49	26.07	72.08	271.31	6.46	34.34
110000	3.68	1.77	8.94	4.94	26.89	0.33	2.89	0.50	2.39	34.16	26.07	72.09	288.07	10.25	50.74
120000	3.63	1.68	7.71	3.90	25.67	0.33	2.75	0.43	2.32	34.13	26.08	72.15	282.67	11.26	38.23
130000	3.64	1.83	9.75	5.65	34.22	0.33	2.81	0.46	2.35	33.97	26.08	72.15	286.06	9.98	29.95
140000	3.74	1.77	9.53	5.56	32.25	0.33	2.78	0.47	2.31	33.51	26.08	72.14	282.49	7.28	33.76
150000	3.74	1.77	10.50	6.51	34.32	0.34	2.79	0.48	2.31	33.31	26.08	72.14	286.35	6.98	34.92
160000	3.77	1.79	10.74	6.73	34.08	0.34	2.78	0.46	2.32	33.00	26.08	72.14	277.51	7.11	39.65
170000	3.67	1.68	10.78	6.97	29.51	0.34	2.76	0.46	2.30	32.23	26.08	72.13	275.29	5.38	38.55
180000	3.73	1.66	10.98	7.16	25.43	0.34	2.77	0.47	2.30	32.00	26.08	72.14	275.28	4.52	33.55
190000	3.60	1.78	12.44	8.44	20.81	0.33	2.77	0.49	2.28	32.07	26.07	72.10	278.05	4.43	48.11
200000	3.68	1.69	11.79	7.95	16.33	0.33	2.81	0.52	2.29	31.93	26.06	72.03	254.47	1.46	30.51
210000	3.61	1.59	12.13	8.52	12.37	0.33	2.87	0.56	2.31	31.67	26.06	72.03	173.45	0.27	24.49
220000	3.69	1.57	11.64	8.05	10.11	0.34	3.01	0.56	2.45	31.59	26.06	72.04	63.87	0.14	32.20
230000	3.68	1.65	14.79	11.04	6.05	0.33	3.16	0.56	2.60	31.41	26.06	72.04	51.08	0.23	32.55
極大值	3.77	3.02	15.28	11.04	34.32	0.38	3.41	0.66	2.80	34.49	26.08	72.15	289.72	11.26	916.07
極小值	3.59	1.56	7.71	3.90	1.64	0.33	2.75	0.43	2.28	30.02	26.06	72.03	34.44	0.14	20.06
平均值	3.68	1.84	10.98	6.84	15.38	0.34	3.01	0.53	2.48	32.12	26.07	72.08	195.40	4.09	73.59
標準差	0.05	0.38	2.06	1.7	12.01	0.01	0.22	0.06	0.17	1.45	0.01	0.05	99.59	3.56	180.66

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.71	2.03	13.13	8.61	3.94	0.33	3.25	0.55	2.70	31.12	25.29	73.58	130.24	0.51	30.63
010000	3.72	1.60	10.71	7.10	4.10	0.34	3.44	0.58	2.86	30.98	53.30	148.39	89.37	3.42	913.43
020000	3.81	1.74	11.64	7.69	3.00	0.34	3.72	0.61	3.11	30.73	83.22	235.44	89.33	1.17	134.83
030000	3.84	1.56	10.50	6.91	2.70	0.33	3.94	0.63	3.31	30.44	21.00	61.54	126.84	0.76	34.55
040000	3.83	1.80	12.21	8.15	1.94	0.34	3.81	0.63	3.18	30.36	23.02	67.31	140.08	0.35	45.95
050000	3.68	1.81	11.66	7.60	1.73	0.33	3.71	0.61	3.10	30.32	23.62	68.89	235.55	0.23	36.27
060000	3.64	2.20	13.16	8.28	1.98	0.33	3.39	0.58	2.81	30.27	23.30	68.09	219.41	0.40	29.99
070000	3.75	3.29	15.46	8.45	2.09	0.33	3.20	0.57	2.63	31.22	24.48	71.72	82.99	0.33	27.37
080000	3.64	2.15	11.62	6.87	4.48	0.33	3.03	0.56	2.47	33.06	30.56	88.17	204.83	1.09	14.29
090000	3.73	1.87	9.88	5.68	14.30	0.33	2.87	0.54	2.33	33.72	31.66	91.37	283.68	5.55	19.75
100000	3.74	2.11	10.78	6.15	19.35	0.34	2.80	0.51	2.29	34.05	28.72	83.16	288.68	7.91	29.91
110000	3.68	2.03	10.82	6.30	22.89	0.34	2.80	0.50	2.30	34.02	21.41	63.11	287.53	8.42	31.27
120000	3.70	1.79	8.83	4.81	26.71	0.33	2.82	0.52	2.30	33.95	19.06	57.26	287.33	8.90	30.23
130000	3.71	1.84	9.04	4.91	27.01	0.33	2.73	0.45	2.28	33.71	33.78	97.99	291.39	9.25	27.95
140000	3.68	1.97	10.19	5.82	26.77	0.33	2.68	0.42	2.26	33.43	36.82	106.19	281.79	10.55	24.82
150000	3.71	1.85	10.61	6.44	28.37	0.33	2.74	0.47	2.27	32.93	30.75	89.34	279.17	10.51	22.97
160000	3.72	1.84	12.14	8.03	27.14	0.33	2.77	0.47	2.30	32.51	31.19	90.87	271.00	7.89	27.66
170000	3.67	1.96	15.28	10.90	21.23	0.34	2.80	0.51	2.29	32.25	38.45	110.16	271.20	4.74	30.79
180000	3.71	2.79	18.55	12.49	14.02	0.34	2.83	0.53	2.30	31.87	31.05	89.87	271.71	3.90	31.53
190000	3.65	2.52	18.47	12.98	8.21	0.33	2.87	0.55	2.32	31.49	30.09	87.26	144.97	0.31	31.78
200000	3.73	2.04	15.13	10.64	6.64	0.33	2.88	0.55	2.33	31.41	31.16	90.04	39.01	0.14	27.16
210000	3.64	1.72	14.52	10.63	4.49	0.33	2.90	0.54	2.36	31.24	25.21	73.35	47.76	0.14	19.47
220000	3.65	1.61	9.64	6.00	6.89	0.33	3.00	0.53	2.47	31.03	20.29	59.64	71.25	0.24	10.32
230000	3.70	1.61	8.51	4.82	8.57	0.32	2.92	0.53	2.39	30.57	23.60	68.61	176.71	0.35	12.19
極大值	3.84	3.29	18.55	12.98	28.37	0.34	3.94	0.63	3.31	34.05	531.30	148.39	291.39	10.55	913.43
極小值	3.64	1.56	8.51	4.81	1.73	0.32	2.68	0.42	2.26	30.27	19.06	57.26	39.01	0.14	10.32
平均值	3.71	1.99	12.19	7.76	12.02	0.33	3.08	0.54	2.54	31.94	50.79	145.01	192.16	3.63	68.55
標準差	0.06	0.4	2.79	2.31	10.04	0.01	0.38	0.05	0.34	1.34	103.11	288.05	90.44	3.91	181.46

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.69	1.61	9.51	5.88	7.22	0.33	3.00	0.55	2.45	30.36	26.06	72.07	47.61	1.34	10.54
010000	3.67	1.77	11.52	7.54	4.34	0.33	3.27	0.58	2.69	30.48	26.07	72.10	46.49	2.06	899.35
020000	3.60	1.68	10.51	6.71	2.49	0.33	3.41	0.59	2.82	30.28	26.06	72.05	50.63	2.13	108.32
030000	3.65	1.78	11.74	7.78	1.79	0.33	3.39	0.59	2.80	30.07	26.06	72.04	49.95	0.14	25.55
040000	3.72	2.13	12.94	8.22	1.27	0.34	3.59	0.60	2.99	29.76	26.07	72.08	49.77	0.18	23.46
050000	3.78	2.46	13.57	8.19	1.38	0.34	3.78	0.61	3.17	29.56	26.07	72.07	49.86	0.19	29.57
060000	3.69	4.04	17.89	9.29	1.27	0.34	3.81	0.61	3.20	29.27	26.06	72.05	58.22	1.60	27.71
070000	3.71	3.05	14.82	8.26	1.46	0.34	3.49	0.58	2.91	29.99	26.06	72.03	52.15	2.68	25.62
080000	3.69	2.22	11.42	6.55	3.37	0.34	3.38	0.61	2.77	32.41	26.06	72.05	92.61	3.67	40.06
090000	3.63	2.24	11.19	6.28	7.67	0.33	3.04	0.59	2.45	33.60	26.06	72.03	118.91	1.51	37.01
100000	3.72	2.16	11.48	6.72	10.72	0.33	2.93	0.57	2.36	34.00	26.06	72.04	182.50	3.98	13.61
110000	3.93	2.11	12.67	8.03	19.75	0.33	2.94	0.59	2.35	34.00	26.06	72.04	281.04	6.39	28.75
120000	3.89	2.03	11.18	6.67	24.96	0.33	2.84	0.52	2.32	33.79	26.06	72.03	288.85	9.30	34.49
130000	3.88	2.13	12.57	7.88	25.12	0.33	2.76	0.47	2.29	33.67	26.06	72.04	281.15	8.15	29.51
140000	3.98	1.86	10.58	6.44	30.04	0.33	2.76	0.46	2.30	33.34	26.07	72.06	281.81	8.81	23.53
150000	4.03	1.85	10.42	6.26	29.97	0.33	2.73	0.43	2.30	32.77	26.06	72.04	282.95	8.63	33.78
160000	4.10	2.01	12.26	7.78	25.95	0.33	2.71	0.43	2.28	32.24	26.06	72.03	289.41	6.15	32.57
170000	4.28	2.04	14.45	9.88	20.96	0.34	2.75	0.47	2.28	31.81	26.06	72.03	276.55	4.42	29.26
180000	4.09	2.22	16.01	11.08	16.21	0.33	2.77	0.49	2.28	31.67	26.06	72.03	276.02	3.33	24.48
190000	3.94	1.72	12.10	8.22	14.55	0.33	2.79	0.50	2.29	31.40	26.06	72.03	138.46	0.77	29.29
200000	3.77	1.61	11.50	7.84	12.41	0.33	2.94	0.53	2.41	30.77	26.06	72.03	69.50	0.95	23.28
210000	3.72	1.64	11.80	8.10	8.68	0.33	3.00	0.54	2.46	30.48	26.06	72.04	49.52	1.67	27.97
220000	3.78	1.64	12.83	9.13	6.65	0.33	3.05	0.56	2.49	30.52	26.06	72.04	165.10	1.66	28.64
230000	3.74	1.66	13.81	10.03	4.28	0.33	3.05	0.56	2.49	30.57	26.06	72.04	88.17	1.17	27.09
極大值	4.28	4.04	17.89	11.08	30.04	0.34	3.81	0.61	3.20	34.00	26.07	72.10	289.41	9.30	899.35
極小值	3.60	1.61	9.51	5.88	1.27	0.33	2.71	0.43	2.28	29.27	26.06	72.03	46.49	0.14	10.54
平均值	3.82	2.07	12.45	7.86	11.77	0.33	3.09	0.54	2.55	31.53	26.06	72.05	148.63	3.37	67.23
標準差	0.18	0.54	1.91	1.32	9.94	0	0.34	0.06	0.29	1.57	0	0.02	103.26	2.96	178.12

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.73	1.63	11.27	7.56	5.09	0.33	3.16	0.56	2.60	30.55	26.06	72.07	46.45	5.36	27.35
010000	3.78	1.62	9.82	6.14	6.93	0.33	2.99	0.55	2.44	30.38	26.07	72.10	34.27	3.18	897.63
020000	3.78	1.74	12.02	8.14	3.80	0.33	3.01	0.57	2.44	30.03	26.06	72.05	173.84	0.14	120.78
030000	3.82	1.85	12.08	7.91	2.09	0.33	3.29	0.58	2.71	29.77	26.06	72.04	25.99	2.06	24.54
040000	3.79	2.31	14.05	8.98	2.03	0.33	3.52	0.57	2.95	29.89	26.07	72.08	34.34	4.21	32.52
050000	3.77	1.95	13.10	8.73	1.29	0.33	3.74	0.58	3.16	29.78	26.07	72.07	39.82	2.83	36.17
060000	3.79	3.56	16.37	8.77	1.27	0.34	3.77	0.59	3.18	29.90	26.06	72.05	138.92	3.29	27.83
070000	3.81	2.74	14.49	8.55	1.61	0.35	3.69	0.59	3.10	30.85	26.06	72.03	57.84	5.05	34.65
080000	3.87	1.97	10.94	6.62	4.29	0.34	3.43	0.61	2.82	32.47	26.06	72.05	53.38	3.48	38.35
090000	3.85	1.75	8.91	4.98	10.97	0.33	3.10	0.61	2.49	33.54	26.06	72.03	168.00	4.55	39.60
100000	4.03	1.78	9.61	5.64	18.47	0.33	2.91	0.56	2.35	34.01	26.06	72.04	259.18	4.57	28.48
110000	4.14	1.81	10.43	6.37	29.16	0.33	2.85	0.51	2.34	33.46	26.06	72.04	292.39	8.48	31.76
120000	4.23	1.70	9.88	6.02	36.42	0.34	2.91	0.53	2.38	33.63	26.06	72.03	279.20	9.13	39.12
130000	4.25	1.82	9.94	5.86	32.38	0.33	2.79	0.47	2.32	33.52	26.06	72.04	283.37	9.78	42.33
140000	5.14	1.95	12.19	7.89	30.44	0.35	2.78	0.49	2.29	33.46	26.07	72.06	265.45	8.41	32.67
150000	7.79	2.31	16.67	11.60	28.20	0.36	2.83	0.53	2.30	33.33	26.06	72.04	272.88	5.32	31.23
160000	6.53	1.79	13.12	9.09	27.47	0.36	2.84	0.53	2.31	32.76	26.06	72.03	282.96	5.80	44.72
170000	4.88	1.74	10.39	6.48	25.90	0.34	2.78	0.48	2.30	32.15	26.06	72.03	257.32	3.26	44.52
180000	4.32	1.64	9.16	5.46	17.83	0.33	2.75	0.46	2.29	31.59	26.06	72.03	288.80	3.65	34.70
190000	4.10	1.59	9.73	6.14	13.68	0.33	2.78	0.49	2.29	31.44	26.06	72.03	301.27	4.09	25.48
200000	4.10	1.67	11.25	7.46	9.71	0.34	2.85	0.51	2.34	31.17	26.06	72.03	313.88	1.08	26.91
210000	4.03	1.94	14.41	10.07	5.16	0.34	2.95	0.55	2.40	30.60	26.06	72.04	282.08	0.62	25.83
220000	3.97	1.56	10.81	7.25	7.31	0.35	3.08	0.57	2.51	30.28	26.06	72.04	183.46	0.28	24.81
230000	3.91	1.57	11.00	7.46	6.42	0.34	3.19	0.57	2.62	29.97	26.06	72.04	51.72	0.64	38.82
極大值	7.79	3.56	16.67	11.60	36.42	0.36	3.77	0.61	3.18	34.01	26.07	72.10	313.88	9.78	897.63
極小值	3.73	1.56	8.91	4.98	1.27	0.33	2.75	0.46	2.29	29.77	26.06	72.03	25.99	0.14	24.54
平均值	4.31	1.92	11.74	7.47	13.66	0.34	3.08	0.54	2.54	31.61	26.06	72.05	182.78	4.14	72.95
標準差	0.96	0.44	2.18	1.6	11.79	0.01	0.33	0.04	0.29	1.52	0	0.02	110.25	2.76	176.67

## 監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.82	1.57	10.04	6.45	6.07	0.34	3.15	0.58	2.57	29.76	26.06	72.07	76.01	0.55	35.92
010000	3.91	1.61	10.56	6.93	5.68	0.34	3.17	0.55	2.62	29.83	26.07	72.10	68.60	5.41	498.66
020000	3.87	1.59	9.77	6.11	6.64	0.34	3.31	0.52	2.79	29.92	26.06	72.05	28.36	9.79	557.03
030000	3.84	1.57	9.70	6.14	7.10	0.34	3.22	0.53	2.69	29.92	26.06	72.04	90.15	4.65	46.30
040000	3.91	1.66	10.74	7.01	3.82	0.34	3.39	0.56	2.83	29.69	26.07	72.08	118.32	4.05	48.83
050000	3.87	1.72	11.56	7.65	2.47	0.34	3.50	0.57	2.93	29.49	26.07	72.07	133.72	0.59	43.49
060000	3.95	2.46	14.36	9.00	1.44	0.34	3.55	0.60	2.95	29.53	26.06	72.05	40.20	1.24	36.80
070000	3.94	2.12	12.25	7.54	2.02	0.34	3.52	0.61	2.91	30.75	26.06	72.03	101.81	1.83	41.52
080000	3.94	1.78	9.92	5.93	5.67	0.34	3.37	0.62	2.75	32.49	26.06	72.05	78.81	5.37	45.39
090000	4.11	1.68	8.78	4.97	12.45	0.35	3.19	0.64	2.55	33.63	26.06	72.03	153.43	5.25	45.83
100000	4.96	1.65	9.04	5.26	18.92	0.35	3.03	0.61	2.42	34.28	26.06	72.04	171.91	4.22	44.82
110000	5.16	1.91	13.32	9.04	28.82	0.36	2.99	0.58	2.41	33.88	26.06	72.04	275.44	6.58	49.11
120000	6.98	1.74	13.40	9.46	33.48	0.37	2.99	0.59	2.40	34.11	26.06	72.03	265.83	6.53	46.48
130000	6.04	1.70	11.04	7.19	30.04	0.36	2.86	0.51	2.35	33.10	26.06	72.04	277.86	7.51	30.25
140000	5.09	1.70	10.66	6.83	23.22	0.35	2.78	0.48	2.30	32.62	26.07	72.06	276.73	7.07	43.54
150000	4.52	1.66	9.05	5.28	23.41	0.34	2.76	0.45	2.31	32.64	26.06	72.04	279.80	7.33	55.25
160000	4.22	1.66	8.71	4.99	22.54	0.33	2.74	0.44	2.30	32.47	26.06	72.03	292.86	6.71	42.68
170000	4.24	1.61	8.92	5.25	21.56	0.33	2.74	0.45	2.29	32.28	26.06	72.03	279.68	5.32	43.79
180000	4.31	1.62	9.91	6.18	20.70	0.33	2.75	0.45	2.30	32.14	26.06	72.03	284.60	3.29	45.38
190000	4.08	1.59	11.39	7.72	12.80	0.34	2.90	0.53	2.37	31.58	26.06	72.03	84.25	0.29	47.96
200000	3.90	1.61	11.30	7.61	12.28	0.34	2.99	0.54	2.45	31.18	26.06	72.03	252.24	1.24	59.73
210000	3.89	1.57	9.58	5.98	10.87	0.33	3.04	0.54	2.50	30.91	26.06	72.04	313.95	0.64	59.51
220000	3.92	1.60	10.14	6.54	7.47	0.34	3.11	0.54	2.57	30.64	26.06	72.04	172.73	0.70	57.65
230000	4.02	2.13	14.50	9.76	3.60	0.34	3.23	0.57	2.66	30.21	26.06	72.04	83.78	1.30	55.78
極大值	6.98	2.46	14.50	9.76	33.48	0.37	3.55	0.64	2.95	34.28	26.07	72.10	313.95	9.79	557.03
極小值	3.82	1.57	8.71	4.97	1.44	0.33	2.74	0.44	2.29	29.49	26.06	72.03	28.36	0.29	30.25
平均值	4.35	1.73	10.78	6.87	13.46	0.34	3.10	0.54	2.55	31.54	26.06	72.05	175.04	4.06	86.74
標準差	0.78	0.22	1.71	1.4	9.85	0.01	0.26	0.06	0.22	1.59	0	0.02	97.12	2.81	136.32