

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	7.84	6.00	11.30	4.39	16.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.06
010000	7.88	5.99	11.27	4.36	16.58	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	52.48
020000	7.86	5.99	11.35	4.46	16.48	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	60.70
030000	7.83	5.97	11.30	4.43	16.41	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	58.40
040000	7.84	5.92	11.27	4.43	16.28	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	53.75
050000	7.86	6.01	11.31	4.39	16.53	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.81
060000	7.84	6.08	11.36	4.38	16.44	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	30.34
070000	7.84	5.99	11.35	4.46	16.26	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	24.49
080000	7.85	6.00	11.28	4.38	16.08	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	37.18
090000	7.81	6.01	11.40	4.49	15.99	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	48.66
100000	4.91	6.05	11.40	4.43	16.26	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.60
110000	2.72	5.94	11.33	4.47	17.03	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.36
120000	2.67	6.10	11.38	4.39	17.73	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	53.97
130000	2.68	6.01	11.37	4.47	17.91	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	55.16
140000	2.69	5.96	11.27	4.43	17.39	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.60
150000	2.70	5.99	11.34	4.44	17.74	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	58.92
160000	2.66	6.01	11.31	4.40	18.55	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	58.44
170000	2.69	6.02	11.34	4.42	16.77	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	56.18
180000	2.66	6.06	11.32	4.38	16.77	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	57.84
190000	2.71	6.08	11.39	4.42	16.96	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.25
200000	2.63	5.94	11.18	4.34	16.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	42.58
210000	2.71	6.07	11.31	4.35	16.55	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.08
220000	2.73	6.05	11.32	4.38	16.66	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	38.82
230000	2.72	6.00	11.30	4.40	16.65	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.38
極大值	7.88	6.10	11.40	4.49	18.55	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	60.70
極小值	2.63	5.92	11.18	4.34	15.99	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.49
平均值	4.93	6.01	11.32	4.41	16.82	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.75
標準差	2.56	0.05	0.05	0.04	0.63	0	0.01	0	0.01	0	0	0	0	0	9.86

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.81	5.97	11.33	4.44	16.57	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	30.47
010000	2.74	5.97	11.29	4.40	16.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.70
020000	2.75	5.89	11.21	4.38	16.44	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.58
030000	2.85	5.99	11.36	4.45	16.29	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.97
040000	2.80	6.01	11.35	4.41	16.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.03
050000	2.86	5.98	11.33	4.42	16.70	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.10
060000	2.86	6.05	11.27	4.31	16.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.05
070000	2.85	5.98	11.33	4.45	16.39	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	35.43
080000	2.77	6.04	11.35	4.42	16.42	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	41.09
090000	2.76	6.09	11.41	4.44	16.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.89
100000	2.75	6.08	11.32	4.36	16.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.14
110000	2.73	6.03	11.31	4.39	16.65	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	58.74
120000	2.71	6.01	11.26	4.36	17.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.21
130000	2.70	5.94	11.28	4.46	17.31	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.63
140000	2.63	6.02	11.28	4.38	18.09	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.57
150000	2.64	5.93	11.20	4.39	18.47	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	58.48
160000	2.67	6.00	11.34	4.43	18.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.66
170000	2.65	5.96	11.36	4.52	17.51	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.16
180000	2.63	6.07	11.31	4.36	16.17	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.62
190000	2.58	6.00	11.33	4.44	15.67	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.76
200000	2.64	6.04	11.33	4.40	16.00	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.94
210000	2.63	5.98	11.28	4.39	16.04	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.90
220000	2.66	6.03	11.23	4.32	16.01	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.74
230000	2.63	6.06	11.31	4.35	16.06	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.53
極大值	2.86	6.09	11.41	4.52	18.47	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	67.62
極小值	2.58	5.89	11.20	4.31	15.67	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.47
平均值	2.72	6.00	11.31	4.40	16.67	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.93
標準差	0.09	0.05	0.05	0.05	0.72	0	0	0	0	0	0	0	0	0	13.91

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.68	5.98	11.34	4.43	16.16	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	30.06
010000	2.68	5.99	11.44	4.54	16.06	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	27.56
020000	2.62	5.94	11.21	4.36	15.94	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	27.13
030000	2.67	6.04	11.39	4.43	15.91	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	24.38
040000	2.69	6.04	11.26	4.30	15.87	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	28.27
050000	2.70	6.11	11.42	4.40	15.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.79
060000	2.69	6.07	11.38	4.39	15.95	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.23
070000	2.72	6.02	11.38	4.44	15.98	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.40
080000	2.66	5.98	11.36	4.49	16.66	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.46
090000	2.61	6.03	11.18	4.26	18.39	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.87
100000	2.62	5.93	11.34	4.50	21.23	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.15
110000	2.60	6.00	11.31	4.41	22.47	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.71
120000	2.56	5.96	11.25	4.35	22.35	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	52.11
130000	2.51	6.01	11.35	4.41	22.01	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	46.11
140000	2.58	5.90	11.24	4.42	21.71	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	46.48
150000	2.58	6.00	11.33	4.41	21.10	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.20
160000	2.52	5.92	11.24	4.42	20.88	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.25
170000	2.55	5.91	11.30	4.49	20.50	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	33.11
180000	2.49	6.00	11.24	4.34	21.00	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	21.57
190000	2.49	6.05	11.34	4.40	19.88	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	24.82
200000	2.46	5.95	11.29	4.46	18.80	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	30.44
210000	2.48	5.99	11.34	4.45	18.27	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.75
220000	2.50	5.96	11.26	4.42	17.42	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.56
230000	2.46	6.08	11.37	4.39	16.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.31
極大值	2.72	6.11	11.44	4.54	22.47	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	61.71
極小值	2.46	5.90	11.18	4.26	15.87	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	21.57
平均值	2.59	5.99	11.32	4.41	18.64	0.31	2.06	0.17	1.88	0.00	26.04	74.00	0.00	0.00	37.95
標準差	0.09	0.05	0.07	0.06	2.5	0	0.01	0	0.01	0	0	0	0	0	10.87

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.45	5.94	11.27	4.42	16.35	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	49.74
010000	2.47	6.02	11.29	4.37	16.79	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	49.63
020000	2.47	5.92	11.21	4.39	16.69	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.51
030000	2.50	5.97	11.39	4.51	16.21	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.87
040000	2.52	6.11	11.36	4.34	16.49	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	49.17
050000	2.47	5.98	11.31	4.43	16.54	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	45.39
060000	2.56	6.06	11.37	4.43	16.19	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	43.00
070000	2.55	6.10	11.38	4.38	16.56	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.94
080000	2.48	6.02	11.35	4.44	17.21	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.86
090000	2.46	6.01	11.33	4.40	19.34	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.93
100000	2.43	5.96	11.33	4.46	20.46	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.99
110000	2.46	5.91	11.23	4.38	22.27	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	38.99
120000	2.45	6.03	11.31	4.32	22.08	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	40.80
130000	2.52	6.01	11.29	4.33	22.25	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	35.95
140000	2.51	5.95	11.24	4.36	21.48	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	28.86
150000	2.54	6.02	11.30	4.34	20.61	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	23.04
160000	2.56	5.98	11.27	4.38	18.77	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	16.84
170000	2.47	6.04	11.22	4.28	18.04	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	12.54
180000	2.52	6.00	11.33	4.43	17.85	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	10.28
190000	2.53	5.98	11.24	4.36	17.74	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	8.05
200000	2.44	5.98	11.36	4.48	17.75	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	9.12
210000	2.49	5.93	11.31	4.47	17.78	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	7.69
220000	2.42	6.04	11.30	4.35	17.22	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	9.38
230000	2.44	5.96	11.31	4.45	17.30	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	12.54
極大值	2.56	6.11	11.39	4.51	22.27	0.32	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	51.51
極小值	2.42	5.91	11.21	4.28	16.19	0.31	2.06	0.16	1.89	0.00	26.04	74.00	0.00	0.00	7.69
平均值	2.49	6.00	11.30	4.40	18.33	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	32.21
標準差	0.04	0.05	0.05	0.06	2.07	0	0	0	0	0	0	0	0	0	16.85

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.40	5.99	11.31	4.41	17.13	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	10.03
010000	2.44	5.99	11.19	4.30	16.93	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	11.38
020000	2.35	5.99	11.25	4.34	16.56	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	14.81
030000	2.39	6.05	11.25	4.30	15.74	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	13.86
040000	2.40	6.01	11.31	4.40	15.72	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	12.75
050000	2.38	5.95	11.20	4.35	15.64	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	16.14
060000	2.41	6.03	11.28	4.34	15.61	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	20.35
070000	2.42	6.07	11.35	4.35	15.71	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.76
080000	2.42	6.04	11.35	4.40	16.30	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	28.45
090000	2.41	6.04	11.32	4.37	17.41	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	28.65
100000	2.45	5.90	11.27	4.40	17.95	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	17.21
110000	2.46	5.99	11.35	4.35	17.94	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	18.65
120000	2.54	6.01	11.33	4.34	18.07	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	16.87
130000	2.57	6.03	11.39	4.39	18.21	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	14.61
140000	2.49	6.02	11.26	4.27	18.26	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	16.03
150000	2.56	6.00	11.30	4.33	18.31	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	16.06
160000	2.54	5.98	11.24	4.31	18.25	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	16.78
170000	2.52	6.01	11.28	4.33	17.52	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	26.63
180000	2.58	5.94	11.15	4.30	17.01	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	33.89
190000	2.60	6.03	11.31	4.38	16.94	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	26.03
200000	2.52	6.00	11.30	4.40	16.76	0.31	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	21.37
210000	2.50	6.04	11.30	4.34	16.27	0.32	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	21.86
220000	2.47	6.02	11.25	4.32	16.03	0.31	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	26.57
230000	2.47	5.94	11.24	4.40	15.65	0.31	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	27.61
極大值	2.60	6.07	11.39	4.41	18.31	0.32	2.07	0.17	1.91	0.00	26.04	74.00	0.00	0.00	33.89
極小值	2.35	5.90	11.15	4.27	15.61	0.31	2.06	0.16	1.89	0.00	26.04	74.00	0.00	0.00	10.03
平均值	2.47	6.00	11.28	4.35	16.91	0.31	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	20.18
標準差	0.07	0.04	0.06	0.04	0.98	0	0.01	0	0.01	0	0	0	0	0	6.53

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.46	6.00	11.22	4.31	16.08	0.31	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	26.21
010000	2.48	6.02	11.29	4.37	15.85	0.32	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	20.30
020000	2.48	6.07	11.30	4.32	15.95	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	20.21
030000	2.51	5.96	11.23	4.35	15.82	0.32	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	22.17
040000	2.49	5.93	11.24	4.40	16.39	0.31	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	24.60
050000	2.49	5.96	11.25	4.36	16.42	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	27.29
060000	2.50	5.91	11.25	4.44	16.00	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.53
070000	2.52	5.91	11.24	4.42	16.10	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	34.56
080000	2.44	5.96	11.21	4.32	16.51	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	39.00
090000	2.47	5.90	11.25	4.41	17.55	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	38.68
100000	2.48	5.97	11.23	4.31	18.06	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.23
110000	2.50	5.95	11.23	4.33	18.21	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	30.38
120000	2.52	5.98	11.34	4.41	17.85	0.31	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	33.82
130000	2.57	6.00	11.29	4.32	17.94	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	35.18
140000	2.58	6.01	11.36	4.41	17.91	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	32.03
150000	2.57	5.99	11.29	4.36	17.64	0.31	2.07	0.16	1.91	0.00	26.04	74.00	0.00	0.00	29.33
160000	2.57	6.00	11.28	4.38	17.49	0.31	2.07	0.17	1.90	0.00	26.04	74.00	0.00	0.00	34.09
170000	2.58	5.95	11.26	4.39	17.21	0.31	2.06	0.16	1.90	0.00	26.04	74.00	0.00	0.00	28.12
180000	2.50	6.00	11.33	4.42	17.09	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.40
190000	2.54	5.97	11.20	4.33	17.06	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.04
200000	2.47	5.94	11.20	4.36	17.18	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	29.24
210000	2.43	5.96	11.26	4.40	16.62	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	29.17
220000	2.49	5.98	11.24	4.35	16.69	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	32.39
230000	2.47	6.05	11.41	4.44	16.40	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.72
極大值	2.58	6.07	11.41	4.44	18.21	0.32	2.07	0.17	1.91	0.00	26.04	74.00	0.00	0.00	39.00
極小值	2.43	5.90	11.20	4.31	15.82	0.31	2.06	0.16	1.89	0.00	26.04	74.00	0.00	0.00	20.21
平均值	2.50	5.97	11.27	4.37	16.92	0.31	2.06	0.17	1.90	0.00	26.04	74.00	0.00	0.00	30.07
標準差	0.04	0.04	0.05	0.04	0.78	0	0.01	0	0.01	0	0	0	0	0	5.43

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.44	5.95	11.34	4.45	16.04	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	35.70
010000	2.42	5.93	11.34	4.49	15.80	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	38.55
020000	2.48	5.99	11.30	4.40	15.79	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.48
030000	2.47	5.93	11.22	4.38	15.70	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	39.96
040000	2.39	6.01	11.25	4.33	15.53	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.34
050000	2.46	6.04	11.29	4.35	15.63	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.04
060000	2.41	6.02	11.31	4.36	15.85	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.69
070000	2.45	5.97	11.25	4.36	16.03	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	24.99
080000	2.45	5.96	11.33	4.46	15.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.99
090000	2.42	6.01	11.33	4.43	16.04	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	34.04
100000	2.43	5.98	11.25	4.36	16.81	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.16
110000	2.43	5.94	11.31	4.45	19.28	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	45.81
120000	2.39	5.99	11.23	4.32	17.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	54.51
130000	2.43	5.95	11.28	4.41	18.66	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	52.88
140000	2.41	5.97	11.22	4.32	18.90	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	44.51
150000	2.46	6.01	11.36	4.45	18.26	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	33.77
160000	2.37	5.95	11.33	4.50	16.45	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	49.00
170000	2.39	6.02	11.38	4.45	16.38	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	62.79
180000	2.37	5.98	11.29	4.41	16.11	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	61.34
190000	2.43	5.97	11.33	4.46	15.88	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	55.77
200000	2.42	6.08	11.29	4.30	15.83	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.42
210000	2.42	6.01	11.28	4.37	15.93	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.92
220000	2.46	6.03	11.29	4.35	16.05	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	40.98
230000	2.46	6.08	11.33	4.36	16.06	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	35.85
極大值	2.48	6.08	11.38	4.50	19.28	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	62.79
極小值	2.37	5.93	11.22	4.30	15.53	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	24.99
平均值	2.43	5.99	11.30	4.40	16.54	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.98
標準差	0.03	0.04	0.04	0.06	1.14	0	0	0	0	0	0	0	0	0	10.02

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.44	6.05	11.39	4.42	16.08	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	35.16
010000	2.46	6.00	11.30	4.38	15.95	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.29
020000	2.44	6.02	11.33	4.43	16.13	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	40.19
030000	2.48	6.01	11.27	4.33	16.06	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.50
040000	2.49	5.99	11.32	4.42	16.05	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.82
050000	2.54	6.03	11.31	4.36	15.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	40.76
060000	2.48	5.94	11.27	4.42	15.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.99
070000	2.53	5.96	11.27	4.38	15.85	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	42.07
080000	2.46	6.05	11.30	4.36	15.93	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.28
090000	2.47	6.04	11.37	4.43	16.09	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.40
100000	2.47	5.91	11.29	4.50	16.52	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.87
110000	2.41	5.98	11.31	4.44	17.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.70
120000	2.39	6.01	11.30	4.38	19.53	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	63.40
130000	2.40	6.01	11.39	4.48	19.70	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	59.03
140000	2.34	5.95	11.29	4.46	20.01	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	52.02
150000	2.35	6.02	11.33	4.44	20.44	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.97
160000	2.32	5.93	11.27	4.46	20.69	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.57
170000	2.33	5.98	11.28	4.40	20.81	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	43.82
180000	2.31	6.01	11.29	4.40	20.02	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	40.89
190000	2.33	5.96	11.30	4.46	19.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.74
200000	2.40	6.01	11.34	4.44	19.01	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	24.92
210000	2.37	6.06	11.33	4.39	19.03	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	21.98
220000	2.36	5.99	11.34	4.47	18.32	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.14
230000	2.31	6.01	11.36	4.49	18.02	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	45.60
極大值	2.54	6.06	11.39	4.50	20.81	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	63.40
極小值	2.31	5.91	11.27	4.33	15.85	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	18.14
平均值	2.41	6.00	11.31	4.42	17.88	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.30
標準差	0.07	0.04	0.04	0.04	1.86	0	0.01	0	0	0	0	0	0	0	11.03

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.37	6.01	11.30	4.38	17.23	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	105.66
010000	2.40	5.98	11.37	4.50	17.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	100.58
020000	2.40	6.08	11.36	4.41	16.79	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	95.34
030000	2.36	6.01	11.27	4.39	16.46	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	92.27
040000	2.41	6.05	11.35	4.42	16.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	88.94
050000	2.44	5.97	11.34	4.47	18.42	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	79.41
060000	2.40	6.04	11.32	4.40	18.17	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.26
070000	2.38	6.03	11.40	4.45	16.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.16
080000	2.45	6.00	11.43	4.51	16.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.28
090000	2.42	5.98	11.35	4.49	17.65	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	81.24
100000	2.42	5.97	11.32	4.46	18.84	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	82.86
110000	2.38	6.02	11.26	4.35	20.06	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.97
120000	2.35	5.97	11.35	4.48	21.36	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	78.92
130000	2.37	6.05	11.29	4.36	21.87	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.48
140000	2.38	6.06	11.29	4.32	22.07	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.87
150000	2.35	5.94	11.35	4.52	22.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.05
160000	2.32	5.94	11.32	4.51	22.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.12
170000	2.26	5.99	11.33	4.45	21.77	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.06
180000	2.33	5.95	11.30	4.46	19.74	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.61
190000	2.36	5.99	11.31	4.42	19.32	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	40.91
200000	2.27	5.96	11.26	4.43	17.72	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	38.50
210000	2.38	6.02	11.29	4.39	16.64	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.28
220000	2.39	6.01	11.30	4.41	16.56	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	79.51
230000	2.36	5.89	11.30	4.50	16.27	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	80.13
極大值	2.45	6.08	11.43	4.52	22.60	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	105.66
極小值	2.26	5.89	11.26	4.32	16.27	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	38.50
平均值	2.37	6.00	11.32	4.44	18.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.52
標準差	0.05	0.04	0.04	0.06	2.23	0	0	0	0	0	0	0	0	0	19.01

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.37	5.99	11.29	4.40	16.17	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	76.88
010000	2.39	5.94	11.36	4.52	15.94	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.97
020000	2.40	6.00	11.31	4.42	15.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	70.88
030000	2.36	6.06	11.29	4.33	15.77	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.44
040000	2.37	5.98	11.36	4.45	15.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.31
050000	2.39	6.05	11.35	4.41	15.74	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.53
060000	2.33	5.94	11.20	4.35	15.61	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.76
070000	2.34	6.06	11.39	4.44	15.78	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	73.13
080000	2.37	5.91	11.30	4.52	15.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	79.06
090000	2.35	6.08	11.34	4.37	16.18	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	83.21
100000	2.33	6.11	11.40	4.41	16.80	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	79.50
110000	2.39	6.02	11.27	4.35	17.72	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	73.53
120000	2.35	6.06	11.30	4.34	19.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	71.08
130000	2.28	6.03	11.34	4.42	21.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.36
140000	2.30	5.91	11.23	4.42	21.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.32
150000	2.24	6.05	11.31	4.38	21.95	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.99
160000	2.25	6.03	11.30	4.39	22.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	58.06
170000	2.22	6.05	11.35	4.43	21.37	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.28
180000	2.21	6.05	11.30	4.37	20.87	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.56
190000	2.27	5.98	11.24	4.38	19.92	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.04
200000	2.23	6.01	11.32	4.41	19.54	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.04
210000	2.26	6.05	11.35	4.43	19.10	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.81
220000	2.25	6.04	11.33	4.39	18.00	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.78
230000	2.26	6.04	11.34	4.41	17.99	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.45
極大值	2.40	6.11	11.40	4.52	22.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	83.21
極小值	2.21	5.91	11.20	4.33	15.61	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	51.04
平均值	2.31	6.02	11.32	4.41	18.18	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.21
標準差	0.06	0.05	0.05	0.05	2.39	0	0	0	0	0	0	0	0	0	8.98

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.23	6.04	11.33	4.41	17.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	57.23
010000	2.22	6.04	11.41	4.47	17.33	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.84
020000	2.30	6.03	11.32	4.40	17.04	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.57
030000	2.27	5.97	11.28	4.42	17.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.58
040000	2.27	6.06	11.41	4.47	17.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.93
050000	2.26	5.97	11.34	4.47	16.53	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.18
060000	2.27	6.10	11.35	4.36	16.22	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.72
070000	2.28	6.04	11.30	4.38	16.41	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.63
080000	2.23	5.92	11.25	4.44	18.46	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.43
090000	2.24	6.05	11.32	4.36	20.83	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	65.06
100000	2.19	6.05	11.45	4.51	21.17	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.16
110000	2.26	5.96	11.31	4.44	22.28	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	56.29
120000	2.25	5.94	11.25	4.36	23.03	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	59.00
130000	2.24	6.03	11.32	4.38	21.46	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	62.50
140000	2.28	6.00	11.33	4.42	22.17	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	71.41
150000	2.25	6.05	11.36	4.41	22.54	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	76.20
160000	2.26	6.06	11.34	4.38	22.63	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	81.47
170000	2.20	5.94	11.26	4.44	22.03	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	87.62
180000	2.25	6.03	11.21	4.29	21.11	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	90.52
190000	2.20	5.98	11.23	4.33	18.37	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	90.24
200000	2.22	6.11	11.39	4.39	17.01	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	85.29
210000	2.24	5.94	11.29	4.43	16.96	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	79.73
220000	2.28	6.05	11.40	4.44	16.59	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	68.20
230000	2.25	6.04	11.33	4.38	17.06	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	57.77
極大值	2.30	6.11	11.45	4.51	23.03	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	90.52
極小值	2.19	5.92	11.21	4.29	16.22	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	51.72
平均值	2.25	6.02	11.32	4.41	19.14	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	66.36
標準差	0.03	0.05	0.06	0.05	2.5	0	0.01	0	0.01	0	0	0	0	0	12.95

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.26	5.96	11.25	4.39	18.50	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	45.14
010000	2.24	5.92	11.25	4.41	18.95	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	23.97
020000	2.25	5.93	11.23	4.37	18.40	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	14.30
030000	2.25	5.93	11.32	4.50	18.26	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	15.09
040000	2.27	5.99	11.26	4.35	17.42	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	13.02
050000	2.30	6.06	11.29	4.31	17.87	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	20.97
060000	2.30	6.07	11.24	4.25	17.74	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	21.56
070000	2.29	5.92	11.32	4.49	17.78	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	19.21
080000	2.32	5.98	11.30	4.41	18.16	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	17.65
090000	2.29	5.96	11.29	4.43	18.44	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	18.08
100000	2.21	6.00	11.32	4.43	19.58	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	27.19
110000	2.21	5.94	11.33	4.47	20.34	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	25.99
120000	2.17	6.01	11.29	4.35	21.31	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	24.93
130000	2.18	5.96	11.28	4.39	21.81	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.36
140000	2.23	5.91	11.26	4.45	22.17	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	32.23
150000	2.25	6.01	11.34	4.40	22.43	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	34.81
160000	2.21	5.96	11.32	4.46	22.47	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	35.84
170000	2.27	5.97	11.32	4.44	22.20	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	41.59
180000	2.13	5.97	11.28	4.42	21.65	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	38.39
190000	2.12	6.00	11.35	4.45	20.72	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.26
200000	2.15	5.98	11.27	4.41	20.27	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	25.06
210000	2.15	5.90	11.27	4.49	19.19	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	20.53
220000	2.16	5.96	11.28	4.45	18.52	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	23.53
230000	2.22	6.03	11.33	4.42	17.91	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.63
極大值	2.32	6.07	11.35	4.50	22.47	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	45.14
極小值	2.12	5.90	11.23	4.25	17.42	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	13.02
平均值	2.23	5.97	11.29	4.41	19.67	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	26.26
標準差	0.06	0.04	0.03	0.06	1.75	0	0.01	0.01	0	0	0	0	0	0	8.71

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.17	6.00	11.36	4.45	17.42	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.46
010000	2.17	5.99	11.36	4.48	17.18	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	35.28
020000	2.20	6.00	11.25	4.37	17.33	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.39
030000	2.19	6.03	11.31	4.40	18.94	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.60
040000	2.19	6.00	11.35	4.46	20.35	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.52
050000	2.16	6.09	11.32	4.35	20.72	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	44.67
060000	2.18	5.94	11.27	4.45	20.49	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.26
070000	2.26	5.94	11.30	4.45	20.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.88
080000	2.21	6.05	11.36	4.42	19.65	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.25
090000	2.18	6.11	11.38	4.38	21.00	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.02
100000	2.17	6.00	11.34	4.43	21.73	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.36
110000	2.19	6.04	11.38	4.42	21.59	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	43.06
120000	2.18	6.02	11.31	4.40	21.96	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	61.99
130000	2.15	5.97	11.34	4.47	22.19	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.45
140000	2.14	6.12	11.37	4.36	22.36	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	62.87
150000	2.11	6.05	11.35	4.40	22.88	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	67.50
160000	2.13	5.99	11.37	4.48	23.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.22
170000	2.17	5.98	11.28	4.42	23.16	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.86
180000	2.10	6.10	11.30	4.31	22.20	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	74.01
190000	2.13	6.03	11.37	4.45	20.93	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	74.90
200000	2.16	6.03	11.34	4.42	20.77	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.79
210000	2.18	6.12	11.37	4.38	19.21	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	34.76
220000	2.18	6.07	11.36	4.42	20.35	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	31.52
230000	2.15	6.10	11.35	4.39	18.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.27
極大值	2.26	6.12	11.38	4.48	23.43	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	74.90
極小值	2.10	5.94	11.25	4.31	17.18	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	30.52
平均值	2.17	6.03	11.34	4.42	20.61	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.91
標準差	0.03	0.05	0.04	0.04	1.8	0	0	0	0	0	0	0	0	0	15.08

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.12	5.98	11.33	4.44	18.11	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	36.05
010000	2.17	5.96	11.23	4.38	17.88	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	39.79
020000	2.15	6.00	11.31	4.43	17.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	44.17
030000	2.15	6.01	11.31	4.42	16.40	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.44
040000	2.18	6.01	11.37	4.46	16.61	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.79
050000	2.14	6.00	11.35	4.46	16.51	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	59.78
060000	2.11	6.01	11.32	4.44	16.27	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.54
070000	2.20	5.93	11.31	4.49	16.14	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.84
080000	2.12	5.98	11.31	4.43	16.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.32
090000	2.20	6.01	11.40	4.50	17.13	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.53
100000	2.16	6.05	11.33	4.41	17.74	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.20
110000	2.10	5.99	11.39	4.51	19.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.47
120000	1.97	6.02	11.29	4.35	22.13	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	62.57
130000	2.06	6.02	11.37	4.39	23.07	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	61.44
140000	2.09	5.90	11.22	4.38	22.28	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	61.36
150000	2.12	6.06	11.34	4.37	21.95	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.37
160000	2.15	6.04	11.33	4.41	21.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	49.19
170000	2.17	5.98	11.31	4.44	20.92	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.52
180000	2.11	5.90	11.15	4.36	20.09	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.07
190000	2.14	5.98	11.28	4.40	20.11	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	54.78
200000	2.15	5.99	11.31	4.45	20.34	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.84
210000	2.07	5.96	11.38	4.53	18.17	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.94
220000	2.13	6.07	11.32	4.38	17.62	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.13
230000	2.09	5.98	11.32	4.46	17.38	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	53.14
極大值	2.20	6.07	11.40	4.53	23.07	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	72.94
極小值	1.97	5.90	11.15	4.35	16.14	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	36.05
平均值	2.13	5.99	11.32	4.43	18.83	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	58.22
標準差	0.05	0.04	0.06	0.05	2.27	0	0	0	0	0	0	0	0	0	10.14

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.12	6.04	11.27	4.34	16.89	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.47
010000	2.11	5.96	11.29	4.42	17.46	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	45.22
020000	2.12	5.92	11.22	4.40	17.19	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.21
030000	2.07	5.91	11.26	4.45	17.22	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	55.37
040000	2.13	5.99	11.25	4.37	16.81	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	49.07
050000	2.09	6.04	11.29	4.35	16.45	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	50.54
060000	2.14	6.00	11.36	4.45	16.21	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.82
070000	2.14	6.07	11.38	4.43	16.69	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	55.79
080000	2.12	5.96	11.34	4.48	18.68	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	62.56
090000	2.02	6.01	11.36	4.44	21.28	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	73.31
100000	2.06	6.05	11.37	4.41	22.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.42
110000	2.08	5.96	11.29	4.40	23.22	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	66.48
120000	2.12	5.99	11.37	4.44	23.30	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	60.97
130000	2.12	5.99	11.33	4.39	21.74	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.35
140000	2.10	6.00	11.38	4.45	20.93	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	34.30
150000	2.17	5.98	11.33	4.41	20.82	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	22.40
160000	2.20	6.04	11.34	4.38	21.01	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.63
170000	2.18	5.98	11.34	4.46	20.88	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	48.84
180000	2.10	6.07	11.35	4.39	20.84	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.75
190000	2.06	6.04	11.31	4.36	19.84	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	51.10
200000	2.10	6.04	11.36	4.42	18.59	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	55.08
210000	2.12	6.06	11.45	4.50	18.22	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	61.09
220000	2.10	6.04	11.35	4.42	17.24	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	58.63
230000	2.02	6.02	11.35	4.44	16.72	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	63.33
極大值	2.20	6.07	11.45	4.50	23.30	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	73.31
極小值	2.02	5.91	11.22	4.34	16.21	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	22.40
平均值	2.11	6.01	11.33	4.42	19.18	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	52.36
標準差	0.04	0.04	0.05	0.04	2.32	0	0.01	0	0	0	0	0	0	0	11.74

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.08	5.98	11.30	4.42	15.99	0.32	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	392.49
010000	2.07	5.94	11.25	4.44	15.78	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	668.46
020000	2.07	6.03	11.32	4.40	15.92	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	56.54
030000	2.03	6.02	11.32	4.42	16.05	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	60.25
040000	2.06	6.01	11.38	4.47	15.74	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	59.02
050000	2.06	6.06	11.35	4.42	15.65	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	52.04
060000	2.04	5.96	11.31	4.46	15.92	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	51.59
070000	2.12	6.02	11.35	4.47	16.21	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	56.17
080000	2.12	5.96	11.26	4.40	18.13	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	66.72
090000	2.06	6.05	11.41	4.45	20.44	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	64.39
100000	2.03	6.02	11.43	4.48	21.68	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	67.42
110000	2.16	5.94	11.36	4.45	22.75	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	69.14
120000	2.15	5.96	11.27	4.34	21.77	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	66.30
130000	2.14	5.89	11.24	4.39	21.55	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	45.70
140000	2.19	5.95	11.31	4.38	21.85	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.01
150000	2.20	5.97	11.29	4.38	21.27	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	43.17
160000	2.25	5.99	11.28	4.36	21.21	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	40.66
170000	2.23	5.96	11.28	4.41	20.36	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	44.65
180000	2.20	5.98	11.26	4.37	18.58	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.51
190000	2.19	6.13	11.37	4.34	18.70	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.66
200000	2.22	6.06	11.42	4.46	17.76	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	65.37
210000	2.19	5.99	11.27	4.37	17.13	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	76.89
220000	2.17	5.95	11.33	4.46	17.06	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	67.36
230000	2.18	5.96	11.32	4.45	16.82	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	63.74
極大值	2.25	6.13	11.43	4.48	22.75	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	668.46
極小值	2.03	5.89	11.24	4.34	15.65	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	40.66
平均值	2.13	5.99	11.32	4.42	18.51	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	96.59
標準差	0.07	0.05	0.05	0.04	2.49	0	0.01	0	0.01	0	0	0	0	0	140.04

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.10	6.01	11.37	4.44	15.89	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	376.60
010000	2.14	6.01	11.39	4.48	15.86	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	690.63
020000	2.17	6.07	11.30	4.32	16.05	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	56.00
030000	2.15	6.01	11.38	4.48	16.29	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	54.87
040000	2.12	5.99	11.36	4.47	15.96	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	50.72
050000	2.11	5.95	11.27	4.41	15.68	0.31	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	49.81
060000	2.09	5.91	11.29	4.48	16.02	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	49.44
070000	2.12	5.93	11.28	4.45	16.37	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	47.02
080000	2.12	5.98	11.35	4.45	18.08	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	46.04
090000	2.10	6.00	11.25	4.33	19.28	0.31	2.04	0.15	1.89	0.00	26.04	74.00	0.00	0.00	47.81
100000	2.21	5.88	11.21	4.40	20.03	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	44.39
110000	2.22	6.02	11.36	4.39	22.14	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	46.63
120000	2.24	5.99	11.32	4.34	21.85	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.98
130000	2.22	5.93	11.27	4.37	19.87	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.58
140000	2.25	6.02	11.38	4.40	19.62	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	29.72
150000	2.29	6.00	11.28	4.33	19.11	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	43.44
160000	2.23	5.98	11.27	4.36	19.46	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	87.92
170000	2.22	5.98	11.36	4.46	20.50	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	86.04
180000	2.17	6.02	11.27	4.33	19.69	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	48.81
190000	2.18	5.97	11.29	4.40	17.86	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	58.44
200000	2.21	6.05	11.34	4.38	17.55	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	59.32
210000	2.23	6.00	11.34	4.42	17.48	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	40.52
220000	2.21	6.07	11.36	4.38	17.03	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.30
230000	2.19	5.96	11.32	4.44	16.13	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	33.66
極大值	2.29	6.07	11.39	4.48	22.14	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	690.63
極小值	2.09	5.88	11.21	4.32	15.68	0.31	2.04	0.15	1.88	0.00	26.04	74.00	0.00	0.00	29.72
平均值	2.18	5.99	11.32	4.40	18.08	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	90.78
標準差	0.06	0.05	0.05	0.05	2.01	0	0.01	0.01	0	0	0	0	0	0	144.65

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.19	5.98	11.35	4.45	16.05	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.05
010000	2.19	5.86	11.18	4.41	17.05	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	36.90
020000	2.21	5.95	11.29	4.42	16.29	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	43.63
030000	2.19	5.99	11.41	4.51	15.90	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	39.43
040000	2.16	5.89	11.26	4.43	15.70	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.18
050000	2.23	5.97	11.33	4.44	15.71	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	47.89
060000	2.15	6.01	11.33	4.40	15.72	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	56.19
070000	2.18	6.05	11.33	4.37	15.77	0.32	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	62.23
080000	2.22	6.09	11.38	4.41	16.22	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	66.04
090000	2.20	6.00	11.25	4.32	16.89	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	65.98
100000	2.21	6.04	11.31	4.37	17.80	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	57.50
110000	2.17	6.00	11.32	4.40	18.08	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	62.33
120000	2.20	5.98	11.30	4.39	19.13	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	66.16
130000	2.28	5.97	11.27	4.36	20.44	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	53.58
140000	2.23	6.01	11.26	4.31	20.33	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	42.47
150000	2.28	5.84	11.25	4.45	20.54	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.42
160000	2.31	5.98	11.34	4.42	20.46	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	27.61
170000	2.31	6.00	11.28	4.35	20.30	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	31.38
180000	2.30	5.99	11.23	4.33	19.89	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	37.24
190000	2.28	6.07	11.44	4.45	19.40	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	41.50
200000	2.22	5.93	11.30	4.45	18.99	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	54.76
210000	2.24	5.95	11.30	4.45	18.88	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	75.95
220000	2.26	5.99	11.31	4.42	18.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	85.79
230000	2.24	6.01	11.37	4.44	18.64	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	79.63
極大值	2.31	6.09	11.44	4.51	20.54	0.32	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	85.79
極小值	2.15	5.84	11.18	4.31	15.70	0.31	2.05	0.16	1.88	0.00	26.04	74.00	0.00	0.00	27.61
平均值	2.23	5.98	11.31	4.41	18.04	0.31	2.06	0.17	1.89	0.00	26.04	74.00	0.00	0.00	51.41
標準差	0.05	0.06	0.06	0.05	1.82	0	0	0	0	0	0	0	0	0	16.59

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.15	6.01	11.33	4.40	18.26	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	74.43
010000	2.23	5.97	11.34	4.46	17.43	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	70.33
020000	2.21	5.97	11.24	4.36	16.90	0.32	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	68.31
030000	2.25	6.07	11.37	4.40	16.86	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	67.43
040000	2.21	5.97	11.32	4.45	16.85	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	73.18
050000	2.21	6.05	11.28	4.34	17.01	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	70.16
060000	2.10	6.05	11.37	4.41	16.94	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	63.69
070000	2.23	5.99	11.33	4.46	17.19	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	68.47
080000	2.16	6.00	11.34	4.43	17.51	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	75.18
090000	2.23	6.01	11.28	4.37	18.08	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	72.81
100000	2.22	5.99	11.24	4.34	19.39	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	74.85
110000	2.27	5.96	11.25	4.36	20.66	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	64.29
120000	2.33	6.05	11.36	4.36	20.75	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	51.12
130000	2.29	6.02	11.37	4.42	20.98	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.63
140000	2.33	5.94	11.29	4.40	21.10	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	55.03
150000	2.33	5.93	11.19	4.33	21.93	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	56.92
160000	2.36	6.01	11.38	4.42	22.05	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.84
170000	2.29	5.98	11.25	4.37	21.71	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	48.08
180000	2.25	6.01	11.30	4.38	20.15	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	54.31
190000	2.26	6.03	11.41	4.49	19.58	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	47.26
200000	2.29	5.98	11.29	4.42	18.50	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	46.14
210000	2.22	6.03	11.28	4.37	17.90	0.31	2.03	0.15	1.88	0.00	26.04	74.00	0.00	0.00	50.29
220000	2.27	5.98	11.38	4.51	17.67	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	51.68
230000	2.14	6.03	11.35	4.41	17.58	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	41.33
極大值	2.36	6.07	11.41	4.51	22.05	0.32	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	75.18
極小值	2.10	5.93	11.19	4.33	16.85	0.31	2.03	0.15	1.86	0.00	26.04	74.00	0.00	0.00	41.33
平均值	2.24	6.00	11.31	4.40	18.87	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	60.28
標準差	0.06	0.04	0.06	0.05	1.83	0	0.01	0.01	0.01	0	0	0	0	0	11.02

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.14	5.93	11.30	4.46	17.07	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	34.05
010000	2.16	6.00	11.31	4.42	16.55	0.31	2.04	0.16	1.88	0.00	26.04	74.00	0.00	0.00	33.31
020000	2.23	5.88	11.26	4.47	16.48	0.31	2.05	0.16	1.89	0.00	26.04	74.00	0.00	0.00	31.50
030000	2.29	5.96	11.26	4.42	16.60	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	34.50
040000	2.25	6.05	11.31	4.39	16.26	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	32.71
050000	2.25	6.01	11.29	4.39	16.13	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.65
060000	2.20	6.09	11.35	4.38	18.23	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	33.59
070000	2.25	6.01	11.24	4.36	19.25	0.31	2.05	0.17	1.88	0.00	26.04	74.00	0.00	0.00	25.36
080000	2.23	6.02	11.38	4.49	19.61	0.31	2.04	0.17	1.87	0.00	26.04	74.00	0.00	0.00	21.30
090000	2.18	6.03	11.37	4.45	20.03	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	28.87
100000	2.19	6.05	11.38	4.45	20.05	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	30.71
110000	2.22	6.01	11.35	4.44	20.81	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	37.92
120000	2.18	5.96	11.32	4.46	21.45	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	48.59
130000	2.16	6.03	11.30	4.37	21.92	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	54.20
140000	2.13	6.06	11.37	4.41	22.11	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	60.22
150000	2.16	5.92	11.30	4.48	22.24	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	66.13
160000	2.19	6.07	11.42	4.46	22.00	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	68.68
170000	2.15	5.99	11.32	4.46	21.16	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	68.92
180000	2.14	6.10	11.43	4.45	20.43	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	66.73
190000	2.12	6.15	11.39	4.37	20.36	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	56.20
200000	2.18	5.97	11.25	4.39	20.35	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	50.51
210000	2.15	6.03	11.32	4.41	20.47	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	47.45
220000	2.19	6.10	11.39	4.42	20.65	0.31	2.03	0.17	1.86	0.00	26.04	74.00	0.00	0.00	38.55
230000	2.21	5.96	11.31	4.46	20.72	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	34.25
極大值	2.29	6.15	11.43	4.49	22.24	0.31	2.05	0.17	1.89	0.00	26.04	74.00	0.00	0.00	68.92
極小值	2.12	5.88	11.24	4.36	16.13	0.31	2.03	0.16	1.86	0.00	26.04	74.00	0.00	0.00	21.30
平均值	2.19	6.02	11.33	4.43	19.62	0.31	2.04	0.17	1.87	0.00	26.04	74.00	0.00	0.00	43.25
標準差	0.04	0.06	0.05	0.04	2.05	0	0.01	0	0.01	0	0	0	0	0	14.81

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.25	6.14	11.41	4.38	20.09	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	32.78
010000	2.23	5.96	11.35	4.48	19.66	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	34.56
020000	2.20	6.05	11.41	4.44	19.28	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	32.94
030000	2.23	6.02	11.27	4.34	18.43	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	30.65
040000	2.24	5.94	11.28	4.42	19.07	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	28.74
050000	2.23	6.02	11.34	4.42	19.02	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	29.31
060000	2.18	6.05	11.30	4.34	18.49	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	32.48
070000	2.22	6.10	11.39	4.37	19.13	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	36.49
080000	2.25	6.01	11.37	4.48	21.38	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	49.09
090000	2.26	5.93	11.27	4.41	20.93	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	64.73
100000	3.23	6.06	11.43	4.44	27.12	0.31	2.10	0.23	1.87	0.00	26.04	74.00	0.00	0.00	52.23
110000	4.06	6.04	11.34	4.37	37.65	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	34.68
120000	4.11	5.96	11.33	4.41	37.64	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	31.94
130000	4.11	5.93	11.28	4.40	37.76	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	35.85
140000	4.12	5.92	11.25	4.38	37.78	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	42.67
150000	4.08	5.78	11.23	4.52	37.41	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	45.07
160000	4.15	5.95	11.26	4.39	37.44	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.33
170000	4.06	5.97	11.36	4.45	37.30	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.27
180000	4.07	5.92	11.29	4.46	36.81	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.61
190000	4.11	5.96	11.29	4.43	36.42	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	43.48
200000	4.07	6.01	11.30	4.39	36.42	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	44.16
210000	4.06	5.99	11.37	4.49	36.42	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	42.93
220000	4.10	6.05	11.33	4.36	36.58	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	33.47
230000	4.08	5.99	11.23	4.32	36.53	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	22.25
極大值	4.15	6.14	11.43	4.52	37.78	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	64.73
極小值	2.18	5.78	11.23	4.32	18.43	0.31	2.03	0.16	1.87	0.00	26.04	74.00	0.00	0.00	22.25
平均值	3.28	5.99	11.32	4.41	29.36	0.31	2.13	0.26	1.87	0.00	26.04	74.00	0.00	0.00	37.49
標準差	0.92	0.07	0.06	0.05	8.74	0	0.09	0.09	0	0	0	0	0	0	9.1

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.04	6.08	11.33	4.34	36.23	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	16.06
010000	4.00	5.95	11.28	4.39	34.49	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	12.77
020000	4.06	5.96	11.30	4.42	34.15	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	12.49
030000	4.03	5.93	11.29	4.43	33.88	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	20.43
040000	4.03	5.94	11.27	4.41	33.62	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.56
050000	4.03	6.02	11.37	4.44	32.93	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	34.29
060000	4.06	5.99	11.33	4.40	32.66	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	34.83
070000	4.08	6.00	11.29	4.38	33.43	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.33
080000	3.99	6.03	11.33	4.39	35.62	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	39.19
090000	4.04	5.97	11.30	4.40	37.05	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	41.07
100000	4.08	5.96	11.35	4.44	37.70	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	35.75
110000	4.05	6.01	11.29	4.32	37.49	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	35.57
120000	3.99	5.91	11.41	4.56	37.17	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	31.08
130000	4.01	6.00	11.40	4.41	36.76	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.42
140000	4.04	5.96	11.36	4.44	36.69	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.12
150000	4.04	5.83	11.19	4.41	36.47	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	29.95
160000	4.01	6.00	11.27	4.31	36.16	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	25.72
170000	4.04	6.03	11.31	4.35	35.77	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.09
180000	4.03	5.93	11.32	4.47	35.54	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.97
190000	4.04	6.05	11.26	4.29	35.56	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	20.39
200000	4.02	5.95	11.25	4.40	34.06	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.42
210000	4.03	6.03	11.32	4.37	33.43	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.62
220000	3.96	6.01	11.42	4.48	33.52	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.15
230000	3.99	5.96	11.31	4.43	32.82	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.88
極大值	4.08	6.08	11.42	4.56	37.70	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	41.07
極小值	3.96	5.83	11.19	4.29	32.66	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	12.49
平均值	4.03	5.98	11.31	4.40	35.13	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.42
標準差	0.03	0.05	0.05	0.06	1.63	0	0	0	0	0	0	0	0	0	7.76

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.92	5.94	11.34	4.50	32.75	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	34.69
010000	3.98	6.00	11.24	4.33	32.30	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	36.78
020000	3.89	5.97	11.36	4.47	32.24	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	34.76
030000	3.91	6.01	11.32	4.40	32.28	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	38.21
040000	3.98	6.01	11.31	4.39	32.27	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	43.70
050000	3.88	5.97	11.30	4.41	32.25	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	37.55
060000	3.87	6.01	11.30	4.41	32.14	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	34.39
070000	3.87	5.96	11.31	4.41	32.66	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	35.62
080000	3.89	5.92	11.27	4.41	34.24	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.66
090000	3.89	5.96	11.20	4.31	34.49	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.11
100000	3.98	6.03	11.34	4.36	34.56	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.01
110000	3.98	6.03	11.29	4.31	34.57	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.92
120000	4.01	6.01	11.28	4.31	34.35	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.00
130000	4.04	5.92	11.30	4.42	34.24	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	31.20
140000	4.03	6.01	11.33	4.36	34.11	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.36
150000	4.04	5.94	11.26	4.36	34.34	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	31.72
160000	4.04	5.90	11.28	4.42	34.23	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	31.98
170000	4.02	6.01	11.33	4.37	33.96	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.53
180000	4.04	5.94	11.28	4.41	33.94	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.20
190000	4.03	6.01	11.31	4.37	33.65	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.21
200000	4.02	5.95	11.28	4.42	33.47	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.52
210000	4.05	5.94	11.36	4.49	33.40	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	25.06
220000	3.98	6.01	11.35	4.43	33.51	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.04
230000	3.99	6.02	11.33	4.39	33.62	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.00
極大值	4.05	6.03	11.36	4.50	34.57	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	43.70
極小值	3.87	5.90	11.20	4.31	32.14	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.00
平均值	3.97	5.98	11.30	4.39	33.48	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.22
標準差	0.06	0.04	0.04	0.05	0.88	0	0	0	0	0	0	0	0	0	4.69

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.98	6.07	11.31	4.34	33.17	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	23.73
010000	3.95	6.00	11.35	4.43	32.18	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.84
020000	4.05	5.98	11.27	4.36	32.29	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.43
030000	3.99	5.98	11.23	4.34	32.57	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	17.73
040000	3.93	5.95	11.21	4.34	32.54	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	14.64
050000	3.97	5.96	11.31	4.44	32.27	0.32	2.21	0.33	1.88	0.00	26.04	74.00	0.00	0.00	17.16
060000	3.95	6.06	11.34	4.37	32.33	0.32	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	17.36
070000	3.99	5.98	11.38	4.48	32.73	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	18.97
080000	3.98	5.91	11.21	4.38	33.50	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	22.93
090000	4.01	5.92	11.29	4.43	34.47	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	22.70
100000	4.04	5.99	11.36	4.41	34.53	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	22.77
110000	4.03	6.01	11.29	4.31	34.33	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	26.08
120000	4.03	6.00	11.38	4.41	34.12	0.31	2.21	0.33	1.88	0.00	26.04	74.00	0.00	0.00	24.30
130000	4.14	6.01	11.28	4.30	33.88	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.56
140000	4.16	5.96	11.32	4.39	33.79	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.69
150000	4.14	6.03	11.29	4.30	33.69	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	29.39
160000	4.18	6.01	11.33	4.35	33.75	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	27.25
170000	4.15	6.00	11.31	4.36	33.59	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	27.58
180000	4.14	6.11	11.38	4.34	33.42	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.15
190000	4.08	5.97	11.30	4.41	33.22	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.34
200000	4.09	5.98	11.23	4.35	33.11	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	26.35
210000	4.05	5.98	11.33	4.42	33.04	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	24.81
220000	4.08	6.01	11.30	4.37	32.69	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	23.73
230000	4.09	5.99	11.33	4.40	32.33	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	24.10
極大值	4.18	6.11	11.38	4.48	34.53	0.32	2.22	0.35	1.88	0.00	26.04	74.00	0.00	0.00	29.39
極小值	3.93	5.91	11.21	4.30	32.18	0.31	2.21	0.33	1.86	0.00	26.04	74.00	0.00	0.00	14.64
平均值	4.05	5.99	11.31	4.38	33.23	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	23.27
標準差	0.07	0.04	0.05	0.05	0.74	0	0.01	0	0.01	0	0	0	0	0	3.81

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.03	5.91	11.26	4.43	32.14	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	23.18
010000	4.03	5.95	11.22	4.33	32.20	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.34
020000	4.05	5.98	11.27	4.37	32.25	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.16
030000	4.08	5.89	11.29	4.49	32.29	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	63.91
040000	4.11	5.91	11.32	4.49	32.26	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	96.23
050000	4.07	5.95	11.28	4.41	32.25	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.93
060000	4.10	5.97	11.35	4.46	32.20	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.13
070000	4.07	5.88	11.27	4.47	32.36	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	45.31
080000	4.10	6.01	11.28	4.34	33.26	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	44.99
090000	4.10	5.95	11.25	4.36	33.74	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.16
100000	4.07	5.99	11.22	4.26	34.01	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.93
110000	4.10	5.96	11.32	4.40	34.09	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	25.49
120000	4.11	5.97	11.34	4.38	34.37	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.60
130000	4.17	5.99	11.32	4.36	34.47	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	29.42
140000	4.14	5.94	11.31	4.39	34.12	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	36.25
150000	4.13	6.01	11.30	4.32	33.86	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	35.80
160000	4.16	6.05	11.31	4.31	33.79	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	34.21
170000	4.19	6.07	11.37	4.37	33.65	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	31.00
180000	4.12	6.06	11.36	4.37	33.27	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.00
190000	4.12	6.07	11.38	4.37	33.09	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	28.53
200000	4.08	5.98	11.29	4.40	32.77	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.15
210000	4.06	6.00	11.34	4.45	32.36	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	38.68
220000	4.02	6.04	11.39	4.43	32.17	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	30.15
230000	4.06	5.94	11.24	4.36	32.15	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	28.57
極大值	4.19	6.07	11.39	4.49	34.47	0.32	2.22	0.35	1.88	0.00	26.04	74.00	0.00	0.00	96.23
極小值	4.02	5.88	11.22	4.26	32.14	0.31	2.21	0.34	1.86	0.00	26.04	74.00	0.00	0.00	22.16
平均值	4.09	5.98	11.30	4.39	33.05	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	35.38
標準差	0.04	0.05	0.05	0.06	0.84	0	0	0	0	0	0	0	0	0	15.73

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.99	5.93	11.33	4.50	32.23	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	27.76
010000	4.00	5.95	11.29	4.41	32.21	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.39
020000	4.05	6.01	11.39	4.47	32.19	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	19.39
030000	4.07	5.99	11.26	4.35	32.21	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.79
040000	4.09	5.97	11.36	4.49	32.23	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.57
050000	4.03	5.91	11.22	4.40	32.18	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	22.80
060000	4.01	5.98	11.36	4.47	32.17	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	31.93
070000	4.06	6.00	11.34	4.42	32.73	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	43.66
080000	4.10	6.03	11.33	4.38	33.56	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	31.66
090000	4.07	6.09	11.36	4.36	34.84	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	36.35
100000	4.09	6.00	11.39	4.42	35.89	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	41.89
110000	4.13	5.99	11.35	4.38	36.86	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	50.81
120000	4.15	5.93	11.23	4.31	36.47	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	58.17
130000	4.14	6.00	11.32	4.35	35.32	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	48.39
140000	4.14	5.93	11.33	4.43	35.19	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	36.91
150000	4.15	6.02	11.31	4.33	35.46	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	31.59
160000	4.22	5.94	11.27	4.38	35.30	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	35.61
170000	4.18	6.06	11.44	4.46	34.96	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	35.43
180000	4.16	6.03	11.28	4.35	33.94	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	36.26
190000	4.14	6.00	11.41	4.50	33.58	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	37.68
200000	4.16	6.12	11.45	4.43	34.59	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	34.17
210000	4.14	6.09	11.35	4.36	34.04	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	31.56
220000	4.15	6.02	11.22	4.29	33.61	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	30.27
230000	4.12	5.96	11.23	4.36	33.56	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	30.84
極大值	4.22	6.12	11.45	4.50	36.86	0.32	2.22	0.35	1.88	0.00	26.04	74.00	0.00	0.00	58.17
極小值	3.99	5.91	11.22	4.29	32.17	0.31	2.21	0.34	1.86	0.00	26.04	74.00	0.00	0.00	19.39
平均值	4.11	6.00	11.33	4.40	33.97	0.31	2.21	0.35	1.87	0.00	26.04	74.00	0.00	0.00	34.37
標準差	0.06	0.05	0.07	0.06	1.5	0	0	0.01	0.01	0	0	0	0	0	9.33

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.12	5.95	11.24	4.39	33.98	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	22.19
010000	4.11	6.03	11.31	4.39	33.87	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	10.95
020000	4.11	6.03	11.37	4.42	34.10	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	14.17
030000	4.12	6.06	11.35	4.38	34.08	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	11.91
040000	4.15	6.00	11.31	4.40	33.75	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	19.91
050000	4.14	5.93	11.27	4.44	33.42	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	36.74
060000	4.13	6.03	11.46	4.50	32.56	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	44.47
070000	4.12	6.01	11.29	4.39	32.49	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	51.88
080000	4.17	6.06	11.40	4.43	33.80	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	58.14
090000	4.12	5.97	11.31	4.42	36.11	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	55.33
100000	4.12	6.02	11.39	4.43	37.04	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	47.53
110000	4.15	5.99	11.27	4.32	37.29	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	45.73
120000	4.17	6.03	11.31	4.30	37.46	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	45.68
130000	4.20	5.99	11.29	4.34	36.90	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	42.07
140000	4.25	6.01	11.37	4.40	36.97	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	32.81
150000	4.22	6.07	11.39	4.37	37.66	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	26.21
160000	4.25	5.97	11.29	4.42	37.81	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	30.09
170000	4.24	6.04	11.33	4.37	37.01	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	23.74
180000	4.15	5.99	11.28	4.39	36.97	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	20.10
190000	4.15	6.06	11.39	4.43	36.79	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	21.42
200000	4.11	6.03	11.28	4.36	36.28	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	18.03
210000	4.01	6.02	11.24	4.31	35.40	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	20.47
220000	4.05	5.90	11.33	4.50	35.07	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	25.93
230000	4.05	5.98	11.30	4.39	34.76	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	24.97
極大值	4.25	6.07	11.46	4.50	37.81	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	58.14
極小值	4.01	5.90	11.24	4.30	32.49	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	10.95
平均值	4.14	6.01	11.32	4.40	35.48	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	31.27
標準差	0.06	0.04	0.06	0.05	1.72	0	0	0	0	0	0	0	0	0	14.28

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.04	5.97	11.28	4.38	33.60	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	23.09
010000	4.05	5.94	11.28	4.42	34.06	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	21.98
020000	4.06	6.09	11.34	4.34	33.11	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	19.63
030000	4.08	5.97	11.33	4.45	33.21	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	18.29
040000	4.16	5.93	11.21	4.38	33.08	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	19.38
050000	4.17	6.06	11.28	4.29	32.98	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.75
060000	4.14	6.01	11.28	4.36	32.90	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	27.36
070000	4.16	5.98	11.30	4.40	34.48	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	34.25
080000	4.15	6.05	11.39	4.42	36.05	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	35.67
090000	4.16	5.94	11.21	4.31	35.48	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	33.43
100000	4.15	5.93	11.28	4.38	34.92	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	25.68
110000	4.28	5.97	11.32	4.36	34.90	0.31	2.22	0.35	1.87	0.00	26.04	74.00	0.00	0.00	15.33
120000	4.32	5.93	11.28	4.39	34.68	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	14.49
130000	4.32	5.94	11.33	4.43	34.80	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	15.53
140000	4.33	6.02	11.31	4.37	34.45	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.66
150000	4.29	6.04	11.30	4.35	33.57	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	31.05
160000	4.25	6.08	11.40	4.41	34.22	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.80
170000	4.26	5.98	11.25	4.36	33.85	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.40
180000	4.22	6.03	11.28	4.33	33.13	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.76
190000	4.27	5.92	11.30	4.46	32.96	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.77
200000	4.26	6.02	11.32	4.38	32.75	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.29
210000	4.20	6.04	11.37	4.44	32.45	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.45
220000	4.25	5.98	11.32	4.43	32.51	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	29.82
230000	4.23	5.91	11.23	4.40	32.41	0.32	2.21	0.33	1.88	0.00	26.04	74.00	0.00	0.00	28.35
極大值	4.33	6.09	11.40	4.46	36.05	0.32	2.22	0.35	1.88	0.00	26.04	74.00	0.00	0.00	35.67
極小值	4.04	5.91	11.21	4.29	32.41	0.31	2.21	0.33	1.86	0.00	26.04	74.00	0.00	0.00	14.49
平均值	4.20	5.99	11.30	4.38	33.77	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.88
標準差	0.09	0.05	0.05	0.04	1.02	0	0	0	0.01	0	0	0	0	0	6.05

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.25	6.04	11.35	4.39	32.45	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	370.89
010000	4.19	6.01	11.32	4.39	32.36	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	676.30
020000	4.22	6.03	11.30	4.36	32.41	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	25.81
030000	4.21	5.92	11.20	4.36	32.60	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	20.62
040000	4.16	6.02	11.32	4.39	32.98	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	20.82
050000	4.23	5.92	11.27	4.44	32.72	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	19.61
060000	4.18	6.03	11.35	4.41	32.45	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	25.26
070000	4.11	5.98	11.26	4.36	32.68	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	31.91
080000	4.15	5.96	11.33	4.45	33.16	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	31.07
090000	4.21	5.93	11.22	4.36	33.87	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	37.15
100000	4.18	6.01	11.39	4.46	34.58	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	31.98
110000	4.26	5.98	11.35	4.46	35.53	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	31.54
120000	4.24	5.99	11.33	4.39	37.07	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	41.09
130000	4.25	6.03	11.35	4.36	37.79	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	48.69
140000	4.29	5.99	11.34	4.39	37.58	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	50.07
150000	4.27	5.90	11.31	4.48	37.21	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	37.92
160000	4.32	6.08	11.30	4.29	36.88	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	32.58
170000	4.32	6.06	11.34	4.34	36.67	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	25.80
180000	4.26	5.91	11.24	4.41	36.46	0.31	2.22	0.35	1.87	0.00	26.04	74.00	0.00	0.00	25.50
190000	4.27	6.08	11.36	4.35	36.29	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	28.98
200000	4.21	5.97	11.27	4.38	35.40	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	31.22
210000	4.23	6.00	11.38	4.47	34.92	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	26.58
220000	4.25	6.04	11.26	4.32	34.24	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	23.11
230000	4.22	5.96	11.23	4.35	34.38	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	16.24
極大值	4.32	6.08	11.39	4.48	37.79	0.32	2.22	0.35	1.88	0.00	26.04	74.00	0.00	0.00	676.30
極小值	4.11	5.90	11.20	4.29	32.36	0.31	2.21	0.34	1.86	0.00	26.04	74.00	0.00	0.00	16.24
平均值	4.23	5.99	11.31	4.39	34.70	0.31	2.22	0.34	1.87	0.00	26.04	74.00	0.00	0.00	71.28
標準差	0.05	0.05	0.05	0.05	1.92	0	0	0	0.01	0	0	0	0	0	146.65

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.24	6.01	11.42	4.47	34.04	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	17.67
010000	4.21	6.07	11.31	4.32	33.09	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	21.06
020000	4.22	5.94	11.20	4.36	33.29	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	25.29
030000	4.15	6.01	11.32	4.40	33.27	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	28.36
040000	4.24	6.04	11.31	4.36	33.04	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	31.63
050000	4.23	5.90	11.33	4.49	32.89	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	32.59
060000	4.21	6.01	11.32	4.40	32.64	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	34.50
070000	4.21	6.03	11.34	4.39	32.85	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	34.66
080000	4.21	5.94	11.26	4.40	33.59	0.32	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	37.31
090000	4.23	5.99	11.31	4.37	35.11	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	39.54
100000	4.25	5.96	11.34	4.44	36.02	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	35.23
110000	4.20	5.98	11.27	4.33	36.05	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	27.72
120000	4.27	6.04	11.30	4.32	35.75	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	23.09
130000	4.30	6.04	11.32	4.30	35.79	0.31	2.22	0.35	1.87	0.00	26.04	74.00	0.00	0.00	21.21
140000	4.33	5.97	11.35	4.42	35.75	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.66
150000	4.32	5.95	11.33	4.42	35.56	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	25.47
160000	4.33	6.03	11.38	4.41	35.21	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.80
170000	4.34	5.97	11.29	4.37	34.88	0.31	2.22	0.35	1.87	0.00	26.04	74.00	0.00	0.00	23.88
180000	4.32	6.02	11.37	4.43	34.46	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	22.43
190000	4.26	5.90	11.27	4.46	33.80	0.32	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	21.87
200000	4.31	6.00	11.26	4.37	32.94	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	20.43
210000	4.27	6.05	11.26	4.28	32.47	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	21.68
220000	4.22	5.98	11.26	4.37	32.44	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.51
230000	4.21	5.95	11.24	4.35	32.33	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	25.12
極大值	4.34	6.07	11.42	4.49	36.05	0.32	2.22	0.35	1.88	0.00	26.04	74.00	0.00	0.00	39.54
極小值	4.15	5.90	11.20	4.28	32.33	0.31	2.21	0.34	1.86	0.00	26.04	74.00	0.00	0.00	17.67
平均值	4.25	5.99	11.31	4.38	34.05	0.31	2.21	0.35	1.87	0.00	26.04	74.00	0.00	0.00	26.86
標準差	0.05	0.05	0.05	0.05	1.31	0	0	0	0.01	0	0	0	0	0	6.02

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	4.18	6.00	11.26	4.34	32.36	0.32	2.22	0.35	1.87	0.00	26.04	74.00	0.00	0.00	23.55
010000	4.26	5.94	11.28	4.43	32.48	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.79
020000	4.22	5.94	11.29	4.42	32.50	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.47
030000	4.26	5.96	11.24	4.35	32.38	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.63
040000	4.24	5.91	11.19	4.38	32.38	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	20.84
050000	4.24	5.91	11.24	4.42	32.35	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.71
060000	4.25	5.92	11.25	4.41	32.32	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.60
070000	4.26	6.00	11.33	4.40	32.65	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	43.36
080000	4.30	5.96	11.33	4.44	33.72	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	39.05
090000	4.30	6.02	11.37	4.39	34.17	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	30.87
100000	4.32	5.88	11.23	4.39	34.21	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.03
110000	4.44	5.99	11.30	4.35	34.40	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	17.84
120000	4.43	6.06	11.35	4.33	34.33	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	12.31
130000	4.37	6.00	11.35	4.37	34.33	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	14.69
140000	4.42	5.94	11.23	4.33	34.47	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.13
150000	4.40	5.97	11.23	4.32	34.42	0.32	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.02
160000	4.39	5.94	11.22	4.34	33.58	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	22.16
170000	4.37	5.96	11.28	4.42	32.65	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.90
180000	4.34	5.91	11.20	4.37	32.43	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.91
190000	4.29	5.92	11.28	4.45	32.44	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.68
200000	4.27	5.98	11.34	4.43	32.55	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	26.23
210000	4.29	5.95	11.31	4.45	32.46	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.39
220000	4.34	5.93	11.28	4.43	32.39	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	21.91
230000	4.36	5.98	11.28	4.38	32.34	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	19.14
極大值	4.44	6.06	11.37	4.45	34.47	0.32	2.22	0.35	1.88	0.00	26.04	74.00	0.00	0.00	43.36
極小值	4.18	5.88	11.19	4.32	32.32	0.31	2.22	0.34	1.87	0.00	26.04	74.00	0.00	0.00	12.31
平均值	4.31	5.96	11.28	4.39	33.10	0.31	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	24.22
標準差	0.07	0.04	0.05	0.04	0.88	0	0	0	0	0	0	0	0	0	6.73

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.57	3.46	5.04	1.35	450.10	0.28	1.72	0.12	1.60	0.00	30.25	69.66	0.00	0.00	39.14
010000	3.50	3.40	5.13	1.48	0.00	0.28	1.72	0.12	1.60	0.00	30.23	69.62	0.00	0.00	6.59
020000	3.33	3.41	5.11	1.46	496.54	0.29	1.72	0.12	1.60	0.00	30.23	69.62	0.00	0.00	6.60
030000	3.30	3.41	5.09	1.44	446.72	0.29	1.72	0.12	1.60	0.00	30.26	69.62	0.00	0.00	6.60
040000	3.43	3.36	5.03	1.41	0.00	0.29	1.72	0.12	1.60	0.00	30.28	69.61	0.00	0.00	6.60
050000	3.53	3.44	5.12	1.44	457.48	0.28	1.71	0.12	1.59	0.00	30.29	69.61	0.00	0.00	6.60
060000	3.62	3.39	5.03	1.40	0.00	0.28	1.71	0.12	1.59	0.00	30.25	69.61	0.00	0.00	6.60
070000	3.65	3.43	5.12	1.45	0.00	0.28	1.71	0.12	1.59	0.00	30.23	69.61	0.00	0.00	6.60
080000	5.65	3.35	5.10	1.49	0.00	0.28	1.71	0.12	1.59	0.00	30.18	69.61	0.00	0.00	6.60
090000	12.74	3.41	5.13	1.46	0.00	0.28	1.71	0.12	1.59	0.00	30.17	69.61	0.00	0.00	6.60
100000	4.54	3.39	5.07	1.43	0.00	0.28	1.71	0.12	1.59	0.00	30.18	69.61	0.00	0.00	6.60
110000	5.43	3.47	5.08	1.36	122.85	0.28	1.71	0.12	1.59	0.00	30.27	69.75	0.00	0.00	6.62
120000	6.66	3.49	5.08	1.34	29.14	0.28	1.71	0.12	1.59	0.00	30.28	69.75	0.00	0.00	54.40
130000	5.01	3.36	5.09	1.46	29.37	0.28	1.72	0.12	1.60	0.00	30.25	69.73	0.00	0.00	90.67
140000	4.53	3.42	5.15	1.45	29.46	0.28	1.72	0.11	1.61	0.00	30.23	69.69	0.00	0.00	137.59
150000	4.42	3.44	5.08	1.37	29.48	0.28	1.72	0.12	1.60	0.00	30.21	69.63	0.00	0.00	156.28
160000	4.23	3.40	5.09	1.41	29.75	0.28	1.71	0.12	1.59	0.00	30.21	69.62	0.00	0.00	115.16
170000	4.38	3.43	5.08	1.40	29.82	0.28	1.71	0.11	1.60	0.00	30.19	69.61	0.00	0.00	93.90
180000	4.23	3.42	5.10	1.42	29.76	0.28	1.71	0.12	1.59	0.00	30.18	69.61	0.00	0.00	87.32
190000	4.23	3.33	5.04	1.46	29.79	0.28	1.71	0.11	1.60	0.00	30.27	69.61	0.00	0.00	79.47
200000	4.04	3.39	5.02	1.37	29.82	0.28	1.71	0.12	1.59	0.00	30.26	69.61	0.00	0.00	71.57
210000	3.87	3.42	5.09	1.41	30.05	0.28	1.71	0.12	1.59	0.00	30.16	69.61	0.00	0.00	64.99
220000	3.86	3.39	5.05	1.39	30.16	0.28	1.71	0.11	1.60	0.00	30.16	69.61	0.00	0.00	61.47
230000	3.79	3.42	5.12	1.45	29.91	0.28	1.71	0.11	1.60	0.00	30.16	69.61	0.00	0.00	57.36
極大值	12.74	3.49	5.15	1.49	496.54	0.29	1.72	0.12	1.61	0.00	30.29	69.75	0.00	0.00	156.28
極小值	3.30	3.33	5.02	1.34	0.00	0.28	1.71	0.11	1.59	0.00	30.16	69.61	0.00	0.00	6.59
平均值	4.56	3.41	5.08	1.42	97.09	0.28	1.71	0.12	1.60	0.00	30.22	69.63	0.00	0.00	49.25
標準差	1.92	0.04	0.04	0.04	169.07	0	0	0	0.01	0	0.04	0.05	0	0	46.98

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.86	3.42	5.11	1.44	29.90	0.28	1.71	0.12	1.59	0.00	30.12	69.61	0.00	0.00	51.52
010000	3.76	3.36	5.04	1.43	29.99	0.28	1.71	0.12	1.59	0.00	30.09	69.61	0.00	0.00	50.10
020000	3.99	3.43	5.07	1.40	30.01	0.28	1.71	0.12	1.59	0.00	30.09	69.61	0.00	0.00	52.38
030000	3.88	3.44	5.10	1.41	29.83	0.28	1.71	0.12	1.59	0.00	30.17	69.61	0.00	0.00	55.57
040000	3.80	3.44	5.15	1.47	29.90	0.28	1.71	0.12	1.60	0.00	30.25	69.61	0.00	0.00	55.50
050000	3.76	3.45	5.11	1.41	29.95	0.28	1.71	0.12	1.60	0.00	30.25	69.61	0.00	0.00	49.90
060000	3.76	3.52	5.12	1.36	30.04	0.28	1.71	0.12	1.60	0.00	30.26	69.61	0.00	0.00	51.00
070000	3.75	3.33	5.08	1.49	29.93	0.28	1.71	0.12	1.60	0.00	30.17	69.61	0.00	0.00	59.21
080000	3.90	3.41	5.17	1.50	29.98	0.28	1.71	0.12	1.60	0.00	30.02	69.61	0.00	0.00	65.49
090000	4.04	3.37	5.11	1.48	29.96	0.28	1.71	0.12	1.60	0.00	30.00	69.61	0.00	0.00	77.32
100000	4.75	3.46	5.07	1.36	30.15	0.28	1.71	0.12	1.59	0.00	29.98	69.61	0.00	0.00	86.16
110000	6.86	3.44	5.14	1.47	30.17	0.28	1.71	0.12	1.60	0.00	29.96	69.61	0.00	0.00	91.38
120000	8.53	3.45	5.08	1.40	30.21	0.28	1.71	0.12	1.59	0.00	29.95	69.61	0.00	0.00	100.02
130000	6.19	3.41	5.13	1.48	30.27	0.28	1.71	0.12	1.60	0.00	29.92	69.61	0.00	0.00	103.81
140000	6.01	3.47	5.12	1.43	30.35	0.28	1.71	0.12	1.60	0.00	29.89	69.61	0.00	0.00	98.77
150000	5.51	3.46	5.06	1.37	30.30	0.28	1.71	0.12	1.59	0.00	29.89	69.61	0.00	0.00	86.96
160000	5.59	3.43	5.11	2.08	30.40	0.28	1.78	0.11	1.65	0.00	29.86	69.61	0.00	0.00	70.74
170000	5.36	3.45	5.18	1.48	30.45	0.28	1.71	0.11	1.59	0.00	29.83	69.61	0.00	0.00	80.66
180000	8.60	3.46	5.14	1.42	30.31	0.28	1.71	0.11	1.60	0.00	29.82	69.62	0.00	0.00	91.50
190000	5.79	3.39	5.05	1.40	30.34	0.28	1.71	0.12	1.59	0.00	29.78	69.61	0.00	0.00	76.64
200000	4.23	3.45	5.14	1.45	30.38	0.28	1.71	0.11	1.60	0.00	29.77	69.61	0.00	0.00	55.63
210000	3.99	3.43	4.98	1.32	30.39	0.28	1.71	0.11	1.60	0.00	29.77	69.61	0.00	0.00	20.84
220000	3.87	3.37	5.10	1.48	30.53	0.28	1.71	0.12	1.60	0.00	29.77	69.61	0.00	0.00	53.95
230000	3.81	3.47	5.10	1.39	30.59	0.28	1.71	0.11	1.60	0.00	29.79	69.61	0.00	0.00	43.57
極大值	8.60	3.52	5.18	2.08	30.59	0.28	1.78	0.12	1.65	0.00	30.26	69.62	0.00	0.00	103.81
極小值	3.75	3.33	4.98	1.32	29.83	0.28	1.71	0.11	1.59	0.00	29.77	69.61	0.00	0.00	20.84
平均值	4.90	3.43	5.10	1.46	30.18	0.28	1.71	0.12	1.60	0.00	29.98	69.61	0.00	0.00	67.86
標準差	1.48	0.04	0.04	0.14	0.22	0	0.01	0	0.01	0	0.17	0	0	0	21.25

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.72	3.44	5.05	1.35	30.33	0.28	1.70	0.12	1.58	0.00	29.49	69.27	0.00	0.00	32.75
010000	3.60	3.44	5.02	1.29	30.36	0.28	1.70	0.12	1.58	0.00	29.45	69.19	0.00	0.00	46.83
020000	3.56	3.49	4.99	1.24	30.41	0.28	1.71	0.12	1.59	0.00	29.48	69.19	0.00	0.00	16.77
030000	3.55	3.43	4.98	1.29	30.30	0.28	1.70	0.12	1.58	0.00	29.47	69.19	0.00	0.00	14.67
040000	3.80	3.44	5.00	1.28	30.45	0.28	1.70	0.12	1.58	0.00	29.46	69.19	0.00	0.00	29.91
050000	3.73	3.55	5.05	1.21	30.51	0.28	1.70	0.12	1.58	0.00	29.44	69.19	0.00	0.00	17.12
060000	3.65	3.44	5.02	1.31	30.29	0.28	1.70	0.12	1.58	0.00	29.44	69.19	0.00	0.00	32.70
070000	3.84	3.49	5.03	1.27	30.32	0.28	1.70	0.12	1.58	0.00	29.42	69.19	0.00	0.00	59.71
080000	4.09	3.51	5.06	1.27	30.32	0.28	1.70	0.12	1.58	0.00	29.42	69.19	0.00	0.00	68.03
090000	6.63	3.53	5.10	1.29	30.21	0.28	1.70	0.12	1.58	0.00	29.42	69.19	0.00	0.00	79.76
100000	9.04	3.49	5.05	1.28	30.39	0.28	1.70	0.12	1.58	0.00	29.41	69.19	0.00	0.00	45.23
110000	7.11	3.49	5.07	1.31	30.48	0.28	1.70	0.12	1.58	0.00	29.41	69.18	0.00	0.00	46.70
120000	6.23	3.39	5.03	1.39	30.35	0.28	1.71	0.12	1.59	0.00	29.71	69.49	0.00	0.00	36.04
130000	6.39	3.37	5.01	1.40	30.49	0.28	1.71	0.12	1.59	0.00	29.85	69.67	0.00	0.00	33.09
140000	5.99	3.47	5.07	1.34	30.54	0.28	1.72	0.12	1.60	0.00	29.84	69.70	0.00	0.00	34.61
150000	5.58	3.37	5.06	1.43	30.56	0.28	1.72	0.12	1.60	0.00	29.85	69.68	0.00	0.00	34.99
160000	4.47	3.35	5.09	1.49	30.63	0.28	1.72	0.12	1.60	0.00	29.82	69.73	0.00	0.00	32.30
170000	3.91	3.41	5.03	1.37	30.81	0.28	1.72	0.12	1.60	0.00	29.78	69.63	0.00	0.00	30.38
180000	4.42	3.42	5.08	1.39	30.63	0.28	1.72	0.11	1.61	0.00	29.81	69.61	0.00	0.00	40.39
190000	4.34	3.42	5.08	1.41	30.59	0.28	1.71	0.12	1.59	0.00	29.80	69.61	0.00	0.00	23.39
200000	4.30	3.42	5.04	1.36	30.62	0.28	1.71	0.12	1.59	0.00	29.78	69.61	0.00	0.00	31.39
210000	3.98	3.34	5.05	1.46	30.57	0.28	1.71	0.12	1.59	0.00	29.77	69.61	0.00	0.00	30.38
220000	3.82	3.41	5.05	1.39	30.72	0.28	1.71	0.12	1.59	0.00	29.76	69.61	0.00	0.00	29.37
230000	3.76	3.39	5.09	1.44	30.78	0.28	1.72	0.11	1.61	0.00	29.74	69.61	0.00	0.00	45.39
極大值	9.04	3.55	5.10	1.49	30.81	0.28	1.72	0.12	1.61	0.00	29.85	69.73	0.00	0.00	79.76
極小值	3.55	3.34	4.98	1.21	30.21	0.28	1.70	0.11	1.58	0.00	29.41	69.18	0.00	0.00	14.67
平均值	4.73	3.44	5.05	1.34	30.49	0.28	1.71	0.12	1.59	0.00	29.62	69.41	0.00	0.00	37.16
標準差	1.44	0.06	0.03	0.07	0.16	0	0.01	0	0.01	0	0.18	0.23	0	0	15.39

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.69	3.49	5.03	1.27	30.57	0.28	1.71	0.12	1.59	0.00	29.44	69.28	0.00	0.00	44.72
010000	3.71	3.50	5.05	1.28	30.57	0.28	1.71	0.12	1.59	0.00	29.39	69.19	0.00	0.00	44.81
020000	3.69	3.45	5.05	1.30	30.61	0.28	1.71	0.12	1.59	0.00	29.39	69.19	0.00	0.00	44.32
030000	3.67	3.43	4.98	1.27	30.49	0.28	1.71	0.12	1.59	0.00	29.36	69.19	0.00	0.00	43.91
040000	3.67	3.44	5.06	1.34	30.66	0.28	1.71	0.12	1.59	0.00	29.36	69.19	0.00	0.00	43.69
050000	3.57	3.50	5.15	1.37	30.70	0.28	1.70	0.12	1.58	0.00	29.34	69.19	0.00	0.00	43.47
060000	3.61	3.41	5.02	1.34	30.56	0.28	1.70	0.12	1.58	0.00	29.35	69.19	0.00	0.00	43.26
070000	3.90	3.45	5.04	1.30	30.51	0.28	1.71	0.12	1.59	0.00	29.35	69.19	0.00	0.00	44.04
080000	4.08	3.48	5.05	1.26	30.56	0.28	1.71	0.12	1.59	0.00	29.37	69.19	0.00	0.00	45.20
090000	3.87	3.53	5.01	1.20	30.51	0.28	1.71	0.12	1.59	0.00	29.36	69.19	0.00	0.00	47.51
100000	3.94	3.41	5.06	1.36	30.67	0.28	1.70	0.12	1.58	0.00	29.34	69.19	0.00	0.00	50.01
110000	4.48	3.38	5.07	1.39	30.75	0.28	1.70	0.12	1.58	0.00	29.34	69.17	0.00	0.00	52.37
120000	4.83	3.39	5.07	1.41	30.67	0.28	1.71	0.12	1.59	0.00	29.67	69.49	0.00	0.00	53.65
130000	4.78	3.44	5.07	1.38	30.75	0.28	1.72	0.12	1.60	0.00	29.83	69.72	0.00	0.00	52.84
140000	4.02	3.38	5.08	1.44	30.79	0.28	1.72	0.12	1.60	0.00	29.81	69.75	0.00	0.00	52.31
150000	3.73	3.38	5.11	1.48	30.77	0.28	1.72	0.12	1.60	0.00	29.78	69.75	0.00	0.00	52.03
160000	3.35	3.35	5.09	1.45	31.02	0.28	1.73	0.11	1.62	0.00	29.75	69.75	0.00	0.00	50.71
170000	3.28	3.46	5.12	1.40	31.10	0.28	1.72	0.11	1.61	0.00	29.76	69.73	0.00	0.00	49.85
180000	3.26	3.48	5.11	1.37	30.98	0.28	1.72	0.11	1.61	0.00	29.76	69.74	0.00	0.00	49.30
190000	3.18	3.51	5.13	1.38	30.97	0.28	1.72	0.12	1.60	0.00	29.77	69.70	0.00	0.00	48.58
200000	3.32	3.32	5.03	1.44	31.01	0.29	1.72	0.11	1.61	0.00	29.79	69.70	0.00	0.00	48.42
210000	3.28	3.42	5.10	1.42	30.95	0.28	1.72	0.11	1.61	0.00	29.79	69.70	0.00	0.00	48.01
220000	3.38	3.36	5.06	1.43	30.99	0.28	1.72	0.12	1.60	0.00	29.78	69.68	0.00	0.00	47.63
230000	3.30	3.37	5.10	1.45	31.12	0.29	1.72	0.11	1.61	0.00	29.79	69.69	0.00	0.00	47.24
極大值	4.83	3.53	5.15	1.48	31.12	0.29	1.73	0.12	1.62	0.00	29.83	69.75	0.00	0.00	53.65
極小值	3.18	3.32	4.98	1.20	30.49	0.28	1.70	0.11	1.58	0.00	29.34	69.17	0.00	0.00	43.26
平均值	3.73	3.43	5.07	1.36	30.76	0.28	1.71	0.12	1.60	0.00	29.57	69.45	0.00	0.00	47.83
標準差	0.46	0.06	0.04	0.07	0.2	0	0.01	0	0.01	0	0.21	0.26	0	0	3.38

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.30	3.43	4.97	1.24	30.85	0.28	1.72	0.12	1.60	0.00	29.44	69.27	0.00	0.00	23.83
010000	3.28	3.41	5.02	1.30	30.78	0.28	1.71	0.12	1.59	0.00	29.36	69.19	0.00	0.00	22.64
020000	3.30	3.43	4.97	1.22	30.85	0.28	1.71	0.12	1.59	0.00	29.35	69.19	0.00	0.00	21.77
030000	3.49	3.47	5.08	1.31	30.70	0.28	1.71	0.12	1.59	0.00	29.34	69.19	0.00	0.00	21.15
040000	4.07	3.44	5.07	1.33	30.85	0.28	1.71	0.12	1.59	0.00	29.35	69.19	0.00	0.00	20.99
050000	3.60	3.50	5.06	1.25	30.89	0.28	1.71	0.12	1.59	0.00	29.38	69.19	0.00	0.00	20.54
060000	3.45	3.41	5.08	1.34	30.76	0.28	1.71	0.12	1.59	0.00	29.38	69.19	0.00	0.00	20.31
070000	3.66	3.42	5.05	1.29	30.71	0.28	1.70	0.12	1.58	0.00	29.38	69.19	0.00	0.00	20.51
080000	3.62	3.42	4.97	1.22	30.74	0.28	1.71	0.12	1.59	0.00	29.38	69.19	0.00	0.00	22.88
090000	3.36	3.46	5.04	1.25	30.60	0.28	1.70	0.12	1.58	0.00	29.35	69.18	0.00	0.00	27.01
100000	3.65	3.41	5.01	1.28	30.75	0.28	1.70	0.12	1.58	0.00	29.28	69.11	0.00	0.00	32.78
110000	3.68	3.49	5.03	1.23	30.86	0.28	1.70	0.12	1.58	0.00	29.29	69.10	0.00	0.00	34.26
120000	3.86	3.34	5.04	1.41	30.82	0.28	1.71	0.12	1.59	0.00	29.61	69.51	0.00	0.00	33.62
130000	4.23	3.40	5.14	1.47	30.95	0.28	1.72	0.12	1.60	0.00	29.76	69.75	0.00	0.00	30.99
140000	4.27	3.45	5.13	1.39	31.02	0.28	1.72	0.12	1.60	0.00	29.75	69.75	0.00	0.00	31.23
150000	3.76	3.38	5.17	1.51	31.00	0.28	1.73	0.12	1.61	0.00	29.72	69.75	0.00	0.00	30.58
160000	3.84	3.38	5.08	1.43	31.16	0.28	1.72	0.12	1.60	0.00	29.69	69.75	0.00	0.00	30.45
170000	3.83	3.31	5.10	1.51	31.20	0.28	1.72	0.12	1.60	0.00	29.68	69.75	0.00	0.00	29.95
180000	3.52	3.42	5.17	1.46	31.18	0.29	1.72	0.12	1.60	0.00	29.66	69.75	0.00	0.00	27.81
190000	3.78	3.39	5.11	1.42	31.19	0.28	1.72	0.12	1.60	0.00	29.67	69.75	0.00	0.00	27.28
200000	3.97	3.37	5.08	1.41	31.19	0.28	1.73	0.12	1.61	0.00	29.69	69.73	0.00	0.00	24.52
210000	3.87	3.37	5.06	1.41	31.11	0.28	1.73	0.12	1.61	0.00	29.69	69.75	0.00	0.00	22.33
220000	4.07	3.43	5.19	1.47	31.32	0.28	1.73	0.12	1.61	0.00	29.67	69.75	0.00	0.00	20.61
230000	3.94	3.40	5.15	1.45	31.38	0.28	1.73	0.11	1.62	0.00	29.65	69.73	0.00	0.00	21.63
極大值	4.27	3.50	5.19	1.51	31.38	0.29	1.73	0.12	1.62	0.00	29.76	69.75	0.00	0.00	34.26
極小值	3.28	3.31	4.97	1.22	30.60	0.28	1.70	0.11	1.58	0.00	29.28	69.10	0.00	0.00	20.31
平均值	3.72	3.41	5.07	1.36	30.95	0.28	1.72	0.12	1.60	0.00	29.52	69.45	0.00	0.00	25.82
標準差	0.28	0.04	0.06	0.1	0.22	0	0.01	0	0.01	0	0.17	0.28	0	0	4.82

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.61	3.40	5.02	1.31	31.05	0.28	1.71	0.12	1.59	0.00	29.33	69.28	0.00	0.00	55.70
010000	3.71	3.39	5.09	1.38	30.93	0.28	1.71	0.12	1.59	0.00	29.23	69.19	0.00	0.00	32.85
020000	3.66	3.44	5.01	1.25	30.93	0.28	1.71	0.12	1.59	0.00	29.23	69.19	0.00	0.00	40.17
030000	3.79	3.27	4.92	1.33	30.87	0.28	1.71	0.12	1.59	0.00	29.22	69.19	0.00	0.00	55.73
040000	3.88	3.50	5.09	1.27	31.00	0.28	1.71	0.12	1.59	0.00	29.23	69.19	0.00	0.00	55.01
050000	4.07	3.38	5.02	1.32	31.11	0.28	1.71	0.12	1.59	0.00	29.23	69.19	0.00	0.00	58.89
060000	4.94	3.43	5.03	1.29	30.91	0.28	1.70	0.12	1.58	0.00	29.23	69.19	0.00	0.00	59.10
070000	4.24	3.41	5.00	1.27	30.85	0.28	1.70	0.12	1.58	0.00	29.21	69.19	0.00	0.00	61.28
080000	4.35	3.49	5.01	1.20	30.91	0.28	1.71	0.12	1.59	0.00	29.20	69.18	0.00	0.00	61.14
090000	4.81	3.47	5.10	1.32	30.80	0.28	1.71	0.12	1.59	0.00	29.18	69.14	0.00	0.00	61.09
100000	4.44	3.49	5.09	1.27	30.93	0.28	1.70	0.12	1.58	0.00	29.17	69.11	0.00	0.00	63.64
110000	5.28	3.53	5.10	1.26	30.98	0.28	1.70	0.12	1.58	0.00	29.16	69.12	0.00	0.00	71.70
120000	6.66	3.46	5.09	1.35	30.94	0.28	1.71	0.12	1.59	0.00	29.50	69.50	0.00	0.00	73.69
130000	5.27	3.34	5.05	1.41	30.97	0.28	1.72	0.12	1.60	0.00	29.66	69.72	0.00	0.00	68.88
140000	4.03	3.37	5.12	1.48	31.14	0.28	1.73	0.12	1.61	0.00	29.66	69.75	0.00	0.00	62.51
150000	3.94	3.40	5.05	1.37	31.06	0.28	1.72	0.12	1.60	0.00	29.62	69.75	0.00	0.00	55.10
160000	3.72	3.37	5.20	1.55	31.27	0.28	1.72	0.12	1.60	0.00	29.60	69.75	0.00	0.00	43.92
170000	3.65	3.38	5.02	1.34	31.50	0.28	1.72	0.12	1.60	0.00	29.62	69.75	0.00	0.00	40.23
180000	3.43	3.34	5.02	1.40	31.30	0.29	1.72	0.11	1.61	0.00	29.63	69.74	0.00	0.00	41.20
190000	3.61	3.32	5.06	1.48	31.31	0.28	1.72	0.11	1.61	0.00	29.65	69.74	0.00	0.00	36.69
200000	3.83	3.38	5.02	1.37	31.27	0.28	1.73	0.11	1.62	0.00	29.62	69.73	0.00	0.00	37.58
210000	4.33	3.27	5.05	1.53	31.25	0.28	1.72	0.11	1.61	0.00	29.58	69.74	0.00	0.00	43.35
220000	3.90	3.43	5.04	1.38	31.33	0.28	1.72	0.12	1.60	0.00	29.57	69.74	0.00	0.00	47.17
230000	3.92	3.35	5.06	1.42	31.38	0.28	1.72	0.12	1.60	0.00	29.55	69.72	0.00	0.00	51.70
極大值	6.66	3.53	5.20	1.55	31.50	0.29	1.73	0.12	1.62	0.00	29.66	69.75	0.00	0.00	73.69
極小值	3.43	3.27	4.92	1.20	30.80	0.28	1.70	0.11	1.58	0.00	29.16	69.11	0.00	0.00	32.85
平均值	4.21	3.40	5.05	1.36	31.08	0.28	1.71	0.12	1.60	0	29.41	69.45	0.00	0.00	53.26
標準差	0.73	0.07	0.05	0.09	0.2	0	0.01	0	0.01	0	0.2	0.28	0	0	11.64

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.96	3.35	4.98	1.32	31.13	0.28	1.71	0.12	1.59	0.00	29.18	69.29	0.00	0.00	47.40
010000	3.86	3.37	5.08	1.40	30.98	0.28	1.71	0.12	1.59	0.00	29.10	69.19	0.00	0.00	47.25
020000	3.95	3.45	4.98	1.21	31.03	0.28	1.70	0.12	1.58	0.00	29.05	69.19	0.00	0.00	47.13
030000	4.14	3.48	5.08	1.29	30.96	0.28	1.70	0.12	1.58	0.00	29.03	69.19	0.00	0.00	46.40
040000	4.05	3.28	5.05	1.47	31.07	0.28	1.70	0.12	1.58	0.00	29.01	69.19	0.00	0.00	46.31
050000	5.51	3.48	5.06	1.27	31.15	0.28	1.70	0.12	1.58	0.00	29.03	69.19	0.00	0.00	45.83
060000	4.14	3.41	5.04	1.34	30.98	0.28	1.70	0.12	1.58	0.00	29.01	69.19	0.00	0.00	45.96
070000	4.08	3.45	5.05	1.27	30.97	0.28	1.70	0.12	1.58	0.00	29.00	69.19	0.00	0.00	46.38
080000	4.10	3.40	5.06	1.38	30.92	0.28	1.70	0.12	1.58	0.00	29.02	69.19	0.00	0.00	49.60
090000	4.51	3.38	4.98	1.28	30.83	0.28	1.70	0.12	1.58	0.00	29.02	69.19	0.00	0.00	53.25
100000	5.03	3.36	5.06	1.39	31.01	0.28	1.70	0.12	1.58	0.00	29.00	69.19	0.00	0.00	54.24
110000	5.18	3.48	5.10	1.34	31.09	0.28	1.70	0.12	1.58	0.00	29.01	69.19	0.00	0.00	54.56
120000	5.11	3.45	5.11	1.39	31.06	0.28	1.71	0.11	1.60	0.00	29.29	69.49	0.00	0.00	54.28
130000	4.07	3.39	5.09	1.46	31.08	0.28	1.72	0.12	1.60	0.00	29.40	69.61	0.00	0.00	54.37
140000	3.94	3.35	5.04	1.40	31.17	0.28	1.72	0.12	1.60	0.00	29.39	69.61	0.00	0.00	53.45
150000	3.90	3.32	5.02	1.39	31.08	0.28	1.71	0.12	1.59	0.00	29.38	69.61	0.00	0.00	52.89
160000	4.24	3.38	5.07	1.41	31.18	0.28	1.71	0.12	1.59	0.00	29.38	69.61	0.00	0.00	52.69
170000	4.21	3.25	5.08	1.57	31.21	0.28	1.71	0.11	1.60	0.00	29.38	69.61	0.00	0.00	52.04
180000	4.03	3.40	5.09	1.41	31.16	0.28	1.71	0.12	1.59	0.00	29.32	69.61	0.00	0.00	50.94
190000	3.60	3.45	5.16	1.45	31.11	0.28	1.71	0.11	1.60	0.00	29.27	69.61	0.00	0.00	50.00
200000	3.75	3.35	5.10	1.50	31.09	0.28	1.71	0.12	1.59	0.00	29.31	69.61	0.00	0.00	49.40
210000	3.55	3.36	5.13	1.50	31.06	0.28	1.71	0.11	1.60	0.00	29.28	69.61	0.00	0.00	48.95
220000	3.41	3.33	5.05	1.45	31.13	0.28	1.71	0.11	1.60	0.00	29.29	69.61	0.00	0.00	48.73
230000	3.35	3.35	5.07	1.47	31.19	0.28	1.71	0.11	1.60	0.00	29.31	69.61	0.00	0.00	47.90
極大值	5.51	3.48	5.16	1.57	31.21	0.28	1.72	0.12	1.60	0.00	29.40	69.61	0.00	0.00	54.56
極小值	3.35	3.25	4.98	1.21	30.83	0.28	1.70	0.11	1.58	0.00	29.00	69.19	0.00	0.00	45.83
平均值	4.15	3.39	5.06	1.39	31.07	0.28	1.71	0.12	1.59	0.00	29.19	69.40	0.00	0.00	50.00
標準差	0.55	0.06	0.04	0.09	0.09	0	0.01	0	0.01	0	0.16	0.21	0	0	3.11

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.37	3.45	5.13	1.39	31.17	0.28	1.71	0.12	1.59	0.00	29.34	69.61	0.00	0.00	56.60
010000	3.37	3.41	5.11	1.43	31.07	0.28	1.71	0.11	1.60	0.00	29.33	69.61	0.00	0.00	46.79
020000	3.43	3.41	5.13	1.44	31.11	0.28	1.72	0.11	1.61	0.00	29.32	69.61	0.00	0.00	38.46
030000	3.46	3.46	5.13	1.45	31.16	0.28	1.72	0.12	1.60	0.00	29.32	69.61	0.00	0.00	64.76
040000	3.53	3.38	5.14	1.51	31.16	0.28	1.71	0.11	1.60	0.00	29.31	69.61	0.00	0.00	58.71
050000	4.00	3.30	5.12	1.56	31.19	0.28	1.71	0.11	1.60	0.00	29.31	69.61	0.00	0.00	48.91
060000	3.68	3.43	5.02	1.33	31.16	0.28	1.71	0.12	1.59	0.00	29.29	69.61	0.00	0.00	49.39
070000	3.64	3.49	5.13	1.38	31.06	0.28	1.71	0.11	1.60	0.00	29.29	69.61	0.00	0.00	57.68
080000	3.84	3.38	5.13	1.48	31.07	0.28	1.71	0.11	1.60	0.00	29.28	69.61	0.00	0.00	55.61
090000	4.02	3.41	5.04	1.38	31.05	0.28	1.71	0.12	1.59	0.00	29.28	69.61	0.00	0.00	53.35
100000	5.24	3.45	5.15	1.44	31.09	0.28	1.70	0.11	1.59	0.00	29.31	69.61	0.00	0.00	62.62
110000	6.00	3.36	5.04	1.43	31.18	0.28	1.70	0.11	1.59	0.00	29.31	69.61	0.00	0.00	64.00
120000	5.02	3.36	5.10	1.48	31.07	0.28	1.70	0.11	1.59	0.00	29.31	69.61	0.00	0.00	64.23
130000	4.15	3.39	5.08	1.42	31.08	0.28	1.70	0.11	1.59	0.00	29.31	69.61	0.00	0.00	56.23
140000	4.02	3.32	5.06	1.48	31.09	0.28	1.70	0.11	1.59	0.00	29.34	69.61	0.00	0.00	44.05
150000	3.83	3.44	5.15	1.45	31.10	0.28	1.70	0.11	1.59	0.00	29.32	69.61	0.00	0.00	39.30
160000	3.72	3.37	5.16	1.52	31.23	0.28	1.70	0.11	1.59	0.00	29.34	69.61	0.00	0.00	31.19
170000	3.67	3.35	5.02	1.39	31.36	0.28	1.70	0.11	1.59	0.00	29.33	69.61	0.00	0.00	42.64
180000	3.42	3.45	5.16	1.45	31.20	0.28	1.70	0.11	1.59	0.00	29.35	69.61	0.00	0.00	43.49
190000	3.36	3.41	5.13	1.44	31.11	0.28	1.70	0.11	1.59	0.00	29.38	69.62	0.00	0.00	43.37
200000	3.40	3.32	5.07	1.48	31.13	0.28	1.70	0.12	1.58	0.00	29.38	69.61	0.00	0.00	45.76
210000	3.40	3.39	5.09	1.43	31.11	0.28	1.70	0.11	1.59	0.00	29.40	69.61	0.00	0.00	45.92
220000	5.06	3.39	5.10	1.46	31.17	0.28	1.70	0.11	1.59	0.00	29.42	69.61	0.00	0.00	51.48
230000	4.76	3.31	5.05	1.48	31.21	0.28	1.70	0.11	1.59	0.00	30.27	69.61	0.00	0.00	51.37
極大值	6.00	3.49	5.16	1.56	31.36	0.28	1.72	0.12	1.61	0.00	30.27	69.62	0.00	0.00	64.76
極小值	3.36	3.30	5.02	1.33	31.05	0.28	1.70	0.11	1.58	0.00	29.28	69.61	0.00	0.00	31.19
平均值	3.97	3.39	5.10	1.45	31.14	0.28	1.70	0.11	1.59	0.00	29.37	69.61	0.00	0.00	50.66
標準差	0.72	0.05	0.04	0.05	0.07	0	0.01	0	0.01	0	0.2	0	0	0	8.98

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	6.41	3.39	5.06	1.42	31.12	0.28	1.70	0.12	1.58	0.00	31.46	69.64	0.00	0.00	59.70
010000	4.36	3.39	5.12	1.48	31.15	0.28	1.70	0.12	1.58	0.00	31.51	69.63	0.00	0.00	68.53
020000	4.19	3.36	5.11	1.50	31.14	0.28	1.70	0.11	1.59	0.00	31.59	69.62	0.00	0.00	40.32
030000	3.93	3.42	5.12	1.45	31.15	0.28	1.70	0.12	1.58	0.00	31.70	69.64	0.00	0.00	57.83
040000	3.83	3.34	5.04	1.43	31.25	0.28	1.70	0.11	1.59	0.00	31.81	69.66	0.00	0.00	60.94
050000	3.82	3.39	5.13	1.50	31.36	0.28	1.70	0.11	1.59	0.00	31.87	69.69	0.00	0.00	55.33
060000	3.65	3.45	5.12	1.41	31.21	0.28	1.70	0.11	1.59	0.00	31.88	69.67	0.00	0.00	52.33
070000	4.24	3.48	5.14	1.39	31.14	0.28	1.69	0.11	1.58	0.00	31.89	69.66	0.00	0.00	55.83
080000	4.65	3.38	5.12	1.49	31.17	0.28	1.69	0.12	1.57	0.00	31.92	69.68	0.00	0.00	55.78
090000	4.65	3.38	5.12	1.48	31.10	0.28	1.69	0.11	1.58	0.00	31.93	69.69	0.00	0.00	72.62
100000	7.35	3.46	5.08	1.37	31.14	0.28	1.69	0.11	1.58	0.00	32.13	69.69	0.00	0.00	76.21
110000	5.62	3.40	5.08	1.43	31.23	0.28	1.69	0.11	1.58	0.00	32.03	69.67	0.00	0.00	67.25
120000	6.43	3.46	5.10	1.40	31.16	0.28	1.69	0.12	1.57	0.00	32.01	69.68	0.00	0.00	47.74
130000	4.77	3.43	5.02	1.35	31.08	0.28	1.70	0.12	1.58	0.00	31.98	69.74	0.00	0.00	44.46
140000	4.61	3.29	5.04	1.53	31.17	0.28	1.70	0.12	1.58	0.00	31.99	69.70	0.00	0.00	57.48
150000	4.78	3.34	5.04	1.47	31.14	0.28	1.70	0.11	1.59	0.00	31.97	69.62	0.00	0.00	49.71
160000	4.23	3.44	5.07	1.38	31.23	0.28	1.70	0.11	1.59	0.00	31.99	69.61	0.00	0.00	46.00
170000	3.88	3.48	5.09	1.38	31.43	0.28	1.70	0.11	1.59	0.00	32.01	69.65	0.00	0.00	39.68
180000	3.50	3.43	5.15	1.47	31.30	0.28	1.70	0.11	1.59	0.00	32.03	69.68	0.00	0.00	32.71
190000	3.40	3.49	5.16	1.44	31.26	0.28	1.70	0.11	1.59	0.00	32.04	69.69	0.00	0.00	32.87
200000	4.00	3.49	5.17	1.45	31.28	0.28	1.70	0.11	1.59	0.00	32.04	69.67	0.00	0.00	50.81
210000	4.98	3.49	5.08	1.35	31.23	0.28	1.70	0.11	1.59	0.00	47.74	69.79	0.00	0.00	64.20
220000	5.04	3.41	5.11	1.47	31.30	0.28	1.70	0.11	1.59	0.00	53.33	69.89	0.00	0.00	62.66
230000	5.37	3.45	5.12	1.41	31.43	0.28	1.70	0.11	1.59	0.00	52.36	69.89	0.00	0.00	63.50
極大值	7.35	3.49	5.17	1.53	31.43	0.28	1.70	0.12	1.59	0.00	53.33	69.89	0.00	0.00	76.21
極小值	3.40	3.29	5.02	1.35	31.08	0.28	1.69	0.11	1.57	0.00	31.46	69.61	0.00	0.00	32.71
平均值	4.65	3.42	5.10	1.44	31.22	0.28	1.70	0.11	1.58	0.00	34.30	69.69	0.00	0.00	54.77
標準差	0.99	0.05	0.04	0.05	0.1	0	0	0	0.01	0	6.56	0.07	0	0	11.64

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.42	3.50	5.06	1.31	31.28	0.28	1.69	0.12	1.57	0.00	50.77	69.43	0.00	0.00	33.49
010000	4.17	3.45	5.02	1.31	31.20	0.28	1.69	0.12	1.57	0.00	50.98	69.33	0.00	0.00	20.36
020000	3.98	3.42	5.01	1.33	31.24	0.28	1.69	0.12	1.57	0.00	50.69	69.33	0.00	0.00	16.51
030000	3.84	3.52	5.08	1.29	31.14	0.28	1.69	0.12	1.57	0.00	50.49	69.33	0.00	0.00	42.63
040000	3.96	3.37	5.04	1.40	31.26	0.28	1.69	0.12	1.57	0.00	50.34	69.33	0.00	0.00	26.93
050000	4.01	3.44	5.01	1.29	31.38	0.28	1.69	0.12	1.57	0.00	50.19	69.33	0.00	0.00	29.48
060000	4.03	3.44	5.04	1.31	31.24	0.28	1.69	0.12	1.57	0.00	49.27	69.33	0.00	0.00	27.57
070000	3.96	3.43	5.12	1.41	31.10	0.28	1.69	0.12	1.57	0.00	48.85	69.33	0.00	0.00	75.79
080000	4.22	3.53	5.06	1.25	31.16	0.28	1.68	0.12	1.56	0.00	48.72	69.33	0.00	0.00	62.68
090000	4.17	3.58	5.15	1.30	31.04	0.28	1.68	0.12	1.56	0.00	48.64	69.33	0.00	0.00	44.19
100000	4.49	3.43	5.05	1.32	31.21	0.28	1.68	0.12	1.56	0.00	48.31	69.33	0.00	0.00	58.14
110000	4.70	3.51	5.10	1.31	31.32	0.28	1.68	0.12	1.56	0.00	47.61	69.33	0.00	0.00	45.24
120000	5.01	3.40	5.03	1.38	31.35	0.28	1.69	0.11	1.58	0.00	47.23	69.64	0.00	0.00	39.71
130000	4.86	3.38	5.07	1.46	31.29	0.28	1.70	0.11	1.59	0.00	47.10	69.76	0.00	0.00	39.00
140000	4.68	3.37	5.07	1.44	31.37	0.28	1.70	0.11	1.59	0.00	46.90	69.78	0.00	0.00	34.32
150000	6.69	3.45	5.09	1.39	31.30	0.28	1.70	0.12	1.58	0.00	46.43	69.76	0.00	0.00	33.34
160000	7.66	3.42	5.10	1.44	31.35	0.28	1.70	0.11	1.59	0.00	46.02	69.76	0.00	0.00	23.35
170000	6.98	3.35	5.11	1.51	31.49	0.28	1.70	0.11	1.59	0.00	46.03	69.79	0.00	0.00	28.57
180000	5.96	3.34	5.06	1.46	31.44	0.28	1.70	0.11	1.59	0.00	45.87	69.79	0.00	0.00	25.30
190000	5.20	3.39	5.04	1.40	31.32	0.28	1.70	0.11	1.59	0.00	45.40	69.81	0.00	0.00	26.73
200000	4.33	3.38	5.10	1.47	31.34	0.28	1.70	0.11	1.59	0.00	45.06	69.76	0.00	0.00	27.74
210000	4.38	3.41	5.06	1.40	31.35	0.28	1.70	0.11	1.59	0.00	44.93	69.75	0.00	0.00	25.40
220000	4.00	3.38	5.01	1.37	31.39	0.28	1.69	0.11	1.58	0.00	44.84	69.75	0.00	0.00	37.24
230000	4.09	3.42	5.11	1.43	31.45	0.28	1.70	0.11	1.59	0.00	44.64	69.75	0.00	0.00	33.18
極大值	7.66	3.58	5.15	1.51	31.49	0.28	1.70	0.12	1.59	0.00	50.98	69.81	0.00	0.00	75.79
極小值	3.84	3.34	5.01	1.25	31.04	0.28	1.68	0.11	1.56	0.00	44.64	69.33	0.00	0.00	16.51
平均值	4.74	3.43	5.07	1.37	31.29	0.28	1.69	0.12	1.58	0.00	47.72	69.55	0.00	0.00	35.70
標準差	1.05	0.06	0.04	0.07	0.11	0	0.01	0.01	0.01	0	2.14	0.22	0	0	13.90

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.73	3.48	5.14	1.37	31.39	0.28	1.69	0.12	1.57	0.00	43.95	69.39	0.00	0.00	27.11
010000	3.65	3.47	5.07	1.33	31.30	0.28	1.69	0.12	1.57	0.00	43.85	69.33	0.00	0.00	23.01
020000	3.73	3.45	5.01	1.28	31.36	0.28	1.69	0.12	1.57	0.00	43.83	69.33	0.00	0.00	22.27
030000	3.61	3.40	4.98	1.33	31.39	0.28	1.70	0.12	1.58	0.00	43.60	69.33	0.00	0.00	21.25
040000	3.52	3.47	5.07	1.33	31.48	0.28	1.69	0.12	1.57	0.00	43.41	69.33	0.00	0.00	22.20
050000	3.49	3.48	5.08	1.32	31.62	0.28	1.69	0.12	1.57	0.00	43.31	69.33	0.00	0.00	20.80
060000	3.61	3.47	5.11	1.37	31.52	0.28	1.69	0.12	1.57	0.00	43.38	69.33	0.00	0.00	19.46
070000	3.72	3.47	5.04	1.31	31.44	0.28	1.69	0.12	1.57	0.00	43.28	69.33	0.00	0.00	19.07
080000	4.41	3.50	5.08	1.32	31.51	0.28	1.69	0.12	1.57	0.00	43.24	69.33	0.00	0.00	18.60
090000	4.65	3.47	5.04	1.30	31.32	0.28	1.69	0.12	1.57	0.00	43.22	69.33	0.00	0.00	18.76
100000	5.19	3.42	5.02	1.33	31.48	0.28	1.69	0.12	1.57	0.00	42.94	69.33	0.00	0.00	18.77
110000	6.32	3.59	5.05	1.20	31.62	0.28	1.70	0.12	1.58	0.00	42.85	69.33	0.00	0.00	18.43
120000	6.65	3.48	5.05	1.34	31.57	0.28	1.70	0.12	1.58	0.00	43.23	69.66	0.00	0.00	18.82
130000	8.65	3.43	5.05	1.41	31.54	0.28	1.71	0.12	1.59	0.00	42.71	69.82	0.00	0.00	20.51
140000	6.15	3.41	5.11	1.46	31.63	0.28	1.71	0.12	1.59	0.00	42.58	69.75	0.00	0.00	22.77
150000	5.42	3.45	5.10	1.39	31.59	0.28	1.71	0.11	1.60	0.00	42.56	69.75	0.00	0.00	22.39
160000	5.55	3.40	5.07	1.42	31.66	0.28	1.71	0.11	1.60	0.00	42.40	69.75	0.00	0.00	21.87
170000	5.97	3.38	5.01	1.37	31.79	0.28	1.71	0.12	1.59	0.00	42.29	69.75	0.00	0.00	20.17
180000	5.52	3.48	5.11	1.37	31.74	0.28	1.71	0.11	1.60	0.00	42.18	69.75	0.00	0.00	19.88
190000	4.63	3.50	5.11	1.38	31.65	0.28	1.70	0.11	1.59	0.00	42.18	69.75	0.00	0.00	19.15
200000	4.36	3.33	5.07	1.51	31.73	0.28	1.70	0.12	1.58	0.00	41.93	69.75	0.00	0.00	18.89
210000	5.13	3.42	5.06	1.39	31.72	0.28	1.71	0.12	1.59	0.00	41.98	69.75	0.00	0.00	19.64
220000	4.25	3.41	5.17	1.51	31.76	0.28	1.71	0.11	1.60	0.00	41.96	69.75	0.00	0.00	20.00
230000	4.01	3.35	5.05	1.46	31.85	0.28	1.70	0.11	1.59	0.00	41.99	69.75	0.00	0.00	21.08
極大值	8.65	3.59	5.17	1.51	31.85	0.28	1.71	0.12	1.60	0.00	43.95	69.82	0.00	0.00	27.11
極小值	3.49	3.33	4.98	1.20	31.30	0.28	1.69	0.11	1.57	0.00	41.93	69.33	0.00	0.00	18.43
平均值	4.83	3.45	5.07	1.37	31.57	0.28	1.70	0.12	1.58	0.00	42.87	69.54	0.00	0.00	20.62
標準差	1.28	0.05	0.04	0.07	0.15	0	0.01	0	0.01	0	0.66	0.21	0	0	2.01

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.72	3.50	5.13	1.39	31.78	0.28	1.70	0.12	1.58	0.00	41.41	69.39	0.00	0.00	21.31
010000	3.46	3.47	5.02	1.25	31.75	0.28	1.70	0.12	1.58	0.00	41.46	69.33	0.00	0.00	20.83
020000	3.35	3.35	4.96	1.31	31.75	0.28	1.70	0.12	1.58	0.00	41.42	69.33	0.00	0.00	20.12
030000	3.34	3.51	5.04	1.24	31.70	0.28	1.70	0.12	1.58	0.00	41.20	69.33	0.00	0.00	19.92
040000	3.40	3.46	4.97	1.22	31.78	0.28	1.70	0.12	1.58	0.00	41.29	69.33	0.00	0.00	18.95
050000	3.35	3.44	5.04	1.32	31.86	0.28	1.70	0.12	1.58	0.00	41.34	69.33	0.00	0.00	18.69
060000	3.32	3.43	5.03	1.35	31.72	0.28	1.69	0.12	1.57	0.00	41.22	69.33	0.00	0.00	18.51
070000	3.33	3.40	5.01	1.35	31.54	0.28	1.70	0.12	1.58	0.00	41.04	69.33	0.00	0.00	18.44
080000	3.37	3.52	5.09	1.30	31.57	0.28	1.70	0.12	1.58	0.00	40.80	69.33	0.00	0.00	19.04
090000	3.43	3.57	5.06	1.23	31.48	0.28	1.70	0.12	1.58	0.00	40.77	69.33	0.00	0.00	22.18
100000	4.55	3.49	4.99	1.23	31.58	0.28	1.69	0.12	1.57	0.00	40.92	69.33	0.00	0.00	43.90
110000	4.28	3.40	5.01	1.34	31.72	0.28	1.69	0.12	1.57	0.00	40.73	69.33	0.00	0.00	46.91
120000	3.94	3.48	5.09	1.38	31.65	0.28	1.70	0.11	1.59	0.00	41.18	69.62	0.00	0.00	40.48
130000	3.98	3.51	5.14	1.39	31.69	0.28	1.70	0.11	1.59	0.00	41.37	69.75	0.00	0.00	38.53
140000	4.03	3.44	5.03	1.34	31.71	0.28	1.70	0.12	1.58	0.00	41.19	69.75	0.00	0.00	37.92
150000	3.91	3.33	5.06	1.48	31.58	0.28	1.70	0.11	1.59	0.00	40.95	69.75	0.00	0.00	41.03
160000	3.73	3.46	5.11	1.39	31.71	0.28	1.70	0.11	1.59	0.00	41.03	69.75	0.00	0.00	40.27
170000	3.60	3.43	5.08	1.40	31.86	0.28	1.70	0.11	1.59	0.00	40.95	69.75	0.00	0.00	32.78
180000	3.39	3.45	5.09	1.38	31.77	0.28	1.70	0.12	1.58	0.00	40.97	69.75	0.00	0.00	27.34
190000	3.26	3.36	5.11	1.49	31.69	0.28	1.70	0.12	1.58	0.00	40.78	69.75	0.00	0.00	23.67
200000	3.24	3.39	5.05	1.40	31.73	0.28	1.70	0.11	1.59	0.00	40.71	69.75	0.00	0.00	21.68
210000	3.37	3.34	5.12	1.52	31.67	0.28	1.70	0.11	1.59	0.00	40.71	69.75	0.00	0.00	21.55
220000	3.45	3.38	5.10	1.48	31.71	0.28	1.70	0.11	1.59	0.00	40.69	69.75	0.00	0.00	24.52
230000	3.46	3.47	5.10	1.37	31.84	0.28	1.70	0.11	1.59	0.00	40.67	69.75	0.00	0.00	24.02
極大值	4.55	3.57	5.14	1.52	31.86	0.28	1.70	0.12	1.59	0.00	41.46	69.75	0.00	0.00	46.91
極小值	3.24	3.33	4.96	1.22	31.48	0.28	1.69	0.11	1.57	0.00	40.67	69.33	0.00	0.00	18.44
平均值	3.59	3.44	5.06	1.36	31.70	0.28	1.70	0.12	1.58	0.00	41.03	69.54	0.00	0.00	27.61
標準差	0.35	0.06	0.05	0.09	0.1	0	0	0	0.01	0	0.27	0.21	0	0	9.63

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.43	3.47	5.04	1.29	31.75	0.28	1.70	0.12	1.58	0.00	40.18	69.39	0.00	0.00	56.53
010000	3.31	3.44	5.06	1.33	31.61	0.28	1.69	0.12	1.57	0.00	40.10	69.33	0.00	0.00	42.00
020000	3.33	3.43	4.96	1.23	31.63	0.28	1.69	0.12	1.57	0.00	40.01	69.33	0.00	0.00	36.54
030000	3.42	3.44	5.03	1.32	31.57	0.28	1.69	0.12	1.57	0.00	40.01	69.33	0.00	0.00	39.19
040000	3.39	3.50	5.13	1.35	31.68	0.28	1.69	0.12	1.57	0.00	40.03	69.33	0.00	0.00	43.24
050000	3.52	3.42	5.03	1.32	31.79	0.28	1.69	0.12	1.57	0.00	40.01	69.33	0.00	0.00	55.33
060000	3.26	3.50	5.05	1.26	31.68	0.28	1.69	0.12	1.57	0.00	40.01	69.33	0.00	0.00	56.43
070000	3.32	3.55	5.14	1.31	31.53	0.28	1.69	0.12	1.57	0.00	39.95	69.33	0.00	0.00	60.69
080000	3.60	3.43	5.08	1.36	31.60	0.28	1.69	0.12	1.57	0.00	39.95	69.33	0.00	0.00	62.30
090000	3.97	3.42	5.08	1.38	31.54	0.28	1.69	0.12	1.57	0.00	39.91	69.30	0.00	0.00	60.67
100000	4.25	3.47	5.08	1.33	31.58	0.28	1.69	0.12	1.57	0.00	39.82	69.25	0.00	0.00	65.45
110000	4.93	3.46	5.02	1.29	31.70	0.28	1.69	0.12	1.57	0.00	39.84	69.26	0.00	0.00	20.00
120000	3.74	3.43	5.09	1.40	31.71	0.28	1.70	0.12	1.58	0.00	40.22	69.59	0.00	0.00	43.13
130000	4.43	3.43	5.12	1.47	31.61	0.28	1.71	0.11	1.60	0.00	40.36	69.75	0.00	0.00	55.15
140000	5.40	3.44	5.03	1.36	31.71	0.28	1.71	0.12	1.59	0.00	40.23	69.75	0.00	0.00	35.02
150000	4.86	3.44	5.10	1.42	31.71	0.28	1.71	0.12	1.59	0.00	40.19	69.75	0.00	0.00	32.40
160000	4.04	3.34	4.98	1.40	31.77	0.28	1.71	0.12	1.59	0.00	40.19	69.75	0.00	0.00	38.06
170000	3.98	3.40	5.05	1.42	31.91	0.28	1.71	0.12	1.59	0.00	40.08	69.75	0.00	0.00	43.23
180000	3.68	3.48	5.09	1.38	31.84	0.28	1.71	0.11	1.60	0.00	40.01	69.75	0.00	0.00	41.44
190000	3.39	3.37	5.05	1.44	31.76	0.28	1.71	0.12	1.59	0.00	40.03	69.75	0.00	0.00	49.31
200000	3.39	3.39	5.04	1.42	31.78	0.28	1.71	0.11	1.60	0.00	39.95	69.75	0.00	0.00	58.53
210000	3.41	3.39	5.05	1.41	31.78	0.28	1.71	0.12	1.59	0.00	39.98	69.75	0.00	0.00	46.82
220000	3.51	3.48	5.12	1.40	31.81	0.28	1.71	0.12	1.59	0.00	40.00	69.75	0.00	0.00	40.86
230000	3.52	3.35	5.06	1.47	31.90	0.28	1.71	0.11	1.60	0.00	39.92	69.75	0.00	0.00	42.66
極大值	5.40	3.55	5.14	1.47	31.91	0.28	1.71	0.12	1.60	0.00	40.36	69.75	0.00	0.00	64.45
極小值	3.26	3.34	4.96	1.23	31.53	0.28	1.69	0.11	1.57	0.00	39.82	69.25	0.00	0.00	20.00
平均值	3.80	3.44	5.06	1.36	31.71	0.28	1.70	0.12	1.58	0.00	40.04	69.53	0.00	0.00	46.87
標準差	0.59	0.05	0.04	0.06	0.11	0	0.01	0	0.01	0	0.13	0.22	0	0	11.22

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.50	3.39	5.04	1.39	31.91	0.28	1.70	0.12	1.58	0.00	39.43	69.38	0.00	0.00	53.12
010000	3.62	3.42	5.03	1.33	31.73	0.28	1.70	0.12	1.58	0.00	39.31	69.33	0.00	0.00	67.95
020000	3.67	3.51	5.07	1.30	31.84	0.28	1.70	0.12	1.58	0.00	39.33	69.33	0.00	0.00	65.40
030000	3.56	3.53	5.09	1.28	31.76	0.28	1.70	0.12	1.58	0.00	39.38	69.33	0.00	0.00	46.24
040000	3.69	3.49	5.10	1.36	31.81	0.28	1.70	0.12	1.58	0.00	39.40	69.33	0.00	0.00	44.98
050000	3.75	3.47	5.05	1.31	31.97	0.28	1.70	0.12	1.58	0.00	39.34	69.33	0.00	0.00	52.08
060000	3.99	3.46	5.05	1.30	31.87	0.28	1.69	0.12	1.57	0.00	39.27	69.33	0.00	0.00	61.86
070000	3.98	3.47	5.05	1.30	31.75	0.28	1.69	0.12	1.57	0.00	39.30	69.33	0.00	0.00	60.19
080000	4.08	3.43	5.01	1.29	31.79	0.28	1.69	0.12	1.57	0.00	39.16	69.33	0.00	0.00	57.86
090000	4.40	3.48	5.02	1.25	31.65	0.28	1.69	0.12	1.57	0.00	39.05	69.33	0.00	0.00	58.75
100000	4.59	3.48	5.11	1.34	31.79	0.28	1.69	0.12	1.57	0.00	39.06	69.33	0.00	0.00	62.15
110000	5.57	3.41	5.04	1.35	31.95	0.28	1.70	0.12	1.58	0.00	39.00	69.33	0.00	0.00	63.33
120000	5.82	3.52	5.11	1.36	31.92	0.28	1.70	0.12	1.58	0.00	39.33	69.60	0.00	0.00	56.98
130000	5.38	3.49	5.09	1.38	31.89	0.28	1.71	0.12	1.59	0.00	39.49	69.75	0.00	0.00	53.50
140000	4.08	3.42	5.07	1.42	32.04	0.28	1.72	0.12	1.60	0.00	39.45	69.75	0.00	0.00	53.37
150000	3.93	3.42	5.15	1.48	32.02	0.28	1.72	0.12	1.60	0.00	39.30	69.75	0.00	0.00	47.01
160000	3.95	3.45	5.09	1.40	31.97	0.28	1.72	0.12	1.60	0.00	39.30	69.75	0.00	0.00	46.36
170000	3.74	3.36	5.07	1.49	32.06	0.28	1.72	0.12	1.60	0.00	39.28	69.75	0.00	0.00	48.84
180000	3.84	3.41	5.06	1.41	32.05	0.28	1.71	0.12	1.59	0.00	39.26	69.75	0.00	0.00	50.37
190000	4.88	3.54	5.17	1.41	32.02	0.28	1.71	0.12	1.59	0.00	39.20	69.75	0.00	0.00	58.27
200000	5.92	3.40	5.12	1.49	32.06	0.28	1.72	0.11	1.61	0.00	39.15	69.75	0.00	0.00	57.97
210000	4.38	3.39	5.11	1.47	31.96	0.28	1.72	0.12	1.60	0.00	39.09	69.75	0.00	0.00	58.05
220000	3.75	3.42	5.09	1.41	32.06	0.28	1.71	0.12	1.59	0.00	38.96	69.75	0.00	0.00	58.22
230000	3.70	3.50	5.19	1.47	32.20	0.28	1.71	0.12	1.59	0.00	38.90	69.75	0.00	0.00	57.80
極大值	5.92	3.54	5.19	1.49	32.20	0.28	1.72	0.12	1.61	0.00	39.49	69.75	0.00	0.00	67.95
極小值	3.50	3.36	5.01	1.25	31.65	0.28	1.69	0.11	1.57	0.00	38.90	69.33	0.00	0.00	44.98
平均值	4.24	3.45	5.08	1.37	31.92	0.28	1.70	0.12	1.59	0.00	39.24	69.54	0.00	0.00	55.86
標準差	0.74	0.05	0.05	0.07	0.13	0	0.01	0	0.01	0	0.16	0.21	0	0	6.32

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.70	3.48	5.10	1.39	32.15	0.28	1.70	0.11	1.59	0.00	39.00	69.75	0.00	0.00	32.52
010000	3.62	3.38	5.09	1.48	32.05	0.29	1.71	0.11	1.60	0.00	39.09	69.75	0.00	0.00	26.53
020000	3.56	3.39	5.05	1.42	32.06	0.28	1.71	0.11	1.60	0.00	39.04	69.75	0.00	0.00	36.47
030000	3.59	3.37	5.04	1.41	32.09	0.28	1.71	0.12	1.59	0.00	38.94	69.75	0.00	0.00	37.56
040000	3.48	3.35	5.03	1.44	32.14	0.28	1.71	0.11	1.60	0.00	38.89	69.75	0.00	0.00	45.98
050000	3.56	3.32	4.99	1.43	32.15	0.28	1.71	0.12	1.59	0.00	38.87	69.75	0.00	0.00	46.12
060000	3.98	3.54	5.15	1.37	32.14	0.28	1.71	0.12	1.59	0.00	38.98	69.75	0.00	0.00	53.52
070000	4.26	3.40	5.07	1.42	31.99	0.28	1.71	0.11	1.60	0.00	38.87	69.75	0.00	0.00	49.33
080000	4.80	3.47	5.12	1.41	31.88	0.28	1.71	0.11	1.60	0.00	38.84	69.75	0.00	0.00	50.96
090000	5.81	3.45	5.07	1.39	31.91	0.28	1.70	0.12	1.58	0.00	38.86	69.75	0.00	0.00	76.38
100000	7.57	3.41	5.08	1.44	31.96	0.28	1.70	0.11	1.59	0.00	38.84	69.75	0.00	0.00	73.14
110000	6.26	3.43	5.08	1.41	32.12	0.28	1.70	0.12	1.58	0.00	38.86	69.75	0.00	0.00	41.27
120000	5.09	3.54	5.14	1.40	32.08	0.28	1.70	0.12	1.58	0.00	38.76	69.75	0.00	0.00	22.85
130000	4.08	3.49	5.12	1.40	32.04	0.28	1.71	0.11	1.60	0.00	38.69	69.78	0.00	0.00	28.03
140000	3.98	3.43	5.11	1.45	32.10	0.28	1.71	0.12	1.59	0.00	38.61	69.76	0.00	0.00	26.37
150000	3.74	3.50	5.09	1.36	32.08	0.28	1.71	0.12	1.59	0.00	38.60	69.75	0.00	0.00	28.28
160000	4.13	3.46	5.08	1.38	32.07	0.28	1.71	0.12	1.59	0.00	38.54	69.75	0.00	0.00	27.41
170000	5.17	3.41	5.06	1.41	32.23	0.28	1.71	0.12	1.59	0.00	38.51	69.75	0.00	0.00	31.01
180000	3.93	3.44	5.10	1.41	32.19	0.28	1.71	0.12	1.59	0.00	38.51	69.75	0.00	0.00	36.68
190000	3.91	3.40	5.08	1.42	32.08	0.28	1.71	0.11	1.60	0.00	38.52	69.75	0.00	0.00	25.57
200000	4.05	3.43	5.18	1.51	32.17	0.28	1.71	0.12	1.59	0.00	38.49	69.75	0.00	0.00	24.42
210000	4.13	3.43	5.11	1.43	32.09	0.28	1.71	0.12	1.59	0.00	38.44	69.75	0.00	0.00	36.00
220000	3.82	3.43	5.13	1.45	32.11	0.28	1.70	0.11	1.59	0.00	38.42	69.75	0.00	0.00	29.97
230000	3.93	3.37	5.10	1.49	32.31	0.29	1.70	0.11	1.59	0.00	38.38	69.75	0.00	0.00	34.90
極大值	7.57	3.54	5.18	1.51	32.31	0.29	1.71	0.12	1.60	0.00	39.09	69.78	0.00	0.00	76.38
極小值	3.48	3.32	4.99	1.36	31.88	0.28	1.70	0.11	1.58	0.00	38.38	69.75	0.00	0.00	22.85
平均值	4.34	3.43	5.09	1.42	32.09	0.28	1.71	0.12	1.59	0.00	38.73	69.75	0.00	0.00	38.39
標準差	1	0.06	0.04	0.04	0.09	0	0	0.01	0.01	0	0.22	0.01	0	0	14.27

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.71	3.36	5.10	1.48	32.27	0.28	1.70	0.11	1.59	0.00	38.37	69.75	0.00	0.00	25.20
010000	3.66	3.38	5.06	1.42	32.18	0.28	1.71	0.12	1.59	0.00	38.33	69.75	0.00	0.00	24.34
020000	3.52	3.36	5.09	1.49	32.19	0.28	1.71	0.12	1.59	0.00	38.33	69.75	0.00	0.00	21.98
030000	3.56	3.40	5.11	1.46	32.23	0.28	1.72	0.11	1.61	0.00	38.34	69.75	0.00	0.00	20.55
040000	3.54	3.41	5.05	1.40	32.19	0.28	1.71	0.11	1.60	0.00	38.35	69.75	0.00	0.00	19.52
050000	3.57	3.40	5.10	1.45	32.28	0.28	1.71	0.12	1.59	0.00	38.21	69.75	0.00	0.00	18.85
060000	3.63	3.44	5.18	1.49	32.27	0.28	1.71	0.11	1.60	0.00	38.18	69.75	0.00	0.00	18.32
070000	3.90	3.44	5.12	1.43	32.11	0.28	1.71	0.12	1.59	0.00	38.10	69.75	0.00	0.00	18.84
080000	5.99	3.47	5.06	1.35	32.04	0.28	1.70	0.11	1.59	0.00	38.09	69.75	0.00	0.00	24.31
090000	6.71	3.41	5.12	1.47	32.03	0.28	1.70	0.11	1.59	0.00	38.12	69.75	0.00	0.00	33.22
100000	5.29	3.54	5.17	1.37	32.07	0.28	1.70	0.12	1.58	0.00	38.07	69.76	0.00	0.00	43.13
110000	5.91	3.48	5.10	1.39	32.31	0.28	1.70	0.12	1.58	0.00	38.07	69.83	0.00	0.00	51.56
120000	4.25	3.42	5.07	1.41	32.28	0.28	1.70	0.11	1.59	0.00	38.12	69.82	0.00	0.00	51.36
130000	4.12	3.44	5.12	1.44	32.19	0.28	1.70	0.12	1.58	0.00	38.08	69.76	0.00	0.00	51.09
140000	4.22	3.45	5.06	1.38	32.29	0.28	1.71	0.12	1.59	0.00	38.12	69.75	0.00	0.00	48.56
150000	4.06	3.47	5.13	1.41	32.28	0.28	1.71	0.12	1.59	0.00	38.13	69.75	0.00	0.00	48.43
160000	4.18	3.44	5.21	1.51	32.31	0.28	1.71	0.12	1.59	0.00	38.15	69.75	0.00	0.00	46.10
170000	4.55	3.49	5.14	1.40	32.56	0.28	1.71	0.12	1.59	0.00	38.13	69.75	0.00	0.00	46.01
180000	5.95	3.36	5.08	1.45	32.51	0.28	1.71	0.11	1.60	0.00	38.15	69.75	0.00	0.00	37.90
190000	4.35	3.40	5.07	1.41	32.36	0.28	1.71	0.11	1.60	0.00	38.19	69.75	0.00	0.00	33.43
200000	4.08	3.37	5.12	1.50	32.36	0.28	1.71	0.11	1.60	0.00	38.14	69.75	0.00	0.00	31.64
210000	4.00	3.47	5.10	1.36	32.35	0.28	1.71	0.11	1.60	0.00	38.05	69.75	0.00	0.00	29.28
220000	3.87	3.39	5.17	1.52	32.29	0.28	1.71	0.11	1.60	0.00	38.00	69.75	0.00	0.00	24.81
230000	3.78	3.34	5.08	1.47	32.49	0.28	1.71	0.11	1.60	0.00	37.93	69.75	0.00	0.00	22.40
極大值	6.71	3.54	5.21	1.52	32.56	0.28	1.72	0.12	1.61	0.00	38.37	69.83	0.00	0.00	51.56
極小值	3.52	3.34	5.05	1.35	32.03	0.28	1.70	0.11	1.58	0.00	37.93	69.75	0.00	0.00	18.32
平均值	4.35	3.42	5.11	1.44	32.27	0.28	1.71	0.11	1.59	0.00	38.16	69.76	0.00	0.00	32.95
標準差	0.92	0.05	0.04	0.05	0.14	0	0.01	0.01	0.01	0	0.11	0.02	0	0	12.23

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.56	3.42	5.09	1.39	32.38	0.28	1.70	0.12	1.58	0.00	37.49	69.38	0.00	0.00	25.63
010000	3.46	3.59	5.15	1.29	32.13	0.28	1.70	0.12	1.58	0.00	37.45	69.33	0.00	0.00	25.98
020000	3.41	3.49	4.98	1.21	32.23	0.28	1.70	0.12	1.58	0.00	37.49	69.33	0.00	0.00	27.41
030000	3.50	3.48	5.06	1.30	32.21	0.28	1.70	0.12	1.58	0.00	37.49	69.33	0.00	0.00	29.50
040000	3.46	3.43	5.02	1.28	32.24	0.28	1.70	0.12	1.58	0.00	37.47	69.33	0.00	0.00	28.04
050000	3.41	3.47	5.03	1.27	32.41	0.28	1.69	0.12	1.57	0.00	37.34	69.33	0.00	0.00	28.80
060000	3.51	3.39	5.09	1.39	32.30	0.28	1.69	0.12	1.57	0.00	37.36	69.33	0.00	0.00	28.05
070000	3.77	3.32	5.04	1.38	32.08	0.28	1.69	0.12	1.57	0.00	37.39	69.30	0.00	0.00	29.23
080000	3.76	3.47	5.08	1.29	32.13	0.28	1.69	0.12	1.57	0.00	37.41	69.21	0.00	0.00	30.57
090000	3.77	3.50	5.11	1.32	32.08	0.28	1.69	0.12	1.57	0.00	37.41	69.19	0.00	0.00	32.47
100000	4.09	3.44	5.00	1.26	32.14	0.28	1.69	0.12	1.57	0.00	37.33	69.19	0.00	0.00	33.45
110000	5.22	3.52	5.04	1.22	32.36	0.28	1.70	0.12	1.58	0.00	37.34	69.19	0.00	0.00	36.13
120000	4.83	3.43	5.05	1.35	32.43	0.28	1.70	0.12	1.58	0.00	37.78	69.62	0.00	0.00	39.02
130000	3.62	3.32	5.07	1.49	32.33	0.28	1.71	0.11	1.60	0.00	37.88	69.75	0.00	0.00	40.78
140000	3.70	3.37	5.02	1.39	32.49	0.28	1.72	0.12	1.60	0.00	37.93	69.75	0.00	0.00	42.78
150000	3.54	3.45	5.13	1.41	32.52	0.28	1.71	0.12	1.59	0.00	37.96	69.75	0.00	0.00	42.66
160000	3.82	3.38	5.10	1.45	32.54	0.28	1.71	0.12	1.59	0.00	37.90	69.75	0.00	0.00	45.58
170000	3.96	3.43	5.08	1.38	32.82	0.28	1.71	0.12	1.59	0.00	37.87	69.75	0.00	0.00	44.50
180000	3.73	3.33	5.12	1.53	32.81	0.28	1.71	0.11	1.60	0.00	37.87	69.75	0.00	0.00	41.40
190000	3.79	3.37	5.12	1.48	32.58	0.28	1.71	0.11	1.60	0.00	37.84	69.75	0.00	0.00	36.77
200000	3.69	3.40	5.07	1.40	32.66	0.28	1.71	0.11	1.60	0.00	37.83	69.75	0.00	0.00	32.98
210000	3.63	3.42	5.11	1.41	32.62	0.28	1.71	0.11	1.60	0.00	37.83	69.75	0.00	0.00	30.30
220000	3.70	3.35	5.02	1.39	32.59	0.28	1.71	0.11	1.60	0.00	37.82	69.75	0.00	0.00	30.14
230000	3.54	3.21	4.98	1.50	32.76	0.28	1.71	0.11	1.60	0.00	37.76	69.75	0.00	0.00	29.42
極大值	5.22	3.59	5.15	1.53	32.82	0.28	1.72	0.12	1.60	0.00	37.96	69.75	0.00	0.00	45.58
極小值	3.41	3.21	4.98	1.21	32.08	0.28	1.69	0.11	1.57	0.00	37.33	69.19	0.00	0.00	25.63
平均值	3.77	3.42	5.06	1.37	32.41	0.28	1.70	0.12	1.59	0.00	37.64	69.51	0.00	0.00	33.82
標準差	0.43	0.08	0.05	0.09	0.23	0	0.01	0	0.01	0	0.23	0.24	0	0	6.32

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.41	3.47	5.04	1.27	32.60	0.28	1.70	0.12	1.58	0.00	37.31	69.37	0.00	0.00	32.87
010000	3.35	3.41	5.03	1.33	32.35	0.28	1.70	0.12	1.58	0.00	37.21	69.30	0.00	0.00	33.96
020000	3.29	3.44	5.05	1.29	32.40	0.28	1.70	0.12	1.58	0.00	37.27	69.33	0.00	0.00	40.81
030000	3.25	3.37	5.03	1.36	32.43	0.28	1.70	0.12	1.58	0.00	37.30	69.33	0.00	0.00	54.87
040000	3.28	3.42	5.12	1.41	32.40	0.28	1.70	0.12	1.58	0.00	37.30	69.33	0.00	0.00	54.21
050000	3.28	3.40	5.02	1.31	32.59	0.28	1.70	0.12	1.58	0.00	37.31	69.33	0.00	0.00	41.17
060000	3.32	3.48	5.02	1.23	32.52	0.28	1.70	0.12	1.58	0.00	37.31	69.33	0.00	0.00	24.12
070000	3.46	3.45	5.06	1.31	32.35	0.28	1.70	0.12	1.58	0.00	37.28	69.31	0.00	0.00	19.00
080000	3.43	3.37	5.03	1.36	32.36	0.28	1.69	0.12	1.57	0.00	37.22	69.25	0.00	0.00	26.07
090000	3.52	3.51	5.08	1.28	32.31	0.28	1.70	0.12	1.58	0.00	37.21	69.22	0.00	0.00	28.89
100000	3.70	3.46	5.03	1.25	32.36	0.28	1.69	0.12	1.57	0.00	37.21	69.21	0.00	0.00	26.67
110000	4.08	3.50	5.09	1.30	32.59	0.28	1.70	0.12	1.58	0.00	37.20	69.19	0.00	0.00	29.19
120000	4.02	3.46	5.13	1.38	32.53	0.28	1.70	0.11	1.59	0.00	37.51	69.58	0.00	0.00	29.64
130000	3.92	3.41	5.14	1.48	32.52	0.28	1.71	0.11	1.60	0.00	37.63	69.75	0.00	0.00	27.07
140000	3.64	3.42	5.10	1.40	32.59	0.28	1.71	0.11	1.60	0.00	37.64	69.75	0.00	0.00	23.79
150000	3.66	3.37	5.19	1.54	32.59	0.28	1.71	0.11	1.60	0.00	37.57	69.75	0.00	0.00	21.95
160000	3.62	3.31	5.02	1.42	32.75	0.28	1.71	0.11	1.60	0.00	37.42	69.75	0.00	0.00	28.29
170000	3.63	3.29	5.03	1.45	33.03	0.28	1.71	0.11	1.60	0.00	37.33	69.75	0.00	0.00	47.78
180000	3.61	3.44	5.12	1.41	32.90	0.28	1.71	0.12	1.59	0.00	37.25	69.75	0.00	0.00	64.16
190000	3.87	3.43	5.14	1.44	32.73	0.28	1.71	0.11	1.60	0.00	37.29	69.75	0.00	0.00	59.48
200000	3.92	3.45	5.17	1.45	32.76	0.28	1.71	0.11	1.60	0.00	37.33	69.75	0.00	0.00	47.87
210000	3.98	3.38	5.08	1.42	32.70	0.29	1.71	0.11	1.60	0.00	37.24	69.75	0.00	0.00	38.70
220000	3.69	3.31	5.06	1.46	32.64	0.28	1.71	0.11	1.60	0.00	37.26	69.75	0.00	0.00	31.08
230000	3.62	3.45	5.06	1.33	32.76	0.28	1.71	0.12	1.59	0.00	37.35	69.75	0.00	0.00	28.35
極大值	4.08	3.51	5.19	1.54	33.03	0.29	1.71	0.12	1.60	0.00	37.64	69.75	0.00	0.00	64.16
極小值	3.25	3.29	5.02	1.23	32.31	0.28	1.69	0.11	1.57	0.00	37.20	69.19	0.00	0.00	19.00
平均值	3.61	3.42	5.08	1.37	32.57	0.28	1.70	0.12	1.59	0.00	37.33	69.51	0.00	0.00	35.83
標準差	0.26	0.06	0.05	0.08	0.19	0	0.01	0.01	0.01	0	0.13	0.23	0	0	12.69

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.41	3.40	5.11	1.40	32.70	0.28	1.70	0.12	1.58	0.00	36.96	69.38	0.00	0.00	25.08
010000	3.53	3.47	5.11	1.32	32.48	0.28	1.70	0.12	1.58	0.00	36.89	69.32	0.00	0.00	22.94
020000	3.54	3.46	5.03	1.27	32.53	0.28	1.70	0.12	1.58	0.00	36.94	69.33	0.00	0.00	22.24
030000	3.40	3.53	5.11	1.28	32.52	0.28	1.70	0.12	1.58	0.00	36.88	69.33	0.00	0.00	22.54
040000	3.42	3.47	5.08	1.33	32.45	0.28	1.70	0.12	1.58	0.00	36.89	69.33	0.00	0.00	20.19
050000	3.55	3.50	5.08	1.29	32.62	0.28	1.70	0.12	1.58	0.00	36.82	69.33	0.00	0.00	19.52
060000	3.69	3.51	5.09	1.29	32.62	0.28	1.70	0.12	1.58	0.00	36.80	69.31	0.00	0.00	20.01
070000	4.16	3.45	5.08	1.32	32.41	0.28	1.70	0.12	1.58	0.00	36.80	69.23	0.00	0.00	20.66
080000	4.31	3.36	5.00	1.31	32.45	0.28	1.70	0.12	1.58	0.00	36.79	69.19	0.00	0.00	26.92
090000	4.33	3.49	4.99	1.19	32.39	0.28	1.70	0.12	1.58	0.00	36.74	69.20	0.00	0.00	40.12
100000	4.11	3.51	5.15	1.33	32.42	0.28	1.69	0.12	1.57	0.00	36.68	69.19	0.00	0.00	48.05
110000	4.07	3.42	5.08	1.36	32.57	0.28	1.69	0.12	1.57	0.00	36.65	69.19	0.00	0.00	55.19
120000	4.21	3.43	5.15	1.45	32.66	0.28	1.70	0.11	1.59	0.00	37.08	69.61	0.00	0.00	54.53
130000	4.98	3.52	5.15	1.35	32.54	0.28	1.71	0.11	1.60	0.00	37.19	69.75	0.00	0.00	56.14
140000	5.97	3.41	5.14	1.46	32.67	0.28	1.71	0.12	1.59	0.00	37.21	69.75	0.00	0.00	55.75
150000	4.73	3.39	5.10	1.44	32.67	0.28	1.71	0.12	1.59	0.00	37.23	69.75	0.00	0.00	57.87
160000	4.28	3.32	5.07	1.49	32.75	0.28	1.71	0.11	1.60	0.00	37.25	69.75	0.00	0.00	62.09
170000	4.13	3.36	5.09	1.47	32.91	0.28	1.71	0.12	1.59	0.00	37.20	69.75	0.00	0.00	53.75
180000	3.97	3.35	5.07	1.45	32.87	0.28	1.70	0.11	1.59	0.00	37.22	69.75	0.00	0.00	41.71
190000	4.16	3.37	5.06	1.41	32.60	0.28	1.70	0.11	1.59	0.00	37.20	69.75	0.00	0.00	29.54
200000	4.34	3.37	5.07	1.44	32.64	0.28	1.70	0.11	1.59	0.00	37.19	69.75	0.00	0.00	30.20
210000	6.65	3.39	5.12	1.46	32.60	0.28	1.70	0.12	1.58	0.00	37.19	69.75	0.00	0.00	32.83
220000	5.32	3.38	5.08	1.42	32.55	0.28	1.70	0.11	1.59	0.00	37.17	69.75	0.00	0.00	27.50
230000	5.69	3.42	5.12	1.44	32.77	0.28	1.70	0.11	1.59	0.00	37.18	69.75	0.00	0.00	28.15
極大值	6.65	3.53	5.15	1.49	32.91	0.28	1.71	0.12	1.60	0.00	37.25	69.75	0.00	0.00	62.09
極小值	3.40	3.32	4.99	1.19	32.39	0.28	1.69	0.11	1.57	0.00	36.65	69.19	0.00	0.00	19.52
平均值	4.33	3.43	5.09	1.37	32.60	0.28	1.70	0.12	1.58	0.00	37.01	69.51	0.00	0.00	36.40
標準差	0.85	0.06	0.04	0.08	0.14	0	0.01	0	0.01	0	0.2	0.24	0	0	14.96

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	9.59	3.35	5.03	1.39	32.69	0.28	1.69	0.12	1.57	0.00	36.78	69.36	0.00	0.00	29.48
010000	13.60	3.43	5.13	1.41	32.48	0.28	1.69	0.12	1.57	0.00	36.72	69.33	0.00	0.00	24.78
020000	12.21	3.48	5.10	1.33	32.54	0.28	1.69	0.12	1.57	0.00	36.63	69.32	0.00	0.00	23.67
030000	7.42	3.51	5.06	1.24	32.48	0.28	1.69	0.12	1.57	0.00	36.64	69.32	0.00	0.00	24.25
040000	6.18	3.47	5.06	1.28	32.40	0.28	1.69	0.12	1.57	0.00	36.62	69.31	0.00	0.00	22.04
050000	5.59	3.45	5.09	1.33	32.63	0.28	1.69	0.12	1.57	0.00	36.59	69.31	0.00	0.00	20.66
060000	5.37	3.53	5.12	1.30	32.62	0.27	1.69	0.12	1.57	0.00	36.59	69.32	0.00	0.00	22.56
070000	3.93	3.43	5.03	1.30	32.39	0.28	1.69	0.12	1.57	0.00	36.55	69.32	0.00	0.00	21.78
080000	3.60	3.50	5.08	1.29	32.42	0.28	1.69	0.12	1.57	0.00	36.53	69.32	0.00	0.00	28.39
090000	3.96	3.51	5.13	1.31	32.39	0.28	1.69	0.12	1.57	0.00	36.44	69.27	0.00	0.00	39.21
100000	3.80	3.43	5.08	1.35	32.39	0.28	1.69	0.12	1.57	0.00	36.37	69.22	0.00	0.00	44.23
110000	3.97	3.46	5.03	1.29	32.55	0.28	1.69	0.12	1.57	0.00	36.39	69.19	0.00	0.00	40.98
120000	4.13	3.49	5.09	1.34	32.53	0.28	1.69	0.12	1.57	0.00	36.76	69.59	0.00	0.00	37.94
130000	4.02	3.43	5.11	1.42	32.47	0.28	1.70	0.12	1.58	0.00	36.93	69.75	0.00	0.00	34.78
140000	4.27	3.43	5.09	1.41	32.52	0.28	1.70	0.11	1.59	0.00	36.93	69.75	0.00	0.00	33.85
150000	4.00	3.43	5.12	1.40	32.55	0.28	1.70	0.12	1.58	0.00	36.98	69.75	0.00	0.00	32.51
160000	3.92	3.42	5.10	1.42	32.54	0.28	1.70	0.11	1.59	0.00	36.97	69.75	0.00	0.00	32.23
170000	3.80	3.44	5.14	1.43	32.71	0.28	1.70	0.11	1.59	0.00	36.94	69.75	0.00	0.00	31.49
180000	3.68	3.48	5.11	1.36	32.74	0.28	1.70	0.11	1.59	0.00	36.87	69.75	0.00	0.00	30.24
190000	3.72	3.45	5.09	1.38	32.58	0.28	1.70	0.12	1.58	0.00	36.79	69.75	0.00	0.00	28.80
200000	3.70	3.45	5.06	1.35	32.59	0.28	1.70	0.11	1.59	0.00	36.80	69.75	0.00	0.00	27.59
210000	3.63	3.31	5.05	1.48	32.66	0.28	1.70	0.11	1.59	0.00	36.81	69.75	0.00	0.00	22.46
220000	3.53	3.39	5.10	1.45	32.64	0.28	1.70	0.12	1.58	0.00	36.82	69.75	0.00	0.00	21.82
230000	3.66	3.33	5.11	1.52	32.80	0.28	1.70	0.12	1.58	0.00	36.82	69.75	0.00	0.00	20.45
極大值	13.60	3.53	5.14	1.52	32.80	0.28	1.70	0.12	1.59	0.00	36.98	69.75	0.00	0.00	44.23
極小值	3.53	3.31	5.03	1.24	32.39	0.27	1.69	0.11	1.57	0.00	36.37	69.19	0.00	0.00	20.45
平均值	5.22	3.44	5.09	1.37	32.55	0.28	1.69	0.12	1.58	0.00	36.72	69.52	0.00	0.00	29.01
標準差	2.77	0.05	0.03	0.07	0.12	0	0.01	0	0.01	0	0.18	0.23	0	0	6.91

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.60	3.47	5.06	1.32	32.77	0.28	1.69	0.12	1.57	0.00	36.39	69.36	0.00	0.00	31.95
010000	3.58	3.33	4.99	1.38	32.54	0.28	1.69	0.12	1.57	0.00	36.34	69.33	0.00	0.00	30.89
020000	3.66	3.46	5.07	1.34	32.60	0.28	1.69	0.12	1.57	0.00	36.29	69.33	0.00	0.00	38.87
030000	3.63	3.42	5.04	1.36	32.61	0.28	1.69	0.12	1.57	0.00	36.34	69.33	0.00	0.00	44.50
040000	3.59	3.49	5.07	1.32	32.57	0.28	1.69	0.12	1.57	0.00	36.26	69.33	0.00	0.00	45.02
050000	3.64	3.55	5.07	1.24	32.73	0.28	1.69	0.12	1.57	0.00	36.13	69.33	0.00	0.00	44.81
060000	3.70	3.47	4.99	1.27	32.73	0.28	1.69	0.12	1.57	0.00	36.19	69.33	0.00	0.00	47.08
070000	3.69	3.45	5.13	1.40	32.52	0.28	1.69	0.12	1.57	0.00	36.23	69.32	0.00	0.00	54.69
080000	3.97	3.49	5.01	1.23	32.62	0.28	1.69	0.12	1.57	0.00	36.22	69.28	0.00	0.00	62.02
090000	3.85	3.52	5.12	1.33	32.61	0.28	1.69	0.12	1.57	0.00	36.26	69.24	0.00	0.00	66.32
100000	3.59	3.50	5.08	1.32	32.63	0.28	2.06	0.26	1.80	0.00	36.29	69.24	0.00	0.00	56.08
110000	3.93	3.45	5.08	1.36	32.82	0.28	2.08	0.27	1.81	0.00	36.25	69.19	0.00	0.00	58.71
120000	3.84	3.50	5.11	1.40	32.84	0.28	2.09	0.27	1.82	0.00	36.66	69.58	0.00	0.00	52.44
130000	3.74	3.49	5.13	1.42	32.75	0.28	2.10	0.27	1.83	0.00	36.85	69.75	0.00	0.00	48.35
140000	3.57	3.39	5.04	1.43	32.84	0.28	2.10	0.27	1.83	0.00	36.86	69.75	0.00	0.00	43.97
150000	3.50	3.37	5.09	1.48	32.93	0.28	2.11	0.27	1.84	0.00	36.84	69.75	0.00	0.00	46.88
160000	3.56	3.35	5.10	1.51	32.83	0.28	2.10	0.27	1.83	0.00	36.78	69.75	0.00	0.00	61.31
170000	3.72	3.34	4.97	1.38	32.97	0.28	2.10	0.27	1.83	0.00	36.76	69.75	0.00	0.00	58.40
180000	3.73	3.46	5.14	1.46	33.03	0.28	2.10	0.27	1.83	0.00	36.73	69.75	0.00	0.00	49.67
190000	3.81	3.45	5.09	1.41	32.85	0.28	2.10	0.27	1.83	0.00	36.77	69.75	0.00	0.00	49.64
200000	3.75	3.46	5.13	1.44	32.87	0.28	2.11	0.27	1.84	0.00	36.76	69.75	0.00	0.00	69.46
210000	3.60	3.45	5.14	1.47	32.86	0.28	2.11	0.27	1.84	0.00	36.77	69.75	0.00	0.00	58.07
220000	3.58	3.39	5.09	1.47	32.83	0.28	2.10	0.27	1.83	0.00	36.75	69.75	0.00	0.00	49.31
230000	3.52	3.27	5.10	1.59	33.07	0.28	2.10	0.27	1.83	0.00	36.77	69.75	0.00	0.00	52.44
極大值	3.97	3.55	5.14	1.59	33.07	0.28	2.11	0.27	1.84	0.00	36.86	69.75	0.00	0.00	69.46
極小值	3.50	3.27	4.97	1.23	32.52	0.28	1.69	0.12	1.57	0.00	36.13	69.19	0.00	0.00	30.89
平均值	3.68	3.44	5.08	1.39	32.77	0.28	1.93	0.21	1.72	0.00	36.52	69.52	0.00	0.00	50.87
標準差	0.13	0.07	0.05	0.09	0.15	0	0.21	0.08	0.13	0	0.27	0.23	0	0	9.64

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.50	3.43	5.10	1.44	33.04	0.28	2.10	0.27	1.83	0.00	36.82	69.75	0.00	0.00	29.50
010000	3.50	3.49	5.03	1.33	32.96	0.28	2.10	0.27	1.83	0.00	36.80	69.75	0.00	0.00	26.73
020000	3.48	3.41	5.06	1.40	33.06	0.28	2.11	0.27	1.84	0.00	36.75	69.75	0.00	0.00	37.22
030000	3.51	3.40	5.06	1.43	33.06	0.28	2.11	0.27	1.84	0.00	36.70	69.75	0.00	0.00	18.85
040000	3.50	3.39	5.10	1.47	32.98	0.28	2.10	0.27	1.83	0.00	36.67	69.75	0.00	0.00	17.16
050000	3.59	3.41	4.98	1.34	33.13	0.28	2.10	0.27	1.83	0.00	36.67	69.75	0.00	0.00	16.55
060000	3.64	3.56	5.13	1.36	33.14	0.28	2.10	0.27	1.83	0.00	36.66	69.75	0.00	0.00	18.75
070000	3.67	3.48	5.12	1.42	32.89	0.28	2.10	0.27	1.83	0.00	36.65	69.75	0.00	0.00	24.18
080000	3.70	3.44	5.09	1.42	32.81	0.28	2.10	0.27	1.83	0.00	36.63	69.75	0.00	0.00	31.05
090000	3.68	3.41	5.16	1.53	32.82	0.28	2.10	0.27	1.83	0.00	36.67	69.75	0.00	0.00	45.18
100000	3.80	3.46	5.06	1.40	32.83	0.28	2.09	0.27	1.82	0.00	36.68	69.75	0.00	0.00	43.86
110000	3.57	3.50	5.15	1.40	33.00	0.28	2.10	0.27	1.83	0.00	36.70	69.75	0.00	0.00	44.51
120000	3.54	3.40	5.03	1.39	33.06	0.28	2.10	0.27	1.83	0.00	36.68	69.75	0.00	0.00	41.89
130000	3.38	3.47	5.08	1.38	32.97	0.28	2.10	0.27	1.83	0.00	36.57	69.75	0.00	0.00	34.79
140000	3.43	3.43	5.12	1.44	33.06	0.28	2.11	0.27	1.84	0.00	36.61	69.75	0.00	0.00	33.86
150000	3.32	3.39	5.09	1.46	33.08	0.28	2.11	0.27	1.84	0.00	36.55	69.75	0.00	0.00	35.12
160000	3.44	3.44	5.11	1.43	33.06	0.28	2.10	0.27	1.83	0.00	36.51	69.75	0.00	0.00	35.15
170000	3.44	3.37	5.04	1.43	33.23	0.28	2.11	0.27	1.84	0.00	36.48	69.75	0.00	0.00	36.22
180000	3.35	3.42	5.09	1.41	33.20	0.28	2.10	0.27	1.83	0.00	36.42	69.75	0.00	0.00	36.42
190000	3.46	3.37	5.09	1.46	33.07	0.28	2.10	0.27	1.83	0.00	36.37	69.75	0.00	0.00	39.09
200000	3.41	3.46	5.01	1.31	33.13	0.28	2.11	0.27	1.84	0.00	36.33	69.75	0.00	0.00	36.89
210000	3.41	3.40	4.98	1.32	33.13	0.28	2.11	0.27	1.84	0.00	36.30	69.75	0.00	0.00	41.44
220000	3.33	3.44	5.10	1.41	33.03	0.28	2.11	0.27	1.84	0.00	36.31	69.75	0.00	0.00	38.55
230000	3.38	3.39	5.11	1.48	33.22	0.28	2.11	0.27	1.84	0.00	36.31	69.75	0.00	0.00	34.04
極大值	3.80	3.56	5.16	1.53	33.23	0.28	2.11	0.27	1.84	0.00	36.82	69.75	0.00	0.00	45.18
極小值	3.32	3.37	4.98	1.31	32.81	0.28	2.09	0.27	1.82	0.00	36.30	69.75	0.00	0.00	16.55
平均值	3.50	3.43	5.08	1.41	33.04	0.28	2.10	0.27	1.83	0.00	36.58	69.75	0.00	0.00	32.21
標準差	0.13	0.05	0.05	0.05	0.12	0	0.01	0	0.01	0	0.16	0	0	0	8.71

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.49	3.46	5.12	1.38	33.25	0.28	2.11	0.27	1.84	0.00	36.33	69.75	0.00	0.00	48.42
010000	3.47	3.50	5.14	1.40	33.11	0.28	2.11	0.27	1.84	0.00	36.32	69.75	0.00	0.00	30.87
020000	3.38	3.47	5.11	1.38	33.19	0.28	2.12	0.27	1.85	0.00	36.34	69.75	0.00	0.00	38.34
030000	3.38	3.47	5.13	1.39	33.23	0.28	2.12	0.27	1.85	0.00	36.28	69.75	0.00	0.00	25.21
040000	3.37	3.35	5.10	1.49	33.15	0.28	2.12	0.27	1.85	0.00	36.28	69.75	0.00	0.00	39.01
050000	3.42	3.40	5.08	1.42	33.30	0.28	2.11	0.27	1.84	0.00	36.32	69.75	0.00	0.00	43.03
060000	3.46	3.39	5.02	1.36	33.32	0.28	2.11	0.27	1.84	0.00	36.32	69.75	0.00	0.00	36.76
070000	3.73	3.45	5.17	1.48	33.06	0.28	2.11	0.27	1.84	0.00	36.33	69.75	0.00	0.00	40.26
080000	3.38	3.48	5.09	1.38	33.06	0.28	2.11	0.27	1.84	0.00	36.35	69.75	0.00	0.00	47.21
090000	3.32	3.45	5.11	1.40	33.11	0.28	2.11	0.27	1.84	0.00	36.33	69.75	0.00	0.00	57.72
100000	3.36	3.42	5.08	1.43	33.12	0.28	2.10	0.27	1.83	0.00	36.18	69.75	0.00	0.00	38.17
110000	3.35	3.37	5.10	1.49	33.28	0.28	2.11	0.27	1.84	0.00	36.20	69.75	0.00	0.00	26.98
120000	3.35	3.43	5.02	1.36	33.35	0.28	2.10	0.27	1.83	0.00	36.19	69.76	0.00	0.00	27.60
130000	3.31	3.49	5.15	1.42	33.23	0.28	2.11	0.27	1.84	0.00	36.21	69.80	0.00	0.00	29.84
140000	3.31	3.40	5.08	1.43	33.25	0.29	2.11	0.27	1.84	0.00	36.22	69.87	0.00	0.00	31.64
150000	3.23	3.44	5.08	1.39	33.30	0.28	2.11	0.27	1.84	0.00	36.19	69.86	0.00	0.00	31.06
160000	3.34	3.31	5.05	1.48	33.19	0.28	2.11	0.27	1.84	0.00	36.15	69.79	0.00	0.00	21.23
170000	3.35	3.35	5.10	1.50	33.40	0.28	2.11	0.27	1.84	0.00	36.04	69.75	0.00	0.00	19.98
180000	3.32	3.41	5.12	1.45	33.46	0.28	2.11	0.27	1.84	0.00	35.96	69.75	0.00	0.00	29.44
190000	3.20	3.42	5.12	1.44	33.34	0.28	2.11	0.27	1.84	0.00	35.92	69.75	0.00	0.00	35.65
200000	3.34	3.44	5.09	1.40	33.37	0.28	2.11	0.27	1.84	0.00	35.85	69.75	0.00	0.00	37.52
210000	3.28	3.41	5.10	1.44	33.33	0.28	2.11	0.27	1.84	0.00	35.85	69.75	0.00	0.00	44.83
220000	3.30	3.33	5.08	1.49	33.28	0.28	2.11	0.27	1.84	0.00	35.77	69.75	0.00	0.00	39.20
230000	3.39	3.44	5.04	1.37	33.51	0.28	2.11	0.27	1.84	0.00	35.68	69.75	0.00	0.00	47.99
極大值	3.73	3.50	5.17	1.50	33.51	0.29	2.12	0.27	1.85	0.00	36.35	69.87	0.00	0.00	57.72
極小值	3.20	3.31	5.02	1.36	33.06	0.28	2.10	0.27	1.83	0.00	35.68	69.75	0.00	0.00	19.98
平均值	3.37	3.42	5.10	1.42	33.26	0.28	2.11	0.27	1.84	0.00	36.15	69.76	0.00	0.00	36.17
標準差	0.1	0.05	0.04	0.05	0.12	0	0	0	0	0	0.2	0.03	0	0	9.25

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.48	3.43	4.99	1.30	33.33	0.28	2.10	0.27	1.83	0.00	35.28	69.30	0.00	0.00	33.31
010000	3.51	3.38	5.04	1.35	33.00	0.28	2.09	0.27	1.82	0.00	35.21	69.21	0.00	0.00	18.39
020000	3.40	3.47	5.10	1.32	33.03	0.28	2.09	0.27	1.82	0.00	35.25	69.21	0.00	0.00	17.28
030000	3.44	3.39	5.00	1.30	33.12	0.28	2.09	0.27	1.82	0.00	35.31	69.22	0.00	0.00	20.79
040000	3.36	3.49	5.06	1.28	33.00	0.28	2.09	0.27	1.82	0.00	35.34	69.23	0.00	0.00	11.54
050000	3.39	3.45	5.06	1.33	33.18	0.28	2.09	0.27	1.82	0.00	35.32	69.23	0.00	0.00	24.19
060000	3.41	3.43	5.05	1.33	33.17	0.28	2.08	0.27	1.81	0.00	35.29	69.23	0.00	0.00	13.02
070000	3.41	3.48	4.98	1.19	32.95	0.28	2.08	0.27	1.81	0.00	35.28	69.19	0.00	0.00	22.71
080000	3.68	3.55	5.11	1.26	32.91	0.28	2.08	0.27	1.81	0.00	35.22	69.19	0.00	0.00	39.57
090000	3.72	3.45	5.08	1.32	32.90	0.28	2.08	0.27	1.81	0.00	35.16	69.13	0.00	0.00	40.00
100000	3.63	3.46	5.02	1.26	32.80	0.28	2.08	0.27	1.81	0.00	35.14	69.14	0.00	0.00	39.69
110000	3.25	3.43	5.05	1.30	32.99	0.28	2.08	0.27	1.81	0.00	35.17	69.14	0.00	0.00	40.00
120000	3.28	3.36	5.08	1.45	33.20	0.28	2.09	0.27	1.82	0.00	35.57	69.59	0.00	0.00	40.00
130000	3.28	3.40	5.09	1.42	33.12	0.28	2.10	0.27	1.83	0.00	35.70	69.75	0.00	0.00	31.48
140000	3.16	3.50	5.14	1.38	33.24	0.28	2.12	0.27	1.85	0.00	35.62	69.78	0.00	0.00	37.86
150000	3.17	3.43	5.10	1.40	33.31	0.28	2.12	0.27	1.85	0.00	35.60	69.80	0.00	0.00	37.15
160000	3.19	3.40	5.09	1.42	33.28	0.28	2.11	0.27	1.84	0.00	35.60	69.77	0.00	0.00	37.23
170000	3.17	3.39	5.11	1.47	33.44	0.28	2.11	0.27	1.84	0.00	35.63	69.75	0.00	0.00	39.01
180000	4.14	3.39	5.04	1.39	33.53	0.28	2.11	0.27	1.84	0.00	35.67	69.75	0.00	0.00	38.15
190000	3.46	3.31	5.01	1.43	33.26	0.28	2.11	0.27	1.84	0.00	35.65	69.75	0.00	0.00	35.30
200000	3.47	3.39	5.05	1.40	33.30	0.28	2.11	0.27	1.84	0.00	35.62	69.75	0.00	0.00	33.20
210000	3.56	3.41	5.21	1.53	33.31	0.28	2.11	0.27	1.84	0.00	35.61	69.75	0.00	0.00	20.54
220000	3.50	3.42	5.13	1.43	33.29	0.28	2.11	0.27	1.84	0.00	35.61	69.75	0.00	0.00	34.46
230000	3.14	3.26	5.13	1.59	33.50	0.28	2.11	0.27	1.84	0.00	35.65	69.75	0.00	0.00	37.18
極大值	4.14	3.55	5.21	1.59	33.53	0.28	2.12	0.27	1.85	0.00	35.70	69.80	0.00	0.00	40.00
極小值	3.14	3.26	4.98	1.19	32.80	0.28	2.08	0.27	1.81	0.00	35.14	69.13	0.00	0.00	11.54
平均值	3.42	3.42	5.07	1.37	33.17	0.28	2.10	0.27	1.83	0.00	35.44	69.47	0.00	0.00	30.92
標準差	0.22	0.06	0.05	0.09	0.19	0	0.01	0	0.01	0	0.2	0.28	0	0	9.53

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.27	3.42	5.08	1.37	33.44	0.29	2.10	0.27	1.83	0.00	35.15	69.29	0.00	0.00	55.93
010000	3.41	3.39	5.05	1.37	33.15	0.28	2.09	0.27	1.82	0.00	35.02	69.19	0.00	0.00	56.50
020000	3.27	3.50	5.16	1.35	33.23	0.28	2.10	0.27	1.83	0.00	34.99	69.19	0.00	0.00	52.97
030000	3.17	3.43	5.09	1.34	33.19	0.28	2.10	0.27	1.83	0.00	34.99	69.19	0.00	0.00	37.62
040000	3.27	3.39	5.02	1.35	33.14	0.28	2.10	0.27	1.83	0.00	35.04	69.20	0.00	0.00	38.05
050000	3.21	3.42	5.02	1.33	33.27	0.28	2.09	0.27	1.82	0.00	35.05	69.21	0.00	0.00	34.25
060000	3.17	3.48	5.05	1.27	33.36	0.28	2.09	0.27	1.82	0.00	35.04	69.20	0.00	0.00	31.17
070000	3.22	3.53	5.06	1.24	33.07	0.28	2.09	0.27	1.82	0.00	35.00	69.19	0.00	0.00	34.94
080000	3.12	3.51	5.09	1.29	33.08	0.28	2.09	0.27	1.82	0.00	34.96	69.19	0.00	0.00	41.28
090000	3.14	3.47	5.04	1.28	33.06	0.28	2.09	0.27	1.82	0.00	34.93	69.19	0.00	0.00	47.38
100000	3.15	3.40	5.07	1.38	32.96	0.28	2.09	0.27	1.82	0.00	34.91	69.18	0.00	0.00	48.58
110000	3.26	3.41	5.08	1.35	33.23	0.28	2.09	0.27	1.82	0.00	34.88	69.17	0.00	0.00	42.53
120000	3.24	3.42	5.02	1.32	33.32	0.28	2.09	0.27	1.82	0.00	35.30	69.58	0.00	0.00	44.21
130000	3.09	3.39	5.06	1.39	33.25	0.28	2.10	0.27	1.83	0.00	35.43	69.75	0.00	0.00	49.42
140000	3.19	3.34	5.02	1.41	33.44	0.28	2.11	0.27	1.84	0.00	35.40	69.75	0.00	0.00	51.87
150000	3.32	3.38	5.09	1.43	33.48	0.28	2.12	0.27	1.85	0.00	35.39	69.76	0.00	0.00	46.35
160000	4.61	3.40	5.15	1.47	33.43	0.29	2.11	0.27	1.84	0.00	35.42	69.76	0.00	0.00	40.01
170000	3.29	3.38	5.10	1.43	33.60	0.28	2.11	0.27	1.84	0.00	35.41	69.75	0.00	0.00	42.24
180000	3.38	3.37	5.03	1.39	33.73	0.28	2.11	0.27	1.84	0.00	35.20	69.75	0.00	0.00	41.15
190000	3.29	3.40	5.12	1.43	33.48	0.28	2.11	0.27	1.84	0.00	35.19	69.75	0.00	0.00	43.98
200000	3.36	3.38	5.06	1.40	33.55	0.28	2.11	0.27	1.84	0.00	35.17	69.75	0.00	0.00	55.46
210000	3.30	3.45	5.14	1.41	33.54	0.28	2.11	0.27	1.84	0.00	35.14	69.75	0.00	0.00	60.10
220000	3.31	3.44	5.15	1.42	33.43	0.28	2.11	0.27	1.84	0.00	35.18	69.75	0.00	0.00	57.73
230000	3.31	3.42	5.08	1.39	33.59	0.28	2.11	0.27	1.84	0.00	35.13	69.75	0.00	0.00	57.29
極大值	4.61	3.53	5.16	1.47	33.73	0.29	2.12	0.27	1.85	0.00	35.43	69.76	0.00	0.00	56.50
極小值	3.09	3.34	5.02	1.24	32.96	0.28	2.09	0.27	1.82	0.00	34.88	69.17	0.00	0.00	31.17
平均值	3.31	3.42	5.08	1.37	33.33	0.28	2.10	0.27	1.83	0.00	35.14	69.47	0.00	0.00	46.29
標準差	0.29	0.05	0.04	0.06	0.2	0	0.01	0	0.01	0	0.17	0.28	0	0	8.32

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.31	3.38	5.09	1.42	33.56	0.28	2.09	0.27	1.82	0.00	34.67	69.29	0.00	0.00	45.05
010000	3.29	3.40	5.03	1.31	33.25	0.28	2.09	0.27	1.82	0.00	34.66	69.19	0.00	0.00	44.84
020000	3.33	3.38	4.97	1.26	33.29	0.28	2.09	0.27	1.82	0.00	34.61	69.19	0.00	0.00	44.65
030000	3.28	3.40	5.08	1.37	33.27	0.28	2.09	0.27	1.82	0.00	34.55	69.19	0.00	0.00	44.47
040000	3.36	3.46	5.06	1.30	33.19	0.28	2.09	0.27	1.82	0.00	34.54	69.20	0.00	0.00	43.82
050000	3.32	3.42	5.02	1.29	33.31	0.28	2.09	0.27	1.82	0.00	34.57	69.21	0.00	0.00	43.07
060000	3.32	3.42	5.08	1.38	33.40	0.28	2.09	0.27	1.82	0.00	34.59	69.19	0.00	0.00	42.93
070000	3.49	3.46	5.10	1.34	33.08	0.28	2.08	0.27	1.81	0.00	34.56	69.19	0.00	0.00	43.15
080000	3.74	3.44	5.05	1.28	33.10	0.28	2.08	0.27	1.81	0.00	34.50	69.19	0.00	0.00	44.68
090000	3.73	3.44	5.00	1.25	33.09	0.28	2.08	0.27	1.81	0.00	34.45	69.18	0.00	0.00	46.18
100000	3.60	3.42	4.95	1.20	32.99	0.28	2.08	0.27	1.81	0.00	35.31	69.14	0.00	0.00	48.68
110000	3.41	3.45	5.05	1.29	33.21	0.28	2.08	0.27	1.81	0.00	35.27	69.19	0.00	0.00	50.05
120000	3.55	3.46	5.11	1.38	33.36	0.28	2.09	0.27	1.82	0.00	35.66	69.58	0.00	0.00	51.88
130000	3.63	3.42	5.09	1.41	33.36	0.28	2.09	0.27	1.82	0.00	35.65	69.75	0.00	0.00	53.79
140000	3.78	3.41	5.10	1.43	33.39	0.28	2.11	0.27	1.84	0.00	35.48	69.75	0.00	0.00	53.90
150000	3.84	3.36	5.05	1.42	33.47	0.28	2.11	0.27	1.84	0.00	35.40	69.75	0.00	0.00	51.21
160000	3.81	3.39	5.14	1.50	33.34	0.28	2.10	0.27	1.83	0.00	35.43	69.75	0.00	0.00	48.48
170000	3.91	3.43	5.13	1.44	33.57	0.28	2.10	0.27	1.83	0.00	35.40	69.75	0.00	0.00	45.62
180000	4.05	3.43	5.10	1.40	33.63	0.28	2.10	0.27	1.83	0.00	35.27	69.75	0.00	0.00	44.59
190000	3.98	3.44	5.08	1.36	33.49	0.28	2.10	0.27	1.83	0.00	35.26	69.75	0.00	0.00	44.22
200000	3.71	3.37	5.09	1.43	33.51	0.29	2.10	0.27	1.83	0.00	35.27	69.75	0.00	0.00	43.96
210000	3.46	3.41	5.09	1.39	33.49	0.28	2.10	0.27	1.83	0.00	35.11	69.75	0.00	0.00	43.88
220000	3.39	3.42	5.09	1.38	33.40	0.28	2.10	0.27	1.83	0.00	35.12	69.75	0.00	0.00	43.52
230000	3.25	3.38	5.05	1.40	33.68	0.28	2.10	0.27	1.83	0.00	35.08	69.75	0.00	0.00	43.27
極大值	4.05	3.46	5.14	1.50	33.68	0.29	2.11	0.27	1.84	0.00	35.66	69.75	0.00	0.00	53.90
極小值	3.25	3.36	4.95	1.20	32.99	0.28	2.08	0.27	1.81	0.00	34.45	69.14	0.00	0.00	42.93
平均值	3.56	3.42	5.07	1.36	33.35	0.28	2.09	0.27	1.82	0.00	35.02	69.47	0.00	0.00	46.25
標準差	0.25	0.03	0.05	0.07	0.18	0	0.01	0	0.01	0	0.41	0.28	0	0	3.49

測報表

時間/單位	SO2 (ppb)	NO (ppb)	NOX (ppb)	NO2 (ppb)	O3 (ppb)	CO (ppm)	THC (ppm)	NMHC (ppm)	CH4 (ppm)	站外溫 (oC)	站內溫 (oC)	RH (%)	WD (o)	WS (m/s)	PM10 (ug/m)
000000	3.67	3.49	5.10	1.31	33.57	0.28	2.09	0.27	1.82	0.00	34.63	69.28	0.00	0.00	49.89
010000	7.10	3.45	5.03	1.28	33.20	0.28	2.08	0.27	1.81	0.00	34.59	69.19	0.00	0.00	40.34
020000	3.79	3.39	5.01	1.31	33.23	0.28	2.09	0.27	1.82	0.00	34.59	69.19	0.00	0.00	37.18
030000	3.51	3.36	5.01	1.34	33.28	0.28	2.09	0.27	1.82	0.00	34.60	69.19	0.00	0.00	41.89
040000	3.62	3.50	5.03	1.22	33.15	0.28	2.09	0.27	1.82	0.00	34.59	69.19	0.00	0.00	39.25
050000	3.62	3.50	5.17	1.35	33.37	0.28	2.08	0.27	1.81	0.00	34.56	69.19	0.00	0.00	38.00
060000	4.13	3.45	5.16	1.41	33.35	0.28	2.08	0.27	1.81	0.00	34.50	69.19	0.00	0.00	37.43
070000	4.41	3.52	5.06	1.22	33.17	0.28	2.08	0.27	1.81	0.00	34.42	69.19	0.00	0.00	40.83
080000	4.94	3.44	5.06	1.30	33.12	0.28	2.08	0.27	1.81	0.00	34.44	69.19	0.00	0.00	51.26
090000	4.00	3.42	5.07	1.36	33.10	0.28	2.08	0.27	1.81	0.00	34.44	69.18	0.00	0.00	50.48
100000	4.01	3.48	5.13	1.35	33.07	0.28	2.08	0.27	1.81	0.00	34.42	69.16	0.00	0.00	47.62
110000	4.37	3.56	5.08	1.21	33.31	0.27	2.08	0.27	1.81	0.00	34.46	69.18	0.00	0.00	44.85
120000	4.18	3.44	5.06	1.42	33.41	0.28	2.09	0.27	1.82	0.00	34.91	69.58	0.00	0.00	48.24
130000	3.67	3.44	5.18	1.48	33.36	0.28	2.10	0.27	1.83	0.00	35.07	69.75	0.00	0.00	44.12
140000	3.68	3.41	5.06	1.38	33.52	0.28	2.11	0.27	1.84	0.00	35.13	69.75	0.00	0.00	38.15
150000	3.70	3.42	5.06	1.42	33.54	0.28	2.11	0.27	1.84	0.00	35.17	69.75	0.00	0.00	34.09
160000	3.59	3.36	5.03	1.39	33.50	0.28	2.11	0.27	1.84	0.00	35.09	69.75	0.00	0.00	39.39
170000	3.43	3.40	5.14	1.46	33.75	0.28	2.11	0.27	1.84	0.00	35.02	69.75	0.00	0.00	39.26
180000	3.45	3.35	5.15	1.53	33.78	0.28	2.11	0.27	1.84	0.00	35.01	69.75	0.00	0.00	34.60
190000	3.40	3.48	5.19	1.43	33.56	0.28	2.11	0.27	1.84	0.00	34.99	69.75	0.00	0.00	35.14
200000	3.45	3.35	5.04	1.43	33.56	0.28	2.11	0.27	1.84	0.00	34.99	69.75	0.00	0.00	32.36
210000	3.46	3.46	5.16	1.41	33.54	0.29	2.11	0.27	1.84	0.00	34.95	69.75	0.00	0.00	28.63
220000	3.41	3.38	5.14	1.47	33.51	0.28	2.11	0.27	1.84	0.00	34.86	69.75	0.00	0.00	39.28
230000	3.42	3.39	5.10	1.43	33.70	0.28	2.11	0.27	1.84	0.00	34.92	69.75	0.00	0.00	30.12
極大值	7.10	3.56	5.19	1.53	33.78	0.29	2.11	0.27	1.84	0.00	35.17	69.75	0.00	0.00	51.26
極小值	3.40	3.35	5.01	1.21	33.07	0.27	2.08	0.27	1.81	0.00	34.42	69.16	0.00	0.00	28.63
平均值	3.92	3.44	5.09	1.37	33.40	0.28	2.10	0.27	1.83	0.00	34.76	69.46	0.00	0.00	40.10
標準差	0.78	0.06	0.06	0.09	0.21	0	0.01	0	0.01	0	0.26	0.28	0	0	2.62

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.35	3.42	5.09	1.38	33.78	0.28	2.10	0.27	1.83	0.00	34.49	69.29	0.00	0.00	36.77
010000	3.27	3.45	5.04	1.29	33.43	0.28	2.10	0.27	1.83	0.00	34.41	69.19	0.00	0.00	46.72
020000	3.29	3.42	5.05	1.31	33.45	0.28	2.10	0.27	1.83	0.00	34.37	69.19	0.00	0.00	56.79
030000	3.32	3.40	5.06	1.34	33.53	0.28	2.10	0.27	1.83	0.00	34.37	69.19	0.00	0.00	40.73
040000	3.34	3.33	5.03	1.37	33.41	0.28	2.10	0.27	1.83	0.00	34.35	69.19	0.00	0.00	38.11
050000	3.33	3.45	5.01	1.23	33.66	0.28	2.10	0.27	1.83	0.00	34.36	69.19	0.00	0.00	36.05
060000	3.45	3.41	5.08	1.35	33.65	0.28	2.10	0.27	1.83	0.00	34.39	69.19	0.00	0.00	37.95
070000	3.56	3.52	5.03	1.20	33.45	0.28	2.10	0.27	1.83	0.00	34.36	69.19	0.00	0.00	42.20
080000	3.95	3.46	5.04	1.28	33.40	0.28	2.10	0.27	1.83	0.00	34.34	69.19	0.00	0.00	47.65
090000	3.52	3.41	5.03	1.31	33.34	0.28	2.10	0.27	1.83	0.00	34.30	69.14	0.00	0.00	51.17
100000	3.43	3.44	5.06	1.33	33.31	0.28	2.09	0.27	1.82	0.00	34.30	69.14	0.00	0.00	55.62
110000	3.33	3.41	5.06	1.32	33.50	0.28	2.09	0.27	1.82	0.00	34.33	69.13	0.00	0.00	57.64
120000	3.54	3.41	5.09	1.41	33.63	0.28	2.11	0.27	1.84	0.00	34.80	69.58	0.00	0.00	66.52
130000	3.86	3.47	5.10	1.36	33.66	0.28	2.12	0.27	1.85	0.00	34.92	69.75	0.00	0.00	79.38
140000	3.58	3.30	5.08	1.51	33.70	0.28	2.12	0.27	1.85	0.00	34.83	69.75	0.00	0.00	65.40
150000	3.40	3.40	5.12	1.43	33.84	0.28	2.13	0.27	1.86	0.00	34.76	69.75	0.00	0.00	50.10
160000	3.50	3.37	5.04	1.40	33.85	0.28	2.13	0.27	1.86	0.00	34.75	69.75	0.00	0.00	49.29
170000	4.63	3.41	5.16	1.45	34.09	0.28	2.12	0.27	1.85	0.00	34.76	69.75	0.00	0.00	44.54
180000	4.06	3.37	5.08	1.43	34.11	0.29	2.12	0.27	1.85	0.00	34.75	69.75	0.00	0.00	42.30
190000	9.03	3.37	5.09	1.45	33.91	0.28	2.12	0.27	1.85	0.00	34.69	69.75	0.00	0.00	47.53
200000	4.38	3.40	5.10	1.45	33.92	0.28	2.12	0.27	1.85	0.00	34.61	69.75	0.00	0.00	54.49
210000	3.66	3.40	5.11	1.46	33.93	0.28	2.12	0.27	1.85	0.00	34.64	69.75	0.00	0.00	66.70
220000	3.56	3.41	5.07	1.39	33.79	0.28	2.12	0.27	1.85	0.00	34.56	69.75	0.00	0.00	68.79
230000	3.44	3.38	5.08	1.42	33.96	0.28	2.12	0.27	1.85	0.00	34.44	69.75	0.00	0.00	59.52
極大值	9.03	3.52	5.16	1.51	34.11	0.29	2.13	0.27	1.86	0.00	34.92	69.75	0.00	0.00	79.38
極小值	3.27	3.30	5.01	1.20	33.31	0.28	2.09	0.27	1.82	0.00	34.30	69.13	0.00	0.00	36.05
平均值	3.82	3.41	5.07	1.37	33.68	0.28	2.11	0.27	1.84	0.00	34.54	69.46	0.00	0.00	51.75
標準差	1.16	0.05	0.03	0.08	0.24	0	0.01	0	0.01	0	0.2	0.28	0	0	11.60

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.40	3.47	5.07	1.32	34.06	0.28	2.12	0.27	1.85	0.00	34.46	69.75	0.00	0.00	44.77
010000	3.36	3.43	5.13	1.43	33.89	0.28	2.12	0.27	1.85	0.00	34.50	69.75	0.00	0.00	39.75
020000	3.35	3.39	5.07	1.37	33.90	0.28	2.12	0.27	1.85	0.00	34.50	69.75	0.00	0.00	38.26
030000	3.38	3.30	5.08	1.51	33.95	0.28	2.12	0.27	1.85	0.00	34.48	69.75	0.00	0.00	38.63
040000	3.35	3.40	5.13	1.46	33.89	0.28	2.12	0.27	1.85	0.00	34.48	69.75	0.00	0.00	40.25
050000	3.28	3.81	5.75	1.91	34.01	0.28	2.17	0.46	1.71	0.00	34.50	69.75	0.00	0.00	42.80
060000	3.38	3.39	5.10	1.43	34.08	0.28	2.12	0.27	1.85	0.00	34.51	69.75	0.00	0.00	40.98
070000	3.46	3.42	5.16	1.46	33.86	0.28	2.12	0.27	1.85	0.00	34.56	69.75	0.00	0.00	40.00
080000	3.47	3.39	5.11	1.44	33.79	0.28	2.12	0.27	1.85	0.00	34.57	69.75	0.00	0.00	51.29
090000	3.47	3.35	5.13	1.50	33.81	0.28	2.12	0.27	1.85	0.00	34.55	69.75	0.00	0.00	55.69
100000	3.42	3.35	5.04	1.41	33.66	0.28	2.11	0.27	1.84	0.00	34.59	69.75	0.00	0.00	49.50
110000	3.84	3.40	5.06	1.37	33.88	0.28	2.12	0.27	1.85	0.00	34.65	69.75	0.00	0.00	53.73
120000	3.98	3.35	5.12	1.48	33.99	0.28	2.12	0.27	1.85	0.00	34.64	69.75	0.00	0.00	60.31
130000	4.01	3.34	5.06	1.44	33.81	0.28	2.12	0.27	1.85	0.00	34.64	69.75	0.00	0.00	55.25
140000	3.88	3.35	5.10	1.46	33.80	0.28	2.12	0.27	1.85	0.00	34.58	69.75	0.00	0.00	53.14
150000	3.62	3.40	5.08	1.40	33.90	0.28	2.12	0.27	1.85	0.00	34.52	69.75	0.00	0.00	56.14
160000	3.60	3.44	5.13	1.41	33.82	0.28	2.12	0.27	1.85	0.00	34.48	69.75	0.00	0.00	53.12
170000	3.47	3.42	5.13	1.43	34.01	0.28	2.12	0.27	1.85	0.00	34.44	69.75	0.00	0.00	49.01
180000	3.36	3.39	5.11	1.45	34.13	0.28	2.12	0.27	1.85	0.00	34.41	69.75	0.00	0.00	46.01
190000	3.46	3.35	5.05	1.43	33.90	0.28	2.12	0.27	1.85	0.00	34.43	69.75	0.00	0.00	43.55
200000	3.31	3.33	5.11	1.50	33.87	0.28	2.12	0.27	1.85	0.00	34.44	69.75	0.00	0.00	46.95
210000	3.29	3.39	5.15	1.47	33.99	0.28	2.12	0.27	1.85	0.00	34.46	69.75	0.00	0.00	48.47
220000	3.23	3.39	5.04	1.38	33.94	0.28	2.12	0.27	1.85	0.00	34.45	69.75	0.00	0.00	42.81
230000	3.30	3.49	5.11	1.36	34.02	0.28	2.12	0.27	1.85	0.00	34.46	69.75	0.00	0.00	38.87
極大值	4.01	3.81	5.75	1.91	34.13	0.28	2.17	0.46	1.85	0.00	34.65	69.75	0.00	0.00	60.31
極小值	3.23	3.30	5.04	1.32	33.66	0.28	2.11	0.27	1.71	0.00	34.41	69.75	0.00	0.00	38.26
平均值	3.49	3.41	5.13	1.45	33.92	0.28	2.12	0.28	1.84	0.00	34.51	69.75	0.00	0.00	47.05
標準差	0.22	0.1	0.14	0.11	0.11	0	0.01	0.04	0.03	0	0.07	0	0	0	6.61

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.29	3.45	5.08	1.36	34.13	0.29	2.12	0.27	1.85	0.00	34.46	69.75	0.00	0.00	45.23
010000	3.29	3.42	5.09	1.39	33.92	0.28	2.12	0.27	1.85	0.00	34.46	69.75	0.00	0.00	45.15
020000	3.21	3.36	5.10	1.46	33.94	0.28	2.12	0.27	1.85	0.00	34.52	69.75	0.00	0.00	44.84
030000	3.23	3.39	5.10	1.44	33.89	0.28	2.12	0.27	1.85	0.00	34.51	69.75	0.00	0.00	44.79
040000	3.20	3.34	5.05	1.44	33.86	0.28	2.12	0.27	1.85	0.00	34.48	69.75	0.00	0.00	44.40
050000	3.20	3.46	5.09	1.36	34.00	0.28	2.12	0.27	1.85	0.00	34.50	69.75	0.00	0.00	44.09
060000	3.18	3.38	5.11	1.46	34.08	0.28	2.12	0.27	1.85	0.00	34.80	69.75	0.00	0.00	43.75
070000	3.21	3.34	5.12	1.49	33.93	0.28	2.12	0.27	1.85	0.00	34.99	69.75	0.00	0.00	43.75
080000	3.43	3.38	5.08	1.41	33.87	0.28	2.11	0.27	1.84	0.00	35.00	69.75	0.00	0.00	44.59
090000	4.27	3.46	5.19	1.45	33.83	0.28	2.11	0.27	1.84	0.00	34.96	69.75	0.00	0.00	47.31
100000	4.04	3.38	5.12	1.47	33.73	0.28	2.11	0.27	1.84	0.00	35.01	69.75	0.00	0.00	48.43
110000	3.79	3.43	5.13	1.43	33.94	0.28	2.11	0.27	1.84	0.00	34.92	69.75	0.00	0.00	50.15
120000	3.36	3.43	5.08	1.38	34.06	0.28	2.12	0.27	1.85	0.00	34.80	69.75	0.00	0.00	51.10
130000	3.33	3.42	5.02	1.31	33.89	0.28	2.12	0.27	1.85	0.00	34.85	69.75	0.00	0.00	51.18
140000	3.44	3.43	5.08	1.38	33.90	0.28	2.12	0.27	1.85	0.00	34.82	69.76	0.00	0.00	49.82
150000	3.33	3.44	5.12	1.40	33.96	0.28	2.12	0.27	1.85	0.00	34.90	69.75	0.00	0.00	49.12
160000	3.30	3.37	5.09	1.43	33.88	0.28	2.12	0.27	1.85	0.00	35.17	69.75	0.00	0.00	48.45
170000	3.29	3.45	5.14	1.41	34.08	0.28	2.12	0.27	1.85	0.00	35.12	69.75	0.00	0.00	47.87
180000	3.31	3.35	5.09	1.46	34.14	0.28	2.12	0.27	1.85	0.00	35.08	69.75	0.00	0.00	47.27
190000	3.40	3.37	5.09	1.44	34.03	0.28	2.12	0.27	1.85	0.00	35.04	69.75	0.00	0.00	46.88
200000	3.26	3.39	5.10	1.46	34.02	0.28	2.12	0.27	1.85	0.00	34.96	69.75	0.00	0.00	46.65
210000	3.18	3.30	5.04	1.46	34.06	0.28	2.12	0.27	1.85	0.00	34.94	69.75	0.00	0.00	46.04
220000	3.25	3.40	5.09	1.42	33.96	0.29	2.12	0.27	1.85	0.00	34.89	69.75	0.00	0.00	44.18
230000	3.21	3.36	5.15	1.53	34.20	0.28	2.12	0.27	1.85	0.00	34.84	69.75	0.00	0.00	43.15
極大值	4.27	3.46	5.19	1.53	34.20	0.29	2.12	0.27	1.85	0.00	35.17	69.76	0.00	0.00	51.18
極小值	3.18	3.30	5.02	1.31	33.73	0.28	2.11	0.27	1.84	0.00	34.46	69.75	0.00	0.00	43.15
平均值	3.38	3.40	5.10	1.43	33.97	0.28	2.12	0.27	1.85	0.00	34.83	69.75	0.00	0.00	46.59
標準差	0.27	0.04	0.04	0.05	0.11	0	0	0	0	0	0.22	0	0	0	2.47

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.18	3.46	5.08	1.30	34.12	0.28	2.11	0.27	1.84	0.00	34.40	69.29	0.00	0.00	28.17
010000	3.25	3.43	5.06	1.31	33.83	0.28	2.11	0.27	1.84	0.00	34.28	69.19	0.00	0.00	37.80
020000	3.20	3.52	5.08	1.25	33.83	0.28	2.11	0.28	1.83	0.00	34.22	69.19	0.00	0.00	38.12
030000	3.24	3.46	5.06	1.27	33.89	0.28	2.11	0.27	1.84	0.00	34.13	69.19	0.00	0.00	39.68
040000	3.33	3.40	4.96	1.23	33.74	0.28	2.11	0.28	1.83	0.00	34.13	69.20	0.00	0.00	31.09
050000	3.30	3.45	5.11	1.34	33.94	0.28	2.11	0.27	1.84	0.00	34.12	69.19	0.00	0.00	32.24
060000	3.33	3.36	5.01	1.31	33.95	0.28	2.11	0.27	1.84	0.00	34.08	69.19	0.00	0.00	35.01
070000	3.42	3.40	5.01	1.29	33.78	0.28	2.11	0.27	1.84	0.00	34.05	69.19	0.00	0.00	34.47
080000	3.41	3.36	4.94	1.24	33.73	0.28	2.11	0.27	1.84	0.00	33.99	69.19	0.00	0.00	35.69
090000	3.31	3.43	5.06	1.29	33.69	0.28	2.11	0.28	1.83	0.00	33.95	69.15	0.00	0.00	44.95
100000	3.21	3.39	5.00	1.30	33.61	0.28	2.11	0.27	1.84	0.00	33.98	69.14	0.00	0.00	47.85
110000	3.23	3.50	5.11	1.27	33.75	0.28	2.11	0.27	1.84	0.00	34.01	69.14	0.00	0.00	40.90
120000	3.37	3.40	5.13	1.44	34.03	0.28	2.12	0.27	1.85	0.00	34.46	69.57	0.00	0.00	44.45
130000	3.51	3.50	5.15	1.37	33.97	0.28	2.12	0.27	1.85	0.00	34.73	69.75	0.00	0.00	47.80
140000	3.67	3.33	5.03	1.41	34.05	0.28	2.13	0.27	1.86	0.00	34.70	69.76	0.00	0.00	43.51
150000	4.51	3.31	5.05	1.47	34.11	0.28	2.13	0.27	1.86	0.00	34.59	69.75	0.00	0.00	44.70
160000	4.32	3.37	5.03	1.38	34.00	0.28	2.13	0.27	1.86	0.00	34.56	69.75	0.00	0.00	45.89
170000	4.24	3.40	5.05	1.38	34.17	0.28	2.13	0.27	1.86	0.00	34.51	69.75	0.00	0.00	45.81
180000	3.98	3.41	5.10	1.39	34.21	0.28	2.12	0.27	1.85	0.00	34.47	69.75	0.00	0.00	45.93
190000	3.70	3.39	5.13	1.46	34.17	0.28	2.12	0.27	1.85	0.00	34.45	69.75	0.00	0.00	46.79
200000	3.53	3.40	5.09	1.42	34.12	0.28	2.12	0.27	1.85	0.00	34.46	69.75	0.00	0.00	46.10
210000	3.59	3.33	5.09	1.48	34.22	0.28	2.12	0.27	1.85	0.00	34.36	69.75	0.00	0.00	50.56
220000	3.72	3.39	5.14	1.49	34.14	0.28	2.12	0.27	1.85	0.00	34.33	69.75	0.00	0.00	55.37
230000	3.43	3.36	5.11	1.46	34.28	0.28	2.12	0.27	1.85	0.00	34.39	69.75	0.00	0.00	53.46
極大值	4.51	3.52	5.15	1.49	34.28	0.28	2.13	0.28	1.86	0.00	34.73	69.76	0.00	0.00	55.37
極小值	3.18	3.31	4.94	1.23	33.61	0.28	2.11	0.27	1.83	0.00	33.95	69.14	0.00	0.00	28.17
平均值	3.54	3.41	5.07	1.36	33.97	0.28	2.12	0.27	1.85	0.00	34.31	69.46	0.00	0.00	42.35
標準差	0.37	0.05	0.06	0.08	0.19	0	0.01	0	0.01	0	0.24	0.28	0	0	7.06

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	0.20	5.13	8.64	3.11	28.39	0.49	0.11	0.07	0.04	28.55	24.00	72.00	68.49	4.50	47.00
010000	0.20	5.23	8.68	3.04	22.94	0.49	0.11	0.07	0.04	28.10	41.93	118.34	48.48	4.94	753.66
020000	0.20	5.15	8.74	3.19	21.28	0.47	0.11	0.07	0.04	27.90	31.09	90.32	55.32	4.52	340.83
030000	0.20	5.27	8.71	3.07	19.49	0.49	0.11	0.07	0.04	27.78	24.00	72.00	59.47	4.79	63.30
040000	0.20	5.24	8.69	3.07	17.50	0.48	0.11	0.07	0.04	27.63	24.00	72.00	62.41	4.03	58.65
050000	0.20	5.19	8.67	3.12	20.39	0.43	0.11	0.07	0.04	27.64	24.00	72.00	79.43	4.01	53.85
060000	0.20	5.25	8.72	3.08	20.17	0.47	0.11	0.07	0.04	27.53	24.00	72.00	58.04	4.98	36.23
070000	0.20	5.32	8.75	3.03	18.05	0.49	0.11	0.07	0.04	27.84	24.00	72.00	85.24	3.36	24.71
080000	0.20	5.27	8.82	3.16	14.56	0.58	0.11	0.07	0.04	28.39	24.00	72.00	115.37	2.63	31.39
090000	0.23	5.18	8.67	3.13	16.23	0.57	0.66	0.53	0.13	28.92	24.00	72.00	117.69	3.94	43.55
100000	3.94	5.20	8.84	3.24	16.49	0.54	2.23	1.95	0.28	28.61	24.00	72.00	141.62	1.80	47.73
110000	3.91	5.24	8.77	3.07	20.77	0.58	2.23	1.95	0.28	29.36	24.00	72.00	178.76	1.58	45.77
120000	3.87	5.32	8.75	3.05	33.43	0.81	2.23	1.95	0.28	30.51	24.00	72.00	276.38	3.28	47.96
130000	3.85	5.33	8.76	3.03	28.98	0.69	2.23	1.95	0.28	29.82	24.00	72.00	232.02	3.04	50.53
140000	3.89	5.25	8.74	3.12	24.12	0.58	2.23	1.95	0.28	29.16	24.00	72.00	125.99	3.09	48.11
150000	3.90	5.23	8.67	3.09	29.19	0.61	2.23	1.95	0.28	29.40	24.00	72.00	196.61	1.37	51.62
160000	3.84	5.22	8.70	3.07	33.83	0.63	2.23	1.95	0.28	29.42	24.00	72.00	231.85	1.24	55.28
170000	3.91	5.33	8.69	2.97	21.61	0.66	2.23	1.95	0.28	28.63	24.00	72.00	93.35	4.73	53.68
180000	3.89	5.32	8.75	3.04	20.05	0.62	2.23	1.95	0.28	27.78	24.00	72.00	82.91	4.39	53.33
190000	3.94	5.20	8.68	3.07	23.31	0.62	2.23	1.95	0.28	27.50	24.00	72.00	70.53	4.17	43.36
200000	3.92	5.35	8.79	3.05	22.43	0.61	2.23	1.95	0.28	27.34	24.00	72.00	75.51	3.28	35.79
210000	3.94	5.29	8.74	3.07	18.95	0.60	2.23	1.95	0.28	26.81	24.00	72.00	76.41	5.62	36.50
220000	3.90	5.31	8.83	3.13	20.12	0.60	2.23	1.95	0.28	26.49	24.00	72.00	56.25	4.31	33.86
230000	3.91	5.15	8.80	3.24	18.94	0.54	2.23	1.95	0.28	26.42	24.00	72.00	73.79	4.56	33.87
極大值	3.94	5.35	8.84	3.24	33.83	0.81	2.23	1.95	0.28	30.51	41.93	118.34	276.38	5.62	753.66
極小值	0.20	5.13	8.64	2.97	14.56	0.43	0.11	0.07	0.04	26.42	24.00	72.00	48.48	1.24	24.71
平均值	2.36	5.25	8.73	3.09	22.13	0.57	1.37	1.19	0.18	28.23	25.04	74.69	110.91	3.67	87.11
標準差	1.86	0.06	0.06	0.07	5.17	0.09	1.05	0.93	0.12	1.04	3.88	10.02	65.15	1.22	154.53

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.90	5.34	8.83	3.12	19.32	0.50	2.23	1.95	0.28	26.20	24.00	72.00	76.58	4.29	27.24
010000	3.88	5.32	8.69	3.01	17.62	0.51	2.23	1.95	0.28	26.28	41.28	116.72	71.49	3.06	721.32
020000	3.85	5.22	8.73	3.09	16.89	0.49	2.23	1.95	0.28	26.13	30.39	88.53	72.78	3.89	284.65
030000	3.82	5.08	8.62	3.15	16.51	0.48	2.23	1.95	0.28	26.07	24.00	72.00	150.35	1.85	32.64
040000	3.88	5.12	8.70	3.21	17.62	0.44	2.23	1.95	0.28	25.94	24.00	72.00	105.31	4.04	31.02
050000	3.89	5.28	8.62	2.96	19.95	0.41	2.23	1.95	0.28	25.70	24.00	72.00	99.01	3.13	26.15
060000	3.88	5.36	8.79	3.05	18.51	0.43	2.23	1.95	0.28	25.68	24.00	72.00	44.22	4.84	25.08
070000	3.89	5.12	8.74	3.24	14.89	0.49	2.23	1.95	0.28	26.51	24.00	72.00	136.38	1.94	28.39
080000	3.91	5.20	8.73	3.12	14.80	0.52	2.23	1.95	0.28	27.13	24.00	72.00	140.00	1.23	30.41
090000	3.90	5.21	8.69	3.12	16.40	0.56	2.23	1.95	0.28	27.49	24.00	72.00	85.67	4.52	39.53
100000	3.86	5.26	8.79	3.16	16.08	0.58	2.23	1.95	0.28	27.38	24.00	72.00	91.07	3.83	46.56
110000	3.82	5.21	8.74	3.16	18.64	0.64	2.23	1.95	0.28	27.55	24.00	72.00	49.47	5.38	51.01
120000	3.79	5.35	8.81	3.09	23.99	0.77	2.23	1.95	0.28	28.10	24.00	72.00	56.98	5.74	55.48
130000	3.75	5.37	8.84	3.07	34.89	0.65	2.23	1.95	0.28	28.25	24.00	72.00	67.21	5.25	56.71
140000	3.79	5.22	8.64	3.01	32.51	0.64	2.23	1.95	0.28	28.50	24.00	72.00	79.99	2.70	57.32
150000	3.78	5.23	8.63	3.03	36.96	0.58	2.23	1.95	0.28	28.80	24.00	72.00	204.57	1.81	49.36
160000	3.75	5.27	8.80	3.08	31.20	0.62	2.23	1.95	0.28	28.56	24.00	72.00	246.16	0.57	44.21
170000	3.78	5.15	8.69	3.14	28.93	0.65	2.23	1.95	0.28	28.26	24.00	72.00	132.10	0.70	55.01
180000	3.77	5.32	8.76	3.05	16.65	0.62	2.23	1.95	0.28	27.87	24.00	72.00	146.07	1.07	59.06
190000	3.75	5.22	8.75	3.09	7.18	0.59	2.23	1.95	0.28	27.10	24.00	72.00	77.44	3.86	49.79
200000	3.76	5.23	8.81	3.16	12.19	0.52	2.23	1.95	0.28	26.61	24.00	72.00	62.69	3.69	38.62
210000	3.74	5.30	8.78	3.10	12.54	0.52	2.23	1.95	0.28	26.66	24.00	72.00	89.93	2.97	30.09
220000	3.74	5.29	8.86	3.17	12.35	0.52	2.23	1.95	0.28	26.68	24.00	72.00	87.87	2.71	31.56
230000	3.71	5.22	8.68	3.07	12.29	0.52	2.23	1.95	0.28	26.61	24.00	72.00	64.96	4.79	30.18
極大值	3.91	5.37	8.86	3.24	36.96	0.77	2.23	1.95	0.28	28.80	41.28	116.72	246.16	5.74	721.32
極小值	3.71	5.08	8.62	2.96	7.18	0.41	2.23	1.95	0.28	25.68	24.00	72.00	44.22	0.57	25.08
平均值	3.82	5.25	8.74	3.10	19.54	0.55	2.23	1.95	0.28	27.09	24.99	74.55	101.60	3.24	79.22
標準差	0.06	0.08	0.07	0.07	7.83	0.08	0	0	0	0.97	3.71	9.59	49.18	1.52	145.98

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.71	5.25	8.82	3.20	14.32	0.47	2.23	1.95	0.28	26.46	24.00	72.00	27.72	6.17	28.64
010000	3.66	5.15	8.64	3.11	13.69	0.46	2.23	1.95	0.28	26.50	42.04	118.67	51.51	3.81	752.67
020000	3.66	5.31	8.78	3.08	11.41	0.46	2.23	1.95	0.28	26.21	31.30	90.89	71.52	1.89	318.07
030000	3.68	5.18	8.69	3.09	11.68	0.46	2.23	1.95	0.28	26.09	24.00	72.00	76.89	2.75	22.33
040000	3.70	5.18	8.68	3.09	10.48	0.46	2.23	1.95	0.28	26.01	24.00	72.00	54.53	5.11	29.01
050000	3.72	5.27	8.75	3.08	11.31	0.45	2.23	1.95	0.28	25.96	24.00	72.00	63.14	4.09	29.74
060000	3.66	5.18	8.66	3.08	10.89	0.46	2.23	1.95	0.28	25.87	24.00	72.00	82.71	2.77	26.56
070000	3.67	5.28	8.64	2.99	12.67	0.49	2.23	1.95	0.28	26.42	24.00	72.00	88.85	2.12	28.36
080000	3.69	5.27	8.79	3.15	17.85	0.50	2.22	1.94	0.28	28.51	24.00	72.00	144.21	1.24	33.57
090000	3.65	5.15	8.75	3.18	32.33	0.55	2.22	1.94	0.28	29.75	24.00	72.00	139.47	2.32	34.97
100000	3.63	5.33	8.76	3.05	60.33	0.56	2.22	1.94	0.28	30.90	24.00	72.00	113.09	2.73	47.20
110000	3.62	5.24	8.77	3.13	80.60	0.53	2.23	1.95	0.28	31.82	24.00	72.00	206.23	2.57	50.39
120000	3.60	5.31	8.71	3.02	76.53	0.54	2.23	1.95	0.28	31.72	24.00	72.00	293.42	5.04	45.16
130000	3.61	5.17	8.70	3.12	74.29	0.65	2.23	1.95	0.28	31.75	24.00	72.00	288.68	5.79	39.98
140000	3.59	5.20	8.67	3.14	68.18	0.55	2.23	1.95	0.28	31.61	24.00	72.00	285.18	5.34	40.95
150000	3.62	5.31	8.75	3.02	66.60	0.53	2.24	1.96	0.28	32.20	24.00	72.00	196.59	2.29	46.01
160000	3.62	5.19	8.63	3.05	59.69	0.53	2.23	1.95	0.28	30.89	24.00	72.00	280.37	4.99	35.23
170000	3.64	5.30	8.71	3.04	57.93	0.45	2.23	1.95	0.28	29.71	24.00	72.00	283.58	5.61	27.48
180000	3.63	5.19	8.57	2.98	59.66	0.50	2.23	1.95	0.28	29.24	24.00	72.00	296.30	4.08	18.48
190000	3.63	5.21	8.69	3.12	54.02	0.51	2.23	1.95	0.28	29.08	24.00	72.00	269.50	1.93	22.44
200000	3.55	5.17	8.70	3.14	39.59	0.54	2.23	1.95	0.28	28.49	24.00	72.00	127.76	0.88	30.19
210000	3.61	5.24	8.75	3.10	35.21	0.52	2.23	1.95	0.28	27.94	24.00	72.00	97.72	0.96	36.95
220000	3.59	5.22	8.69	3.06	31.28	0.55	2.23	1.95	0.28	27.73	24.00	72.00	76.29	3.85	36.11
230000	3.57	5.29	8.75	3.08	28.04	0.53	2.23	1.95	0.28	27.23	24.00	72.00	44.67	3.44	45.69
極大值	3.72	5.33	8.82	3.20	80.60	0.65	2.24	1.96	0.28	32.20	42.04	118.67	296.30	6.17	752.67
極小值	3.55	5.15	8.57	2.98	10.48	0.45	2.22	1.94	0.28	25.87	24.00	72.00	27.72	0.88	18.48
平均值	3.64	5.23	8.71	3.09	39.11	0.51	2.23	1.95	0.28	28.67	25.06	74.73	152.50	3.41	76.09
標準差	0.04	0.06	0.06	0.06	25.02	0.05	0	0	0	2.24	3.91	10.12	96.94	1.6	155.53

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.59	5.15	8.69	3.16	23.77	0.56	2.23	1.95	0.28	27.11	24.00	72.00	38.98	5.31	55.53
010000	3.54	5.30	8.84	3.16	23.26	0.53	2.23	1.95	0.28	27.02	41.75	117.93	43.03	4.27	748.72
020000	3.54	5.30	8.65	2.95	24.64	0.51	2.23	1.95	0.28	26.92	30.45	88.69	19.77	5.91	305.75
030000	3.56	5.34	8.72	2.99	20.00	0.53	2.23	1.95	0.28	26.78	24.00	72.00	59.18	3.74	53.30
040000	3.56	5.15	8.65	3.10	20.62	0.52	2.23	1.95	0.28	26.60	24.00	72.00	77.73	4.24	46.10
050000	3.54	5.25	8.64	2.99	21.07	0.52	2.23	1.95	0.28	26.60	24.00	72.00	49.99	4.32	45.15
060000	3.54	5.22	8.62	3.05	17.72	0.65	2.23	1.95	0.28	26.57	24.00	72.00	34.73	3.33	45.56
070000	3.55	5.28	8.72	3.06	19.47	0.57	2.23	1.95	0.28	27.17	24.00	72.00	51.20	3.89	49.78
080000	3.51	5.22	8.68	3.06	22.97	0.59	2.23	1.95	0.28	29.04	24.00	72.00	63.36	3.00	46.15
090000	3.55	5.25	8.71	3.08	42.71	0.54	2.23	1.95	0.28	30.72	24.00	72.00	98.13	3.52	51.25
100000	3.50	5.20	8.57	2.97	54.73	0.48	2.23	1.95	0.28	32.26	24.00	72.00	124.91	2.65	42.53
110000	3.52	5.33	8.78	3.04	68.99	0.51	2.23	1.95	0.28	33.15	24.00	72.00	250.46	3.10	37.69
120000	3.52	5.27	8.79	3.14	73.07	0.52	2.24	1.96	0.28	32.86	24.00	72.00	289.05	3.98	40.65
130000	3.50	5.28	8.71	3.01	73.80	0.52	2.24	1.96	0.28	32.97	24.00	72.00	280.96	4.41	33.08
140000	3.58	5.25	8.67	3.00	63.57	0.48	2.24	1.96	0.28	32.92	24.00	72.00	278.21	5.22	38.17
150000	3.54	5.27	8.72	3.06	59.27	0.44	2.24	1.96	0.28	32.44	24.00	72.00	284.81	5.78	31.80
160000	3.54	5.25	8.65	2.98	43.92	0.39	2.24	1.96	0.28	31.99	24.00	72.00	289.30	9.74	24.92
170000	3.56	5.21	8.55	2.95	34.18	0.34	2.24	1.96	0.28	31.93	24.00	72.00	290.68	10.36	85.73
180000	3.53	5.27	8.66	2.98	31.89	0.32	2.24	1.96	0.28	31.78	24.00	72.00	290.30	9.29	47.73
190000	3.58	5.18	8.60	2.97	30.19	0.31	2.24	1.96	0.28	31.72	24.00	72.00	286.16	9.07	17.76
200000	3.57	5.23	8.61	3.01	29.38	0.31	2.23	1.95	0.28	31.68	24.00	72.00	275.16	6.57	12.19
210000	3.58	5.21	8.69	3.08	31.55	0.37	2.24	1.96	0.28	30.96	24.00	72.00	192.44	1.03	12.71
220000	3.53	5.20	8.63	3.00	29.81	0.35	2.24	1.96	0.28	31.00	24.00	72.00	290.82	2.48	13.91
230000	3.50	5.31	8.72	3.00	27.91	0.33	2.24	1.96	0.28	31.30	24.00	72.00	287.30	5.52	12.35
極大值	3.59	5.34	8.84	3.16	73.80	0.65	2.24	1.96	0.28	33.15	41.75	117.93	290.82	10.36	748.72
極小值	3.50	5.15	8.55	2.95	17.72	0.31	2.23	1.95	0.28	26.57	24.00	72.00	19.77	1.03	12.19
平均值	3.54	5.25	8.68	3.03	37.02	0.47	2.23	1.95	0.28	30.15	25.01	74.61	176.94	5.03	79.10
標準差	0.03	0.05	0.07	0.06	18.39	0.1	0.01	0.01	0	2.53	3.8	9.84	113.33	2.44	153.64

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.52	5.20	8.61	2.98	27.17	0.33	2.23	1.95	0.28	31.21	24.00	72.00	286.79	5.22	12.09
010000	3.51	5.27	8.74	3.06	25.34	0.33	2.23	1.95	0.28	31.09	41.43	117.23	284.14	3.50	722.72
020000	3.49	5.23	8.73	3.10	24.23	0.33	2.23	1.95	0.28	31.07	30.57	89.05	305.36	2.09	282.93
030000	3.49	5.19	8.65	3.06	15.97	0.36	2.23	1.95	0.28	30.19	24.00	72.00	43.67	2.86	15.82
040000	3.51	5.18	8.57	2.99	13.19	0.42	2.24	1.96	0.28	29.84	24.00	72.00	48.92	4.50	17.06
050000	3.49	5.21	8.66	3.02	8.84	0.46	2.24	1.96	0.28	29.58	24.00	72.00	40.73	1.70	21.98
060000	3.52	5.14	8.67	3.12	12.71	0.50	2.24	1.96	0.28	29.74	24.00	72.00	57.37	0.99	24.41
070000	3.49	5.29	8.69	3.03	10.93	0.50	2.23	1.95	0.28	30.40	24.00	72.00	35.26	0.55	24.48
080000	3.51	5.29	8.65	2.97	14.92	0.48	2.23	1.95	0.28	31.93	24.00	72.00	172.36	1.01	27.35
090000	3.49	5.23	8.75	3.12	23.84	0.38	2.23	1.95	0.28	33.92	24.00	72.00	254.47	1.62	23.26
100000	3.51	5.28	8.73	3.08	32.56	0.37	2.23	1.95	0.28	34.38	24.00	72.00	271.76	2.64	24.36
110000	3.57	5.19	8.68	3.10	30.50	0.34	2.23	1.95	0.28	34.56	24.00	72.00	283.38	4.26	24.47
120000	3.53	5.22	8.72	3.09	32.03	0.32	2.24	1.96	0.28	34.57	24.00	72.00	274.90	4.34	15.72
130000	3.57	5.16	8.62	3.04	34.10	0.34	2.24	1.96	0.28	34.06	24.00	72.00	286.51	4.73	13.07
140000	3.58	5.22	8.67	3.05	34.66	0.36	2.24	1.96	0.28	34.31	24.00	72.00	286.42	4.85	17.08
150000	3.58	5.09	8.59	3.05	33.01	0.36	2.24	1.96	0.28	34.31	24.00	72.00	279.54	3.86	22.95
160000	3.60	5.37	8.65	3.01	32.77	0.36	2.25	1.96	0.29	33.88	24.00	72.00	263.41	1.91	21.93
170000	3.63	5.30	8.72	2.99	26.34	0.42	2.24	1.96	0.28	32.99	24.00	72.00	223.81	0.52	17.57
180000	3.61	5.17	8.65	3.09	20.83	0.48	2.24	1.96	0.28	32.05	24.00	72.00	271.04	1.40	25.37
190000	3.59	5.22	8.68	3.02	20.87	0.44	2.24	1.96	0.28	31.85	24.00	72.00	226.78	0.72	28.05
200000	3.60	5.17	8.50	2.94	18.33	0.45	2.24	1.96	0.28	31.74	24.00	72.00	177.23	0.58	21.09
210000	3.61	5.33	8.61	2.88	17.79	0.46	2.24	1.96	0.28	31.74	24.00	72.00	162.87	1.19	22.27
220000	3.62	5.27	8.67	3.00	16.73	0.45	2.24	1.96	0.28	31.70	24.00	72.00	104.59	2.64	23.28
230000	3.61	5.20	8.60	3.00	12.59	0.51	2.24	1.96	0.28	31.71	24.00	72.00	93.15	4.23	24.73
極大值	3.63	5.37	8.75	3.12	34.66	0.51	2.25	1.96	0.29	34.57	41.43	117.23	305.36	5.22	722.72
極小值	3.49	5.09	8.50	2.88	8.84	0.32	2.23	1.95	0.28	29.58	24.00	72.00	35.26	0.52	12.09
平均值	3.55	5.23	8.66	3.03	22.51	0.41	2.24	1.96	0.28	32.20	25.00	74.60	197.27	2.58	61.42
標準差	0.05	0.06	0.06	0.06	8.3	0.06	0.01	0	0	1.68	3.75	9.72	98.05	1.59	150.69

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.56	5.21	8.62	3.05	20.32	0.42	2.24	1.96	0.28	31.63	24.00	72.00	86.97	4.55	23.58
010000	3.54	5.28	8.69	3.03	19.69	0.38	2.24	1.96	0.28	31.47	42.15	118.95	46.49	6.64	755.74
020000	3.54	5.21	8.61	2.96	17.67	0.37	2.24	1.96	0.28	31.48	30.67	89.27	59.76	7.13	291.79
030000	3.59	5.23	8.71	3.09	18.48	0.36	2.24	1.96	0.28	31.48	24.00	72.00	51.86	6.55	23.74
040000	3.52	5.11	8.63	3.10	22.33	0.33	2.24	1.96	0.28	31.51	24.00	72.00	71.98	6.43	27.44
050000	3.57	5.18	8.67	3.05	23.92	0.33	2.24	1.96	0.28	31.45	24.00	72.00	102.31	5.55	29.48
060000	3.55	5.18	8.60	3.01	16.68	0.46	2.24	1.96	0.28	30.97	24.00	72.00	88.55	5.20	31.93
070000	3.53	5.21	8.60	2.98	15.44	0.45	2.23	1.95	0.28	31.26	24.00	72.00	54.23	4.97	33.95
080000	3.56	5.21	8.68	3.05	20.62	0.47	2.23	1.95	0.28	32.66	24.00	72.00	60.89	4.20	38.27
090000	3.59	5.26	8.66	2.98	26.82	0.49	2.23	1.95	0.28	34.43	24.00	72.00	114.15	2.64	40.69
100000	3.53	5.12	8.67	3.14	31.52	0.43	2.24	1.96	0.28	35.72	24.00	72.00	190.79	2.06	41.08
110000	3.58	5.08	8.64	3.15	36.22	0.40	2.24	1.96	0.28	35.53	24.00	72.00	235.13	4.13	38.96
120000	3.59	5.24	8.66	3.00	30.96	0.55	2.24	1.96	0.28	34.80	24.00	72.00	258.70	5.35	34.94
130000	3.60	5.25	8.60	2.95	33.15	0.52	2.24	1.96	0.28	34.48	24.00	72.00	287.24	5.90	36.17
140000	3.62	5.22	8.66	3.04	33.14	0.35	2.24	1.96	0.28	33.65	24.00	72.00	288.23	5.90	33.04
150000	3.63	5.16	8.59	3.00	30.38	0.37	2.24	1.96	0.28	33.26	24.00	72.00	287.24	5.24	35.37
160000	3.63	5.11	8.58	3.05	28.36	0.37	2.24	1.96	0.28	32.44	24.00	72.00	286.52	4.58	31.70
170000	3.63	5.30	8.72	3.00	23.99	0.41	2.24	1.96	0.28	32.00	24.00	72.00	283.74	2.74	28.90
180000	3.63	5.22	8.63	3.00	21.99	0.38	2.23	1.95	0.28	31.29	24.00	72.00	286.38	2.71	30.14
190000	3.60	5.20	8.68	3.04	23.27	0.42	2.23	1.95	0.28	31.23	24.00	72.00	226.94	1.94	24.86
200000	3.62	5.14	8.66	3.12	26.37	0.51	2.23	1.95	0.28	30.75	24.00	72.00	106.68	2.67	26.57
210000	3.58	5.31	8.73	3.01	22.65	0.57	2.23	1.95	0.28	30.34	24.00	72.00	93.07	2.71	27.59
220000	3.58	5.33	8.72	2.94	23.23	0.56	2.23	1.95	0.28	30.07	24.00	72.00	88.77	2.96	31.40
230000	3.56	5.24	8.61	3.00	21.92	0.56	2.23	1.95	0.28	30.07	24.00	72.00	71.73	4.31	37.13
極大值	3.63	5.33	8.73	3.15	36.22	0.57	2.24	1.96	0.28	35.72	42.15	118.95	288.23	7.13	755.74
極小值	3.52	5.08	8.58	2.94	15.44	0.33	2.23	1.95	0.28	30.07	24.00	72.00	46.49	1.94	23.58
平均值	3.58	5.21	8.65	3.03	24.55	0.44	2.24	1.96	0.28	32.25	25.03	74.68	155.35	4.46	73.10
標準差	0.04	0.07	0.04	0.06	5.68	0.08	0	0	0	1.69	3.89	10.07	96.88	1.59	154.83

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.52	5.19	8.73	3.18	17.50	0.57	2.23	1.95	0.28	29.90	24.00	72.00	88.70	2.69	43.15
010000	3.53	5.14	8.63	3.07	14.14	0.58	2.24	1.96	0.28	29.77	40.87	115.74	199.14	0.66	710.10
020000	3.51	5.21	8.69	3.07	13.18	0.60	2.24	1.96	0.28	29.57	30.80	89.61	153.04	0.44	308.28
030000	3.47	5.11	8.67	3.13	10.53	0.63	2.24	1.96	0.28	29.63	24.00	72.00	143.55	1.10	40.31
040000	3.48	5.23	8.72	3.08	5.84	0.72	2.24	1.96	0.28	29.31	24.00	72.00	84.18	1.23	36.54
050000	3.51	5.19	8.62	3.02	6.04	0.72	2.23	1.95	0.28	28.78	24.00	72.00	92.68	3.71	35.02
060000	3.50	5.15	8.63	3.10	12.49	0.68	2.24	1.96	0.28	27.76	24.00	72.00	60.19	4.04	40.32
070000	3.46	5.23	8.56	2.98	13.54	0.60	2.23	1.95	0.28	27.71	24.00	72.00	96.02	4.73	30.50
080000	3.47	5.32	8.77	3.05	13.10	0.61	2.23	1.95	0.28	28.05	24.00	72.00	59.80	2.77	31.15
090000	3.49	5.25	8.78	3.11	13.66	0.71	2.23	1.95	0.28	29.47	24.00	72.00	167.96	2.12	38.78
100000	3.48	5.13	8.62	3.08	22.90	0.73	2.23	1.95	0.28	30.62	24.00	72.00	288.02	2.13	47.06
110000	3.47	5.28	8.67	3.02	47.27	0.73	2.23	1.95	0.28	30.24	24.00	72.00	287.01	2.75	52.29
120000	3.49	5.15	8.57	3.03	36.04	0.72	2.23	1.95	0.28	30.02	24.00	72.00	282.03	3.15	57.12
130000	3.46	5.20	8.65	3.03	35.05	0.62	2.23	1.95	0.28	29.96	24.00	72.00	277.34	2.89	57.62
140000	3.49	5.16	8.60	3.03	39.64	0.55	2.23	1.95	0.28	30.05	24.00	72.00	272.55	2.62	44.73
150000	3.45	5.15	8.66	3.11	33.45	0.61	2.23	1.95	0.28	29.80	24.00	72.00	257.52	1.85	44.19
160000	3.50	5.21	8.71	3.12	16.65	0.72	2.23	1.95	0.28	29.34	24.00	72.00	88.34	2.66	50.50
170000	3.47	5.10	8.59	3.09	16.88	0.73	2.23	1.95	0.28	29.15	24.00	72.00	74.02	2.85	59.85
180000	3.46	5.22	8.70	3.10	13.31	0.73	2.23	1.95	0.28	28.68	24.00	72.00	122.33	2.37	58.07
190000	3.43	5.23	8.65	3.02	10.04	0.72	2.23	1.95	0.28	27.93	24.00	72.00	94.43	2.45	60.64
200000	3.43	5.27	8.65	2.99	8.49	0.75	2.23	1.95	0.28	27.99	24.00	72.00	74.76	4.53	49.96
210000	3.43	5.28	8.65	2.98	11.28	0.65	2.23	1.95	0.28	27.59	24.00	72.00	70.29	4.20	48.43
220000	3.45	5.28	8.70	3.06	12.62	0.68	2.23	1.95	0.28	27.36	24.00	72.00	50.65	4.44	47.84
230000	3.43	5.17	8.60	3.01	13.53	0.67	2.23	1.95	0.28	27.33	24.00	72.00	55.78	4.19	42.10
極大值	3.53	5.32	8.78	3.18	47.27	0.75	2.24	1.96	0.28	30.62	40.87	115.74	288.02	4.73	710.10
極小值	3.43	5.10	8.56	2.98	5.84	0.55	2.23	1.95	0.28	27.33	24.00	72.00	50.65	0.44	30.50
平均值	3.47	5.20	8.66	3.06	18.22	0.67	2.23	1.95	0.28	29.00	24.99	74.56	143.35	2.77	84.77
標準差	0.03	0.06	0.06	0.05	11.33	0.06	0	0	0	1.03	3.66	9.48	87.09	1.21	143.78

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.44	5.26	8.68	3.05	13.76	0.64	2.23	1.95	0.28	27.13	24.00	72.00	74.99	4.30	41.68
010000	3.47	5.21	8.75	3.15	11.81	0.63	2.23	1.95	0.28	26.93	41.23	116.60	105.50	3.31	724.06
020000	3.44	5.32	8.70	2.98	12.40	0.58	2.23	1.95	0.28	26.64	30.28	88.24	60.13	3.76	293.70
030000	3.45	5.21	8.68	3.09	12.05	0.55	2.23	1.95	0.28	26.56	24.00	72.00	92.10	1.82	42.00
040000	3.43	5.25	8.65	3.00	12.93	0.53	2.23	1.95	0.28	26.51	24.00	72.00	87.26	3.62	40.67
050000	3.44	5.19	8.64	3.07	12.02	0.53	2.23	1.95	0.28	26.44	24.00	72.00	115.33	3.25	41.55
060000	3.46	5.30	8.78	3.11	11.70	0.55	2.23	1.95	0.28	26.51	24.00	72.00	73.62	3.93	43.36
070000	3.43	5.18	8.67	3.11	10.55	0.59	2.23	1.95	0.28	26.78	24.00	72.00	75.43	3.67	42.31
080000	3.45	5.26	8.75	3.12	11.32	0.61	2.23	1.95	0.28	27.17	24.00	72.00	93.37	3.00	43.31
090000	3.45	5.28	8.72	3.03	13.34	0.62	2.23	1.95	0.28	27.65	24.00	72.00	85.63	2.84	46.12
100000	3.46	5.26	8.83	3.17	16.94	0.71	2.23	1.95	0.28	28.64	24.00	72.00	120.05	1.33	47.85
110000	3.48	5.19	8.56	3.01	29.25	0.75	2.23	1.95	0.28	29.62	24.00	72.00	145.84	1.79	53.58
120000	3.46	5.24	8.67	3.05	43.68	0.69	2.23	1.95	0.28	29.80	24.00	72.00	260.97	2.88	62.58
130000	3.42	5.29	8.77	3.13	43.15	0.58	2.23	1.95	0.28	29.42	24.00	72.00	279.43	3.63	77.59
140000	3.41	5.30	8.79	3.11	47.61	0.56	2.23	1.95	0.28	29.40	24.00	72.00	280.17	2.73	66.35
150000	3.41	5.31	8.61	2.91	48.43	0.54	2.23	1.95	0.28	29.29	24.00	72.00	276.24	2.65	49.27
160000	3.45	5.39	8.72	2.97	52.99	0.54	2.23	1.95	0.28	29.14	24.00	72.00	269.29	2.79	45.86
170000	3.41	5.18	8.70	3.12	53.11	0.54	2.23	1.95	0.28	28.96	24.00	72.00	277.44	2.10	45.49
180000	3.41	5.27	8.69	3.03	45.72	0.53	2.23	1.95	0.28	28.83	24.00	72.00	277.51	2.05	46.16
190000	3.38	5.32	8.80	3.09	41.78	0.51	2.23	1.95	0.28	28.34	24.00	72.00	241.58	1.74	35.90
200000	3.44	5.48	8.88	3.03	38.79	0.50	2.23	1.95	0.28	28.12	24.00	72.00	135.14	0.96	28.57
210000	3.41	5.25	8.71	3.08	37.76	0.50	2.23	1.95	0.28	28.09	24.00	72.00	179.25	0.21	25.58
220000	3.44	5.31	8.81	3.08	37.90	0.51	2.23	1.95	0.28	28.01	24.00	72.00	180.96	0.10	21.34
230000	3.43	5.32	8.78	3.06	37.39	0.65	2.23	1.95	0.28	27.68	24.00	72.00	102.87	1.57	33.74
極大值	3.48	5.48	8.88	3.17	53.11	0.75	2.23	1.95	0.28	29.80	41.23	116.60	280.17	4.30	724.06
極小值	3.38	5.18	8.56	2.91	10.55	0.50	2.23	1.95	0.28	26.44	24.00	72.00	60.13	0.10	21.34
平均值	3.44	5.27	8.72	3.06	29.02	0.58	2.23	1.95	0.28	27.99	24.98	74.54	162.09	2.50	83.28
標準差	0.02	0.07	0.07	0.06	16.21	0.07	0	0	0	1.14	3.69	9.55	83.83	1.15	146.14

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	3.44	5.32	8.80	3.07	29.62	0.70	2.23	1.95	0.28	26.65	24.00	72.00	89.61	0.67	83.85
010000	3.40	5.18	8.69	3.15	27.69	0.66	2.23	1.95	0.28	26.87	41.11	116.33	146.53	0.95	736.91
020000	3.37	5.24	8.69	3.13	27.85	0.66	2.23	1.95	0.28	27.09	31.45	91.32	201.07	0.11	374.57
030000	3.38	5.26	8.61	2.97	22.32	0.67	2.23	1.95	0.28	27.25	24.00	72.00	74.78	0.07	95.40
040000	3.38	5.23	8.73	3.11	18.13	0.66	2.23	1.95	0.28	27.28	24.00	72.00	160.83	0.10	93.70
050000	3.38	5.27	8.74	3.10	35.94	0.55	2.23	1.95	0.28	27.33	24.00	72.00	277.46	2.71	86.19
060000	3.41	5.20	8.63	3.06	46.70	0.47	2.23	1.95	0.28	27.34	24.00	72.00	267.70	1.66	53.87
070000	3.39	5.14	8.64	3.11	24.11	0.63	2.23	1.95	0.28	27.20	24.00	72.00	55.36	4.25	38.65
080000	3.40	5.34	8.75	3.02	21.77	0.68	2.23	1.95	0.28	27.43	24.00	72.00	75.95	4.79	64.62
090000	3.39	5.26	8.77	3.15	27.17	0.66	2.23	1.95	0.28	28.01	24.00	72.00	77.68	3.21	82.98
100000	3.36	5.28	8.82	3.15	39.03	0.72	2.22	1.94	0.28	29.62	24.00	72.00	238.58	1.67	78.64
110000	3.35	5.25	8.78	3.13	48.67	0.71	2.22	1.94	0.28	29.92	24.00	72.00	255.44	2.07	71.95
120000	3.37	5.31	8.78	3.07	63.22	0.67	2.23	1.95	0.28	30.41	24.00	72.00	247.64	2.53	75.54
130000	3.39	5.26	8.79	3.11	66.17	0.56	2.23	1.95	0.28	30.46	24.00	72.00	283.43	4.56	74.03
140000	3.41	5.21	8.68	3.03	69.49	0.52	2.23	1.95	0.28	30.37	24.00	72.00	295.76	4.92	64.78
150000	3.41	5.24	8.78	3.14	74.72	0.56	2.23	1.95	0.28	29.58	24.00	72.00	285.96	4.38	59.39
160000	3.39	5.20	8.72	3.11	72.30	0.53	2.23	1.95	0.28	29.06	24.00	72.00	284.64	4.12	58.59
170000	3.44	5.23	8.72	3.06	69.70	0.55	2.23	1.95	0.28	28.70	24.00	72.00	277.59	3.60	55.30
180000	3.43	5.21	8.71	3.08	50.32	0.48	2.23	1.95	0.28	28.20	24.00	72.00	276.76	1.91	52.08
190000	3.39	5.32	8.71	2.99	42.07	0.51	2.23	1.95	0.28	27.95	24.00	72.00	180.62	0.56	41.61
200000	3.43	5.39	8.78	3.03	30.85	0.57	2.23	1.95	0.28	27.91	24.00	72.00	102.91	1.53	37.28
210000	3.42	5.30	8.83	3.14	19.04	0.69	2.23	1.95	0.28	27.46	24.00	72.00	78.99	2.50	51.82
220000	3.41	5.34	8.80	3.06	20.74	0.66	2.23	1.95	0.28	27.05	24.00	72.00	54.71	2.19	65.81
230000	3.38	5.32	8.68	3.00	17.40	0.66	2.23	1.95	0.28	27.08	24.00	72.00	110.16	2.05	74.77
極大值	3.44	5.39	8.83	3.15	74.72	0.72	2.23	1.95	0.28	30.46	41.11	116.33	295.76	4.92	736.91
極小值	3.35	5.14	8.61	2.97	17.40	0.47	2.22	1.94	0.28	26.65	24.00	72.00	54.71	0.07	37.28
平均值	3.40	5.26	8.73	3.08	40.21	0.61	2.23	1.95	0.28	28.18	25.02	74.65	183.34	2.38	107.18
標準差	0.02	0.06	0.06	0.05	19.59	0.08	0	0	0	1.25	3.75	9.71	91.01	1.56	149

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.37	5.25	8.76	3.12	16.80	0.66	2.23	1.95	0.28	27.07	24.00	72.00	39.93	2.34	69.30
010000	3.39	5.25	8.75	3.14	15.08	0.67	2.23	1.95	0.28	27.18	41.42	117.13	161.73	0.25	737.91
020000	3.36	5.34	8.72	3.00	12.69	0.68	2.23	1.95	0.28	27.22	31.09	90.36	79.29	2.36	342.61
030000	3.38	5.36	8.83	3.09	11.28	0.67	2.22	1.94	0.28	27.09	24.00	72.00	80.78	2.01	67.53
040000	3.35	5.26	8.67	3.04	10.27	0.63	2.23	1.95	0.28	26.96	24.00	72.00	144.16	0.73	63.99
050000	3.36	5.26	8.77	3.11	9.76	0.62	2.22	1.94	0.28	26.96	24.00	72.00	77.52	0.45	67.04
060000	3.38	5.19	8.68	3.08	7.94	0.64	2.22	1.94	0.28	26.91	24.00	72.00	115.55	0.25	64.52
070000	3.34	5.23	8.65	3.05	11.31	0.68	2.22	1.94	0.28	27.36	24.00	72.00	78.20	1.22	67.71
080000	3.33	5.33	8.74	3.02	13.78	0.71	2.22	1.94	0.28	27.62	24.00	72.00	69.22	4.27	79.33
090000	3.36	5.27	8.81	3.17	16.33	0.75	2.22	1.94	0.28	27.47	24.00	72.00	30.76	4.75	81.35
100000	3.30	5.38	8.75	3.03	22.69	0.78	2.21	1.93	0.28	27.64	24.00	72.00	78.83	3.58	76.44
110000	3.27	5.28	8.83	3.18	31.16	0.73	2.22	1.94	0.28	27.74	24.00	72.00	68.02	3.89	77.12
120000	3.24	5.29	8.82	3.18	46.69	0.72	2.22	1.94	0.28	28.20	24.00	72.00	53.31	5.48	71.03
130000	3.21	5.25	8.79	3.13	68.27	0.66	2.22	1.94	0.28	29.26	24.00	72.00	125.26	3.51	67.82
140000	3.18	5.27	8.77	3.12	68.49	0.64	2.22	1.94	0.28	29.30	24.00	72.00	123.76	3.08	64.73
150000	3.12	5.26	8.77	3.14	70.28	0.61	2.22	1.94	0.28	30.04	24.00	72.00	183.74	1.36	55.08
160000	3.21	5.18	8.70	3.14	75.77	0.87	2.22	1.94	0.28	29.64	24.00	72.00	282.43	3.44	53.45
170000	3.19	5.22	8.75	3.16	63.75	0.75	2.22	1.94	0.28	28.91	24.00	72.00	283.03	1.89	61.69
180000	3.18	5.35	8.80	3.04	56.83	0.72	2.22	1.94	0.28	28.52	24.00	72.00	279.08	0.97	56.05
190000	3.15	5.24	8.69	3.09	48.21	0.65	2.22	1.94	0.28	28.19	24.00	72.00	224.49	1.37	55.13
200000	3.17	5.24	8.69	3.13	49.01	0.59	2.22	1.94	0.28	28.26	24.00	72.00	107.04	3.05	54.04
210000	3.17	5.21	8.72	3.13	39.60	0.57	2.22	1.94	0.28	27.40	24.00	72.00	137.02	0.91	53.66
220000	3.17	5.28	8.78	3.16	35.19	0.60	2.22	1.94	0.28	27.33	24.00	72.00	55.20	4.17	52.89
230000	3.21	5.33	8.74	3.05	34.05	0.58	2.22	1.94	0.28	27.38	24.00	72.00	45.91	6.37	59.48
極大值	3.39	5.38	8.83	3.18	75.77	0.87	2.23	1.95	0.28	30.04	41.42	117.13	283.03	6.37	737.91
極小值	3.12	5.18	8.65	3.00	7.94	0.57	2.21	1.93	0.28	26.91	24.00	72.00	30.76	0.25	52.89
平均值	3.27	5.27	8.75	3.10	34.80	0.67	2.22	1.94	0.28	27.90	25.02	74.65	121.84	2.57	104.16
標準差	0.09	0.05	0.05	0.05	23.09	0.07	0	0	0	0.93	3.78	9.79	77.53	1.71	146.67

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.14	5.38	8.81	3.08	33.95	0.56	2.22	1.94	0.28	27.29	24.00	72.00	41.33	4.68	61.13
010000	3.13	5.26	8.70	3.09	29.96	0.57	2.22	1.94	0.28	27.26	41.23	116.62	95.78	2.51	729.35
020000	3.14	5.34	8.74	3.03	29.39	0.59	2.22	1.94	0.28	27.29	30.86	89.73	60.07	3.18	325.26
030000	3.12	5.29	8.81	3.10	30.93	0.55	2.23	1.95	0.28	27.28	24.00	72.00	41.27	3.76	60.75
040000	3.10	5.30	8.73	3.03	25.43	0.55	2.23	1.95	0.28	27.21	24.00	72.00	35.05	3.38	57.80
050000	3.11	5.25	8.72	3.08	20.65	0.56	2.23	1.95	0.28	27.15	24.00	72.00	55.89	0.89	54.70
060000	3.11	5.22	8.67	3.02	16.89	0.59	2.23	1.95	0.28	27.17	24.00	72.00	73.12	2.49	56.29
070000	3.11	5.20	8.76	3.14	15.88	0.65	2.23	1.95	0.28	27.66	24.00	72.00	101.64	0.34	58.49
080000	3.09	5.27	8.68	3.03	29.56	0.70	2.23	1.95	0.28	29.49	24.00	72.00	80.64	2.55	65.12
090000	3.08	5.35	8.66	2.91	59.54	0.60	2.23	1.95	0.28	31.27	24.00	72.00	94.63	3.29	64.28
100000	3.15	5.15	8.66	3.12	65.69	0.57	2.23	1.95	0.28	31.23	24.00	72.00	51.84	5.51	52.61
110000	3.11	5.18	8.65	3.07	76.43	0.70	2.23	1.95	0.28	31.89	24.00	72.00	64.01	5.65	46.11
120000	3.04	5.23	8.72	3.09	81.05	0.67	2.23	1.95	0.28	33.53	24.00	72.00	213.10	2.52	52.24
130000	3.13	5.18	8.61	3.05	66.59	0.93	2.23	1.95	0.28	31.95	24.00	72.00	272.06	4.27	55.04
140000	3.15	5.18	8.66	3.09	73.88	0.71	2.23	1.95	0.28	31.24	24.00	72.00	85.98	3.59	69.80
150000	3.10	5.18	8.53	2.95	78.64	0.73	2.23	1.95	0.28	30.95	24.00	72.00	51.39	4.62	77.73
160000	3.16	5.28	8.64	2.97	80.98	0.72	2.24	1.96	0.28	31.37	24.00	72.00	80.94	1.91	76.78
170000	3.14	5.22	8.73	3.12	71.68	0.83	2.24	1.96	0.28	30.99	24.00	72.00	127.68	1.66	79.08
180000	3.11	5.22	8.63	3.03	66.51	0.82	2.23	1.95	0.28	30.62	24.00	72.00	119.09	0.83	86.80
190000	3.13	5.16	8.64	3.09	45.23	0.81	2.23	1.95	0.28	29.64	24.00	72.00	82.17	4.34	94.83
200000	3.12	5.25	8.79	3.16	23.09	0.67	2.23	1.95	0.28	28.75	24.00	72.00	57.94	5.42	93.55
210000	3.16	5.29	8.78	3.10	22.98	0.69	2.23	1.95	0.28	28.46	24.00	72.00	64.08	5.10	88.12
220000	3.09	5.29	8.67	2.99	18.94	0.66	2.23	1.95	0.28	28.22	24.00	72.00	53.75	5.19	78.44
230000	3.09	5.19	8.65	3.07	21.65	0.62	2.23	1.95	0.28	28.12	24.00	72.00	63.06	6.03	67.23
極大值	3.16	5.38	8.81	3.16	81.05	0.93	2.24	1.96	0.28	33.53	41.23	116.62	272.06	6.03	729.35
極小值	3.04	5.15	8.53	2.91	15.88	0.55	2.22	1.94	0.28	27.15	24.00	72.00	35.05	0.34	46.11
平均值	3.12	5.24	8.69	3.06	45.23	0.67	2.23	1.95	0.28	29.42	25.00	74.60	86.10	3.49	106.31
標準差	0.03	0.06	0.07	0.06	24.37	0.1	0	0	0	1.98	3.73	9.65	54.42	1.64	143.35

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.11	5.27	8.63	3.00	35.38	0.53	2.23	1.95	0.28	28.23	24.00	72.00	88.24	6.30	57.95
010000	3.04	5.37	8.66	2.93	42.41	0.49	2.24	1.96	0.28	28.29	41.23	116.57	52.25	7.69	727.86
020000	3.10	5.23	8.64	3.02	38.65	0.49	2.24	1.96	0.28	27.96	30.60	89.07	44.64	6.88	283.42
030000	3.09	5.26	8.77	3.12	37.08	0.49	2.24	1.96	0.28	27.89	24.00	72.00	47.30	7.44	11.97
040000	3.05	5.15	8.60	3.06	27.49	0.54	2.24	1.96	0.28	27.34	24.00	72.00	66.89	7.17	12.37
050000	3.07	5.27	8.78	3.14	29.61	0.52	2.23	1.95	0.28	26.83	24.00	72.00	51.63	7.00	23.45
060000	3.11	5.18	8.66	3.11	29.96	0.55	2.23	1.95	0.28	26.88	24.00	72.00	73.90	5.40	21.31
070000	3.13	5.18	8.60	3.04	28.19	0.55	2.23	1.95	0.28	27.48	24.00	72.00	56.24	3.87	17.80
080000	3.16	5.22	8.67	3.02	32.33	0.65	2.23	1.95	0.28	28.67	24.00	72.00	73.58	4.46	20.32
090000	3.09	5.28	8.71	3.03	33.09	0.76	2.23	1.95	0.28	29.79	24.00	72.00	167.39	1.49	74.00
100000	3.10	5.27	8.74	3.05	44.77	0.59	2.23	1.95	0.28	30.53	24.00	72.00	268.04	3.07	43.26
110000	3.06	5.24	8.67	3.06	49.98	0.63	2.23	1.95	0.28	31.41	24.00	72.00	281.20	4.80	26.67
120000	3.06	5.24	8.74	3.10	61.73	0.54	2.23	1.95	0.28	31.47	24.00	72.00	293.39	6.12	30.15
130000	3.11	5.29	8.65	3.02	65.49	0.54	2.23	1.95	0.28	31.45	24.00	72.00	294.12	6.87	29.48
140000	3.08	5.26	8.80	3.19	66.73	0.52	2.23	1.95	0.28	31.49	24.00	72.00	284.63	5.96	57.39
150000	3.11	5.20	8.69	3.11	68.68	0.52	2.23	1.95	0.28	31.32	24.00	72.00	285.89	4.86	90.08
160000	3.15	5.24	8.64	3.00	71.03	0.50	2.23	1.95	0.28	30.75	24.00	72.00	286.21	4.49	55.31
170000	3.16	5.23	8.71	3.08	68.19	0.52	2.23	1.95	0.28	30.16	24.00	72.00	281.39	2.94	39.88
180000	3.19	5.30	8.82	3.11	59.02	0.54	2.23	1.95	0.28	29.34	24.00	72.00	267.29	1.61	39.19
190000	3.14	5.12	8.77	3.23	54.05	0.48	2.23	1.95	0.28	28.89	24.00	72.00	226.97	2.66	37.11
200000	3.07	5.32	8.81	3.08	56.29	0.45	2.23	1.95	0.28	28.94	24.00	72.00	311.42	3.52	28.77
210000	3.11	5.30	8.76	3.10	44.44	0.48	2.23	1.95	0.28	28.32	24.00	72.00	190.62	0.51	18.76
220000	3.09	5.24	8.73	3.11	43.29	0.53	2.23	1.95	0.28	28.03	24.00	72.00	59.30	2.51	20.83
230000	3.08	5.25	8.77	3.13	42.99	0.55	2.23	1.95	0.28	28.29	24.00	72.00	45.91	3.19	27.81
極大值	3.19	5.37	8.82	3.23	71.03	0.76	2.24	1.96	0.28	31.49	41.23	116.57	311.42	7.69	727.86
極小值	3.04	5.12	8.60	2.93	27.49	0.45	2.23	1.95	0.28	26.83	24.00	72.00	44.64	0.51	11.97
平均值	3.10	5.25	8.71	3.08	47.12	0.54	2.23	1.95	0.28	29.16	24.99	74.57	170.77	4.62	74.80
標準差	0.04	0.05	0.07	0.07	14.5	0.07	0	0	0	1.56	3.71	9.6	109.01	2.09	149.26

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	3.10	5.20	8.73	3.17	33.64	0.59	2.23	1.95	0.28	28.02	24.00	72.00	46.05	5.38	29.26
010000	3.05	5.22	8.70	3.08	29.51	0.58	2.23	1.95	0.28	27.73	40.72	115.25	47.50	3.39	699.84
020000	3.06	5.26	8.82	3.17	28.65	0.56	2.23	1.95	0.28	27.49	31.22	90.67	101.77	0.88	321.39
030000	3.04	5.36	8.82	3.08	37.01	0.46	2.23	1.95	0.28	27.61	24.00	72.00	173.24	0.91	30.55
040000	3.01	5.21	8.73	3.12	50.25	0.41	2.23	1.95	0.28	27.60	24.00	72.00	198.04	1.11	27.10
050000	3.07	5.28	8.76	3.08	55.62	0.39	2.23	1.94	0.29	27.65	24.00	72.00	130.10	1.59	34.15
060000	3.05	5.29	8.73	3.04	52.13	0.42	2.23	1.94	0.29	27.80	24.00	72.00	149.01	0.97	47.08
070000	3.10	5.33	8.76	3.09	45.47	0.44	2.23	1.94	0.29	29.16	24.00	72.00	109.73	1.82	48.14
080000	3.07	5.40	8.77	3.00	47.70	0.47	2.23	1.95	0.28	30.53	24.00	72.00	57.06	4.68	45.42
090000	3.07	5.21	8.70	3.09	60.54	0.50	2.22	1.94	0.28	31.42	24.00	72.00	78.64	4.54	35.99
100000	3.09	5.23	8.72	3.04	68.09	0.51	2.22	1.94	0.28	32.36	24.00	72.00	99.82	4.41	34.26
110000	3.06	5.24	8.63	2.98	65.70	0.54	2.22	1.94	0.28	32.42	24.00	72.00	120.74	4.38	34.95
120000	3.06	5.28	8.79	3.12	65.03	0.50	2.22	1.94	0.28	30.86	24.00	72.00	251.32	3.43	55.98
130000	3.03	5.25	8.70	3.09	67.18	0.53	2.23	1.95	0.28	31.28	24.00	72.00	236.82	1.85	62.21
140000	3.02	5.18	8.74	3.15	69.69	0.64	2.23	1.95	0.28	32.29	24.00	72.00	233.29	2.83	63.84
150000	3.00	5.23	8.69	3.07	73.26	0.55	2.23	1.95	0.28	31.32	24.00	72.00	286.68	5.33	70.69
160000	2.98	5.21	8.65	3.05	78.05	0.50	2.23	1.95	0.28	30.56	24.00	72.00	281.97	4.66	63.13
170000	2.98	5.20	8.66	3.03	75.93	0.55	2.23	1.95	0.28	29.74	24.00	72.00	277.56	2.64	59.87
180000	3.01	5.27	8.76	3.08	69.28	0.53	2.23	1.95	0.28	29.33	24.00	72.00	271.48	2.81	60.98
190000	3.02	5.24	8.71	3.06	60.05	0.48	2.23	1.95	0.28	29.11	24.00	72.00	283.86	3.02	55.82
200000	2.97	5.26	8.80	3.14	60.28	0.47	2.23	1.95	0.28	28.92	24.00	72.00	232.95	1.98	42.07
210000	2.98	5.20	8.72	3.16	45.59	0.51	2.23	1.95	0.28	28.13	24.00	72.00	90.46	0.08	34.40
220000	2.96	5.22	8.65	3.05	58.69	0.46	2.23	1.95	0.28	28.13	24.00	72.00	262.82	0.44	34.93
230000	3.01	5.24	8.68	3.02	45.98	0.49	2.23	1.95	0.28	27.91	24.00	72.00	97.88	2.54	34.96
極大值	3.10	5.40	8.82	3.17	78.05	0.64	2.23	1.95	0.29	32.42	40.72	115.25	286.68	5.38	699.84
極小值	2.96	5.18	8.63	2.98	28.65	0.39	2.22	1.94	0.28	27.49	24.00	72.00	46.05	0.08	27.10
平均值	3.03	5.25	8.73	3.08	55.97	0.50	2.23	1.95	0.28	29.47	25.00	74.58	171.62	2.74	84.46
標準差	0.04	0.05	0.05	0.05	14.45	0.06	0	0	0	1.73	3.66	9.46	85.99	1.61	143.21

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.97	5.27	8.78	3.12	40.80	0.52	2.23	1.95	0.28	27.53	24.00	72.00	45.59	5.08	35.22
010000	2.94	5.24	8.65	3.06	34.98	0.54	2.23	1.95	0.28	27.39	41.10	116.24	24.39	5.10	717.29
020000	2.92	5.22	8.69	3.10	26.12	0.61	2.23	1.95	0.28	27.43	30.86	89.75	146.08	1.38	321.89
030000	2.91	5.32	8.78	3.05	18.12	0.61	2.23	1.95	0.28	27.16	24.00	72.00	217.36	0.17	53.45
040000	2.90	5.16	8.73	3.13	22.37	0.56	2.23	1.95	0.28	26.98	24.00	72.00	173.90	0.08	55.47
050000	2.91	5.23	8.63	2.98	25.43	0.56	2.23	1.95	0.28	27.04	24.00	72.00	278.13	1.26	58.98
060000	2.90	5.24	8.84	3.18	24.06	0.59	2.23	1.95	0.28	27.69	24.00	72.00	240.33	1.18	62.66
070000	2.87	5.30	8.67	3.01	13.85	0.67	2.22	1.94	0.28	27.79	24.00	72.00	30.90	4.47	61.88
080000	2.93	5.26	8.79	3.14	19.38	0.76	2.22	1.94	0.28	28.22	24.00	72.00	29.22	6.21	63.15
090000	2.87	5.30	8.73	3.07	27.42	0.76	2.22	1.94	0.28	28.42	24.00	72.00	47.64	6.09	82.80
100000	2.85	5.28	8.81	3.14	30.25	0.64	2.22	1.94	0.28	28.84	24.00	72.00	50.65	4.55	76.80
110000	2.83	5.18	8.67	3.11	44.34	0.63	2.23	1.95	0.28	29.62	24.00	72.00	35.74	5.49	67.86
120000	2.82	5.20	8.68	3.11	69.07	0.62	2.23	1.95	0.28	31.93	24.00	72.00	91.17	3.76	66.54
130000	2.77	5.22	8.66	3.09	79.33	0.59	2.24	1.96	0.28	32.99	24.00	72.00	168.71	2.57	65.34
140000	2.79	5.18	8.67	3.11	71.94	0.51	2.23	1.95	0.28	32.38	24.00	72.00	275.52	6.69	62.67
150000	2.86	5.11	8.63	3.18	66.26	0.45	2.23	1.95	0.28	31.42	24.00	72.00	286.53	8.56	79.25
160000	2.85	5.29	8.76	3.07	66.55	0.51	2.23	1.95	0.28	31.03	24.00	72.00	286.98	4.82	67.36
170000	2.85	5.18	8.69	3.11	56.30	0.52	2.23	1.95	0.28	30.61	24.00	72.00	281.09	2.20	49.64
180000	2.88	5.31	8.67	2.98	48.73	0.55	2.23	1.95	0.28	29.61	24.00	72.00	139.06	1.71	45.32
190000	2.93	5.15	8.65	3.08	31.06	0.65	2.23	1.95	0.28	28.66	24.00	72.00	127.03	0.95	48.24
200000	2.91	5.34	8.83	3.11	30.23	0.65	2.23	1.95	0.28	28.11	24.00	72.00	146.45	0.09	50.29
210000	2.88	5.33	8.78	3.06	44.42	0.67	2.23	1.95	0.28	28.27	24.00	72.00	160.78	0.45	58.71
220000	2.83	5.29	8.80	3.13	39.57	0.61	2.23	1.95	0.28	28.06	24.00	72.00	208.91	0.20	65.56
230000	2.81	5.26	8.64	3.03	37.22	0.57	2.23	1.95	0.28	27.88	24.00	72.00	183.14	0.44	61.54
極大值	2.97	5.34	8.84	3.18	79.33	0.76	2.24	1.96	0.28	32.99	41.10	116.24	286.98	8.56	717.29
極小值	2.77	5.11	8.63	2.98	13.85	0.45	2.22	1.94	0.28	26.98	24.00	72.00	24.39	0.08	35.22
平均值	2.87	5.24	8.72	3.09	40.32	0.60	2.23	1.95	0.28	28.96	25.00	74.58	153.14	3.06	99.08
標準差	0.05	0.06	0.07	0.05	18.89	0.08	0	0	0	1.81	3.7	9.58	92.74	2.55	142.44

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.81	5.29	8.75	3.05	35.65	0.58	2.23	1.95	0.28	27.49	24.00	72.00	144.30	0.73	51.47
010000	2.82	5.26	8.74	3.12	31.49	0.59	2.23	1.95	0.28	27.60	41.10	116.26	51.85	5.65	721.04
020000	2.83	5.38	8.76	2.99	31.18	0.65	2.23	1.95	0.28	27.46	31.62	91.70	31.44	6.20	352.88
030000	2.79	5.24	8.78	3.15	34.53	0.59	2.23	1.95	0.28	27.41	24.00	72.00	43.45	3.41	58.08
040000	2.81	5.17	8.72	3.15	28.64	0.62	2.23	1.95	0.28	27.34	24.00	72.00	49.03	1.82	52.11
050000	2.85	5.31	8.74	3.04	21.31	0.65	2.23	1.95	0.28	27.15	24.00	72.00	32.37	4.93	56.19
060000	2.80	5.28	8.73	3.05	16.67	0.67	2.23	1.95	0.28	27.24	24.00	72.00	47.92	5.40	57.57
070000	2.82	5.29	8.72	3.00	18.88	0.73	2.23	1.95	0.28	28.27	24.00	72.00	173.29	0.69	52.66
080000	2.82	5.31	8.75	3.06	34.57	0.70	2.23	1.95	0.28	30.35	24.00	72.00	146.41	1.08	55.32
090000	2.81	5.25	8.73	3.09	56.53	0.66	2.23	1.95	0.28	32.43	24.00	72.00	180.43	1.30	62.94
100000	2.80	5.27	8.64	3.01	69.85	0.74	2.23	1.95	0.28	32.91	24.00	72.00	265.20	2.75	67.47
110000	2.81	5.22	8.74	3.14	80.79	0.75	2.23	1.95	0.28	32.67	24.00	72.00	280.25	4.21	68.24
120000	2.79	5.28	8.69	3.02	80.50	0.61	2.23	1.95	0.28	33.13	24.00	72.00	281.17	4.08	59.58
130000	2.82	5.34	8.74	3.02	68.73	0.53	2.23	1.95	0.28	33.18	24.00	72.00	276.89	4.75	49.10
140000	2.78	5.24	8.72	3.12	50.67	0.46	2.23	1.95	0.28	33.37	24.00	72.00	278.44	3.52	36.39
150000	2.82	5.29	8.67	3.01	51.60	0.45	2.23	1.95	0.28	32.97	24.00	72.00	284.61	3.47	28.28
160000	2.83	5.28	8.66	2.98	56.84	0.49	2.23	1.95	0.28	32.63	24.00	72.00	281.40	4.14	31.53
170000	2.88	5.26	8.68	3.07	59.05	0.60	2.23	1.95	0.28	31.65	24.00	72.00	278.20	3.11	40.75
180000	2.87	5.28	8.77	3.09	60.12	0.65	2.23	1.95	0.28	30.50	24.00	72.00	115.61	2.85	53.74
190000	2.83	5.22	8.76	3.16	55.10	0.59	2.23	1.95	0.28	30.06	24.00	72.00	89.16	3.13	60.85
200000	2.88	5.27	8.72	3.04	44.73	0.63	2.23	1.95	0.28	29.80	24.00	72.00	121.90	2.53	61.40
210000	2.81	5.31	8.80	3.11	32.36	0.65	2.22	1.94	0.28	29.26	24.00	72.00	202.11	0.08	70.10
220000	2.78	5.22	8.73	3.13	35.08	0.64	2.23	1.95	0.28	29.12	24.00	72.00	214.75	0.28	70.19
230000	2.78	5.21	8.67	3.07	28.78	0.65	2.23	1.95	0.28	28.70	24.00	72.00	155.01	0.33	62.24
極大值	2.88	5.38	8.80	3.16	80.79	0.75	2.23	1.95	0.28	33.37	41.10	116.26	284.61	6.20	721.04
極小值	2.78	5.17	8.64	2.98	16.67	0.45	2.22	1.94	0.28	27.15	24.00	72.00	31.44	0.08	28.28
平均值	2.82	5.27	8.73	3.07	45.15	0.62	2.23	1.95	0.28	30.11	25.03	74.66	167.72	2.94	95.00
標準差	0.03	0.05	0.04	0.06	18.78	0.08	0	0	0	2.33	3.76	9.73	95.08	1.82	146.97

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.80	5.28	8.76	3.09	20.85	0.69	2.23	1.95	0.28	28.34	24.00	72.00	93.84	0.20	54.38
010000	2.77	5.26	8.74	3.08	18.28	0.64	2.23	1.95	0.28	28.39	41.23	116.58	58.11	2.08	726.87
020000	2.76	5.23	8.76	3.11	14.94	0.64	2.23	1.95	0.28	28.11	30.86	89.75	73.66	1.62	331.74
030000	2.71	5.28	8.80	3.11	19.43	0.62	2.23	1.95	0.28	27.88	24.00	72.00	275.91	0.26	67.55
040000	2.74	5.36	8.73	2.97	11.04	0.62	2.23	1.95	0.28	27.65	24.00	72.00	111.00	0.07	61.88
050000	2.75	5.31	8.86	3.16	8.76	0.63	2.23	1.95	0.28	27.74	24.00	72.00	46.37	0.97	56.75
060000	2.76	5.27	8.75	3.07	11.39	0.75	2.23	1.95	0.28	27.80	24.00	72.00	196.20	0.29	53.27
070000	2.76	5.30	8.80	3.17	13.41	0.69	2.22	1.94	0.28	28.72	24.00	72.00	63.73	2.22	56.99
080000	2.77	5.25	8.86	3.20	32.55	0.63	2.22	1.94	0.28	30.93	24.00	72.00	159.12	1.27	63.45
090000	2.72	5.22	8.69	3.06	57.75	0.67	2.22	1.94	0.28	32.74	24.00	72.00	191.87	1.31	63.69
100000	2.77	5.36	8.88	3.15	68.83	0.59	2.23	1.95	0.28	33.98	24.00	72.00	218.90	1.31	65.90
110000	2.80	5.27	8.66	2.98	76.60	0.65	2.23	1.95	0.28	34.40	24.00	72.00	270.26	3.18	58.32
120000	2.77	5.29	8.77	3.06	66.86	0.57	2.23	1.95	0.28	34.16	24.00	72.00	279.44	4.35	58.89
130000	2.79	5.24	8.74	3.12	64.63	0.51	2.23	1.95	0.28	33.79	24.00	72.00	286.24	5.34	44.45
140000	2.84	5.28	8.69	3.05	66.89	0.53	2.23	1.95	0.28	33.55	24.00	72.00	284.87	4.63	38.68
150000	2.81	5.22	8.64	3.07	63.34	0.51	2.23	1.95	0.28	33.09	24.00	72.00	284.47	4.78	38.41
160000	2.83	5.27	8.70	3.06	66.59	0.54	2.23	1.95	0.28	32.40	24.00	72.00	285.92	4.03	35.01
170000	2.83	5.20	8.64	3.08	59.05	0.56	2.23	1.95	0.28	31.85	24.00	72.00	212.50	1.36	42.15
180000	2.83	5.20	8.67	3.10	42.27	0.89	2.23	1.95	0.28	31.16	24.00	72.00	102.39	1.03	45.29
190000	2.80	5.24	8.71	3.08	42.78	0.71	2.23	1.95	0.28	30.71	24.00	72.00	86.22	1.25	45.96
200000	2.83	5.25	8.69	3.04	35.59	0.66	2.22	1.94	0.28	30.33	24.00	72.00	107.22	1.57	50.76
210000	2.85	5.32	8.73	3.01	25.69	0.67	2.22	1.94	0.28	29.80	24.00	72.00	147.10	0.61	56.89
220000	2.79	5.27	8.77	3.14	28.56	0.69	2.22	1.94	0.28	29.50	24.00	72.00	154.39	0.07	63.15
230000	2.81	5.19	8.59	3.03	27.02	0.71	2.22	1.94	0.28	29.55	24.00	72.00	299.38	0.07	65.15
極大值	2.85	5.36	8.88	3.20	76.60	0.89	2.23	1.95	0.28	34.40	41.23	116.58	299.38	5.34	726.87
極小值	2.71	5.19	8.59	2.97	8.76	0.51	2.22	1.94	0.28	27.65	24.00	72.00	46.37	0.07	35.01
平均值	2.79	5.26	8.73	3.08	39.30	0.64	2.23	1.95	0.28	30.69	25.00	74.60	178.71	1.83	93.57
標準差	0.04	0.05	0.07	0.06	22.8	0.08	0	0	0	2.36	3.73	9.65	88.67	1.66	146.61

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.72	5.13	8.66	3.11	17.20	0.73	2.23	1.95	0.28	29.07	24.00	72.00	176.64	0.28	61.95
010000	2.71	5.13	8.69	3.17	18.74	0.69	2.23	1.95	0.28	29.10	41.34	116.86	35.52	1.23	733.86
020000	2.73	5.34	8.79	3.08	18.02	0.71	2.23	1.95	0.28	29.08	31.09	90.35	28.23	4.91	332.69
030000	2.70	5.29	8.74	3.08	21.20	0.65	2.23	1.95	0.28	28.92	24.00	72.00	51.27	5.89	56.51
040000	2.69	5.25	8.68	3.06	16.62	0.68	2.23	1.95	0.28	28.64	24.00	72.00	94.16	2.56	57.97
050000	2.74	5.20	8.68	3.10	13.66	0.66	2.23	1.95	0.28	28.20	24.00	72.00	270.46	0.16	55.20
060000	2.70	5.27	8.81	3.17	21.49	0.69	2.23	1.95	0.28	28.52	24.00	72.00	53.37	0.95	59.04
070000	2.69	5.25	8.81	3.16	18.87	0.64	2.23	1.95	0.28	29.50	24.00	72.00	95.97	0.86	56.74
080000	2.71	5.29	8.73	3.01	34.63	0.59	2.22	1.94	0.28	31.72	24.00	72.00	144.84	1.22	51.04
090000	2.71	5.32	8.77	3.05	47.33	0.55	2.22	1.94	0.28	33.10	24.00	72.00	101.58	1.81	47.36
100000	2.72	5.25	8.70	3.06	52.39	0.56	2.23	1.95	0.28	34.43	24.00	72.00	144.80	1.63	38.80
110000	2.75	5.26	8.72	3.05	72.85	0.62	2.23	1.95	0.28	34.01	24.00	72.00	270.94	4.65	42.91
120000	2.78	5.30	8.71	3.06	82.32	0.61	2.23	1.95	0.28	33.68	24.00	72.00	294.28	5.08	57.93
130000	2.79	5.26	8.77	3.12	52.19	0.49	2.23	1.95	0.28	33.52	24.00	72.00	293.02	5.55	47.99
140000	2.81	5.30	8.80	3.11	47.82	0.48	2.23	1.95	0.28	33.26	24.00	72.00	282.87	5.20	32.56
150000	2.83	5.10	8.61	3.14	51.57	0.49	2.23	1.95	0.28	32.92	24.00	72.00	283.30	4.36	27.86
160000	2.83	5.24	8.63	3.01	53.51	0.50	2.23	1.95	0.28	32.31	24.00	72.00	277.76	3.51	27.74
170000	2.82	5.20	8.63	3.05	61.11	0.52	2.23	1.95	0.28	31.65	24.00	72.00	286.53	1.75	32.09
180000	2.86	5.34	8.62	2.93	49.62	0.55	2.23	1.95	0.28	30.86	24.00	72.00	271.83	0.37	34.18
190000	2.82	5.17	8.63	3.12	42.24	0.57	2.23	1.95	0.28	30.38	24.00	72.00	233.25	0.12	40.84
200000	2.78	5.18	8.61	3.07	33.10	0.58	2.23	1.95	0.28	30.37	24.00	72.00	151.09	0.07	40.25
210000	2.83	5.20	8.67	3.06	30.68	0.57	2.23	1.95	0.28	30.45	24.00	72.00	97.22	0.07	36.26
220000	2.82	5.31	8.75	3.03	26.84	0.58	2.23	1.95	0.28	29.88	24.00	72.00	134.42	0.17	32.72
230000	2.75	5.32	8.77	3.05	23.42	0.56	2.23	1.95	0.28	30.19	24.00	72.00	118.41	2.01	34.02
極大值	2.86	5.34	8.81	3.17	82.32	0.73	2.23	1.95	0.28	34.43	41.34	116.86	294.28	5.89	733.86
極小值	2.69	5.10	8.61	2.93	13.66	0.48	2.22	1.94	0.28	28.20	24.00	72.00	28.23	0.07	27.74
平均值	2.76	5.25	8.71	3.08	37.81	0.59	2.23	1.95	0.28	30.99	25.02	74.63	174.66	2.27	84.94
標準差	0.05	0.07	0.07	0.06	19.2	0.07	0	0	0	1.98	3.77	9.74	95.14	2.05	150.61

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.75	5.26	8.71	3.04	15.22	0.59	2.23	1.95	0.28	29.51	24.00	72.00	132.38	0.86	30.59
010000	2.75	5.13	8.67	3.16	27.21	0.61	2.23	1.95	0.28	29.28	41.42	117.12	150.40	0.63	727.38
020000	2.74	5.16	8.75	3.19	23.73	0.59	2.23	1.95	0.28	29.03	31.09	90.36	192.60	0.14	322.81
030000	2.74	5.25	8.74	3.10	12.58	0.56	2.23	1.95	0.28	28.86	24.00	72.00	94.60	0.31	42.25
040000	2.72	5.30	8.72	3.02	12.22	0.57	2.23	1.95	0.28	28.79	24.00	72.00	83.59	1.89	37.42
050000	2.74	5.20	8.67	3.12	12.26	0.59	2.23	1.95	0.28	28.70	24.00	72.00	55.31	2.60	54.56
060000	2.73	5.29	8.77	3.11	11.73	0.67	2.23	1.95	0.28	28.83	24.00	72.00	50.55	2.79	68.77
070000	2.73	5.29	8.72	3.05	12.15	0.68	2.23	1.95	0.28	29.33	24.00	72.00	38.60	3.64	69.50
080000	2.75	5.18	8.74	3.17	17.93	0.81	2.23	1.95	0.28	30.01	24.00	72.00	55.17	3.30	74.51
090000	2.77	5.24	8.62	3.00	22.00	0.73	2.23	1.95	0.28	30.88	24.00	72.00	163.32	1.32	145.57
100000	2.78	5.23	8.69	3.05	33.96	0.66	2.23	1.95	0.28	31.53	24.00	72.00	267.02	2.23	98.79
110000	2.71	5.32	8.77	3.05	35.33	0.73	2.23	1.95	0.28	31.44	24.00	72.00	275.64	3.33	75.36
120000	2.80	5.28	8.72	3.06	43.34	0.68	2.23	1.95	0.28	31.74	24.00	72.00	279.07	2.97	72.54
130000	2.76	5.20	8.65	3.12	57.73	0.63	2.23	1.95	0.28	32.41	24.00	72.00	280.65	4.89	68.77
140000	2.78	5.18	8.67	3.12	55.48	0.55	2.23	1.95	0.28	32.85	24.00	72.00	280.47	3.60	63.05
150000	2.76	5.21	8.63	3.05	55.31	0.55	2.23	1.95	0.28	33.02	24.00	72.00	279.17	3.10	36.21
160000	2.83	5.22	8.67	3.09	55.52	0.56	2.23	1.95	0.28	32.11	24.00	72.00	285.25	3.33	35.32
170000	2.79	5.19	8.71	3.14	53.51	0.58	2.23	1.95	0.28	31.03	24.00	72.00	289.05	2.85	38.46
180000	2.82	5.28	8.72	3.03	43.69	0.55	2.23	1.95	0.28	30.21	24.00	72.00	275.38	0.91	37.17
190000	2.85	5.27	8.63	2.98	40.21	0.58	2.23	1.95	0.28	30.00	24.00	72.00	257.58	0.73	40.88
200000	2.82	5.30	8.77	3.06	43.35	0.61	2.23	1.95	0.28	30.15	24.00	72.00	100.78	3.97	45.16
210000	2.83	5.28	8.72	3.05	43.69	0.56	2.23	1.95	0.28	29.76	24.00	72.00	90.75	3.45	75.54
220000	2.85	5.22	8.63	3.06	44.43	0.54	2.23	1.95	0.28	29.33	24.00	72.00	84.88	5.20	89.63
230000	2.80	5.21	8.77	3.13	42.94	0.55	2.23	1.95	0.28	28.97	24.00	72.00	77.01	4.91	93.20
極大值	2.85	5.32	8.77	3.19	57.73	0.81	2.23	1.95	0.28	33.02	41.42	117.12	289.05	5.20	727.38
極小值	2.71	5.13	8.62	2.98	11.73	0.54	2.23	1.95	0.28	28.70	24.00	72.00	38.60	0.14	30.59
平均值	2.78	5.24	8.70	3.08	33.98	0.61	2.23	1.95	0.28	30.32	25.02	74.64	172.47	2.62	101.81
標準差	0.04	0.05	0.05	0.05	16.42	0.07	0	0	0	1.38	3.78	9.79	96.74	1.49	145.79

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.75	5.27	8.74	3.10	40.59	0.54	2.23	1.95	0.28	28.75	24.00	72.00	62.77	3.94	86.07
010000	2.75	5.27	8.82	3.17	33.76	0.55	2.23	1.95	0.28	28.31	41.60	117.52	44.74	3.61	749.83
020000	2.76	5.30	8.70	3.03	30.05	0.57	2.23	1.95	0.28	28.25	30.67	89.26	54.25	3.16	332.93
030000	2.73	5.21	8.75	3.15	26.49	0.59	2.23	1.95	0.28	28.21	24.00	72.00	59.24	2.90	75.44
040000	2.73	5.25	8.77	3.13	26.61	0.59	2.23	1.95	0.28	28.46	24.00	72.00	52.74	4.07	78.37
050000	2.77	5.28	8.77	3.10	31.47	0.57	2.23	1.95	0.28	28.52	24.00	72.00	59.10	2.81	81.77
060000	2.77	5.23	8.70	3.10	26.94	0.60	2.23	1.95	0.28	28.56	24.00	72.00	110.55	4.62	75.52
070000	2.70	5.31	8.74	3.03	26.25	0.67	2.23	1.95	0.28	29.20	24.00	72.00	67.17	4.58	71.98
080000	2.77	5.20	8.74	3.15	28.80	0.68	2.23	1.95	0.28	30.70	24.00	72.00	96.50	3.81	76.70
090000	2.75	5.30	8.67	2.97	33.35	0.65	2.23	1.95	0.28	31.39	24.00	72.00	104.21	5.26	86.36
100000	2.71	5.13	8.62	3.09	44.69	0.62	2.23	1.95	0.28	32.02	24.00	72.00	91.72	5.41	100.40
110000	2.74	5.30	8.78	3.08	58.20	0.56	2.23	1.95	0.28	33.25	24.00	72.00	116.46	4.56	78.22
120000	2.73	5.28	8.77	3.12	60.89	0.53	2.23	1.95	0.28	34.27	24.00	72.00	121.14	3.40	59.81
130000	2.75	5.12	8.68	3.13	64.37	0.55	2.23	1.95	0.28	34.19	24.00	72.00	169.64	4.42	48.39
140000	2.79	5.30	8.67	3.00	61.78	0.52	2.24	1.96	0.28	33.78	24.00	72.00	92.38	3.75	65.14
150000	2.83	5.22	8.62	3.02	72.14	0.56	2.24	1.96	0.28	32.76	24.00	72.00	237.61	6.33	65.75
160000	2.81	5.23	8.60	3.02	71.61	0.54	2.23	1.95	0.28	31.63	24.00	72.00	282.68	6.56	72.69
170000	2.84	5.29	8.72	3.04	66.49	0.56	2.23	1.95	0.28	30.99	24.00	72.00	290.67	4.06	58.59
180000	2.84	5.27	8.73	3.11	55.04	0.56	2.23	1.95	0.28	30.08	24.00	72.00	132.85	3.77	56.57
190000	2.81	5.26	8.72	3.06	51.29	0.56	2.23	1.95	0.28	29.28	24.00	72.00	82.90	3.63	48.68
200000	2.81	5.23	8.71	3.07	42.25	0.59	2.23	1.95	0.28	28.57	24.00	72.00	119.88	2.70	43.75
210000	2.79	5.32	8.76	3.05	35.70	0.63	2.23	1.95	0.28	28.22	24.00	72.00	114.52	1.90	45.64
220000	2.77	5.23	8.83	3.18	32.14	0.64	2.23	1.95	0.28	28.14	24.00	72.00	79.77	2.48	41.64
230000	2.82	5.25	8.75	3.12	30.12	0.62	2.23	1.94	0.29	27.99	24.00	72.00	148.18	0.88	37.16
極大值	2.84	5.32	8.83	3.18	72.14	0.68	2.24	1.96	0.29	34.27	41.60	117.52	290.67	6.56	749.83
極小值	2.70	5.12	8.60	2.97	26.25	0.52	2.23	1.94	0.28	27.99	24.00	72.00	44.74	0.88	37.16
平均值	2.77	5.25	8.72	3.08	43.79	0.59	2.23	1.95	0.28	30.23	25.01	74.62	116.32	3.86	105.72
標準差	0.04	0.05	0.06	0.06	16	0.04	0	0	0	2.17	3.79	9.79	67.89	1.3	148.48

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(°)	(m/s)	(ug/m)
000000	2.78	5.32	8.70	2.98	26.83	0.63	2.23	1.94	0.29	27.74	24.00	72.00	122.80	0.44	35.97
010000	2.75	5.27	8.83	3.14	21.10	0.64	2.23	1.95	0.28	27.71	41.34	116.88	87.13	1.04	726.84
020000	2.78	5.27	8.62	2.98	19.26	0.66	2.23	1.95	0.28	27.75	30.86	89.73	93.73	2.36	303.83
030000	2.78	5.26	8.68	3.05	20.63	0.66	2.23	1.95	0.28	27.68	24.00	72.00	93.28	1.49	30.28
040000	2.78	5.19	8.76	3.19	17.46	0.67	2.23	1.95	0.28	27.86	24.00	72.00	100.25	0.07	32.21
050000	2.80	5.26	8.74	3.12	15.88	0.67	2.23	1.95	0.28	27.91	24.00	72.00	221.49	0.64	36.96
060000	2.75	5.30	8.74	3.06	30.49	0.57	2.23	1.95	0.28	28.57	24.00	72.00	270.89	3.80	36.66
070000	2.76	5.35	8.74	3.01	41.97	0.48	2.23	1.94	0.29	29.22	24.00	72.00	239.48	4.16	21.75
080000	2.76	5.30	8.77	3.07	43.57	0.46	2.23	1.94	0.29	30.25	24.00	72.00	251.71	5.55	34.44
090000	2.77	5.46	8.96	3.09	47.36	0.45	2.22	1.93	0.29	31.18	24.00	72.00	254.62	4.57	55.89
100000	2.75	5.22	8.77	3.15	44.50	0.52	2.23	1.95	0.28	30.98	24.00	72.00	289.13	4.71	55.10
110000	2.73	5.20	8.70	3.11	55.90	0.47	2.23	1.95	0.28	31.09	24.00	72.00	294.97	5.91	37.95
120000	2.73	5.18	8.65	3.07	59.79	0.42	2.23	1.95	0.28	31.25	41.05	116.25	299.17	5.24	713.37
130000	2.74	5.18	8.63	3.05	65.12	0.34	2.23	1.95	0.28	31.33	46.47	130.27	281.07	5.44	931.42
140000	2.73	5.20	8.77	3.17	59.85	0.36	2.23	1.95	0.28	30.97	24.00	72.00	288.40	4.59	71.78
150000	2.74	5.19	8.87	3.28	60.56	0.37	2.23	1.95	0.28	31.11	24.00	72.00	281.95	5.06	244.46
160000	2.73	5.37	8.72	2.96	65.50	0.35	2.23	1.95	0.28	30.53	24.00	72.00	289.08	4.72	451.76
170000	2.71	5.32	8.73	3.02	59.97	0.38	2.22	1.94	0.28	29.90	24.00	72.00	290.88	3.82	165.36
180000	2.75	5.31	8.79	3.12	48.40	0.34	2.23	1.94	0.29	29.15	24.00	72.00	207.75	1.52	75.51
190000	2.74	5.21	8.67	3.07	49.18	0.33	2.23	1.94	0.29	28.50	24.00	72.00	164.72	1.07	75.04
200000	2.71	5.19	8.77	3.20	50.64	0.32	2.23	1.94	0.29	28.28	24.00	72.00	161.08	1.32	45.30
210000	2.71	5.30	8.70	3.00	50.88	0.33	2.23	1.94	0.29	28.07	24.00	72.00	160.11	0.96	40.82
220000	2.72	5.28	8.67	3.02	52.99	0.34	2.23	1.94	0.29	27.79	24.00	72.00	169.22	0.50	37.74
230000	2.72	5.31	8.80	3.05	54.32	0.33	2.23	1.94	0.29	27.63	24.00	72.00	146.71	0.49	26.75
極大值	2.80	5.46	8.96	3.28	65.50	0.67	2.23	1.95	0.29	31.33	46.47	130.27	299.17	5.91	931.42
極小值	2.71	5.18	8.62	2.96	15.88	0.32	2.22	1.93	0.28	27.63	24.00	72.00	87.13	0.07	21.75
平均值	2.75	5.27	8.74	3.08	44.26	0.46	2.23	1.94	0.28	29.27	26.66	78.88	210.82	2.89	178.63
標準差	0.03	0.07	0.08	0.08	16.25	0.13	0	0.01	0.01	1.46	6.51	16.87	76.19	2.04	260.43

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.68	5.17	8.70	3.15	51.87	0.33	2.23	1.94	0.29	27.53	26.05	77.31	154.73	0.97	112.66
010000	2.71	5.26	8.78	3.15	49.31	0.33	2.23	1.94	0.29	27.30	46.10	129.27	223.34	0.42	914.62
020000	2.64	5.38	8.87	3.09	44.21	0.33	2.23	1.94	0.29	27.14	24.00	72.00	210.49	0.07	26.71
030000	2.67	5.25	8.81	3.18	43.47	0.33	2.23	1.94	0.29	27.14	24.00	72.00	151.81	0.61	28.66
040000	2.66	5.09	8.64	3.15	44.27	0.33	2.23	1.94	0.29	27.00	24.00	72.00	265.85	0.13	32.54
050000	2.71	5.36	8.86	3.08	45.49	0.33	2.23	1.94	0.29	27.15	24.00	72.00	255.80	0.15	33.70
060000	2.66	5.27	8.67	3.02	41.99	0.36	2.23	1.94	0.29	27.25	24.00	72.00	285.28	0.23	35.00
070000	2.66	5.11	8.73	3.20	34.95	0.39	2.23	1.94	0.29	28.41	24.00	72.00	195.14	0.85	42.09
080000	2.66	5.29	8.83	3.13	59.32	0.39	2.23	1.95	0.28	30.41	24.00	72.00	129.22	1.81	37.70
090000	2.62	5.17	8.70	3.12	56.55	0.34	2.35	1.32	1.03	31.29	24.00	72.00	236.06	2.29	67.91
100000	2.62	5.32	8.74	3.02	51.29	0.27	2.57	0.39	2.18	32.06	24.00	72.00	279.42	2.99	65.47
110000	2.58	5.16	8.64	3.07	57.30	0.28	2.57	0.38	2.19	32.19	24.00	72.00	281.17	4.28	41.38
120000	2.61	5.26	8.69	3.04	60.41	0.30	2.58	0.39	2.19	32.39	24.00	72.00	279.21	4.35	46.12
130000	2.59	5.23	8.65	3.03	58.83	0.28	2.58	0.39	2.19	32.28	24.00	72.00	289.39	5.24	33.89
140000	2.56	5.21	8.73	3.16	56.00	0.28	2.58	0.39	2.19	32.10	24.00	72.00	283.06	4.58	46.96
150000	2.57	5.23	8.63	3.03	53.49	0.26	2.58	0.39	2.19	31.88	24.00	72.00	283.67	3.91	51.29
160000	2.57	5.13	8.56	3.05	51.64	0.26	2.58	0.39	2.19	31.20	24.00	72.00	276.72	3.20	43.20
170000	2.58	5.21	8.60	3.02	51.36	0.29	2.58	0.39	2.19	30.45	24.00	72.00	279.60	2.59	37.73
180000	2.64	5.28	8.59	2.90	49.68	0.30	2.58	0.39	2.19	30.01	24.00	72.00	186.17	2.46	34.33
190000	2.60	5.22	8.64	3.04	51.76	0.37	2.58	0.39	2.19	29.48	24.00	72.00	48.42	3.77	39.08
200000	2.57	5.25	8.67	3.05	51.11	0.37	2.57	0.38	2.19	29.21	24.00	72.00	38.16	5.51	44.20
210000	2.54	5.11	8.52	3.02	47.77	0.32	2.57	0.39	2.18	29.06	24.00	72.00	179.07	2.04	47.62
220000	2.50	5.22	8.75	3.13	48.60	0.27	2.57	0.39	2.18	28.67	24.00	72.00	166.67	0.52	37.60
230000	2.50	5.32	8.73	3.02	49.10	0.27	2.57	0.38	2.19	28.54	24.00	72.00	209.17	1.74	16.65
極大值	2.71	5.38	8.87	3.20	60.41	0.39	2.58	1.95	2.19	32.39	46.10	129.27	289.39	5.51	914.62
極小值	2.50	5.09	8.52	2.90	34.95	0.26	2.23	0.38	0.28	27.00	24.00	72.00	38.16	0.07	16.65
平均值	2.61	5.23	8.70	3.08	50.41	0.32	2.44	1.01	1.43	29.59	25.01	74.61	216.15	2.28	79.88
標準差	0.06	0.08	0.09	0.07	6.1	0.04	0.17	0.76	0.93	1.98	4.51	11.69	73.45	1.76	178.75

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.52	5.21	8.72	3.14	49.80	0.26	2.58	0.39	2.19	28.37	25.73	76.47	224.68	0.80	81.17
010000	2.47	5.34	8.75	3.04	34.99	0.27	2.58	0.39	2.19	27.59	46.05	129.08	97.92	1.89	911.78
020000	2.44	5.25	8.71	3.08	23.20	0.29	2.58	0.39	2.19	26.95	24.00	72.00	134.32	0.25	11.95
030000	2.47	5.28	8.70	3.02	19.58	0.33	2.58	0.39	2.19	27.01	24.00	72.00	122.30	1.08	12.77
040000	2.46	5.22	8.60	3.03	24.07	0.36	2.58	0.39	2.19	27.10	24.00	72.00	67.00	4.65	25.34
050000	2.42	5.23	8.71	3.08	20.69	0.43	2.58	0.39	2.19	27.07	24.00	72.00	41.82	4.08	35.48
060000	2.39	5.28	8.79	3.11	13.97	0.47	2.57	0.38	2.19	27.08	24.00	72.00	46.38	2.82	38.66
070000	2.42	5.33	8.82	3.11	15.30	0.48	2.57	0.39	2.18	28.16	24.00	72.00	51.19	2.13	40.94
080000	2.40	5.22	8.73	3.14	34.97	0.43	2.57	0.39	2.18	30.39	24.00	72.00	63.21	2.67	34.78
090000	2.39	5.20	8.72	3.13	53.18	0.33	2.58	0.39	2.19	31.99	24.00	72.00	113.25	2.25	41.74
100000	2.35	5.24	8.59	3.02	58.97	0.32	2.58	0.39	2.19	33.11	24.00	72.00	188.23	1.87	30.67
110000	2.41	5.27	8.67	2.98	57.00	0.31	2.58	0.39	2.19	33.45	24.00	72.00	260.63	2.93	33.21
120000	2.37	5.18	8.58	2.99	51.80	0.30	2.58	0.39	2.19	33.43	24.00	72.00	286.14	4.48	41.68
130000	2.40	5.22	8.65	3.03	47.12	0.28	2.58	0.39	2.19	33.67	24.00	72.00	284.41	5.78	49.12
140000	2.37	5.11	8.65	3.05	47.65	0.28	2.58	0.39	2.19	33.44	24.00	72.00	290.55	6.05	74.34
150000	2.39	5.27	8.72	3.03	46.09	0.29	2.58	0.39	2.19	33.13	24.00	72.00	287.80	5.72	47.28
160000	2.43	5.27	8.74	3.06	44.58	0.32	2.58	0.39	2.19	32.63	24.00	72.00	284.25	5.48	42.61
170000	2.45	5.16	8.57	3.03	42.16	0.31	2.58	0.39	2.19	31.85	24.00	72.00	287.56	5.35	40.57
180000	2.47	5.13	8.63	3.13	41.95	0.31	2.58	0.39	2.19	31.48	24.00	72.00	300.99	4.16	37.49
190000	2.42	5.25	8.70	3.06	39.54	0.32	2.57	0.38	2.19	31.53	24.00	72.00	280.26	3.70	28.96
200000	2.43	5.21	8.70	3.08	26.13	0.38	2.57	0.39	2.18	31.10	24.00	72.00	95.41	0.81	23.09
210000	2.45	5.29	8.65	2.97	20.71	0.41	2.57	0.39	2.18	30.77	24.00	72.00	72.85	0.97	33.69
220000	2.40	5.29	8.72	3.06	20.79	0.47	2.57	0.39	2.18	30.52	24.00	72.00	82.87	0.80	37.59
230000	2.38	5.20	8.60	3.00	14.39	0.47	2.57	0.39	2.18	29.80	24.00	72.00	133.30	0.07	29.98
極大值	2.52	5.34	8.82	3.14	58.97	0.48	2.58	0.39	2.19	33.67	46.05	129.08	300.99	6.05	911.78
極小值	2.35	5.11	8.57	2.97	13.97	0.26	2.57	0.38	2.18	26.95	24.00	72.00	41.82	0.07	11.95
平均值	2.42	5.24	8.68	3.06	35.36	0.35	2.58	0.39	2.19	30.48	24.99	74.56	170.72	2.95	74.37
標準差	0.04	0.06	0.07	0.05	14.7	0.07	0	0	0	2.46	4.5	11.65	99.22	1.94	179.03

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.37	5.12	8.53	3.02	11.98	0.50	2.57	0.39	2.18	29.45	26.20	77.71	189.42	0.22	119.79
010000	2.32	5.21	8.58	2.97	9.11	0.47	2.57	0.38	2.19	29.52	46.20	129.47	112.62	0.73	919.60
020000	2.32	5.29	8.74	3.00	9.80	0.48	2.58	0.39	2.19	29.55	24.00	72.00	84.68	2.23	35.29
030000	2.29	5.22	8.70	3.08	7.13	0.48	2.58	0.39	2.19	29.13	24.00	72.00	253.64	0.34	36.60
040000	2.33	5.29	8.65	2.94	5.16	0.48	2.58	0.39	2.19	28.90	24.00	72.00	84.45	0.78	32.93
050000	2.33	5.14	8.71	3.17	4.72	0.52	2.57	0.38	2.19	29.09	24.00	72.00	87.40	2.66	37.33
060000	2.32	5.07	8.52	3.05	5.65	0.63	2.57	0.39	2.18	29.05	24.00	72.00	131.47	0.68	35.88
070000	2.31	5.30	8.82	3.14	11.83	0.51	2.57	0.39	2.18	30.54	24.00	72.00	178.07	1.87	35.31
080000	2.33	5.18	8.68	3.11	33.88	0.34	2.57	0.39	2.18	32.69	24.00	72.00	260.29	5.71	35.88
090000	2.33	5.31	8.60	2.96	37.49	0.33	2.57	0.39	2.18	32.78	24.00	72.00	277.21	9.26	96.56
100000	2.37	5.33	8.80	3.11	38.98	0.33	2.56	0.38	2.18	33.11	24.00	72.00	282.28	10.24	247.22
110000	2.39	5.14	8.60	3.03	38.21	0.30	2.56	0.38	2.18	33.36	24.00	72.00	285.56	11.12	173.39
120000	2.37	5.19	8.74	3.13	36.43	0.28	2.56	0.38	2.18	33.48	24.00	72.00	279.42	10.70	110.42
130000	2.39	5.18	8.62	2.99	35.38	0.27	2.57	0.39	2.18	33.56	24.00	72.00	280.13	9.36	73.21
140000	2.39	5.02	8.64	3.13	35.13	0.27	2.57	0.39	2.18	33.38	24.00	72.00	285.90	9.25	63.63
150000	2.44	5.10	8.69	3.13	37.68	0.27	2.57	0.39	2.18	33.47	24.00	72.00	276.80	7.49	39.51
160000	2.46	5.15	8.65	3.05	36.53	0.30	2.57	0.39	2.18	32.86	24.00	72.00	280.84	6.41	35.73
170000	2.49	5.25	8.69	3.03	33.75	0.33	2.57	0.39	2.18	32.21	24.00	72.00	274.64	5.34	31.39
180000	2.48	5.16	8.70	3.15	34.41	0.35	2.57	0.39	2.18	31.75	24.00	72.00	280.45	3.83	25.41
190000	2.45	5.17	8.67	3.12	30.02	0.35	2.57	0.39	2.18	31.62	24.00	72.00	274.32	3.83	29.02
200000	2.46	5.30	8.81	3.09	28.22	0.35	2.57	0.39	2.18	31.50	24.00	72.00	274.21	3.13	28.06
210000	2.42	5.25	8.70	3.01	28.17	0.35	2.57	0.39	2.18	31.39	24.00	72.00	271.76	3.03	27.50
220000	2.45	5.30	8.74	3.07	29.29	0.34	2.57	0.39	2.18	31.39	24.00	72.00	281.10	3.25	26.01
230000	2.42	5.22	8.67	3.06	29.66	0.34	2.57	0.39	2.18	31.34	24.00	72.00	282.33	4.00	21.90
極大值	2.49	5.33	8.82	3.17	38.98	0.63	2.58	0.39	2.19	33.56	46.20	129.47	285.90	11.12	919.60
極小值	2.29	5.02	8.52	2.94	4.72	0.27	2.56	0.38	2.18	28.90	24.00	72.00	84.45	0.22	21.90
平均值	2.38	5.20	8.68	3.06	25.36	0.38	2.57	0.39	2.18	31.46	25.02	74.63	232.04	4.81	96.57
標準差	0.06	0.08	0.08	0.07	12.87	0.1	0.01	0	0	1.67	4.53	11.74	74.69	3.59	183.59

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.41	5.30	8.70	3.03	23.58	0.36	2.57	0.39	2.18	30.94	26.02	77.24	224.14	1.64	105.24
010000	2.38	5.21	8.69	3.11	10.02	0.42	2.57	0.39	2.18	29.99	46.17	129.38	52.45	1.66	917.30
020000	2.41	5.25	8.59	2.95	11.12	0.40	2.57	0.39	2.18	29.68	24.00	72.00	109.17	1.06	24.38
030000	2.35	5.14	8.61	3.10	14.58	0.34	2.57	0.39	2.18	29.53	24.00	72.00	127.90	1.24	25.30
040000	2.39	5.19	8.69	3.13	14.80	0.35	2.57	0.39	2.18	29.52	24.00	72.00	133.42	0.81	12.08
050000	2.33	5.21	8.60	2.98	12.36	0.44	2.57	0.39	2.18	29.60	24.00	72.00	89.02	1.19	17.34
060000	2.36	5.32	8.67	2.98	12.58	0.38	2.57	0.39	2.18	29.81	24.00	72.00	100.18	0.72	24.27
070000	2.36	5.23	8.64	3.03	14.89	0.41	2.56	0.38	2.18	31.20	24.00	72.00	113.17	0.97	14.07
080000	2.35	5.16	8.67	3.12	25.82	0.42	2.56	0.38	2.18	32.95	24.00	72.00	105.53	2.12	24.25
090000	2.33	5.19	8.57	2.98	37.43	0.37	2.56	0.38	2.18	34.18	24.00	72.00	190.18	1.91	27.60
100000	2.37	5.22	8.73	3.12	40.77	0.35	2.56	0.38	2.18	35.10	24.00	72.00	222.01	3.50	23.11
110000	2.36	5.18	8.60	3.00	32.86	0.34	2.56	0.38	2.18	34.91	24.00	72.00	277.98	5.37	27.81
120000	2.36	5.11	8.59	2.98	33.08	0.27	2.56	0.38	2.18	35.03	24.00	72.00	276.82	6.09	27.78
130000	2.39	5.11	8.62	3.00	31.61	0.24	2.57	0.39	2.18	34.86	24.00	72.00	275.79	6.06	27.93
140000	2.41	5.11	8.61	2.95	30.97	0.23	2.57	0.39	2.18	34.34	24.00	72.00	280.44	7.01	34.42
150000	2.47	5.10	8.62	3.01	29.21	0.23	2.57	0.39	2.18	33.97	24.00	72.00	275.34	6.67	36.13
160000	2.51	5.24	8.67	3.00	28.28	0.26	2.57	0.39	2.18	33.65	24.00	72.00	266.74	5.83	29.98
170000	2.57	5.18	8.61	3.07	27.43	0.29	2.57	0.39	2.18	32.93	24.00	72.00	273.26	4.61	24.58
180000	2.54	5.27	8.72	3.03	28.89	0.32	2.57	0.39	2.18	32.06	24.00	72.00	293.51	3.13	26.71
190000	2.52	5.20	8.77	3.17	26.85	0.34	2.56	0.38	2.18	31.80	24.00	72.00	292.88	3.00	22.78
200000	2.53	5.33	8.80	3.10	26.10	0.34	2.56	0.38	2.18	31.66	24.00	72.00	291.62	3.53	23.77
210000	2.51	5.28	8.72	3.10	25.47	0.34	2.56	0.39	2.17	31.60	24.00	72.00	292.57	2.74	25.64
220000	2.52	5.22	8.72	3.11	18.58	0.36	2.56	0.39	2.17	31.38	24.00	72.00	239.74	0.45	19.79
230000	2.45	5.26	8.70	3.07	12.79	0.40	2.56	0.38	2.18	30.87	24.00	72.00	77.91	0.15	22.68
極大值	2.57	5.33	8.80	3.17	40.77	0.44	2.57	0.39	2.18	35.10	46.17	129.38	293.51	7.01	917.30
極小值	2.33	5.10	8.57	2.95	10.02	0.23	2.56	0.38	2.17	29.52	24.00	72.00	52.45	0.15	12.08
平均值	2.42	5.21	8.66	3.05	23.75	0.34	2.57	0.39	2.18	32.15	25.01	74.61	203.41	2.98	65.21
標準差	0.08	0.07	0.06	0.06	9.01	0.06	0.01	0	0	1.97	4.53	11.71	85.92	2.18	182.32

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.44	5.33	8.81	3.06	8.55	0.41	2.57	0.39	2.18	30.63	26.12	77.50	77.91	0.08	108.24
010000	2.40	5.16	8.61	3.00	7.33	0.43	2.57	0.39	2.18	30.38	46.15	129.31	55.00	0.14	916.99
020000	2.42	5.10	8.60	3.09	5.65	0.45	2.57	0.39	2.18	30.29	24.00	72.00	37.51	1.61	20.99
030000	2.41	5.28	8.73	3.07	6.26	0.44	2.57	0.39	2.18	30.08	24.00	72.00	122.19	0.60	26.33
040000	2.40	5.22	8.57	2.94	6.72	0.41	2.57	0.39	2.18	29.91	24.00	72.00	300.42	0.08	18.93
050000	2.34	5.28	8.69	3.02	4.48	0.42	2.57	0.39	2.18	29.61	24.00	72.00	136.63	0.51	28.49
060000	2.45	5.24	8.64	3.01	7.27	0.41	2.57	0.39	2.18	29.92	24.00	72.00	71.75	1.43	22.21
070000	2.40	5.27	8.69	3.04	10.45	0.45	2.57	0.39	2.18	31.38	24.00	72.00	98.01	1.51	16.64
080000	2.41	5.26	8.72	3.09	23.85	0.37	2.57	0.39	2.18	33.14	24.00	72.00	246.45	4.09	28.71
090000	2.40	5.21	8.65	3.08	30.67	0.32	2.57	0.39	2.18	33.38	24.00	72.00	291.25	7.55	52.64
100000	2.41	5.12	8.68	3.18	32.73	0.32	2.57	0.39	2.18	33.83	24.00	72.00	285.53	8.14	70.31
110000	2.40	5.19	8.65	3.03	32.62	0.30	2.57	0.39	2.18	34.09	24.00	72.00	284.68	8.40	49.71
120000	2.42	5.19	8.71	3.11	34.02	0.27	2.57	0.39	2.18	34.41	24.00	72.00	288.19	8.09	47.03
130000	2.39	5.09	8.63	3.07	34.50	0.27	2.57	0.39	2.18	34.54	24.00	72.00	284.36	6.85	40.53
140000	2.43	5.03	8.59	3.07	31.64	0.27	2.57	0.39	2.18	34.37	24.00	72.00	281.23	6.28	47.25
150000	2.43	5.13	8.51	2.89	30.47	0.27	2.57	0.39	2.18	33.81	24.00	72.00	289.68	6.16	36.80
160000	2.51	5.06	8.62	3.11	29.53	0.29	2.57	0.38	2.19	33.53	24.00	72.00	267.76	5.12	35.50
170000	2.51	5.11	8.52	3.02	26.73	0.35	2.57	0.38	2.19	32.95	24.00	72.00	277.89	3.30	33.37
180000	2.54	5.25	8.64	3.00	21.78	0.37	2.57	0.39	2.18	32.24	24.00	72.00	268.10	0.46	33.51
190000	2.53	5.16	8.57	3.01	20.06	0.37	2.57	0.39	2.18	31.52	24.00	72.00	308.07	0.10	38.96
200000	2.51	5.20	8.67	3.09	16.94	0.42	2.56	0.38	2.18	31.34	24.00	72.00	263.85	0.62	27.04
210000	2.52	5.19	8.73	3.15	18.31	0.42	2.57	0.39	2.18	31.31	24.00	72.00	295.27	0.21	31.91
220000	2.51	5.15	8.74	3.19	9.76	0.42	2.56	0.38	2.18	30.81	24.00	72.00	58.05	0.44	33.56
230000	2.48	5.27	8.80	3.12	9.33	0.42	2.57	0.39	2.18	30.50	24.00	72.00	42.41	0.15	27.70
極大值	2.54	5.33	8.81	3.19	34.50	0.45	2.57	0.39	2.19	34.54	46.15	129.31	308.07	8.40	916.99
極小值	2.34	5.03	8.51	2.89	4.48	0.27	2.56	0.38	2.18	29.61	24.00	72.00	37.51	0.08	16.64
平均值	2.44	5.19	8.66	3.06	19.15	0.37	2.57	0.39	2.18	32.00	25.01	74.62	205.51	3.00	74.72
標準差	0.06	0.08	0.08	0.07	11.06	0.06	0	0	0	1.7	4.52	11.7	103.89	3.16	180.43

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.43	5.25	8.74	3.11	9.27	0.40	2.57	0.39	2.18	30.19	26.05	77.31	147.40	0.14	103.97
010000	2.39	5.23	8.57	2.95	7.39	0.39	2.57	0.39	2.18	29.99	46.17	129.38	91.22	0.67	917.06
020000	2.36	5.23	8.72	3.11	4.67	0.41	2.57	0.39	2.18	29.66	24.00	72.00	242.12	0.14	20.79
030000	2.39	5.28	8.69	3.04	4.54	0.42	2.57	0.39	2.18	29.50	24.00	72.00	171.62	0.14	16.76
040000	2.40	5.18	8.71	3.15	6.58	0.39	2.57	0.39	2.18	29.12	24.00	72.00	187.91	0.10	21.00
050000	2.42	5.31	8.76	3.08	10.63	0.37	2.57	0.39	2.18	28.88	24.00	72.00	107.17	0.07	17.00
060000	2.41	5.32	8.77	3.08	11.55	0.39	2.57	0.39	2.18	29.12	24.00	72.00	156.12	0.07	25.29
070000	2.37	5.18	8.68	3.13	13.21	0.48	2.57	0.39	2.18	31.21	24.00	72.00	123.03	1.40	27.86
080000	2.37	5.11	8.67	3.12	24.14	0.44	2.56	0.38	2.18	32.01	24.00	72.00	97.08	1.82	35.99
090000	2.34	5.25	8.66	3.01	42.26	0.44	2.56	0.39	2.17	34.05	24.00	72.00	108.76	2.16	36.96
100000	2.38	5.24	8.71	3.10	57.40	0.47	2.56	0.39	2.17	34.32	24.00	72.00	198.24	3.08	38.03
110000	2.35	5.13	8.61	3.10	68.37	0.45	2.56	0.38	2.18	34.39	24.00	72.00	276.51	4.44	45.82
120000	2.39	5.13	8.61	3.02	72.10	0.39	2.56	0.39	2.17	34.31	24.00	72.00	275.75	3.78	54.71
130000	2.43	5.21	8.62	2.96	51.83	0.33	2.56	0.39	2.17	34.33	24.00	72.00	272.52	4.09	50.57
140000	2.41	5.16	8.57	2.98	44.42	0.31	2.57	0.39	2.18	33.88	24.00	72.00	279.21	3.54	33.10
150000	2.43	5.20	8.63	3.03	47.51	0.36	2.57	0.39	2.18	33.65	24.00	72.00	272.15	3.03	35.21
160000	2.50	5.23	8.63	3.01	43.97	0.36	2.57	0.39	2.18	33.21	24.00	72.00	279.33	2.83	36.37
170000	2.47	5.27	8.71	3.09	41.55	0.40	2.57	0.39	2.18	32.52	24.00	72.00	274.65	2.12	36.30
180000	2.48	5.25	8.70	3.05	27.02	0.47	2.57	0.39	2.18	31.99	24.00	72.00	255.48	0.93	37.94
190000	2.46	5.26	8.74	3.10	24.48	0.44	2.56	0.38	2.18	31.93	24.00	72.00	247.04	0.14	33.99
200000	2.48	5.21	8.75	3.13	33.63	0.40	2.56	0.39	2.17	31.96	24.00	72.00	263.82	0.92	34.48
210000	2.44	5.24	8.69	3.04	31.67	0.41	2.56	0.39	2.17	31.81	24.00	72.00	210.82	0.36	29.92
220000	2.45	5.21	8.76	3.16	26.78	0.42	2.56	0.39	2.17	31.61	24.00	72.00	97.00	0.10	28.79
230000	2.43	5.18	8.69	3.13	28.34	0.43	2.56	0.39	2.17	31.44	24.00	72.00	242.47	0.98	26.68
極大值	2.50	5.32	8.77	3.16	72.10	0.48	2.57	0.39	2.18	34.39	46.17	129.38	279.33	4.44	917.06
極小值	2.34	5.11	8.57	2.95	4.54	0.31	2.56	0.38	2.17	28.88	24.00	72.00	91.22	0.07	16.76
平均值	2.42	5.22	8.68	3.07	30.55	0.41	2.57	0.39	2.18	31.88	25.01	74.61	203.23	1.54	72.69
標準差	0.04	0.05	0.06	0.06	20.15	0.04	0.01	0	0	1.87	4.53	11.72	70.57	1.48	180.68

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.39	5.32	8.73	3.04	33.63	0.46	2.57	0.39	2.18	31.48	26.09	77.42	283.60	0.88	113.89
010000	2.41	5.26	8.75	3.12	31.82	0.47	2.57	0.39	2.18	31.30	46.22	129.64	283.89	1.34	917.83
020000	2.35	5.27	8.73	3.08	33.35	0.46	2.57	0.39	2.18	31.11	24.00	72.00	277.13	1.60	13.67
030000	2.38	5.18	8.72	3.15	32.47	0.45	2.57	0.39	2.18	31.04	24.00	72.00	279.77	0.98	11.39
040000	2.37	5.28	8.77	3.10	29.77	0.57	2.57	0.39	2.18	30.81	24.00	72.00	277.14	0.53	15.21
050000	2.31	5.28	8.77	3.12	27.80	0.62	2.56	0.38	2.18	30.83	24.00	72.00	274.16	0.61	34.49
060000	2.39	5.22	8.68	3.08	15.79	0.70	2.56	0.39	2.17	30.57	24.00	72.00	169.35	0.84	38.58
070000	2.38	5.26	8.79	3.15	17.46	0.75	2.56	0.38	2.18	31.20	24.00	72.00	140.10	0.90	48.39
080000	2.35	5.37	8.79	3.01	30.20	0.67	2.56	0.39	2.17	32.36	24.00	72.00	244.76	2.31	50.07
090000	2.35	5.39	8.69	2.90	47.40	0.58	2.56	0.39	2.17	33.71	24.00	72.00	238.08	1.39	50.12
100000	2.38	5.30	8.79	3.14	62.90	0.59	2.56	0.39	2.17	34.28	24.00	72.00	209.17	2.07	35.43
110000	2.37	5.23	8.73	3.08	64.47	0.61	2.56	0.39	2.17	34.26	24.00	72.00	262.28	3.64	43.44
120000	2.34	5.29	8.79	3.13	66.52	0.54	2.57	0.39	2.18	34.48	24.00	72.00	276.80	3.56	45.04
130000	2.34	5.16	8.66	3.08	54.14	0.44	2.57	0.39	2.18	34.26	24.00	72.00	273.33	5.23	44.75
140000	2.39	5.08	8.65	3.16	52.94	0.39	2.57	0.39	2.18	34.06	24.00	72.00	276.07	4.83	35.29
150000	2.36	5.36	8.80	3.02	61.33	0.41	2.57	0.39	2.18	33.34	24.00	72.00	274.25	5.22	37.28
160000	2.45	5.24	8.63	3.00	66.70	0.43	2.57	0.39	2.18	32.55	24.00	72.00	277.90	5.79	44.59
170000	2.46	5.38	8.71	2.97	59.61	0.44	2.57	0.39	2.18	31.69	24.00	72.00	274.99	5.32	27.43
180000	2.43	5.27	8.72	3.05	58.41	0.44	2.57	0.39	2.18	31.44	24.00	72.00	279.71	2.68	22.23
190000	2.40	5.34	8.72	2.99	56.67	0.45	2.57	0.39	2.18	31.49	24.00	72.00	269.69	1.66	17.22
200000	2.41	5.28	8.72	3.02	50.75	0.44	2.56	0.38	2.18	31.11	24.00	72.00	157.67	1.52	18.14
210000	2.39	5.24	8.73	3.08	44.29	0.47	2.56	0.39	2.17	30.61	24.00	72.00	122.26	1.30	13.86
220000	2.42	5.31	8.69	3.00	41.37	0.46	2.56	0.39	2.17	30.26	24.00	72.00	200.09	0.10	20.59
230000	2.38	5.20	8.72	3.12	40.36	0.47	2.57	0.39	2.18	30.41	24.00	72.00	131.91	0.07	16.63
極大值	2.46	5.39	8.80	3.16	66.70	0.75	2.57	0.39	2.18	34.48	46.22	129.64	283.89	5.79	917.83
極小值	2.31	5.08	8.63	2.90	15.79	0.39	2.56	0.38	2.17	30.26	24.00	72.00	122.26	0.07	11.39
平均值	2.38	5.27	8.73	3.07	45.01	0.51	2.57	0.39	2.18	32.03	25.01	74.63	239.75	2.27	71.48
標準差	0.04	0.07	0.05	0.07	15.61	0.1	0.01	0	0	1.44	4.54	11.77	55.07	1.82	181.53

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.33	5.28	8.69	3.04	31.13	0.47	2.57	0.39	2.18	29.93	26.12	77.51	107.88	1.33	109.07
010000	2.30	5.17	8.70	3.13	28.22	0.46	2.57	0.38	2.19	29.61	46.14	129.43	245.96	0.08	915.08
020000	2.26	5.19	8.70	3.09	25.10	0.45	2.57	0.39	2.18	29.66	24.00	72.00	171.20	0.07	14.77
030000	2.29	5.24	8.72	3.12	28.01	0.45	2.58	0.39	2.19	29.74	24.00	72.00	154.86	0.22	13.71
040000	2.26	5.23	8.71	3.05	22.06	0.46	2.58	0.39	2.19	29.67	24.00	72.00	88.79	1.09	17.06
050000	2.26	5.18	8.56	2.97	20.40	0.50	2.58	0.39	2.19	29.95	24.00	72.00	116.49	3.73	23.22
060000	2.30	5.14	8.69	3.17	19.78	0.61	2.57	0.38	2.19	30.09	24.00	72.00	29.27	3.94	27.58
070000	2.29	5.24	8.66	3.04	25.79	0.59	2.57	0.38	2.19	31.13	24.00	72.00	135.29	1.15	37.46
080000	2.23	5.34	8.71	2.99	45.78	0.55	2.57	0.39	2.18	33.22	24.00	72.00	205.91	0.83	34.64
090000	2.25	5.18	8.66	3.08	41.20	0.45	2.57	0.39	2.18	34.41	24.00	72.00	239.67	2.73	33.69
100000	2.30	5.18	8.66	3.09	34.55	0.38	2.57	0.39	2.18	34.81	24.00	72.00	270.91	2.58	30.51
110000	2.30	5.23	8.67	3.05	33.80	0.36	2.57	0.39	2.18	35.03	24.00	72.00	258.60	2.20	24.51
120000	2.34	5.12	8.68	3.14	34.46	0.36	2.57	0.38	2.19	34.79	24.00	72.00	256.47	1.31	12.76
130000	2.32	5.10	8.68	3.16	32.18	0.38	2.58	0.39	2.19	33.94	24.00	72.00	262.72	1.78	11.35
140000	2.33	5.22	8.64	3.04	33.54	0.50	2.58	0.39	2.19	32.71	24.00	72.00	185.43	3.48	15.25
150000	2.33	5.24	8.67	3.04	18.90	0.43	2.58	0.39	2.19	30.69	24.00	72.00	148.60	0.70	39.52
160000	2.33	5.39	8.75	2.94	24.03	0.44	2.58	0.39	2.19	32.31	24.00	72.00	227.56	0.52	21.76
170000	2.32	5.18	8.55	2.98	25.98	0.70	2.58	0.39	2.19	32.37	24.00	72.00	263.19	0.70	20.61
180000	2.33	5.14	8.67	3.14	11.22	0.60	2.58	0.39	2.19	30.97	24.00	72.00	191.70	0.43	36.83
190000	2.32	5.10	8.59	3.07	17.65	0.56	2.57	0.38	2.19	31.03	24.00	72.00	82.62	3.11	26.98
200000	2.32	5.20	8.78	3.15	18.35	0.52	2.58	0.39	2.19	31.06	24.00	72.00	75.32	3.51	28.71
210000	2.33	5.21	8.76	3.18	21.93	0.50	2.57	0.38	2.19	31.04	24.00	72.00	96.92	2.17	27.17
220000	2.32	5.23	8.75	3.14	20.26	0.48	2.57	0.39	2.18	30.79	24.00	72.00	85.17	3.91	28.04
230000	2.31	5.27	8.81	3.19	16.11	0.49	2.57	0.39	2.18	30.60	24.00	72.00	69.62	4.11	29.84
極大值	2.34	5.39	8.81	3.19	45.78	0.70	2.58	0.39	2.19	35.03	46.14	129.43	270.91	4.11	915.08
極小值	2.23	5.10	8.55	2.94	11.22	0.36	2.57	0.38	2.18	29.61	24.00	72.00	29.27	0.07	11.35
平均值	2.30	5.21	8.69	3.08	26.27	0.49	2.57	0.39	2.19	31.65	25.01	74.62	165.42	1.90	65.84
標準差	0.03	0.07	0.06	0.07	8.32	0.08	0.01	0	0	1.83	4.52	11.73	75.89	1.38	181.88

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(°C)	(°C)	(%)	(o)	(m/s)	(ug/m)
000000	2.27	5.20	8.68	3.09	12.26	0.52	2.57	0.38	2.19	30.44	25.35	75.48	100.30	1.23	81.85
010000	2.27	5.16	8.70	3.18	16.66	0.47	2.58	0.39	2.19	30.42	46.16	129.35	99.67	2.06	916.75
020000	2.27	5.13	8.53	3.02	11.86	0.47	2.58	0.39	2.19	30.10	24.00	72.00	100.51	3.17	17.75
030000	2.25	5.13	8.69	3.12	15.14	0.43	2.58	0.39	2.19	30.13	24.00	72.00	98.37	3.33	19.47
040000	2.29	5.17	8.62	3.00	16.81	0.41	2.58	0.39	2.19	30.10	24.00	72.00	78.36	3.42	19.00
050000	2.24	5.19	8.69	3.08	14.66	0.42	2.58	0.39	2.19	29.92	24.00	72.00	122.50	4.16	18.23
060000	2.24	5.26	8.75	3.09	12.13	0.52	2.58	0.39	2.19	29.92	24.00	72.00	91.90	4.11	20.07
070000	2.24	5.18	8.60	3.04	14.95	0.52	2.57	0.39	2.18	30.45	24.00	72.00	29.95	4.93	26.85
080000	2.28	5.26	8.64	3.01	21.63	0.55	2.57	0.39	2.18	31.16	24.00	72.00	84.70	3.28	27.50
090000	2.26	5.29	8.76	3.09	27.16	0.46	2.57	0.39	2.18	32.21	24.00	72.00	110.36	2.94	38.04
100000	2.22	5.31	8.73	3.01	32.52	0.44	2.57	0.39	2.18	32.86	24.00	72.00	132.33	1.44	27.46
110000	2.24	5.30	8.75	3.05	38.87	0.46	2.57	0.39	2.18	33.30	24.00	72.00	225.65	1.26	34.31
120000	2.23	5.26	8.58	2.94	61.62	0.50	2.57	0.38	2.19	33.56	24.00	72.00	266.82	1.98	54.46
130000	2.29	5.19	8.58	3.04	70.34	0.57	2.58	0.39	2.19	33.92	24.00	72.00	271.59	3.32	42.09
140000	2.26	5.25	8.62	2.96	66.57	0.52	2.58	0.39	2.19	33.65	24.00	72.00	277.41	3.08	55.96
150000	2.25	5.28	8.73	3.04	61.21	0.52	2.58	0.39	2.19	32.92	24.00	72.00	271.95	3.15	61.04
160000	2.27	5.17	8.64	3.08	54.72	0.48	2.58	0.39	2.19	32.52	24.00	72.00	272.88	3.10	31.41
170000	2.32	5.18	8.56	3.01	50.13	0.48	2.58	0.39	2.19	32.00	24.00	72.00	264.02	2.02	47.92
180000	2.30	5.20	8.65	3.05	49.57	0.46	2.57	0.38	2.19	31.58	24.00	72.00	267.08	1.49	27.14
190000	2.29	5.27	8.72	3.09	50.00	0.45	2.57	0.39	2.18	31.53	24.00	72.00	269.11	0.74	31.38
200000	2.30	5.26	8.61	2.99	46.93	0.46	2.57	0.39	2.18	31.41	24.00	72.00	258.89	0.49	32.75
210000	2.26	5.26	8.64	3.01	40.86	0.49	2.57	0.39	2.18	31.22	24.00	72.00	267.94	0.71	28.15
220000	2.28	5.26	8.73	3.09	32.15	0.49	2.57	0.39	2.18	30.71	24.00	72.00	48.13	0.75	27.68
230000	2.22	5.22	8.80	3.16	25.83	0.49	2.57	0.39	2.18	30.48	24.00	72.00	94.49	0.57	15.34
極大值	2.32	5.31	8.80	3.18	70.34	0.57	2.58	0.39	2.19	33.92	46.16	129.35	277.41	4.93	916.75
極小值	2.22	5.13	8.53	2.94	11.86	0.41	2.57	0.38	2.18	29.92	24.00	72.00	29.95	0.49	15.34
平均值	2.26	5.22	8.67	3.05	35.19	0.48	2.57	0.39	2.19	31.52	24.98	74.53	171.04	2.36	70.94
標準差	0.03	0.05	0.07	0.06	19.42	0.04	0.01	0	0.01	1.31	4.52	11.7	90.84	1.29	180.87

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.23	5.29	8.64	2.97	26.77	0.50	2.57	0.39	2.18	30.42	26.16	77.59	84.84	0.53	102.67
010000	2.25	5.14	8.61	3.11	24.85	0.51	2.57	0.39	2.18	30.37	46.08	129.13	62.28	0.33	914.09
020000	2.23	5.18	8.72	3.14	19.96	0.50	2.57	0.39	2.18	30.30	24.00	72.00	62.67	2.44	20.91
030000	2.21	5.15	8.61	3.08	23.43	0.46	2.57	0.39	2.18	30.38	24.00	72.00	90.05	2.71	25.17
040000	2.16	5.27	8.72	3.05	24.43	0.47	2.57	0.39	2.18	30.43	24.00	72.00	59.10	4.40	27.85
050000	2.14	5.19	8.61	3.01	17.06	0.49	2.57	0.39	2.18	30.29	24.00	72.00	109.90	3.45	27.68
060000	2.17	5.20	8.69	3.12	15.16	0.51	2.57	0.39	2.18	30.36	24.00	72.00	159.31	1.57	31.20
070000	2.20	5.17	8.62	3.07	14.76	0.53	2.57	0.39	2.18	30.47	24.00	72.00	74.97	5.15	37.59
080000	2.17	5.19	8.68	3.08	22.45	0.64	2.57	0.39	2.18	31.62	24.00	72.00	235.12	1.26	33.02
090000	2.20	5.35	8.77	3.06	38.67	0.62	2.57	0.39	2.18	33.25	24.00	72.00	221.68	1.52	65.01
100000	2.17	5.26	8.79	3.13	49.24	0.63	2.57	0.39	2.18	33.95	24.00	72.00	259.45	3.32	49.33
110000	2.21	5.22	8.66	3.10	49.63	0.52	2.57	0.39	2.18	34.06	24.00	72.00	269.93	3.23	47.08
120000	2.23	5.27	8.67	3.02	46.01	0.41	2.57	0.39	2.18	34.10	24.00	72.00	278.33	3.54	37.17
130000	2.25	5.09	8.62	3.14	44.11	0.40	2.57	0.39	2.18	34.13	24.00	72.00	264.20	4.36	29.52
140000	2.26	5.21	8.72	3.08	43.40	0.40	2.57	0.38	2.19	34.40	24.00	72.00	266.05	3.74	31.14
150000	2.24	5.15	8.64	3.10	41.62	0.41	2.58	0.39	2.19	33.78	24.00	72.00	267.37	3.83	25.49
160000	2.29	5.27	8.67	3.01	39.22	0.45	2.58	0.39	2.19	33.48	24.00	72.00	265.08	2.38	28.71
170000	2.32	5.18	8.70	3.12	37.50	0.47	2.57	0.38	2.19	32.69	24.00	72.00	263.63	2.07	22.43
180000	2.35	5.30	8.66	2.99	32.88	0.49	2.57	0.39	2.18	31.84	24.00	72.00	262.82	1.18	23.02
190000	2.33	5.21	8.73	3.14	27.47	0.52	2.57	0.39	2.18	31.59	24.00	72.00	225.57	0.09	26.02
200000	2.28	5.20	8.68	3.15	18.55	0.53	2.57	0.39	2.18	31.01	24.00	72.00	142.89	0.13	22.82
210000	2.29	5.34	8.76	3.03	12.16	0.56	2.57	0.39	2.18	30.86	24.00	72.00	111.33	0.08	26.94
220000	2.23	5.16	8.64	3.07	12.56	0.53	2.57	0.39	2.18	30.62	24.00	72.00	216.39	0.09	25.03
230000	2.22	5.31	8.73	3.03	11.19	0.52	2.57	0.39	2.18	30.36	24.00	72.00	212.52	0.34	24.22
極大值	2.35	5.35	8.79	3.15	49.63	0.64	2.58	0.39	2.19	34.40	46.08	129.13	278.33	5.15	914.09
極小值	2.14	5.09	8.61	2.97	11.19	0.40	2.57	0.38	2.18	30.29	24.00	72.00	59.10	0.08	20.91
平均值	2.23	5.22	8.68	3.08	28.88	0.50	2.57	0.39	2.18	31.86	25.01	74.61	186.06	2.16	71.00
標準差	0.06	0.07	0.05	0.05	12.72	0.07	0	0	0	1.59	4.51	11.67	82.75	1.61	180.45

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.23	5.41	8.74	2.94	13.69	0.48	2.57	0.39	2.18	30.28	26.13	77.52	109.19	2.70	113.12
010000	2.18	5.22	8.69	3.10	14.61	0.44	2.57	0.38	2.19	30.13	46.09	129.20	136.38	2.54	914.35
020000	2.20	5.15	8.72	3.16	11.85	0.45	2.58	0.39	2.19	29.86	24.00	72.00	130.24	1.37	22.77
030000	2.18	5.21	8.70	3.07	7.92	0.46	2.58	0.39	2.19	29.88	24.00	72.00	50.31	4.20	13.93
040000	2.19	5.17	8.61	3.08	9.97	0.48	2.57	0.38	2.19	29.97	24.00	72.00	98.58	5.56	16.99
050000	2.20	5.24	8.60	3.00	7.59	0.50	2.58	0.39	2.19	29.70	24.00	72.00	275.09	0.29	23.88
060000	2.15	5.26	8.59	2.95	9.34	0.55	2.57	0.38	2.19	30.04	24.00	72.00	235.83	0.17	28.74
070000	2.16	5.24	8.65	3.02	13.23	0.53	2.57	0.39	2.18	31.61	24.00	72.00	173.61	1.19	28.57
080000	2.15	5.20	8.70	3.10	28.63	0.50	2.57	0.39	2.18	33.33	24.00	72.00	244.74	1.90	34.29
090000	2.16	5.15	8.62	3.06	33.81	0.44	2.57	0.39	2.18	33.96	24.00	72.00	267.04	2.53	43.76
100000	2.22	5.33	8.71	3.02	32.10	0.42	2.57	0.39	2.18	34.75	24.00	72.00	255.42	2.77	48.60
110000	2.22	5.26	8.74	3.04	33.01	0.38	2.57	0.38	2.19	34.86	24.00	72.00	264.54	2.75	27.94
120000	2.20	5.21	8.65	3.02	32.88	0.35	2.58	0.39	2.19	35.14	24.00	72.00	261.55	2.67	18.25
130000	2.19	5.06	8.63	3.09	31.22	0.32	2.58	0.39	2.19	35.26	24.00	72.00	263.34	3.11	15.47
140000	2.23	5.10	8.64	3.04	32.55	0.32	2.58	0.39	2.19	35.37	24.00	72.00	274.45	2.20	16.99
150000	2.29	5.03	8.65	3.12	30.85	0.41	2.58	0.39	2.19	35.33	24.00	72.00	244.79	3.57	18.71
160000	2.31	5.21	8.72	3.06	24.70	0.38	2.59	0.40	2.19	35.10	24.00	72.00	227.16	3.66	23.40
170000	2.33	5.23	8.72	3.10	12.62	0.39	2.59	0.39	2.20	33.92	24.00	72.00	218.30	2.04	15.97
180000	2.38	5.15	8.69	3.13	9.91	0.43	2.58	0.39	2.19	32.96	24.00	72.00	198.47	1.01	20.26
190000	2.37	5.21	8.73	3.12	7.90	0.45	2.58	0.39	2.19	32.54	24.00	72.00	158.26	2.28	22.44
200000	2.30	5.30	8.79	3.09	8.06	0.43	2.58	0.39	2.19	32.30	24.00	72.00	166.69	2.45	17.36
210000	2.33	5.20	8.71	3.13	6.73	0.46	2.58	0.39	2.19	31.95	24.00	72.00	181.84	1.01	18.43
220000	2.29	5.19	8.70	3.12	5.93	0.45	2.58	0.39	2.19	31.84	24.00	72.00	135.88	2.20	19.74
230000	2.26	5.28	8.72	3.02	6.03	0.46	2.58	0.39	2.19	31.55	24.00	72.00	136.25	1.20	18.82
極大值	2.38	5.41	8.79	3.16	33.81	0.55	2.59	0.40	2.20	35.37	46.09	129.20	275.09	5.56	914.35
極小值	2.15	5.03	8.59	2.94	5.93	0.32	2.57	0.38	2.18	29.70	24.00	72.00	50.31	0.17	13.93
平均值	2.24	5.21	8.68	3.07	17.71	0.44	2.58	0.39	2.19	32.57	25.01	74.61	196.16	2.31	64.28
標準差	0.07	0.08	0.05	0.06	10.94	0.06	0.01	0	0	2.09	4.51	11.68	65.49	1.23	182.19