

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.70	2.86	15.32	12.42	8.73	0.31	2.37	0.16	2.21	0.00	26.04	74.00	0.00	0.00	45.28
010000	3.63	2.89	14.33	11.39	8.18	0.31	2.37	0.15	2.22	0.00	26.04	74.00	0.00	0.00	46.27
020000	3.66	2.88	13.56	10.67	7.81	0.31	2.38	0.15	2.23	0.00	26.04	74.00	0.00	0.00	45.80
030000	3.86	2.85	13.06	10.22	9.48	0.31	2.38	0.15	2.23	0.00	26.04	74.00	0.00	0.00	45.49
040000	4.71	2.90	13.67	10.76	10.97	0.31	2.36	0.14	2.22	0.00	26.04	74.00	0.00	0.00	45.98
050000	3.73	2.92	11.82	8.93	9.24	0.31	2.36	0.11	2.25	0.00	26.04	74.00	0.00	0.00	42.76
060000	3.69	3.32	12.27	8.93	7.42	0.31	2.46	0.11	2.35	0.00	26.04	74.00	0.00	0.00	46.45
070000	4.29	4.94	15.95	11.02	8.33	0.31	2.37	0.12	2.25	0.00	26.04	74.00	0.00	0.00	46.17
080000	3.88	4.21	13.24	9.04	6.80	0.31	2.43	0.11	2.32	0.00	26.04	74.00	0.00	0.00	47.57
090000	3.83	4.23	10.22	5.98	7.79	0.31	2.45	0.13	2.32	0.00	26.04	74.00	0.00	0.00	47.71
100000	3.87	5.91	11.12	5.18	13.48	0.31	2.45	0.13	2.32	0.00	26.04	74.00	0.00	0.00	45.69
110000	5.53	1.59	4.19	2.57	38.10	0.31	2.42	0.23	2.19	0.00	26.04	74.00	0.00	0.00	45.80
120000	4.36	1.19	1.36	0.78	43.15	0.31	2.20	0.10	2.10	0.00	26.04	74.00	0.00	0.00	41.65
130000	4.00	0.93	0.70	0.00	45.76	0.31	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	41.96
140000	4.08	0.89	1.11	0.68	53.98	0.31	2.17	0.06	2.11	0.00	26.04	74.00	0.00	0.00	42.20
150000	4.08	0.91	3.73	2.86	46.51	0.31	2.23	0.09	2.14	0.00	26.04	74.00	0.00	0.00	41.19
160000	3.95	1.15	5.43	4.26	38.26	0.31	2.24	0.09	2.15	0.00	26.04	74.00	0.00	0.00	43.45
170000	3.91	1.11	6.88	5.72	35.26	0.31	2.32	0.12	2.20	0.00	26.04	74.00	0.00	0.00	43.80
180000	3.83	0.99	7.77	6.72	34.05	0.31	2.33	0.15	2.18	0.00	26.04	74.00	0.00	0.00	43.37
190000	3.80	1.06	8.89	7.82	27.72	0.31	2.37	0.15	2.22	0.00	26.04	74.00	0.00	0.00	46.60
200000	5.35	1.08	10.23	9.12	23.63	0.31	2.40	0.19	2.21	0.00	26.04	74.00	0.00	0.00	47.24
210000	4.26	1.00	9.76	8.73	22.76	0.31	2.35	0.18	2.17	0.00	26.04	74.00	0.00	0.00	44.95
220000	3.98	1.00	7.66	6.63	22.10	0.31	2.33	0.15	2.18	0.00	26.04	74.00	0.00	0.00	44.07
230000	3.78	0.97	5.42	4.42	22.55	0.31	2.32	0.14	2.18	0.00	26.04	74.00	0.00	0.00	45.18
極大值	5.53	5.91	15.95	12.42	53.98	0.31	2.46	0.23	2.35	0.00	26.04	74.00	0.00	0.00	47.71
極小值	3.63	0.89	0.70	0.00	6.80	0.31	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	41.19
平均值	4.07	2.24	9.07	6.87	23.00	0.31	2.34	0.13	2.21	0.00	26.04	74.00	0.00	0.00	44.86
標準差	0.49	1.48	4.63	3.65	15.33	0	0.09	0.04	0.07	0	0	0	0	0	1.92

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.76	0.99	6.39	5.37	19.48	0.31	2.37	0.15	2.22	0.00	26.04	74.00	0.00	0.00	45.26
010000	3.90	1.05	5.30	4.25	19.30	0.31	2.36	0.15	2.21	0.00	26.04	74.00	0.00	0.00	46.05
020000	3.78	1.01	4.07	3.03	18.46	0.31	2.36	0.15	2.21	0.00	26.04	74.00	0.00	0.00	44.59
030000	3.74	1.01	3.87	2.85	17.06	0.31	2.37	0.14	2.23	0.00	26.04	74.00	0.00	0.00	46.65
040000	3.67	1.04	3.94	2.87	13.83	0.31	2.46	0.14	2.32	0.00	26.04	74.00	0.00	0.00	48.84
050000	3.70	1.08	4.47	3.35	13.12	0.31	2.42	0.14	2.28	0.00	26.04	74.00	0.00	0.00	47.17
060000	3.67	1.49	5.28	3.73	9.80	0.31	2.52	0.14	2.38	0.00	26.04	74.00	0.00	0.00	49.35
070000	3.67	3.15	8.38	5.21	9.19	0.31	2.48	0.15	2.33	0.00	26.04	74.00	0.00	0.00	48.07
080000	3.73	3.08	9.17	6.09	8.45	0.31	2.60	0.15	2.45	0.00	26.04	74.00	0.00	0.00	48.69
090000	3.95	5.60	18.26	12.66	9.41	0.31	2.52	0.20	2.32	0.00	26.04	74.00	0.00	0.00	50.51
100000	4.62	7.83	27.26	19.42	11.47	0.31	2.50	0.25	2.25	0.00	26.04	74.00	0.00	0.00	48.69
110000	4.17	3.94	12.93	8.98	22.34	0.31	2.35	0.16	2.19	0.00	26.04	74.00	0.00	0.00	46.23
120000	3.98	2.03	4.18	2.24	38.38	0.31	2.25	0.11	2.14	0.00	26.04	74.00	0.00	0.00	42.68
130000	3.87	1.15	1.40	0.00	47.20	0.31	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	40.70
140000	4.16	1.20	0.00	0.00	52.48	0.31	2.21	0.11	2.10	0.00	26.04	74.00	0.00	0.00	41.63
150000	5.04	1.15	10.27	9.07	54.37	0.31	2.36	0.20	2.16	0.00	26.04	74.00	0.00	0.00	44.03
160000	4.96	1.12	14.98	13.84	44.92	0.31	2.41	0.22	2.19	0.00	26.04	74.00	0.00	0.00	45.82
170000	4.18	0.99	16.14	15.10	37.05	0.31	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	44.82
180000	4.10	1.26	16.50	15.21	29.44	0.31	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	44.93
190000	4.70	1.16	16.69	15.51	22.73	0.31	2.50	0.19	2.31	0.00	26.04	74.00	0.00	0.00	45.17
200000	7.73	1.31	17.03	15.73	15.77	0.31	2.65	0.22	2.43	0.00	26.04	74.00	0.00	0.00	49.64
210000	5.64	1.31	16.74	15.43	10.78	0.31	2.72	0.24	2.48	0.00	26.04	74.00	0.00	0.00	51.00
220000	4.52	1.58	15.17	13.59	8.53	0.31	2.87	0.26	2.61	0.00	26.04	74.00	0.00	0.00	52.91
230000	4.51	1.61	15.71	14.10	4.67	0.31	2.92	0.24	2.68	0.00	26.04	74.00	0.00	0.00	55.13
極大值	7.73	7.83	27.26	19.42	54.37	0.31	2.92	0.26	2.68	0.00	26.04	74.00	0.00	0.00	55.13
極小值	3.67	0.99	0.00	0.00	4.67	0.31	2.18	0.07	2.10	0.00	26.04	74.00	0.00	0.00	40.70
平均值	4.36	1.96	10.59	8.65	22.43	0.31	2.47	0.17	2.29	0.00	26.04	74.00	0.00	0.00	47.02
標準差	0.89	1.69	6.85	6.01	15.17	0	0.18	0.05	0.15	0	0	0	0	0	3.44

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.29	1.84	17.80	15.96	3.98	0.31	2.89	0.30	2.59	0.00	26.04	74.00	0.00	0.00	56.11
010000	4.25	1.69	16.28	14.59	6.70	0.31	2.93	0.28	2.65	0.00	26.04	74.00	0.00	0.00	54.94
020000	4.24	1.65	13.15	11.51	6.78	0.31	2.92	0.25	2.67	0.00	26.04	74.00	0.00	0.00	55.58
030000	4.11	1.40	11.13	9.71	7.97	0.31	2.85	0.21	2.64	0.00	26.04	74.00	0.00	0.00	54.58
040000	3.92	1.53	9.76	8.26	5.37	0.31	2.94	0.17	2.77	0.00	26.04	74.00	0.00	0.00	54.63
050000	3.83	1.72	9.26	7.54	3.46	0.31	3.14	0.16	2.98	0.00	26.04	74.00	0.00	0.00	59.39
060000	3.81	1.90	9.20	7.30	3.82	0.31	3.07	0.16	2.91	0.00	26.04	74.00	0.00	0.00	56.77
070000	3.91	2.67	10.32	7.67	4.84	0.31	3.00	0.17	2.83	0.00	26.04	74.00	0.00	0.00	57.25
080000	4.06	2.65	11.35	8.71	11.51	0.31	2.78	0.18	2.60	0.00	26.04	74.00	0.00	0.00	52.65
090000	4.59	2.02	7.93	5.92	24.09	0.31	2.72	0.28	2.44	0.00	26.04	74.00	0.00	0.00	50.56
100000	6.88	2.45	11.14	8.66	22.93	0.31	2.68	0.16	2.52	0.00	26.04	74.00	0.00	0.00	50.59
110000	8.66	3.67	23.78	20.09	27.94	0.31	2.62	0.29	2.33	0.00	26.04	74.00	0.00	0.00	49.32
120000	8.48	2.64	20.87	18.20	35.67	0.31	2.38	0.23	2.15	0.00	26.04	74.00	0.00	0.00	44.91
130000	6.73	1.70	11.77	10.03	40.82	0.31	2.23	0.12	2.11	0.00	26.04	74.00	0.00	0.00	42.68
140000	7.21	1.53	11.99	10.44	40.20	0.31	2.31	0.20	2.11	0.00	26.04	74.00	0.00	0.00	42.49
150000	6.97	1.53	10.56	9.00	42.86	0.31	2.24	0.13	2.11	0.00	26.04	74.00	0.00	0.00	42.82
160000	5.78	1.30	9.35	8.01	46.47	0.31	2.24	0.14	2.10	0.00	26.04	74.00	0.00	0.00	41.28
170000	5.38	1.13	9.16	8.03	47.24	0.31	2.23	0.13	2.10	0.00	26.04	74.00	0.00	0.00	41.65
180000	4.80	1.01	8.49	7.46	41.11	0.31	2.23	0.11	2.12	0.00	26.04	74.00	0.00	0.00	41.09
190000	4.12	0.97	3.44	2.70	34.22	0.31	2.19	0.10	2.09	0.00	26.04	74.00	0.00	0.00	39.83
200000	3.75	0.86	0.00	0.00	32.91	0.31	2.15	0.06	2.09	0.00	26.04	74.00	0.00	0.00	39.56
210000	3.63	0.89	0.76	0.00	30.35	0.31	2.19	0.07	2.12	0.00	26.04	74.00	0.00	0.00	39.12
220000	3.74	1.02	4.39	3.42	17.32	0.31	2.46	0.10	2.36	0.00	26.04	74.00	0.00	0.00	46.41
230000	3.75	1.12	6.71	5.54	10.18	0.31	2.63	0.11	2.52	0.00	26.04	74.00	0.00	0.00	47.60
極大值	8.66	3.67	23.78	20.09	47.24	0.31	3.14	0.30	2.98	0.00	26.04	74.00	0.00	0.00	59.39
極小值	3.63	0.86	0.00	0.00	3.46	0.31	2.15	0.06	2.09	0.00	26.04	74.00	0.00	0.00	39.12
平均值	5.04	1.70	10.36	8.70	22.86	0.31	2.58	0.17	2.41	0.00	26.04	74.00	0.00	0.00	48.41
標準差	1.58	0.7	5.54	4.94	15.84	0	0.33	0.07	0.3	0	0	0	0	0	6.7

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.86	1.05	4.11	3.07	17.10	0.31	2.58	0.11	2.47	0.00	26.04	74.00	0.00	0.00	48.25
010000	3.76	1.13	4.25	3.10	15.56	0.31	2.70	0.11	2.59	0.00	26.04	74.00	0.00	0.00	50.94
020000	3.73	1.07	4.35	3.59	11.90	0.31	2.81	0.11	2.70	0.00	26.04	74.00	0.00	0.00	52.58
030000	3.66	1.31	6.59	5.29	6.50	0.31	3.40	0.14	3.26	0.00	26.04	74.00	0.00	0.00	64.06
040000	3.64	1.50	7.73	6.22	4.38	0.31	3.26	0.15	3.11	0.00	26.04	74.00	0.00	0.00	62.22
050000	3.60	1.80	9.24	7.43	3.09	0.31	3.03	0.14	2.89	0.00	26.04	74.00	0.00	0.00	57.19
060000	3.64	2.36	6.44	4.10	8.15	0.31	2.98	0.13	2.85	0.00	26.04	74.00	0.00	0.00	56.10
070000	3.78	3.03	6.74	3.68	11.36	0.31	2.92	0.14	2.78	0.00	26.04	74.00	0.00	0.00	55.11
080000	4.11	2.26	6.46	4.53	27.79	0.31	2.52	0.12	2.40	0.00	26.04	74.00	0.00	0.00	46.71
090000	4.73	1.00	0.00	0.00	45.32	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	41.13
100000	4.74	0.95	0.00	0.00	50.25	0.31	2.22	0.06	2.16	0.00	26.04	74.00	0.00	0.00	41.82
110000	4.66	0.98	2.44	1.54	55.32	0.31	2.25	0.12	2.13	0.00	26.04	74.00	0.00	0.00	42.81
120000	4.83	1.06	2.08	1.01	51.96	0.31	2.25	0.11	2.14	0.00	26.04	74.00	0.00	0.00	42.30
130000	4.86	1.23	2.78	1.66	53.81	0.31	2.21	0.10	2.11	0.00	26.04	74.00	0.00	0.00	42.28
140000	4.55	0.91	1.61	0.00	57.19	0.31	2.17	0.09	2.08	0.00	26.04	74.00	0.00	0.00	41.43
150000	3.93	0.87	0.00	0.00	56.31	0.31	2.13	0.06	2.07	0.00	26.04	74.00	0.00	0.00	37.88
160000	3.78	0.85	0.00	0.00	52.85	0.31	2.14	0.07	2.07	0.00	26.04	74.00	0.00	0.00	39.46
170000	3.78	0.85	0.00	0.00	51.52	0.31	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	40.53
180000	3.59	0.88	0.00	0.00	57.53	0.31	2.22	0.07	2.15	0.00	26.04	74.00	0.00	0.00	41.53
190000	3.56	0.82	0.00	0.00	53.24	0.31	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	41.36
200000	3.65	0.89	2.30	1.67	45.14	0.31	2.29	0.08	2.21	0.00	26.04	74.00	0.00	0.00	44.45
210000	3.61	0.91	6.06	5.11	32.11	0.31	2.40	0.09	2.31	0.00	26.04	74.00	0.00	0.00	44.21
220000	3.62	1.12	7.64	6.50	23.48	0.31	2.52	0.09	2.43	0.00	26.04	74.00	0.00	0.00	45.71
230000	3.60	1.01	4.42	3.49	21.00	0.31	2.74	0.09	2.65	0.00	26.04	74.00	0.00	0.00	52.22
極大值	4.86	3.03	9.24	7.43	57.53	0.31	3.40	0.15	3.26	0.00	26.04	74.00	0.00	0.00	64.06
極小值	3.56	0.82	0.00	0.00	3.09	0.31	2.13	0.06	2.07	0.00	26.04	74.00	0.00	0.00	37.88
平均值	3.97	1.24	3.55	2.58	33.87	0.31	2.51	0.10	2.41	0.00	26.04	74.00	0.00	0.00	47.18
標準差	0.47	0.57	3.01	2.41	20.34	0	0.38	0.03	0.36	0	0	0	0	0	7.41

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.56	1.06	3.15	2.06	16.60	0.31	2.80	0.09	2.71	0.00	26.04	74.00	0.00	0.00	52.84
010000	3.59	1.04	2.97	1.91	17.19	0.31	2.93	0.10	2.83	0.00	26.04	74.00	0.00	0.00	56.24
020000	3.55	1.52	4.13	2.64	7.08	0.31	3.40	0.11	3.29	0.00	26.04	74.00	0.00	0.00	62.33
030000	3.61	1.28	0.88	0.00	10.52	0.31	2.82	0.09	2.73	0.00	26.04	74.00	0.00	0.00	54.61
040000	3.55	1.05	1.32	0.63	13.19	0.31	2.70	0.09	2.61	0.00	26.04	74.00	0.00	0.00	49.84
050000	3.53	1.08	1.90	1.16	11.47	0.31	2.64	0.08	2.56	0.00	26.04	74.00	0.00	0.00	49.38
060000	3.53	1.37	4.36	2.98	12.02	0.31	2.65	0.09	2.56	0.00	26.04	74.00	0.00	0.00	50.93
070000	3.57	1.91	4.96	3.00	11.87	0.31	2.61	0.11	2.50	0.00	26.04	74.00	0.00	0.00	48.16
080000	3.61	1.62	3.85	2.24	18.10	0.31	2.54	0.09	2.45	0.00	26.04	74.00	0.00	0.00	47.75
090000	3.79	2.01	4.21	2.23	21.28	0.31	2.58	0.09	2.49	0.00	26.04	74.00	0.00	0.00	48.22
100000	3.81	1.41	1.85	0.00	39.58	0.31	2.30	0.08	2.22	0.00	26.04	74.00	0.00	0.00	44.15
110000	3.94	1.03	0.00	0.00	50.82	0.31	2.24	0.09	2.15	0.00	26.04	74.00	0.00	0.00	41.86
120000	5.30	1.05	3.32	2.55	66.45	0.31	2.28	0.14	2.14	0.00	26.04	74.00	0.00	0.00	43.55
130000	6.17	1.46	7.84	6.34	65.21	0.31	2.34	0.15	2.19	0.00	26.04	74.00	0.00	0.00	44.54
140000	5.76	1.14	4.93	3.76	69.20	0.31	2.34	0.16	2.18	0.00	26.04	74.00	0.00	0.00	45.71
150000	5.14	1.11	4.61	3.49	63.28	0.31	2.29	0.13	2.16	0.00	26.04	74.00	0.00	0.00	45.21
160000	4.65	1.13	5.51	4.33	60.51	0.31	2.31	0.13	2.18	0.00	26.04	74.00	0.00	0.00	42.58
170000	4.50	1.11	6.63	5.48	57.45	0.31	2.30	0.12	2.18	0.00	26.04	74.00	0.00	0.00	42.81
180000	5.14	0.97	6.61	5.59	44.28	0.31	2.32	0.13	2.19	0.00	26.04	74.00	0.00	0.00	42.59
190000	4.02	0.95	4.39	3.40	39.15	0.31	2.31	0.11	2.20	0.00	26.04	74.00	0.00	0.00	42.08
200000	3.87	1.10	3.81	2.68	29.18	0.31	2.40	0.10	2.30	0.00	26.04	74.00	0.00	0.00	44.53
210000	3.84	1.12	4.29	3.15	20.85	0.31	2.54	0.10	2.44	0.00	26.04	74.00	0.00	0.00	47.33
220000	3.77	1.30	4.95	3.61	16.51	0.31	2.68	0.10	2.58	0.00	26.04	74.00	0.00	0.00	49.71
230000	3.69	1.36	5.07	3.68	14.64	0.31	2.88	0.10	2.78	0.00	26.04	74.00	0.00	0.00	54.57
極大值	6.17	2.01	7.84	6.34	69.20	0.31	3.40	0.16	3.29	0.00	26.04	74.00	0.00	0.00	62.33
極小值	3.53	0.95	0.00	0.00	7.08	0.31	2.24	0.08	2.14	0.00	26.04	74.00	0.00	0.00	41.86
平均值	4.15	1.26	3.98	2.79	32.35	0.31	2.55	0.11	2.44	0.00	26.04	74.00	0.00	0.00	47.98
標準差	0.79	0.28	1.86	1.7	21.69	0	0.28	0.02	0.29	0	0	0	0	0	5.24

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.66	1.38	5.35	3.95	12.67	0.31	3.10	0.12	2.98	0.00	26.04	74.00	0.00	0.00	60.55
010000	3.62	1.35	4.66	3.28	10.45	0.31	3.05	0.12	2.93	0.00	26.04	74.00	0.00	0.00	57.65
020000	3.74	1.26	4.66	3.37	15.01	0.31	2.48	0.13	2.35	0.00	26.04	74.00	0.00	0.00	45.66
030000	3.61	1.16	3.18	2.00	13.67	0.31	2.59	0.12	2.47	0.00	26.04	74.00	0.00	0.00	49.33
040000	3.62	1.34	2.69	1.31	8.60	0.31	2.78	0.12	2.66	0.00	26.04	74.00	0.00	0.00	53.42
050000	3.63	1.38	2.66	1.27	7.85	0.31	2.79	0.11	2.68	0.00	26.04	74.00	0.00	0.00	52.55
060000	3.65	1.88	4.36	2.52	4.03	0.31	2.79	0.13	2.66	0.00	26.04	74.00	0.00	0.00	50.94
070000	3.71	2.24	5.21	2.99	6.25	0.31	2.69	0.14	2.55	0.00	26.04	74.00	0.00	0.00	48.77
080000	3.78	2.05	4.01	1.97	9.34	0.31	2.71	0.15	2.56	0.00	26.04	74.00	0.00	0.00	50.88
090000	5.96	2.01	3.96	1.94	23.57	0.31	2.49	0.13	2.36	0.00	26.04	74.00	0.00	0.00	47.50
100000	4.78	1.13	1.37	0.51	43.33	0.31	2.39	0.11	2.28	0.00	26.04	74.00	0.00	0.00	45.90
110000	5.86	1.13	3.06	1.89	54.95	0.31	2.38	0.13	2.25	0.00	26.04	74.00	0.00	0.00	43.77
120000	6.77	2.10	14.24	12.11	56.57	0.31	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	46.74
130000	6.01	1.14	6.36	5.20	74.47	0.31	2.39	0.15	2.24	0.00	26.04	74.00	0.00	0.00	43.82
140000	5.58	1.00	3.11	2.15	72.57	0.31	2.29	0.12	2.17	0.00	26.04	74.00	0.00	0.00	43.76
150000	4.77	0.98	1.19	0.73	66.82	0.31	2.22	0.09	2.13	0.00	26.04	74.00	0.00	0.00	42.08
160000	4.39	1.04	2.80	1.73	60.32	0.31	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	41.75
170000	4.07	1.01	1.73	0.90	56.39	0.31	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	40.23
180000	3.84	0.91	0.88	0.00	53.72	0.31	2.16	0.07	2.09	0.00	26.04	74.00	0.00	0.00	40.68
190000	3.72	0.87	0.00	0.00	51.75	0.31	2.14	0.05	2.09	0.00	26.04	74.00	0.00	0.00	38.41
200000	3.66	0.70	0.00	0.00	47.93	0.31	2.14	0.06	2.08	0.00	26.04	74.00	0.00	0.00	39.11
210000	3.66	0.83	0.00	0.00	49.23	0.31	2.14	0.06	2.08	0.00	26.04	74.00	0.00	0.00	38.64
220000	3.79	0.96	0.00	0.00	38.24	0.31	2.32	0.09	2.23	0.00	26.04	74.00	0.00	0.00	44.51
230000	3.65	1.02	2.36	1.31	25.59	0.31	2.39	0.08	2.31	0.00	26.04	74.00	0.00	0.00	44.83
極大值	6.77	2.24	14.24	12.11	74.47	0.31	3.10	0.20	2.98	0.00	26.04	74.00	0.00	0.00	60.55
極小值	3.61	0.70	0.00	0.00	4.03	0.31	2.14	0.05	2.08	0.00	26.04	74.00	0.00	0.00	38.41
平均值	4.31	1.29	3.24	2.13	35.97	0.31	2.47	0.11	2.36	0.00	26.04	74.00	0.00	0.00	46.31
標準差	0.98	0.44	2.98	2.53	23.82	0	0.29	0.04	0.27	0	0	0	0	0	5.84

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.62	1.00	1.87	1.16	25.36	0.31	2.27	0.08	2.19	0.00	26.04	74.00	0.00	0.00	41.53
010000	3.89	0.89	0.68	0.00	30.29	0.31	2.45	0.07	2.38	0.00	26.04	74.00	0.00	0.00	45.27
020000	3.77	1.07	2.99	2.18	20.54	0.31	2.62	0.08	2.54	0.00	26.04	74.00	0.00	0.00	47.84
030000	3.78	1.12	2.81	1.82	18.52	0.31	2.75	0.09	2.66	0.00	26.04	74.00	0.00	0.00	50.61
040000	3.65	1.17	2.93	1.74	11.92	0.31	3.08	0.09	2.99	0.00	26.04	74.00	0.00	0.00	57.55
050000	3.63	1.27	4.67	3.37	9.61	0.31	2.95	0.10	2.85	0.00	26.04	74.00	0.00	0.00	55.38
060000	3.65	2.70	9.35	6.59	6.73	0.31	2.85	0.11	2.74	0.00	26.04	74.00	0.00	0.00	52.71
070000	3.79	2.75	7.93	5.14	15.07	0.31	2.58	0.11	2.47	0.00	26.04	74.00	0.00	0.00	47.72
080000	3.92	1.87	3.67	1.76	33.06	0.31	2.36	0.07	2.29	0.00	26.04	74.00	0.00	0.00	41.78
090000	4.94	3.08	5.30	2.19	47.74	0.31	2.26	0.05	2.21	0.00	26.04	74.00	0.00	0.00	40.83
100000	4.56	2.83	3.87	1.03	56.08	0.31	2.26	0.08	2.18	0.00	26.04	74.00	0.00	0.00	44.11
110000	4.25	2.87	3.83	0.99	60.51	0.31	2.28	0.13	2.15	0.00	26.04	74.00	0.00	0.00	43.95
120000	4.39	2.86	3.05	0.45	63.17	0.31	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	41.90
130000	4.04	2.76	3.13	0.71	64.29	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	41.42
140000	4.32	2.91	5.55	2.63	66.34	0.31	2.25	0.12	2.13	0.00	26.04	74.00	0.00	0.00	43.10
150000	4.21	2.95	5.89	2.95	66.11	0.31	2.26	0.12	2.14	0.00	26.04	74.00	0.00	0.00	42.02
160000	5.41	3.01	11.15	8.13	58.52	0.31	2.30	0.17	2.13	0.00	26.04	74.00	0.00	0.00	43.56
170000	4.39	2.80	8.97	6.16	56.94	0.31	2.35	0.23	2.12	0.00	26.04	74.00	0.00	0.00	42.57
180000	4.17	2.93	12.17	9.21	50.34	0.31	2.32	0.19	2.13	0.00	26.04	74.00	0.00	0.00	41.71
190000	4.04	2.89	10.44	7.54	43.15	0.31	2.39	0.21	2.18	0.00	26.04	74.00	0.00	0.00	42.89
200000	4.06	2.82	10.14	7.29	38.09	0.31	2.31	0.12	2.19	0.00	26.04	74.00	0.00	0.00	40.79
210000	4.23	2.68	5.53	2.83	40.92	0.31	2.27	0.06	2.21	0.00	26.04	74.00	0.00	0.00	41.87
220000	5.25	2.77	6.54	3.77	33.46	0.31	2.28	0.07	2.21	0.00	26.04	74.00	0.00	0.00	42.36
230000	4.78	2.77	6.95	4.16	24.65	0.31	2.38	0.10	2.28	0.00	26.04	74.00	0.00	0.00	44.71
極大值	5.41	3.08	12.17	9.21	66.34	0.31	3.08	0.23	2.99	0.00	26.04	74.00	0.00	0.00	57.55
極小值	3.62	0.89	0.68	0.00	6.73	0.31	2.20	0.05	2.12	0.00	26.04	74.00	0.00	0.00	40.79
平均值	4.20	2.37	5.81	3.49	39.23	0.31	2.43	0.11	2.32	0.00	26.04	74.00	0.00	0.00	44.92
標準差	0.5	0.79	3.19	2.68	19.66	0	0.25	0.05	0.25	0	0	0	0	0	4.69

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.04	2.99	8.95	5.93	16.56	0.31	2.53	0.06	2.47	0.00	26.04	74.00	0.00	0.00	46.68
010000	3.89	3.10	7.01	3.85	15.38	0.31	3.00	0.11	2.89	0.00	26.04	74.00	0.00	0.00	53.91
020000	3.68	3.16	8.32	5.16	12.44	0.31	3.15	0.11	3.04	0.00	26.04	74.00	0.00	0.00	59.85
030000	3.67	3.18	8.22	4.99	13.22	0.31	3.25	0.11	3.14	0.00	26.04	74.00	0.00	0.00	61.98
040000	3.70	3.15	10.25	7.05	15.84	0.31	2.92	0.10	2.82	0.00	26.04	74.00	0.00	0.00	54.74
050000	3.57	3.31	12.96	9.62	8.89	0.31	2.96	0.11	2.85	0.00	26.04	74.00	0.00	0.00	55.77
060000	3.53	4.35	11.16	6.79	6.61	0.31	2.92	0.10	2.82	0.00	26.04	74.00	0.00	0.00	55.45
070000	3.68	6.73	16.52	9.75	8.61	0.31	2.97	0.12	2.85	0.00	26.04	74.00	0.00	0.00	55.25
080000	3.75	4.41	10.02	5.58	25.84	0.31	2.62	0.09	2.53	0.00	26.04	74.00	0.00	0.00	48.55
090000	3.89	3.16	4.78	1.64	44.79	0.31	2.36	0.06	2.30	0.00	26.04	74.00	0.00	0.00	45.15
100000	4.09	2.97	5.07	2.29	53.86	0.31	2.29	0.08	2.21	0.00	26.04	74.00	0.00	0.00	42.71
110000	4.40	3.14	8.53	5.33	68.25	0.31	2.33	0.14	2.19	0.00	26.04	74.00	0.00	0.00	43.14
120000	4.15	2.95	5.11	2.14	64.31	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	43.22
130000	3.89	2.75	3.04	0.58	55.76	0.31	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	41.23
140000	3.79	2.75	3.07	0.96	54.33	0.31	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	40.10
150000	3.78	2.88	3.36	0.59	57.92	0.31	2.14	0.02	2.12	0.00	26.04	74.00	0.00	0.00	40.87
160000	3.78	2.66	2.97	0.58	59.08	0.31	2.14	0.02	2.12	0.00	26.04	74.00	0.00	0.00	41.03
170000	3.79	2.61	2.14	0.00	59.53	0.31	2.12	0.03	2.09	0.00	26.04	74.00	0.00	0.00	36.90
180000	3.74	2.66	2.23	0.00	55.53	0.31	2.14	0.04	2.10	0.00	26.04	74.00	0.00	0.00	39.74
190000	3.75	2.62	2.35	0.00	53.76	0.31	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	41.38
200000	3.66	2.58	3.43	2.46	46.63	0.31	2.20	0.05	2.15	0.00	26.04	74.00	0.00	0.00	39.37
210000	3.65	2.71	5.82	3.12	41.85	0.31	2.33	0.06	2.27	0.00	26.04	74.00	0.00	0.00	44.13
220000	3.61	2.76	7.21	4.40	37.35	0.31	2.31	0.06	2.25	0.00	26.04	74.00	0.00	0.00	42.71
230000	3.64	2.61	5.74	3.12	30.80	0.31	2.45	0.06	2.39	0.00	26.04	74.00	0.00	0.00	46.09
極大值	4.40	6.73	16.52	9.75	68.25	0.31	3.25	0.14	3.14	0.00	26.04	74.00	0.00	0.00	61.98
極小值	3.53	2.58	2.14	0.00	6.61	0.31	2.12	0.02	2.09	0.00	26.04	74.00	0.00	0.00	36.90
平均值	3.80	3.17	6.59	3.58	37.80	0.31	2.50	0.07	2.42	0.00	26.04	74.00	0.00	0.00	46.66
標準差	0.2	0.89	3.76	2.92	20.92	0	0.37	0.03	0.35	0	0	0	0	0	7.19

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.55	2.80	4.53	1.73	26.60	0.31	2.43	0.03	2.40	0.00	26.04	74.00	0.00	0.00	47.91
010000	3.57	2.73	4.88	2.13	21.95	0.31	2.61	0.05	2.56	0.00	26.04	74.00	0.00	0.00	46.05
020000	3.56	2.79	4.74	1.97	23.64	0.31	2.73	0.07	2.66	0.00	26.04	74.00	0.00	0.00	51.16
030000	3.61	2.79	3.59	1.34	25.26	0.31	2.50	0.06	2.44	0.00	26.04	74.00	0.00	0.00	46.46
040000	3.57	2.79	4.43	1.62	23.18	0.31	2.36	0.08	2.28	0.00	26.04	74.00	0.00	0.00	42.99
050000	3.48	2.79	4.77	1.97	26.45	0.31	2.34	0.08	2.26	0.00	26.04	74.00	0.00	0.00	43.10
060000	3.49	3.16	6.42	3.22	20.33	0.31	2.33	0.08	2.25	0.00	26.04	74.00	0.00	0.00	43.87
070000	3.59	3.56	7.40	3.78	23.87	0.31	2.35	0.08	2.27	0.00	26.04	74.00	0.00	0.00	43.12
080000	4.32	3.33	6.15	2.74	33.93	0.31	2.33	0.08	2.25	0.00	26.04	74.00	0.00	0.00	43.89
090000	5.81	3.71	9.15	5.37	44.73	0.31	2.42	0.11	2.31	0.00	26.04	74.00	0.00	0.00	46.21
100000	4.70	3.01	6.83	3.79	57.77	0.31	2.32	0.09	2.23	0.00	26.04	74.00	0.00	0.00	42.63
110000	4.31	2.98	5.79	2.79	59.45	0.31	2.23	0.08	2.15	0.00	26.04	74.00	0.00	0.00	42.25
120000	4.01	2.88	3.63	0.87	55.74	0.31	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	41.69
130000	3.97	2.94	4.53	1.64	53.27	0.31	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	42.08
140000	3.87	2.81	3.98	1.19	51.43	0.31	2.16	0.05	2.11	0.00	26.04	74.00	0.00	0.00	40.60
150000	3.72	2.72	2.36	0.00	46.43	0.31	2.12	0.03	2.09	0.00	26.04	74.00	0.00	0.00	41.55
160000	3.56	2.71	1.48	0.00	39.30	0.31	2.06	0.01	2.05	0.00	26.04	74.00	0.00	0.00	37.42
170000	3.56	2.77	3.94	1.93	36.81	0.31	2.08	0.03	2.05	0.00	26.04	74.00	0.00	0.00	39.25
180000	3.56	2.66	2.55	0.00	33.60	0.31	2.11	0.03	2.08	0.00	26.04	74.00	0.00	0.00	39.50
190000	3.52	2.77	4.67	2.27	27.40	0.31	2.13	0.04	2.09	0.00	26.04	74.00	0.00	0.00	41.56
200000	3.51	2.83	5.19	2.35	24.04	0.31	2.15	0.03	2.12	0.00	26.04	74.00	0.00	0.00	40.40
210000	3.51	2.88	5.53	2.62	22.66	0.31	2.15	0.03	2.12	0.00	26.04	74.00	0.00	0.00	39.88
220000	3.66	2.85	6.81	3.91	19.96	0.31	2.27	0.06	2.21	0.00	26.04	74.00	0.00	0.00	42.60
230000	3.69	2.88	8.32	5.39	14.55	0.31	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	42.32
極大值	5.81	3.71	9.15	5.39	59.45	0.31	2.73	0.11	2.66	0.00	26.04	74.00	0.00	0.00	51.16
極小值	3.48	2.66	1.48	0.00	14.55	0.31	2.06	0.01	2.05	0.00	26.04	74.00	0.00	0.00	37.42
平均值	3.82	2.92	5.07	2.28	33.85	0.31	2.28	0.06	2.23	0.00	26.04	74.00	0.00	0.00	42.85
標準差	0.53	0.27	1.83	1.46	13.77	0	0.17	0.03	0.16	0	0	0	0	0	3.03

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.55	3.23	8.57	5.27	7.71	0.31	2.68	0.05	2.63	0.00	26.04	74.00	0.00	0.00	51.11
010000	3.47	3.28	10.88	7.55	4.52	0.31	2.60	0.05	2.55	0.00	26.04	74.00	0.00	0.00	50.74
020000	3.53	3.05	7.94	4.85	6.56	0.31	2.42	0.06	2.36	0.00	26.04	74.00	0.00	0.00	42.88
030000	3.51	3.01	7.51	4.47	6.39	0.31	2.55	0.07	2.48	0.00	26.04	74.00	0.00	0.00	45.65
040000	3.49	3.01	8.92	5.87	4.99	0.31	2.45	0.06	2.39	0.00	26.04	74.00	0.00	0.00	45.67
050000	3.53	3.20	8.73	5.47	4.24	0.31	2.70	0.07	2.63	0.00	26.04	74.00	0.00	0.00	50.54
060000	3.53	6.67	13.96	7.26	2.43	0.31	3.31	0.08	3.23	0.00	26.04	74.00	0.00	0.00	62.56
070000	3.58	5.65	10.78	5.12	8.33	0.31	2.98	0.09	2.89	0.00	26.04	74.00	0.00	0.00	55.13
080000	4.43	4.03	7.37	3.31	21.70	0.31	2.42	0.05	2.37	0.00	26.04	74.00	0.00	0.00	44.32
090000	4.19	3.44	7.48	4.00	28.72	0.31	2.28	0.07	2.21	0.00	26.04	74.00	0.00	0.00	43.53
100000	4.06	3.26	5.56	2.32	37.63	0.31	2.17	0.06	2.11	0.00	26.04	74.00	0.00	0.00	41.43
110000	4.36	3.10	3.97	0.82	45.78	0.31	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	40.79
120000	4.60	3.13	5.55	2.36	46.39	0.31	2.17	0.09	2.08	0.00	26.04	74.00	0.00	0.00	39.81
130000	4.09	3.43	6.47	3.02	37.58	0.31	2.16	0.08	2.08	0.00	26.04	74.00	0.00	0.00	38.53
140000	4.29	3.46	6.44	2.93	35.43	0.31	2.17	0.08	2.09	0.00	26.04	74.00	0.00	0.00	40.38
150000	3.73	3.19	6.22	2.98	35.89	0.31	2.14	0.05	2.09	0.00	26.04	74.00	0.00	0.00	39.59
160000	3.60	3.18	5.40	2.18	34.60	0.31	2.13	0.05	2.08	0.00	26.04	74.00	0.00	0.00	40.28
170000	3.95	3.18	7.13	3.91	32.82	0.31	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	39.51
180000	6.30	2.88	7.89	5.03	26.25	0.31	2.25	0.10	2.15	0.00	26.04	74.00	0.00	0.00	42.01
190000	4.02	2.87	9.26	6.40	18.72	0.31	2.33	0.13	2.20	0.00	26.04	74.00	0.00	0.00	43.94
200000	3.76	3.19	9.14	5.96	15.13	0.31	2.35	0.14	2.21	0.00	26.04	74.00	0.00	0.00	44.68
210000	3.63	2.98	6.81	3.79	14.85	0.31	2.38	0.13	2.25	0.00	26.04	74.00	0.00	0.00	44.52
220000	3.71	2.87	6.02	3.13	15.35	0.31	2.35	0.09	2.26	0.00	26.04	74.00	0.00	0.00	43.82
230000	3.61	2.96	7.18	4.17	11.34	0.31	2.51	0.07	2.44	0.00	26.04	74.00	0.00	0.00	48.16
極大值	6.30	6.67	13.96	7.55	46.39	0.31	3.31	0.14	3.23	0.00	26.04	74.00	0.00	0.00	62.56
極小值	3.47	2.87	3.97	0.82	2.43	0.31	2.13	0.05	2.08	0.00	26.04	74.00	0.00	0.00	38.53
平均值	3.94	3.43	7.72	4.26	20.97	0.31	2.41	0.08	2.33	0.00	26.04	74.00	0.00	0.00	44.98
標準差	0.61	0.89	2.13	1.68	14.4	0	0.29	0.03	0.29	0	0	0	0	0	5.69

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.56	3.34	9.81	6.43	5.96	0.31	2.49	0.09	2.40	0.00	26.04	74.00	0.00	0.00	46.32
010000	3.56	3.94	10.98	6.99	5.91	0.31	2.55	0.10	2.45	0.00	26.04	74.00	0.00	0.00	47.16
020000	3.47	6.88	15.77	8.85	0.62	0.31	3.05	0.11	2.94	0.00	26.04	74.00	0.00	0.00	57.08
030000	3.47	4.02	11.01	6.97	0.78	0.31	3.08	0.08	3.00	0.00	26.04	74.00	0.00	0.00	56.42
040000	3.47	3.48	8.01	4.51	3.40	0.31	2.63	0.07	2.56	0.00	26.04	74.00	0.00	0.00	48.72
050000	3.50	4.68	11.77	7.05	0.77	0.31	2.83	0.07	2.76	0.00	26.04	74.00	0.00	0.00	52.64
060000	3.52	13.90	21.29	7.33	0.35	0.31	3.18	0.07	3.11	0.00	26.04	74.00	0.00	0.00	60.48
070000	3.60	8.80	15.10	6.28	3.69	0.31	2.89	0.09	2.80	0.00	26.04	74.00	0.00	0.00	55.69
080000	3.82	4.42	7.46	3.03	20.17	0.31	2.34	0.07	2.27	0.00	26.04	74.00	0.00	0.00	43.03
090000	3.89	3.08	3.72	0.97	34.99	0.31	2.25	0.05	2.20	0.00	26.04	74.00	0.00	0.00	40.80
100000	3.80	2.92	3.36	0.82	44.24	0.31	2.18	0.06	2.12	0.00	26.04	74.00	0.00	0.00	40.32
110000	3.86	3.02	3.81	0.82	47.01	0.31	2.19	0.09	2.10	0.00	26.04	74.00	0.00	0.00	41.83
120000	3.79	2.97	3.53	0.62	46.94	0.31	2.13	0.09	2.04	0.00	26.04	74.00	0.00	0.00	40.26
130000	3.62	2.91	2.02	0.00	43.90	0.31	2.08	0.04	2.04	0.00	26.04	74.00	0.00	0.00	39.61
140000	3.51	2.94	2.17	0.00	43.35	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	38.83
150000	3.53	2.97	2.25	0.00	40.64	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	39.92
160000	3.50	3.03	2.81	0.00	40.99	0.31	2.08	0.04	2.04	0.00	26.04	74.00	0.00	0.00	41.30
170000	3.49	2.90	2.34	0.00	41.39	0.31	2.08	0.04	2.04	0.00	26.04	74.00	0.00	0.00	38.19
180000	3.47	2.72	1.20	0.00	40.96	0.31	2.07	0.02	2.05	0.00	26.04	74.00	0.00	0.00	37.98
190000	3.52	2.67	1.31	0.00	39.66	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	37.54
200000	3.57	2.76	4.02	1.53	31.15	0.31	2.13	0.06	2.07	0.00	26.04	74.00	0.00	0.00	37.95
210000	4.44	3.12	10.47	7.32	12.46	0.31	2.45	0.08	2.37	0.00	26.04	74.00	0.00	0.00	45.61
220000	4.11	3.18	10.15	6.91	11.55	0.31	2.47	0.09	2.38	0.00	26.04	74.00	0.00	0.00	44.69
230000	3.93	3.34	9.84	6.43	8.28	0.31	2.53	0.08	2.45	0.00	26.04	74.00	0.00	0.00	46.45
極大值	4.44	13.90	21.29	8.85	47.01	0.31	3.18	0.11	3.11	0.00	26.04	74.00	0.00	0.00	60.48
極小值	3.47	2.67	1.20	0.00	0.35	0.31	2.07	0.02	2.04	0.00	26.04	74.00	0.00	0.00	37.54
平均值	3.67	4.08	7.26	3.45	23.72	0.31	2.41	0.07	2.35	0.00	26.04	74.00	0.00	0.00	44.95
標準差	0.24	2.53	5.4	3.3	18.69	0	0.36	0.03	0.35	0	0	0	0	0	6.9

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.64	3.68	11.79	8.06	4.73	0.31	2.69	0.08	2.61	0.00	26.04	74.00	0.00	0.00	49.58
010000	3.54	3.35	9.45	6.04	5.47	0.31	2.88	0.12	2.76	0.00	26.04	74.00	0.00	0.00	52.70
020000	3.53	3.72	10.47	6.68	3.79	0.31	2.79	0.12	2.67	0.00	26.04	74.00	0.00	0.00	52.38
030000	3.56	4.05	12.29	8.23	1.77	0.31	2.84	0.11	2.73	0.00	26.04	74.00	0.00	0.00	53.39
040000	3.57	3.45	8.98	5.47	3.11	0.31	2.81	0.11	2.70	0.00	26.04	74.00	0.00	0.00	52.12
050000	3.59	3.15	6.09	3.56	16.53	0.31	2.30	0.06	2.24	0.00	26.04	74.00	0.00	0.00	43.29
060000	3.69	4.37	10.22	5.83	6.71	0.31	2.68	0.09	2.59	0.00	26.04	74.00	0.00	0.00	50.13
070000	5.14	4.18	8.40	4.21	15.57	0.31	2.73	0.09	2.64	0.00	26.04	74.00	0.00	0.00	51.64
080000	4.41	3.29	5.78	2.48	21.55	0.31	2.37	0.09	2.28	0.00	26.04	74.00	0.00	0.00	44.33
090000	4.03	2.93	4.31	2.17	27.99	0.31	2.14	0.04	2.10	0.00	26.04	74.00	0.00	0.00	41.48
100000	3.62	2.96	1.77	0.00	31.21	0.31	2.06	0.02	2.04	0.00	26.04	74.00	0.00	0.00	38.80
110000	3.59	2.82	1.16	0.00	31.35	0.31	2.06	0.03	2.03	0.00	26.04	74.00	0.00	0.00	38.45
120000	3.61	2.87	1.80	0.00	27.32	0.31	2.07	0.06	2.01	0.00	26.04	74.00	0.00	0.00	38.43
130000	3.59	2.99	1.70	0.00	23.87	0.31	2.06	0.05	2.01	0.00	26.04	74.00	0.00	0.00	37.07
140000	3.68	3.20	2.78	0.00	21.63	0.31	2.09	0.09	2.00	0.00	26.04	74.00	0.00	0.00	38.41
150000	3.80	3.50	3.48	0.00	15.34	0.31	2.07	0.08	1.99	0.00	26.04	74.00	0.00	0.00	39.19
160000	4.26	3.97	5.85	1.95	9.72	0.31	2.08	0.08	2.00	0.00	26.04	74.00	0.00	0.00	40.11
170000	4.31	3.83	7.74	3.89	6.33	0.31	2.10	0.10	2.00	0.00	26.04	74.00	0.00	0.00	38.78
180000	4.16	3.87	7.89	4.02	4.35	0.31	2.16	0.12	2.04	0.00	26.04	74.00	0.00	0.00	41.41
190000	3.95	3.29	7.46	4.12	2.79	0.31	2.17	0.11	2.06	0.00	26.04	74.00	0.00	0.00	40.64
200000	3.86	3.43	7.71	4.20	1.96	0.31	2.21	0.11	2.10	0.00	26.04	74.00	0.00	0.00	41.64
210000	3.88	3.25	6.43	3.18	2.71	0.31	2.26	0.11	2.15	0.00	26.04	74.00	0.00	0.00	42.11
220000	3.93	3.25	5.44	2.16	3.31	0.31	2.32	0.11	2.21	0.00	26.04	74.00	0.00	0.00	45.04
230000	4.03	2.97	5.55	2.56	3.14	0.31	2.30	0.07	2.23	0.00	26.04	74.00	0.00	0.00	43.23
極大值	5.14	4.37	12.29	8.23	31.35	0.31	2.88	0.12	2.76	0.00	26.04	74.00	0.00	0.00	53.39
極小值	3.53	2.82	1.16	0.00	1.77	0.31	2.06	0.02	1.99	0.00	26.04	74.00	0.00	0.00	37.07
平均值	3.87	3.43	6.44	3.28	12.18	0.31	2.34	0.09	2.26	0.00	26.04	74.00	0.00	0.00	43.93
標準差	0.38	0.44	3.25	2.56	10.42	0	0.3	0.03	0.28	0	0	0	0	0	5.5

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.79	2.80	2.08	0.00	7.71	0.31	2.12	0.04	2.08	0.00	26.04	74.00	0.00	0.00	38.96
010000	3.52	3.00	1.73	0.00	7.32	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	40.36
020000	3.59	2.78	1.88	0.00	9.07	0.31	2.08	0.04	2.04	0.00	26.04	74.00	0.00	0.00	40.21
030000	3.61	2.77	2.14	0.00	12.11	0.31	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	39.52
040000	5.23	2.94	3.70	0.97	13.15	0.31	2.33	0.11	2.22	0.00	26.04	74.00	0.00	0.00	43.06
050000	5.99	3.04	3.92	0.92	16.79	0.31	2.33	0.12	2.21	0.00	26.04	74.00	0.00	0.00	43.08
060000	3.77	2.95	3.08	0.36	19.43	0.31	2.30	0.10	2.20	0.00	26.04	74.00	0.00	0.00	42.57
070000	3.68	2.98	3.96	0.92	20.07	0.31	2.30	0.10	2.20	0.00	26.04	74.00	0.00	0.00	41.72
080000	4.05	3.00	4.70	1.66	17.82	0.31	2.35	0.12	2.23	0.00	26.04	74.00	0.00	0.00	44.95
090000	7.52	3.32	6.40	3.05	18.41	0.31	2.35	0.13	2.22	0.00	26.04	74.00	0.00	0.00	42.91
100000	4.32	3.43	5.58	2.16	20.95	0.31	2.30	0.10	2.20	0.00	26.04	74.00	0.00	0.00	43.64
110000	3.66	3.03	4.63	1.59	23.85	0.31	2.29	0.11	2.18	0.00	26.04	74.00	0.00	0.00	42.68
120000	3.67	3.04	5.36	2.33	24.85	0.31	2.29	0.11	2.18	0.00	26.04	74.00	0.00	0.00	40.79
130000	4.39	3.20	6.08	2.88	25.18	0.31	2.30	0.11	2.19	0.00	26.04	74.00	0.00	0.00	42.96
140000	4.60	3.27	6.75	3.42	23.77	0.31	2.32	0.11	2.21	0.00	26.04	74.00	0.00	0.00	43.25
150000	3.97	3.06	6.77	3.68	22.42	0.31	2.35	0.11	2.24	0.00	26.04	74.00	0.00	0.00	44.53
160000	3.94	3.11	7.95	4.80	19.81	0.31	2.43	0.12	2.31	0.00	26.04	74.00	0.00	0.00	46.65
170000	3.99	3.02	9.29	6.24	14.58	0.31	2.42	0.12	2.30	0.00	26.04	74.00	0.00	0.00	46.05
180000	3.72	3.11	9.55	6.43	10.31	0.31	2.44	0.11	2.33	0.00	26.04	74.00	0.00	0.00	45.48
190000	3.70	3.10	9.28	6.16	12.56	0.31	2.42	0.12	2.30	0.00	26.04	74.00	0.00	0.00	44.90
200000	3.70	2.99	8.58	5.54	16.75	0.31	2.37	0.11	2.26	0.00	26.04	74.00	0.00	0.00	45.59
210000	3.86	3.01	8.57	5.52	19.08	0.31	2.32	0.11	2.21	0.00	26.04	74.00	0.00	0.00	46.13
220000	3.76	2.98	8.77	5.75	11.48	0.31	2.37	0.11	2.26	0.00	26.04	74.00	0.00	0.00	43.46
230000	3.62	3.14	9.83	6.66	7.70	0.31	2.41	0.10	2.31	0.00	26.04	74.00	0.00	0.00	43.79
極大值	7.52	3.43	9.83	6.66	25.18	0.31	2.44	0.13	2.33	0.00	26.04	74.00	0.00	0.00	46.65
極小值	3.52	2.77	1.73	0.00	7.32	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	38.96
平均值	4.15	3.04	5.86	2.96	16.47	0.31	2.31	0.10	2.21	0.00	26.04	74.00	0.00	0.00	43.22
標準差	0.92	0.16	2.69	2.38	5.74	0	0.1	0.03	0.08	0	0	0	0	0	2.14

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.59	3.05	6.74	3.66	8.79	0.31	2.53	0.09	2.44	0.00	26.04	74.00	0.00	0.00	47.82
010000	3.52	2.85	4.78	1.91	9.04	0.31	2.50	0.07	2.43	0.00	26.04	74.00	0.00	0.00	46.54
020000	3.53	2.84	5.43	2.55	6.46	0.31	2.56	0.08	2.48	0.00	26.04	74.00	0.00	0.00	48.17
030000	3.49	2.89	5.11	2.20	6.36	0.31	2.59	0.08	2.51	0.00	26.04	74.00	0.00	0.00	47.48
040000	3.47	3.05	5.65	2.62	5.64	0.31	2.81	0.08	2.73	0.00	26.04	74.00	0.00	0.00	53.88
050000	3.52	3.02	6.43	3.41	6.04	0.31	2.65	0.09	2.56	0.00	26.04	74.00	0.00	0.00	49.79
060000	3.57	3.58	7.83	4.16	5.40	0.31	2.65	0.09	2.56	0.00	26.04	74.00	0.00	0.00	50.73
070000	3.72	5.10	8.89	3.78	8.70	0.31	2.66	0.10	2.56	0.00	26.04	74.00	0.00	0.00	48.76
080000	4.08	5.79	8.62	2.97	27.90	0.31	2.42	0.07	2.35	0.00	26.04	74.00	0.00	0.00	44.64
090000	4.17	3.45	5.97	2.49	41.28	0.31	2.31	0.07	2.24	0.00	26.04	74.00	0.00	0.00	43.36
100000	5.26	4.36	9.70	5.29	47.91	0.31	2.33	0.11	2.22	0.00	26.04	74.00	0.00	0.00	43.36
110000	5.10	3.60	9.10	5.46	58.85	0.31	2.31	0.12	2.19	0.00	26.04	74.00	0.00	0.00	43.37
120000	5.28	4.55	10.68	6.09	67.02	0.31	2.32	0.13	2.19	0.00	26.04	74.00	0.00	0.00	44.58
130000	5.85	3.56	11.01	7.38	61.66	0.31	2.32	0.13	2.19	0.00	26.04	74.00	0.00	0.00	43.62
140000	7.33	4.11	14.11	9.96	54.93	0.31	2.31	0.17	2.14	0.00	26.04	74.00	0.00	0.00	42.91
150000	7.25	4.22	14.86	10.65	51.42	0.31	2.31	0.18	2.13	0.00	26.04	74.00	0.00	0.00	40.25
160000	7.12	3.69	14.94	11.22	51.38	0.31	2.30	0.17	2.13	0.00	26.04	74.00	0.00	0.00	43.85
170000	6.24	3.14	17.35	14.16	47.03	0.31	2.29	0.13	2.16	0.00	26.04	74.00	0.00	0.00	43.59
180000	4.08	2.92	14.08	11.13	40.43	0.31	2.47	0.15	2.32	0.00	26.04	74.00	0.00	0.00	46.05
190000	3.87	2.92	15.24	12.28	29.99	0.31	2.53	0.17	2.36	0.00	26.04	74.00	0.00	0.00	47.59
200000	3.77	3.12	17.72	14.60	21.95	0.31	2.65	0.13	2.52	0.00	26.04	74.00	0.00	0.00	49.50
210000	3.70	3.29	20.06	16.75	14.83	0.31	2.72	0.15	2.57	0.00	26.04	74.00	0.00	0.00	51.52
220000	3.63	3.30	17.73	14.43	9.50	0.31	2.98	0.14	2.84	0.00	26.04	74.00	0.00	0.00	56.31
230000	3.56	2.98	10.70	7.70	15.50	0.31	2.59	0.12	2.47	0.00	26.04	74.00	0.00	0.00	49.77
極大值	7.33	5.79	20.06	16.75	67.02	0.31	2.98	0.18	2.84	0.00	26.04	74.00	0.00	0.00	56.31
極小值	3.47	2.84	4.78	1.91	5.40	0.31	2.29	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.25
平均值	4.53	3.56	10.95	7.37	29.08	0.31	2.50	0.12	2.39	0.00	26.04	74.00	0.00	0.00	46.98
標準差	1.31	0.77	4.68	4.73	21.6	0	0.19	0.04	0.2	0	0	0	0	0	3.86

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.57	2.87	9.49	6.60	16.54	0.31	2.60	0.11	2.49	0.00	26.04	74.00	0.00	0.00	48.18
010000	3.60	3.10	12.17	9.04	9.42	0.31	3.36	0.14	3.22	0.00	26.04	74.00	0.00	0.00	64.62
020000	3.56	3.32	13.30	9.91	4.63	0.31	3.55	0.14	3.41	0.00	26.04	74.00	0.00	0.00	67.01
030000	3.57	3.14	10.57	7.41	5.89	0.31	3.40	0.12	3.28	0.00	26.04	74.00	0.00	0.00	63.16
040000	3.60	3.11	9.34	6.20	5.21	0.31	3.47	0.11	3.36	0.00	26.04	74.00	0.00	0.00	64.89
050000	3.58	3.17	10.26	7.06	5.97	0.31	2.94	0.10	2.84	0.00	26.04	74.00	0.00	0.00	56.04
060000	3.57	5.62	12.82	7.18	5.85	0.31	2.86	0.10	2.76	0.00	26.04	74.00	0.00	0.00	52.51
070000	3.72	7.27	14.86	7.57	11.11	0.31	2.87	0.11	2.76	0.00	26.04	74.00	0.00	0.00	55.51
080000	3.96	4.05	8.75	4.65	34.42	0.31	2.39	0.07	2.32	0.00	26.04	74.00	0.00	0.00	45.28
090000	3.93	3.58	7.46	3.80	42.75	0.31	2.26	0.07	2.19	0.00	26.04	74.00	0.00	0.00	40.97
100000	4.41	3.26	7.07	3.71	51.26	0.31	2.27	0.12	2.15	0.00	26.04	74.00	0.00	0.00	44.10
110000	4.80	3.44	14.21	10.72	71.40	0.31	2.32	0.15	2.17	0.00	26.04	74.00	0.00	0.00	43.18
120000	5.87	3.43	17.13	13.66	84.62	0.31	2.40	0.20	2.20	0.00	26.04	74.00	0.00	0.00	44.73
130000	5.00	2.98	8.39	5.38	84.65	0.31	2.28	0.11	2.17	0.00	26.04	74.00	0.00	0.00	44.76
140000	4.67	2.84	5.14	2.30	83.91	0.31	2.28	0.14	2.14	0.00	26.04	74.00	0.00	0.00	42.29
150000	4.62	2.74	4.67	1.93	83.49	0.31	2.26	0.13	2.13	0.00	26.04	74.00	0.00	0.00	42.37
160000	4.23	2.72	3.49	0.79	78.56	0.31	2.19	0.07	2.12	0.00	26.04	74.00	0.00	0.00	40.10
170000	4.14	2.74	4.08	1.33	74.66	0.31	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	40.32
180000	4.06	2.69	6.17	3.47	68.65	0.31	2.27	0.13	2.14	0.00	26.04	74.00	0.00	0.00	42.80
190000	4.00	2.71	5.50	2.78	65.51	0.31	2.27	0.13	2.14	0.00	26.04	74.00	0.00	0.00	43.34
200000	3.79	2.89	6.32	3.40	55.70	0.31	2.29	0.13	2.16	0.00	26.04	74.00	0.00	0.00	43.78
210000	3.65	2.87	9.69	6.81	31.64	0.31	2.41	0.08	2.33	0.00	26.04	74.00	0.00	0.00	43.97
220000	3.65	2.79	7.93	5.14	35.36	0.31	2.40	0.05	2.35	0.00	26.04	74.00	0.00	0.00	44.79
230000	3.63	2.78	6.38	3.62	38.96	0.31	2.30	0.06	2.24	0.00	26.04	74.00	0.00	0.00	43.91
極大值	5.87	7.27	17.13	13.66	84.65	0.31	3.55	0.20	3.41	0.00	26.04	74.00	0.00	0.00	67.01
極小值	3.56	2.69	3.49	0.79	4.63	0.31	2.19	0.05	2.12	0.00	26.04	74.00	0.00	0.00	40.10
平均值	4.05	3.34	8.97	5.60	43.76	0.31	2.58	0.11	2.47	0.00	26.04	74.00	0.00	0.00	48.44
標準差	0.59	1.04	3.65	3.17	30.49	0	0.45	0.03	0.44	0	0	0	0	0	8.6

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.61	2.76	6.87	4.15	37.13	0.31	2.35	0.05	2.30	0.00	26.04	74.00	0.00	0.00	44.12
010000	3.60	2.83	8.26	5.44	21.74	0.31	2.89	0.07	2.82	0.00	26.04	74.00	0.00	0.00	52.14
020000	3.58	2.99	10.18	7.19	18.54	0.31	3.17	0.10	3.07	0.00	26.04	74.00	0.00	0.00	60.14
030000	3.68	3.02	8.47	5.45	21.99	0.31	3.20	0.11	3.09	0.00	26.04	74.00	0.00	0.00	60.97
040000	3.63	2.96	7.97	5.02	18.69	0.31	3.34	0.11	3.23	0.00	26.04	74.00	0.00	0.00	63.82
050000	3.65	3.15	8.81	5.64	17.49	0.31	3.38	0.11	3.27	0.00	26.04	74.00	0.00	0.00	64.16
060000	3.70	4.35	12.47	8.11	13.50	0.31	3.47	0.10	3.37	0.00	26.04	74.00	0.00	0.00	66.21
070000	3.90	4.16	10.17	5.97	26.20	0.31	2.87	0.09	2.78	0.00	26.04	74.00	0.00	0.00	55.44
080000	3.98	3.50	7.68	4.13	41.50	0.31	2.52	0.07	2.45	0.00	26.04	74.00	0.00	0.00	47.07
090000	5.03	2.89	4.36	1.58	62.64	0.31	2.27	0.05	2.22	0.00	26.04	74.00	0.00	0.00	42.69
100000	5.40	2.91	5.42	2.49	72.59	0.31	2.33	0.13	2.20	0.00	26.04	74.00	0.00	0.00	43.20
110000	4.54	2.87	4.71	1.84	69.75	0.31	2.31	0.15	2.16	0.00	26.04	74.00	0.00	0.00	43.08
120000	4.19	2.89	3.27	0.79	63.96	0.31	2.24	0.10	2.14	0.00	26.04	74.00	0.00	0.00	42.87
130000	4.05	2.76	2.27	0.00	62.66	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	39.61
140000	4.03	2.80	2.51	0.00	62.52	0.31	2.22	0.09	2.13	0.00	26.04	74.00	0.00	0.00	41.11
150000	4.03	2.86	3.59	1.28	62.75	0.31	2.15	0.08	2.07	0.00	26.04	74.00	0.00	0.00	40.07
160000	4.64	2.97	6.39	3.38	63.07	0.31	2.18	0.08	2.10	0.00	26.04	74.00	0.00	0.00	40.16
170000	6.68	3.36	16.84	13.43	54.02	0.31	2.30	0.16	2.14	0.00	26.04	74.00	0.00	0.00	42.96
180000	4.14	2.97	11.78	8.80	50.32	0.31	2.32	0.10	2.22	0.00	26.04	74.00	0.00	0.00	44.70
190000	3.99	3.00	9.94	6.89	37.17	0.31	2.46	0.12	2.34	0.00	26.04	74.00	0.00	0.00	44.99
200000	3.89	2.90	10.34	7.41	30.48	0.31	2.66	0.13	2.53	0.00	26.04	74.00	0.00	0.00	50.47
210000	3.83	2.91	9.96	7.04	31.85	0.31	2.49	0.13	2.36	0.00	26.04	74.00	0.00	0.00	45.89
220000	3.79	2.99	12.23	9.21	20.36	0.31	2.64	0.14	2.50	0.00	26.04	74.00	0.00	0.00	49.09
230000	3.67	3.61	14.07	10.40	12.06	0.31	2.76	0.14	2.62	0.00	26.04	74.00	0.00	0.00	53.64
極大值	6.68	4.35	16.84	13.43	72.59	0.31	3.47	0.16	3.37	0.00	26.04	74.00	0.00	0.00	66.21
極小值	3.58	2.76	2.27	0.00	12.06	0.31	2.15	0.05	2.07	0.00	26.04	74.00	0.00	0.00	39.61
平均值	4.13	3.10	8.27	5.24	40.54	0.31	2.61	0.10	2.51	0.00	26.04	74.00	0.00	0.00	49.11
標準差	0.71	0.42	3.78	3.45	20.55	0	0.42	0.03	0.42	0	0	0	0	0	8.47

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.64	3.16	13.69	10.49	11.29	0.31	2.87	0.10	2.77	0.00	26.04	74.00	0.00	0.00	52.20
010000	3.61	3.10	9.14	6.03	14.31	0.31	2.67	0.09	2.58	0.00	26.04	74.00	0.00	0.00	50.84
020000	3.56	2.89	8.29	5.41	15.39	0.31	2.62	0.10	2.52	0.00	26.04	74.00	0.00	0.00	47.09
030000	3.59	3.10	8.76	5.67	11.04	0.31	3.39	0.08	3.31	0.00	26.04	74.00	0.00	0.00	64.31
040000	3.58	3.08	8.76	5.65	9.71	0.31	3.35	0.09	3.26	0.00	26.04	74.00	0.00	0.00	63.45
050000	3.58	3.29	9.39	6.08	7.77	0.31	3.37	0.09	3.28	0.00	26.04	74.00	0.00	0.00	64.00
060000	3.59	4.34	9.79	5.45	10.28	0.31	3.30	0.08	3.22	0.00	26.04	74.00	0.00	0.00	62.70
070000	3.70	4.68	9.65	4.98	19.52	0.31	2.91	0.07	2.84	0.00	26.04	74.00	0.00	0.00	54.42
080000	3.90	5.24	12.67	7.42	27.85	0.31	2.70	0.07	2.63	0.00	26.04	74.00	0.00	0.00	49.76
090000	3.85	3.72	7.09	3.31	38.86	0.31	2.38	0.05	2.33	0.00	26.04	74.00	0.00	0.00	44.25
100000	3.72	3.03	2.65	0.00	28.70	0.31	2.12	0.04	2.08	0.00	26.04	74.00	0.00	0.00	39.77
110000	3.59	3.12	2.09	0.00	21.52	0.31	2.06	0.04	2.02	0.00	26.04	74.00	0.00	0.00	38.03
120000	3.61	3.06	1.91	0.00	19.52	0.31	2.05	0.05	2.00	0.00	26.04	74.00	0.00	0.00	37.14
130000	3.60	3.08	2.16	0.00	21.85	0.31	2.05	0.04	2.01	0.00	26.04	74.00	0.00	0.00	38.19
140000	3.58	3.25	2.89	0.00	21.85	0.31	2.05	0.04	2.01	0.00	26.04	74.00	0.00	0.00	40.48
150000	3.64	3.15	2.12	0.00	17.89	0.31	2.04	0.03	2.01	0.00	26.04	74.00	0.00	0.00	39.92
160000	3.59	3.06	2.09	0.00	16.84	0.31	2.04	0.02	2.02	0.00	26.04	74.00	0.00	0.00	40.76
170000	3.59	2.88	1.41	0.00	16.03	0.31	2.05	0.02	2.03	0.00	26.04	74.00	0.00	0.00	36.80
180000	3.61	2.99	3.28	1.01	12.96	0.31	2.05	0.03	2.02	0.00	26.04	74.00	0.00	0.00	37.67
190000	3.60	3.03	3.57	1.14	11.02	0.31	2.05	0.02	2.03	0.00	26.04	74.00	0.00	0.00	39.79
200000	3.54	2.98	3.72	1.75	10.45	0.31	2.06	0.04	2.02	0.00	26.04	74.00	0.00	0.00	38.73
210000	3.51	2.95	4.06	1.35	9.00	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	38.74
220000	3.53	2.97	3.18	0.00	9.74	0.31	2.08	0.03	2.05	0.00	26.04	74.00	0.00	0.00	39.08
230000	3.49	2.96	2.68	0.00	9.52	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	39.19
極大值	3.90	5.24	13.69	10.49	38.86	0.31	3.39	0.10	3.31	0.00	26.04	74.00	0.00	0.00	64.31
極小值	3.49	2.88	1.41	0.00	7.77	0.31	2.04	0.02	2.00	0.00	26.04	74.00	0.00	0.00	36.80
平均值	3.62	3.30	5.63	2.74	16.37	0.31	2.43	0.05	2.38	0.00	26.04	74.00	0.00	0.00	45.72
標準差	0.09	0.6	3.8	3.12	7.62	0	0.51	0.03	0.48	0	0	0	0	0	9.6

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.47	3.69	6.44	3.22	3.43	0.31	2.24	0.04	2.20	0.00	26.04	74.00	0.00	0.00	41.89
010000	3.42	4.59	8.83	4.20	0.47	0.31	2.55	0.03	2.52	0.00	26.04	74.00	0.00	0.00	48.34
020000	3.49	4.13	8.06	3.91	0.58	0.31	2.36	0.05	2.31	0.00	26.04	74.00	0.00	0.00	43.51
030000	3.49	3.86	7.73	3.81	1.64	0.31	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	39.34
040000	3.48	4.03	8.64	4.58	2.01	0.31	2.25	0.05	2.20	0.00	26.04	74.00	0.00	0.00	41.47
050000	3.49	3.82	8.64	4.79	1.32	0.31	2.49	0.06	2.43	0.00	26.04	74.00	0.00	0.00	46.88
060000	3.56	5.90	10.05	4.11	1.42	0.31	2.51	0.05	2.46	0.00	26.04	74.00	0.00	0.00	47.05
070000	3.63	8.04	12.52	4.44	2.73	0.31	2.44	0.05	2.39	0.00	26.04	74.00	0.00	0.00	45.05
080000	3.68	6.59	10.51	3.88	9.14	0.31	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	40.31
090000	4.16	4.23	7.08	2.81	24.49	0.31	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	40.84
100000	4.19	3.44	5.97	2.51	36.69	0.31	2.25	0.11	2.14	0.00	26.04	74.00	0.00	0.00	43.41
110000	3.91	3.21	3.54	0.00	32.16	0.31	2.16	0.11	2.05	0.00	26.04	74.00	0.00	0.00	42.12
120000	3.60	3.01	1.77	0.00	28.19	0.31	2.08	0.06	2.02	0.00	26.04	74.00	0.00	0.00	39.54
130000	3.57	3.05	2.00	0.00	32.21	0.31	2.09	0.06	2.03	0.00	26.04	74.00	0.00	0.00	38.66
140000	3.62	3.12	2.34	0.00	32.74	0.31	2.17	0.14	2.03	0.00	26.04	74.00	0.00	0.00	41.51
150000	3.77	3.24	3.91	0.67	33.59	0.31	2.13	0.08	2.05	0.00	26.04	74.00	0.00	0.00	41.41
160000	3.73	3.38	4.20	1.43	26.44	0.31	2.14	0.08	2.06	0.00	26.04	74.00	0.00	0.00	41.09
170000	3.73	3.04	4.13	1.80	26.71	0.31	2.15	0.08	2.07	0.00	26.04	74.00	0.00	0.00	41.37
180000	3.56	2.73	2.26	0.00	26.19	0.31	2.11	0.05	2.06	0.00	26.04	74.00	0.00	0.00	38.15
190000	3.57	2.90	2.79	0.00	19.69	0.31	2.10	0.04	2.06	0.00	26.04	74.00	0.00	0.00	41.10
200000	3.49	2.96	3.61	0.89	14.72	0.31	2.12	0.02	2.10	0.00	26.04	74.00	0.00	0.00	39.84
210000	3.48	2.92	2.77	0.00	15.17	0.31	2.11	0.02	2.09	0.00	26.04	74.00	0.00	0.00	39.73
220000	3.51	3.19	4.84	1.94	11.69	0.31	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	39.55
230000	3.48	4.12	9.54	5.36	4.05	0.31	2.33	0.04	2.29	0.00	26.04	74.00	0.00	0.00	43.58
極大值	4.19	8.04	12.52	5.36	36.69	0.31	2.55	0.14	2.52	0.00	26.04	74.00	0.00	0.00	48.34
極小值	3.42	2.73	1.77	0.00	0.47	0.31	2.08	0.02	2.02	0.00	26.04	74.00	0.00	0.00	38.15
平均值	3.63	3.88	5.92	2.26	16.14	0.31	2.23	0.06	2.17	0.00	26.04	74.00	0.00	0.00	41.91
標準差	0.2	1.29	3.15	1.91	13.12	0	0.14	0.03	0.15	0	0	0	0	0	2.7

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.54	3.46	6.77	3.25	5.09	0.31	2.58	0.03	2.55	0.00	26.04	74.00	0.00	0.00	48.68
010000	3.54	3.91	8.58	4.63	2.29	0.31	2.69	0.04	2.65	0.00	26.04	74.00	0.00	0.00	50.45
020000	3.46	3.74	8.14	4.35	2.22	0.31	2.71	0.06	2.65	0.00	26.04	74.00	0.00	0.00	50.14
030000	3.47	4.46	9.95	5.44	0.85	0.31	2.65	0.07	2.58	0.00	26.04	74.00	0.00	0.00	49.95
040000	3.51	3.79	6.49	2.67	1.51	0.31	2.55	0.07	2.48	0.00	26.04	74.00	0.00	0.00	46.46
050000	3.48	3.81	7.16	3.28	2.39	0.31	2.46	0.08	2.38	0.00	26.04	74.00	0.00	0.00	46.73
060000	3.48	5.45	9.18	3.67	1.81	0.31	2.59	0.08	2.51	0.00	26.04	74.00	0.00	0.00	50.67
070000	3.53	5.72	9.11	3.35	5.34	0.31	2.42	0.09	2.33	0.00	26.04	74.00	0.00	0.00	44.82
080000	3.77	3.45	3.43	0.00	16.48	0.31	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	40.65
090000	3.65	3.28	2.61	0.00	19.17	0.31	2.11	0.04	2.07	0.00	26.04	74.00	0.00	0.00	40.70
100000	3.55	3.11	1.86	0.00	20.50	0.31	2.06	0.04	2.02	0.00	26.04	74.00	0.00	0.00	40.05
110000	3.56	3.22	2.38	0.00	21.82	0.31	2.07	0.08	1.99	0.00	26.04	74.00	0.00	0.00	40.83
120000	3.53	3.24	2.05	0.00	19.38	0.31	2.05	0.07	1.98	0.00	26.04	74.00	0.00	0.00	39.18
130000	3.53	3.20	1.77	0.00	16.28	0.31	2.05	0.07	1.98	0.00	26.04	74.00	0.00	0.00	40.20
140000	3.50	3.28	1.76	0.00	14.61	0.31	2.05	0.07	1.98	0.00	26.04	74.00	0.00	0.00	39.71
150000	3.53	3.28	1.54	0.00	11.58	0.31	2.04	0.06	1.98	0.00	26.04	74.00	0.00	0.00	38.85
160000	3.55	3.45	2.14	0.00	12.43	0.31	2.06	0.08	1.98	0.00	26.04	74.00	0.00	0.00	40.14
170000	3.48	3.46	2.71	0.00	10.15	0.31	2.08	0.08	2.00	0.00	26.04	74.00	0.00	0.00	41.40
180000	3.54	3.08	2.18	0.00	10.25	0.31	2.07	0.05	2.02	0.00	26.04	74.00	0.00	0.00	41.38
190000	3.48	2.91	2.22	0.00	7.48	0.31	2.07	0.03	2.04	0.00	26.04	74.00	0.00	0.00	37.68
200000	3.55	5.69	9.40	3.65	2.51	0.31	2.10	0.05	2.05	0.00	26.04	74.00	0.00	0.00	38.66
210000	3.55	9.94	16.07	6.07	0.66	0.31	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	41.32
220000	3.51	4.97	9.37	4.36	1.24	0.31	2.53	0.05	2.48	0.00	26.04	74.00	0.00	0.00	46.12
230000	4.35	3.76	7.35	3.55	1.14	0.31	2.88	0.08	2.80	0.00	26.04	74.00	0.00	0.00	54.41
極大值	4.35	9.94	16.07	6.07	21.82	0.31	2.88	0.09	2.80	0.00	26.04	74.00	0.00	0.00	54.41
極小值	3.46	2.91	1.54	0.00	0.66	0.31	2.04	0.03	1.98	0.00	26.04	74.00	0.00	0.00	37.68
平均值	3.57	4.07	5.59	2.01	8.63	0.31	2.30	0.06	2.24	0.00	26.04	74.00	0.00	0.00	43.72
標準差	0.18	1.5	3.87	2.16	7.34	0	0.28	0.02	0.28	0	0	0	0	0	4.85

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.88	4.79	10.76	5.95	0.23	0.31	3.32	0.09	3.23	0.00	26.04	74.00	0.00	0.00	64.13
010000	3.63	4.50	9.53	4.99	0.30	0.31	3.23	0.08	3.15	0.00	26.04	74.00	0.00	0.00	62.76
020000	3.54	4.26	7.92	3.63	0.31	0.31	3.20	0.09	3.11	0.00	26.04	74.00	0.00	0.00	61.41
030000	3.55	4.74	8.80	4.03	0.34	0.31	2.85	0.10	2.75	0.00	26.04	74.00	0.00	0.00	54.51
040000	3.53	5.24	8.87	3.59	0.31	0.31	3.14	0.09	3.05	0.00	26.04	74.00	0.00	0.00	58.92
050000	3.51	5.98	10.96	4.94	0.26	0.31	2.74	0.10	2.64	0.00	26.04	74.00	0.00	0.00	50.53
060000	3.54	7.75	11.09	3.32	0.32	0.31	2.83	0.10	2.73	0.00	26.04	74.00	0.00	0.00	53.17
070000	3.59	5.24	6.14	1.07	2.74	0.31	2.30	0.08	2.22	0.00	26.04	74.00	0.00	0.00	42.92
080000	3.83	4.66	5.63	0.97	7.16	0.31	2.35	0.08	2.27	0.00	26.04	74.00	0.00	0.00	44.62
090000	4.02	3.99	4.98	0.95	13.70	0.31	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	42.48
100000	3.90	3.50	4.14	0.57	23.92	0.31	2.13	0.07	2.06	0.00	26.04	74.00	0.00	0.00	43.17
110000	3.83	3.19	3.16	0.00	26.63	0.31	2.12	0.06	2.06	0.00	26.04	74.00	0.00	0.00	42.04
120000	4.16	3.28	2.96	0.00	25.45	0.31	2.08	0.04	2.04	0.00	26.04	74.00	0.00	0.00	40.85
130000	4.36	3.40	3.08	0.00	23.24	0.31	2.09	0.06	2.03	0.00	26.04	74.00	0.00	0.00	41.12
140000	4.33	3.34	3.00	0.00	21.81	0.31	2.07	0.05	2.02	0.00	26.04	74.00	0.00	0.00	40.89
150000	4.37	7.14	7.30	0.00	17.95	0.31	2.07	0.05	2.02	0.00	26.04	74.00	0.00	0.00	39.75
160000	3.88	4.40	4.66	0.00	13.78	0.31	2.08	0.05	2.03	0.00	26.04	74.00	0.00	0.00	41.83
170000	4.09	3.90	5.63	1.71	10.58	0.31	2.11	0.06	2.05	0.00	26.04	74.00	0.00	0.00	42.77
180000	5.29	3.59	5.77	2.14	7.96	0.31	2.19	0.09	2.10	0.00	26.04	74.00	0.00	0.00	40.94
190000	3.80	6.79	8.44	1.85	4.63	0.31	2.21	0.06	2.15	0.00	26.04	74.00	0.00	0.00	41.72
200000	3.68	3.62	5.36	1.73	2.87	0.31	2.24	0.05	2.19	0.00	26.04	74.00	0.00	0.00	43.28
210000	3.68	5.98	10.77	4.80	1.32	0.31	2.33	0.07	2.26	0.00	26.04	74.00	0.00	0.00	43.68
220000	3.66	8.14	13.24	5.08	0.82	0.31	2.77	0.08	2.69	0.00	26.04	74.00	0.00	0.00	53.12
230000	3.61	13.13	19.52	6.37	0.00	0.31	2.66	0.09	2.57	0.00	26.04	74.00	0.00	0.00	50.76
極大值	5.29	13.13	19.52	6.37	26.63	0.31	3.32	0.10	3.23	0.00	26.04	74.00	0.00	0.00	64.13
極小值	3.51	3.19	2.96	0.00	0.00	0.31	2.07	0.04	2.02	0.00	26.04	74.00	0.00	0.00	39.75
平均值	3.89	5.19	7.57	2.40	8.61	0.31	2.47	0.07	2.40	0.00	26.04	74.00	0.00	0.00	47.56
標準差	0.4	2.22	3.92	2.15	9.63	0	0.43	0.02	0.42	0	0	0	0	0	7.86

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.58	10.45	16.51	6.02	0.00	0.31	2.70	0.09	2.61	0.00	26.04	74.00	0.00	0.00	50.40
010000	3.55	10.89	16.49	5.57	0.00	0.31	2.76	0.11	2.65	0.00	26.04	74.00	0.00	0.00	51.75
020000	3.57	5.96	10.85	4.86	0.00	0.31	2.90	0.08	2.82	0.00	26.04	74.00	0.00	0.00	54.20
030000	3.51	5.50	8.98	3.45	0.00	0.31	2.74	0.07	2.67	0.00	26.04	74.00	0.00	0.00	51.70
040000	3.51	6.57	9.92	3.33	0.00	0.31	2.52	0.07	2.45	0.00	26.04	74.00	0.00	0.00	48.07
050000	3.54	6.91	10.21	3.29	0.00	0.31	2.51	0.06	2.45	0.00	26.04	74.00	0.00	0.00	46.24
060000	3.59	11.86	15.03	3.25	0.33	0.31	3.25	0.10	3.15	0.00	26.04	74.00	0.00	0.00	62.22
070000	3.70	7.66	10.43	2.75	1.11	0.31	2.91	0.08	2.83	0.00	26.04	74.00	0.00	0.00	54.45
080000	3.96	5.27	7.54	2.31	7.62	0.31	2.28	0.09	2.19	0.00	26.04	74.00	0.00	0.00	43.55
090000	4.04	6.26	9.59	3.36	13.73	0.31	2.29	0.08	2.21	0.00	26.04	74.00	0.00	0.00	43.52
100000	4.29	4.25	7.63	3.39	26.76	0.31	2.21	0.09	2.12	0.00	26.04	74.00	0.00	0.00	43.13
110000	4.12	4.57	9.33	4.76	25.77	0.31	2.23	0.18	2.05	0.00	26.04	74.00	0.00	0.00	42.93
120000	4.01	4.17	6.17	1.97	21.64	0.31	2.17	0.17	2.00	0.00	26.04	74.00	0.00	0.00	42.76
130000	3.92	4.14	5.28	1.16	22.57	0.31	2.11	0.11	2.00	0.00	26.04	74.00	0.00	0.00	41.15
140000	3.97	4.99	9.23	4.21	22.65	0.31	2.15	0.14	2.01	0.00	26.04	74.00	0.00	0.00	41.56
150000	4.47	5.83	11.06	5.17	17.10	0.31	2.14	0.13	2.01	0.00	26.04	74.00	0.00	0.00	40.48
160000	7.33	7.77	18.24	10.44	12.60	0.31	2.18	0.15	2.03	0.00	26.04	74.00	0.00	0.00	41.77
170000	4.91	6.04	16.01	9.93	9.59	0.31	2.22	0.19	2.03	0.00	26.04	74.00	0.00	0.00	41.84
180000	3.91	4.59	16.00	11.38	6.67	0.31	2.26	0.20	2.06	0.00	26.04	74.00	0.00	0.00	44.14
190000	3.66	4.38	9.30	4.89	5.13	0.31	2.27	0.09	2.18	0.00	26.04	74.00	0.00	0.00	43.22
200000	3.70	5.87	10.48	4.57	1.76	0.31	2.39	0.10	2.29	0.00	26.04	74.00	0.00	0.00	44.34
210000	3.69	7.10	14.73	7.62	0.75	0.31	2.52	0.11	2.41	0.00	26.04	74.00	0.00	0.00	47.89
220000	3.67	12.44	21.71	9.23	0.49	0.31	2.47	0.10	2.37	0.00	26.04	74.00	0.00	0.00	46.83
230000	3.64	4.52	10.60	6.06	0.56	0.31	2.71	0.10	2.61	0.00	26.04	74.00	0.00	0.00	50.70
極大值	7.33	12.44	21.71	11.38	26.76	0.31	3.25	0.20	3.15	0.00	26.04	74.00	0.00	0.00	62.22
極小值	3.51	4.14	5.28	1.16	0.00	0.31	2.11	0.06	2.00	0.00	26.04	74.00	0.00	0.00	40.48
平均值	3.99	6.58	11.72	5.12	8.20	0.31	2.45	0.11	2.34	0.00	26.04	74.00	0.00	0.00	46.62
標準差	0.79	2.47	4.13	2.76	9.61	0	0.3	0.04	0.32	0	0	0	0	0	5.4

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.72	5.32	12.34	7.02	0.35	0.31	2.71	0.10	2.61	0.00	26.04	74.00	0.00	0.00	50.80
010000	3.66	7.41	15.14	7.72	0.00	0.31	2.64	0.12	2.52	0.00	26.04	74.00	0.00	0.00	51.61
020000	3.59	5.56	10.88	5.33	0.00	0.31	2.39	0.10	2.29	0.00	26.04	74.00	0.00	0.00	45.59
030000	3.49	6.08	11.30	5.20	0.00	0.31	2.36	0.09	2.27	0.00	26.04	74.00	0.00	0.00	43.91
040000	3.50	5.95	12.19	6.20	0.00	0.31	2.70	0.10	2.60	0.00	26.04	74.00	0.00	0.00	51.77
050000	3.54	9.48	14.11	4.61	0.00	0.31	2.71	0.11	2.60	0.00	26.04	74.00	0.00	0.00	51.07
060000	3.55	10.06	13.41	3.32	0.39	0.31	2.75	0.09	2.66	0.00	26.04	74.00	0.00	0.00	51.23
070000	3.68	7.69	10.46	2.77	2.35	0.31	2.70	0.08	2.62	0.00	26.04	74.00	0.00	0.00	49.28
080000	5.23	6.05	10.13	4.07	9.67	0.31	2.50	0.11	2.39	0.00	26.04	74.00	0.00	0.00	47.06
090000	5.29	5.29	10.63	5.36	19.72	0.31	2.28	0.13	2.15	0.00	26.04	74.00	0.00	0.00	44.12
100000	4.62	6.05	11.63	5.55	17.56	0.31	2.17	0.17	2.00	0.00	26.04	74.00	0.00	0.00	44.25
110000	4.76	6.46	12.46	5.95	16.20	0.31	2.23	0.23	2.00	0.00	26.04	74.00	0.00	0.00	43.18
120000	4.54	5.61	8.71	3.06	12.59	0.31	2.06	0.07	1.99	0.00	26.04	74.00	0.00	0.00	40.35
130000	4.15	5.15	7.24	2.03	12.62	0.31	2.07	0.08	1.99	0.00	26.04	74.00	0.00	0.00	39.20
140000	5.54	7.32	12.97	5.62	11.68	0.31	2.13	0.12	2.01	0.00	26.04	74.00	0.00	0.00	41.44
150000	6.35	9.15	16.10	6.91	8.11	0.31	2.10	0.08	2.02	0.00	26.04	74.00	0.00	0.00	40.06
160000	4.28	6.83	12.95	6.08	10.09	0.31	2.14	0.11	2.03	0.00	26.04	74.00	0.00	0.00	39.79
170000	3.81	4.63	7.81	3.19	10.26	0.31	2.09	0.06	2.03	0.00	26.04	74.00	0.00	0.00	42.38
180000	4.03	3.86	7.28	3.40	6.26	0.31	2.14	0.07	2.07	0.00	26.04	74.00	0.00	0.00	41.72
190000	4.22	3.75	7.25	3.44	3.45	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	42.65
200000	8.14	4.05	9.73	5.65	0.80	0.31	2.48	0.14	2.34	0.00	26.04	74.00	0.00	0.00	45.77
210000	4.62	6.24	14.84	8.55	0.43	0.31	2.65	0.17	2.48	0.00	26.04	74.00	0.00	0.00	49.93
220000	3.94	5.85	14.39	8.52	0.97	0.31	2.88	0.17	2.71	0.00	26.04	74.00	0.00	0.00	53.99
230000	3.85	5.07	13.43	8.36	0.68	0.31	2.80	0.21	2.59	0.00	26.04	74.00	0.00	0.00	51.61
極大值	8.14	10.06	16.10	8.55	19.72	0.31	2.88	0.23	2.71	0.00	26.04	74.00	0.00	0.00	53.99
極小值	3.49	3.75	7.24	2.03	0.00	0.31	2.06	0.06	1.99	0.00	26.04	74.00	0.00	0.00	39.20
平均值	4.42	6.20	11.56	5.33	6.01	0.31	2.41	0.12	2.30	0.00	26.04	74.00	0.00	0.00	45.95
標準差	1.09	1.66	2.61	1.9	6.5	0	0.28	0.04	0.27	0	0	0	0	0	4.65

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.55	5.14	14.53	9.30	0.55	0.31	3.11	0.28	2.83	0.00	26.04	74.00	0.00	0.00	57.35
010000	5.94	5.02	15.21	10.15	0.42	0.31	2.84	0.26	2.58	0.00	26.04	74.00	0.00	0.00	54.17
020000	5.15	4.61	12.51	7.86	0.33	0.31	2.76	0.27	2.49	0.00	26.04	74.00	0.00	0.00	50.98
030000	4.07	4.22	10.38	6.12	0.27	0.31	2.74	0.18	2.56	0.00	26.04	74.00	0.00	0.00	51.74
040000	3.71	4.63	10.01	5.35	0.26	0.31	2.93	0.11	2.82	0.00	26.04	74.00	0.00	0.00	54.35
050000	3.62	6.24	11.52	5.23	0.33	0.31	3.34	0.09	3.25	0.00	26.04	74.00	0.00	0.00	63.25
060000	3.78	9.11	12.66	3.51	0.41	0.31	3.37	0.08	3.29	0.00	26.04	74.00	0.00	0.00	63.90
070000	3.86	6.69	9.71	3.00	0.76	0.31	2.58	0.08	2.50	0.00	26.04	74.00	0.00	0.00	47.35
080000	3.73	4.74	5.19	1.60	4.42	0.31	2.22	0.04	2.18	0.00	26.04	74.00	0.00	0.00	43.28
090000	3.71	3.69	3.09	0.00	8.58	0.31	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	40.11
100000	4.22	3.62	3.77	0.34	16.69	0.31	2.13	0.03	2.10	0.00	26.04	74.00	0.00	0.00	41.12
110000	4.49	3.69	5.81	2.09	28.76	0.31	2.20	0.09	2.11	0.00	26.04	74.00	0.00	0.00	41.19
120000	4.10	4.30	5.83	1.49	17.00	0.31	2.22	0.11	2.11	0.00	26.04	74.00	0.00	0.00	43.60
130000	4.02	4.39	5.53	1.15	14.88	0.31	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	41.32
140000	3.86	4.20	4.61	0.87	13.23	0.31	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	41.58
150000	3.75	4.00	4.13	0.00	13.85	0.31	2.16	0.07	2.09	0.00	26.04	74.00	0.00	0.00	41.91
160000	3.78	3.66	4.29	0.93	12.64	0.31	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	41.14
170000	4.36	4.60	10.21	5.59	9.01	0.31	2.23	0.11	2.12	0.00	26.04	74.00	0.00	0.00	44.65
180000	3.65	4.42	8.53	4.17	9.91	0.31	2.23	0.11	2.12	0.00	26.04	74.00	0.00	0.00	44.72
190000	3.67	3.65	9.65	5.96	5.53	0.31	2.14	0.12	2.02	0.00	26.04	74.00	0.00	0.00	40.40
200000	3.64	3.46	7.45	3.91	4.96	0.31	2.16	0.10	2.06	0.00	26.04	74.00	0.00	0.00	40.89
210000	4.23	3.33	5.56	2.20	3.59	0.31	2.30	0.07	2.23	0.00	26.04	74.00	0.00	0.00	44.37
220000	4.25	3.57	5.64	2.04	1.22	0.31	2.44	0.07	2.37	0.00	26.04	74.00	0.00	0.00	45.95
230000	3.67	3.49	4.96	1.44	1.47	0.31	2.41	0.08	2.33	0.00	26.04	74.00	0.00	0.00	44.71
極大值	6.55	9.11	15.21	10.15	28.76	0.31	3.37	0.28	3.29	0.00	26.04	74.00	0.00	0.00	63.90
極小值	3.62	3.33	3.09	0.00	0.26	0.31	2.13	0.02	2.02	0.00	26.04	74.00	0.00	0.00	40.11
平均值	4.16	4.52	7.95	3.51	7.04	0.31	2.46	0.11	2.36	0.00	26.04	74.00	0.00	0.00	46.83
標準差	0.74	1.29	3.59	2.89	7.51	0	0.4	0.07	0.37	0	0	0	0	0	7.13

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.61	3.57	4.70	1.09	1.74	0.31	2.38	0.06	2.32	0.00	26.04	74.00	0.00	0.00	46.67
010000	3.69	3.32	4.18	0.79	3.34	0.31	2.39	0.07	2.32	0.00	26.04	74.00	0.00	0.00	44.34
020000	3.65	3.28	3.86	0.50	4.91	0.31	2.53	0.05	2.48	0.00	26.04	74.00	0.00	0.00	46.98
030000	3.58	3.27	4.01	0.69	4.82	0.31	2.35	0.05	2.30	0.00	26.04	74.00	0.00	0.00	44.24
040000	3.65	3.62	5.30	1.64	3.60	0.31	2.34	0.06	2.28	0.00	26.04	74.00	0.00	0.00	42.51
050000	3.59	4.21	7.08	2.81	2.99	0.31	2.36	0.06	2.30	0.00	26.04	74.00	0.00	0.00	44.49
060000	3.61	6.10	11.39	5.26	1.43	0.31	2.38	0.06	2.32	0.00	26.04	74.00	0.00	0.00	44.69
070000	3.71	5.68	8.22	2.52	3.44	0.31	2.35	0.06	2.29	0.00	26.04	74.00	0.00	0.00	43.82
080000	3.80	4.13	4.55	0.80	8.90	0.31	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	40.49
090000	3.63	3.44	2.48	0.00	13.13	0.31	2.06	0.03	2.03	0.00	26.04	74.00	0.00	0.00	41.62
100000	3.57	3.26	1.86	0.00	17.69	0.31	2.07	0.05	2.02	0.00	26.04	74.00	0.00	0.00	40.10
110000	3.62	3.36	2.29	0.00	16.57	0.31	2.09	0.09	2.00	0.00	26.04	74.00	0.00	0.00	40.63
120000	3.59	3.42	1.97	0.00	14.08	0.31	2.05	0.05	2.00	0.00	26.04	74.00	0.00	0.00	39.95
130000	3.83	3.88	3.81	0.00	15.54	0.31	2.08	0.07	2.01	0.00	26.04	74.00	0.00	0.00	41.13
140000	3.96	4.65	6.30	1.61	17.49	0.31	2.09	0.08	2.01	0.00	26.04	74.00	0.00	0.00	40.88
150000	4.34	5.49	9.06	3.53	16.30	0.31	2.10	0.10	2.00	0.00	26.04	74.00	0.00	0.00	39.33
160000	3.83	4.65	6.53	1.85	15.50	0.31	2.06	0.07	1.99	0.00	26.04	74.00	0.00	0.00	38.25
170000	4.86	4.73	11.27	6.52	13.37	0.31	2.11	0.10	2.01	0.00	26.04	74.00	0.00	0.00	41.02
180000	5.50	4.88	15.90	11.00	4.46	0.31	2.17	0.12	2.05	0.00	26.04	74.00	0.00	0.00	40.91
190000	3.83	3.99	9.34	5.32	3.85	0.31	2.25	0.10	2.15	0.00	26.04	74.00	0.00	0.00	41.56
200000	3.71	3.81	8.08	4.23	1.00	0.31	2.46	0.11	2.35	0.00	26.04	74.00	0.00	0.00	46.90
210000	3.77	4.04	7.93	3.84	0.45	0.31	2.56	0.13	2.43	0.00	26.04	74.00	0.00	0.00	48.43
220000	3.84	3.92	8.13	4.17	1.01	0.31	2.52	0.12	2.40	0.00	26.04	74.00	0.00	0.00	47.03
230000	3.72	3.61	5.67	2.04	2.56	0.31	2.26	0.05	2.21	0.00	26.04	74.00	0.00	0.00	41.69
極大值	5.50	6.10	15.90	11.00	17.69	0.31	2.56	0.13	2.48	0.00	26.04	74.00	0.00	0.00	48.43
極小值	3.57	3.26	1.86	0.00	0.45	0.31	2.05	0.03	1.99	0.00	26.04	74.00	0.00	0.00	38.25
平均值	3.85	4.10	6.41	2.51	7.84	0.31	2.26	0.07	2.18	0.00	26.04	74.00	0.00	0.00	42.82
標準差	0.45	0.81	3.43	2.65	6.38	0	0.17	0.03	0.17	0	0	0	0	0	2.85

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.60	3.49	4.13	0.64	0.53	0.31	2.43	0.04	2.39	0.00	26.04	74.00	0.00	0.00	43.13
010000	3.59	3.69	5.35	1.64	0.37	0.31	2.39	0.07	2.32	0.00	26.04	74.00	0.00	0.00	45.52
020000	3.55	3.98	6.20	2.24	0.44	0.31	2.65	0.09	2.56	0.00	26.04	74.00	0.00	0.00	50.88
030000	3.55	4.25	7.34	3.06	0.71	0.31	2.96	0.09	2.87	0.00	26.04	74.00	0.00	0.00	53.85
040000	3.55	3.99	6.91	2.91	0.47	0.31	2.72	0.07	2.65	0.00	26.04	74.00	0.00	0.00	51.93
050000	3.51	5.00	8.14	3.13	0.50	0.31	2.86	0.08	2.78	0.00	26.04	74.00	0.00	0.00	53.68
060000	3.60	7.43	9.29	1.87	0.51	0.31	2.58	0.07	2.51	0.00	26.04	74.00	0.00	0.00	48.15
070000	3.74	6.41	8.11	1.68	0.81	0.31	2.59	0.07	2.52	0.00	26.04	74.00	0.00	0.00	50.16
080000	3.95	5.27	7.27	1.97	5.71	0.31	2.18	0.06	2.12	0.00	26.04	74.00	0.00	0.00	40.84
090000	3.98	4.39	5.29	1.15	11.74	0.31	2.05	0.05	2.00	0.00	26.04	74.00	0.00	0.00	39.90
100000	4.23	4.45	6.54	2.39	16.87	0.31	2.08	0.08	2.00	0.00	26.04	74.00	0.00	0.00	38.68
110000	3.86	3.78	4.33	0.65	21.30	0.31	2.05	0.06	1.99	0.00	26.04	74.00	0.00	0.00	39.92
120000	3.94	3.44	3.89	0.43	27.05	0.31	2.05	0.05	2.00	0.00	26.04	74.00	0.00	0.00	40.36
130000	4.34	3.85	5.53	2.00	28.38	0.31	2.05	0.05	2.00	0.00	26.04	74.00	0.00	0.00	39.53
140000	5.44	5.76	12.15	6.34	21.43	0.31	2.11	0.10	2.01	0.00	26.04	74.00	0.00	0.00	40.27
150000	4.41	4.23	8.31	4.02	26.97	0.31	2.10	0.07	2.03	0.00	26.04	74.00	0.00	0.00	40.26
160000	3.85	3.73	6.27	2.51	33.53	0.31	2.10	0.06	2.04	0.00	26.04	74.00	0.00	0.00	41.15
170000	3.68	3.61	7.76	4.11	31.81	0.31	2.12	0.06	2.06	0.00	26.04	74.00	0.00	0.00	40.46
180000	3.75	3.40	9.39	5.95	30.37	0.31	2.22	0.09	2.13	0.00	26.04	74.00	0.00	0.00	42.12
190000	3.86	3.24	8.17	4.85	31.24	0.31	2.37	0.11	2.26	0.00	26.04	74.00	0.00	0.00	44.03
200000	3.73	3.13	6.14	2.95	25.42	0.31	2.43	0.09	2.34	0.00	26.04	74.00	0.00	0.00	45.63
210000	3.78	3.31	8.09	4.70	21.81	0.31	2.42	0.09	2.33	0.00	26.04	74.00	0.00	0.00	44.76
220000	3.65	3.28	7.84	4.51	23.30	0.31	2.29	0.06	2.23	0.00	26.04	74.00	0.00	0.00	42.50
230000	3.56	3.02	3.24	0.55	26.54	0.31	2.26	0.05	2.21	0.00	26.04	74.00	0.00	0.00	42.22
極大值	5.44	7.43	12.15	6.34	33.53	0.31	2.96	0.11	2.87	0.00	26.04	74.00	0.00	0.00	53.85
極小值	3.51	3.02	3.24	0.43	0.37	0.31	2.05	0.04	1.99	0.00	26.04	74.00	0.00	0.00	38.68
平均值	3.86	4.17	6.90	2.76	16.16	0.31	2.34	0.07	2.26	0.00	26.04	74.00	0.00	0.00	44.16
標準差	0.42	1.1	2.03	1.68	12.81	0	0.27	0.02	0.27	0	0	0	0	0	4.77

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.70	3.29	6.69	3.46	13.96	0.31	2.65	0.10	2.55	0.00	26.04	74.00	0.00	0.00	49.91
010000	4.11	4.05	13.63	9.56	5.45	0.31	2.81	0.18	2.63	0.00	26.04	74.00	0.00	0.00	53.97
020000	4.07	3.84	12.39	8.53	6.10	0.31	2.71	0.19	2.52	0.00	26.04	74.00	0.00	0.00	52.09
030000	4.06	3.97	10.33	6.30	3.51	0.31	2.97	0.17	2.80	0.00	26.04	74.00	0.00	0.00	56.32
040000	3.81	3.90	9.81	5.87	1.91	0.31	3.22	0.16	3.06	0.00	26.04	74.00	0.00	0.00	59.97
050000	3.72	4.59	11.30	6.69	1.15	0.31	3.44	0.16	3.28	0.00	26.04	74.00	0.00	0.00	65.26
060000	3.88	5.88	10.73	4.87	1.11	0.31	3.48	0.15	3.33	0.00	26.04	74.00	0.00	0.00	65.88
070000	4.21	5.31	9.56	4.25	7.60	0.31	3.07	0.15	2.92	0.00	26.04	74.00	0.00	0.00	58.51
080000	4.46	4.15	9.67	5.47	29.81	0.31	2.63	0.17	2.46	0.00	26.04	74.00	0.00	0.00	48.39
090000	4.28	3.39	7.33	3.87	45.90	0.31	2.48	0.14	2.34	0.00	26.04	74.00	0.00	0.00	46.73
100000	4.26	3.27	7.40	4.07	56.66	0.31	2.36	0.13	2.23	0.00	26.04	74.00	0.00	0.00	44.23
110000	4.55	3.66	9.31	5.61	54.75	0.31	2.29	0.17	2.12	0.00	26.04	74.00	0.00	0.00	43.75
120000	4.47	3.41	5.62	2.19	46.22	0.31	2.16	0.10	2.06	0.00	26.04	74.00	0.00	0.00	43.39
130000	4.76	3.56	6.84	3.22	45.53	0.31	2.17	0.12	2.05	0.00	26.04	74.00	0.00	0.00	43.10
140000	5.44	3.81	10.15	6.29	40.81	0.31	2.21	0.15	2.06	0.00	26.04	74.00	0.00	0.00	42.71
150000	4.19	3.52	5.79	2.40	37.73	0.31	2.13	0.10	2.03	0.00	26.04	74.00	0.00	0.00	39.86
160000	4.54	3.27	3.91	0.81	35.67	0.31	2.09	0.07	2.02	0.00	26.04	74.00	0.00	0.00	41.21
170000	4.22	3.48	8.57	5.02	44.83	0.31	2.26	0.11	2.15	0.00	26.04	74.00	0.00	0.00	42.70
180000	4.25	3.43	11.52	8.06	34.56	0.31	2.41	0.12	2.29	0.00	26.04	74.00	0.00	0.00	46.25
190000	3.79	3.10	5.41	2.25	35.03	0.31	2.14	0.07	2.07	0.00	26.04	74.00	0.00	0.00	39.32
200000	3.62	2.97	3.03	0.00	38.59	0.31	2.13	0.05	2.08	0.00	26.04	74.00	0.00	0.00	40.36
210000	3.60	2.92	2.76	0.00	36.42	0.31	2.14	0.06	2.08	0.00	26.04	74.00	0.00	0.00	39.85
220000	3.57	2.91	2.70	0.00	35.67	0.31	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	38.47
230000	3.59	3.03	5.40	2.33	17.98	0.31	2.53	0.09	2.44	0.00	26.04	74.00	0.00	0.00	45.69
極大值	5.44	5.88	13.63	9.56	56.66	0.31	3.48	0.19	3.33	0.00	26.04	74.00	0.00	0.00	65.88
極小值	3.57	2.91	2.70	0.00	1.11	0.31	2.09	0.05	2.02	0.00	26.04	74.00	0.00	0.00	38.47
平均值	4.13	3.70	7.91	4.21	28.21	0.31	2.53	0.12	2.40	0.00	26.04	74.00	0.00	0.00	47.83
標準差	0.44	0.72	3.14	2.68	18.49	0	0.43	0.04	0.41	0	0	0	0	0	8.19

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.70	3.61	8.84	5.18	3.18	0.31	3.10	0.11	2.99	0.00	26.04	74.00	0.00	0.00	59.19
010000	3.74	3.53	8.21	4.62	4.13	0.31	3.28	0.12	3.16	0.00	26.04	74.00	0.00	0.00	61.15
020000	3.80	3.84	10.11	6.24	2.18	0.31	2.94	0.20	2.74	0.00	26.04	74.00	0.00	0.00	54.61
030000	4.06	4.06	13.33	9.25	3.05	0.31	2.76	0.22	2.54	0.00	26.04	74.00	0.00	0.00	52.16
040000	3.85	3.57	8.27	4.65	5.14	0.31	2.74	0.16	2.58	0.00	26.04	74.00	0.00	0.00	50.65
050000	3.78	3.74	8.91	5.11	4.86	0.31	2.68	0.14	2.54	0.00	26.04	74.00	0.00	0.00	50.25
060000	3.75	4.80	9.11	4.29	5.44	0.31	2.75	0.14	2.61	0.00	26.04	74.00	0.00	0.00	53.09
070000	3.98	4.60	7.85	3.22	15.09	0.31	2.53	0.13	2.40	0.00	26.04	74.00	0.00	0.00	45.58
080000	3.86	3.32	3.92	0.96	28.92	0.31	2.22	0.08	2.14	0.00	26.04	74.00	0.00	0.00	40.72
090000	4.30	3.33	5.61	2.47	43.93	0.31	2.27	0.12	2.15	0.00	26.04	74.00	0.00	0.00	40.94
100000	4.66	3.24	6.32	3.02	55.29	0.31	2.34	0.12	2.22	0.00	26.04	74.00	0.00	0.00	46.69
110000	4.78	3.19	5.74	2.51	63.83	0.31	2.30	0.12	2.18	0.00	26.04	74.00	0.00	0.00	45.47
120000	4.11	3.07	3.39	0.63	48.97	0.31	2.16	0.08	2.08	0.00	26.04	74.00	0.00	0.00	43.04
130000	4.11	3.15	3.30	0.52	40.77	0.31	2.12	0.08	2.04	0.00	26.04	74.00	0.00	0.00	39.95
140000	4.28	3.51	5.82	2.27	40.95	0.31	2.13	0.10	2.03	0.00	26.04	74.00	0.00	0.00	41.48
150000	4.39	3.60	6.25	2.62	36.23	0.31	2.12	0.11	2.01	0.00	26.04	74.00	0.00	0.00	42.94
160000	7.43	4.88	14.91	9.99	27.04	0.31	2.23	0.20	2.03	0.00	26.04	74.00	0.00	0.00	43.21
170000	4.74	3.84	8.35	4.45	33.30	0.31	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	40.66
180000	3.81	3.16	6.00	2.79	28.43	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	43.18
190000	3.78	3.10	7.85	4.69	22.57	0.31	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	41.73
200000	3.80	3.44	10.09	6.59	15.46	0.31	2.30	0.12	2.18	0.00	26.04	74.00	0.00	0.00	44.09
210000	3.73	3.28	7.39	4.05	15.50	0.31	2.25	0.08	2.17	0.00	26.04	74.00	0.00	0.00	41.26
220000	3.88	3.22	6.30	3.03	20.72	0.31	2.21	0.07	2.14	0.00	26.04	74.00	0.00	0.00	41.07
230000	3.84	3.42	8.55	5.06	13.45	0.31	2.30	0.07	2.23	0.00	26.04	74.00	0.00	0.00	44.74
極大值	7.43	4.88	14.91	9.99	63.83	0.31	3.28	0.22	3.16	0.00	26.04	74.00	0.00	0.00	61.15
極小值	3.70	3.07	3.30	0.52	2.18	0.31	2.12	0.07	2.01	0.00	26.04	74.00	0.00	0.00	39.95
平均值	4.17	3.60	7.68	4.09	24.10	0.31	2.43	0.12	2.31	0.00	26.04	74.00	0.00	0.00	46.16
標準差	0.77	0.52	2.76	2.34	18.18	0	0.33	0.04	0.31	0	0	0	0	0	6.08

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.70	3.36	6.87	3.48	14.35	0.31	2.48	0.06	2.42	0.00	26.04	74.00	0.00	0.00	46.66
010000	3.64	3.25	5.35	2.04	12.18	0.31	2.68	0.05	2.63	0.00	26.04	74.00	0.00	0.00	51.98
020000	3.60	3.72	7.75	3.97	7.01	0.31	2.70	0.09	2.61	0.00	26.04	74.00	0.00	0.00	51.93
030000	3.55	4.03	7.18	3.10	2.98	0.31	2.91	0.08	2.83	0.00	26.04	74.00	0.00	0.00	54.22
040000	3.56	4.14	9.51	5.32	1.80	0.31	2.71	0.11	2.60	0.00	26.04	74.00	0.00	0.00	51.51
050000	3.58	4.38	9.68	5.28	2.05	0.31	2.74	0.10	2.64	0.00	26.04	74.00	0.00	0.00	52.08
060000	3.58	5.17	9.31	4.10	1.07	0.31	3.50	0.09	3.41	0.00	26.04	74.00	0.00	0.00	64.63
070000	3.79	5.87	12.06	6.15	4.72	0.31	2.83	0.13	2.70	0.00	26.04	74.00	0.00	0.00	54.05
080000	3.87	5.48	10.37	4.84	12.10	0.31	2.36	0.09	2.27	0.00	26.04	74.00	0.00	0.00	44.14
090000	3.76	4.96	7.36	2.95	16.93	0.31	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	38.06
100000	3.73	3.83	4.18	0.56	22.31	0.31	2.09	0.03	2.06	0.00	26.04	74.00	0.00	0.00	40.70
110000	3.66	3.54	2.83	0.00	21.10	0.31	2.05	0.03	2.02	0.00	26.04	74.00	0.00	0.00	38.96
120000	3.69	3.24	2.27	0.00	23.06	0.31	2.04	0.03	2.01	0.00	26.04	74.00	0.00	0.00	37.73
130000	3.71	3.25	2.14	0.00	24.63	0.31	2.04	0.02	2.02	0.00	26.04	74.00	0.00	0.00	39.03
140000	3.88	3.45	4.38	1.33	33.46	0.31	2.10	0.05	2.05	0.00	26.04	74.00	0.00	0.00	39.96
150000	4.17	3.65	6.01	2.32	36.58	0.31	2.14	0.07	2.07	0.00	26.04	74.00	0.00	0.00	40.29
160000	4.03	3.70	6.88	3.11	35.65	0.31	2.17	0.08	2.09	0.00	26.04	74.00	0.00	0.00	42.88
170000	3.81	3.42	7.25	3.79	33.09	0.31	2.20	0.10	2.10	0.00	26.04	74.00	0.00	0.00	43.49
180000	3.71	3.35	7.03	3.62	29.39	0.31	2.25	0.10	2.15	0.00	26.04	74.00	0.00	0.00	42.11
190000	3.74	3.30	6.30	3.00	25.91	0.31	2.30	0.10	2.20	0.00	26.04	74.00	0.00	0.00	42.17
200000	3.76	3.27	5.55	2.29	20.70	0.31	2.31	0.08	2.23	0.00	26.04	74.00	0.00	0.00	43.12
210000	4.29	3.31	6.68	3.30	15.44	0.31	2.35	0.11	2.24	0.00	26.04	74.00	0.00	0.00	44.02
220000	4.65	3.46	7.64	4.11	16.20	0.31	2.32	0.14	2.18	0.00	26.04	74.00	0.00	0.00	43.10
230000	4.51	3.36	6.64	3.24	19.96	0.31	2.32	0.11	2.21	0.00	26.04	74.00	0.00	0.00	43.61
極大值	4.65	5.87	12.06	6.15	36.58	0.31	3.50	0.14	3.41	0.00	26.04	74.00	0.00	0.00	64.63
極小值	3.55	3.24	2.14	0.00	1.07	0.31	2.04	0.02	2.01	0.00	26.04	74.00	0.00	0.00	37.73
平均值	3.83	3.85	6.72	3.00	18.03	0.31	2.41	0.08	2.33	0.00	26.04	74.00	0.00	0.00	45.43
標準差	0.29	0.77	2.47	1.7	11.12	0	0.35	0.03	0.34	0	0	0	0	0	6.64

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.94	3.32	6.04	2.65	21.80	0.31	2.25	0.09	2.16	0.00	26.04	74.00	0.00	0.00	39.98
010000	3.70	3.02	3.45	0.98	36.38	0.31	2.19	0.07	2.12	0.00	26.04	74.00	0.00	0.00	40.50
020000	3.56	3.06	2.79	0.00	43.00	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.29
030000	3.64	3.10	2.61	0.00	44.20	0.31	2.23	0.08	2.15	0.00	26.04	74.00	0.00	0.00	41.67
040000	3.76	3.17	2.94	0.00	44.71	0.31	2.25	0.08	2.17	0.00	26.04	74.00	0.00	0.00	41.25
050000	3.62	3.29	4.92	1.71	31.21	0.31	2.39	0.08	2.31	0.00	26.04	74.00	0.00	0.00	43.06
060000	3.64	3.48	5.70	2.21	27.98	0.31	2.47	0.06	2.41	0.00	26.04	74.00	0.00	0.00	44.11
070000	3.80	3.29	4.36	1.21	40.38	0.31	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	41.88
080000	3.85	3.25	3.21	0.00	44.99	0.31	2.20	0.06	2.14	0.00	26.04	74.00	0.00	0.00	41.42
090000	3.69	3.05	2.66	0.00	50.04	0.31	2.17	0.06	2.11	0.00	26.04	74.00	0.00	0.00	40.87
100000	3.78	3.11	2.99	0.00	58.42	0.31	2.17	0.05	2.12	0.00	26.04	74.00	0.00	0.00	40.80
110000	3.79	3.62	3.72	0.00	62.10	0.31	2.20	0.09	2.11	0.00	26.04	74.00	0.00	0.00	44.00
120000	3.80	3.06	2.63	0.00	66.57	0.31	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	41.38
130000	3.89	3.00	2.62	0.00	75.30	0.31	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	41.66
140000	3.86	2.96	2.41	0.00	74.70	0.31	2.18	0.06	2.12	0.00	26.04	74.00	0.00	0.00	41.99
150000	3.83	3.06	2.51	0.00	74.30	0.31	2.18	0.06	2.12	0.00	26.04	74.00	0.00	0.00	40.94
160000	3.89	3.00	3.17	0.00	73.60	0.31	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	41.16
170000	3.91	3.17	3.85	0.98	69.99	0.31	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	43.31
180000	3.87	3.15	4.78	1.59	68.26	0.31	2.27	0.16	2.11	0.00	26.04	74.00	0.00	0.00	41.36
190000	3.80	2.87	3.40	0.87	66.92	0.31	2.21	0.10	2.11	0.00	26.04	74.00	0.00	0.00	41.86
200000	3.72	2.86	2.13	0.00	64.18	0.31	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	38.73
210000	3.65	2.88	3.75	0.89	51.27	0.31	2.19	0.07	2.12	0.00	26.04	74.00	0.00	0.00	39.39
220000	3.64	2.97	3.91	0.88	44.29	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.19
230000	3.59	3.06	5.82	2.71	33.84	0.31	2.39	0.08	2.31	0.00	26.04	74.00	0.00	0.00	44.68
極大值	3.94	3.62	6.04	2.71	75.30	0.31	2.47	0.16	2.41	0.00	26.04	74.00	0.00	0.00	44.68
極小值	3.56	2.86	2.13	0.00	21.80	0.31	2.17	0.05	2.11	0.00	26.04	74.00	0.00	0.00	38.73
平均值	3.76	3.12	3.60	0.70	52.85	0.31	2.23	0.07	2.16	0.00	26.04	74.00	0.00	0.00	41.52
標準差	0.11	0.19	1.13	0.9	16.49	0	0.08	0.02	0.08	0	0	0	0	0	1.47

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.59	3.07	4.34	1.57	28.96	0.31	2.39	0.05	2.34	0.00	26.04	74.00	0.00	0.00	45.99
010000	3.56	3.13	4.85	1.76	26.68	0.31	2.39	0.06	2.33	0.00	26.04	74.00	0.00	0.00	43.75
020000	3.54	3.03	3.94	0.93	31.30	0.31	2.39	0.07	2.32	0.00	26.04	74.00	0.00	0.00	45.14
030000	3.60	3.03	4.55	1.99	28.12	0.31	2.34	0.07	2.27	0.00	26.04	74.00	0.00	0.00	42.22
040000	3.60	3.12	4.50	1.36	27.08	0.31	2.52	0.06	2.46	0.00	26.04	74.00	0.00	0.00	47.26
050000	3.57	3.22	6.04	2.77	21.05	0.31	2.72	0.07	2.65	0.00	26.04	74.00	0.00	0.00	51.14
060000	3.64	4.04	8.46	4.37	17.52	0.31	2.80	0.07	2.73	0.00	26.04	74.00	0.00	0.00	50.85
070000	3.86	4.11	8.48	4.35	32.01	0.31	2.60	0.12	2.48	0.00	26.04	74.00	0.00	0.00	48.05
080000	3.90	3.22	4.17	1.08	57.25	0.31	2.23	0.05	2.18	0.00	26.04	74.00	0.00	0.00	41.43
090000	3.78	2.99	2.70	0.00	62.67	0.31	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	38.55
100000	4.31	3.08	3.82	1.29	67.85	0.31	2.22	0.06	2.16	0.00	26.04	74.00	0.00	0.00	42.21
110000	4.78	3.21	6.49	3.25	83.72	0.31	2.35	0.18	2.17	0.00	26.04	74.00	0.00	0.00	45.41
120000	4.33	2.98	4.66	1.66	82.99	0.31	2.23	0.12	2.11	0.00	26.04	74.00	0.00	0.00	43.33
130000	4.02	3.09	3.76	0.97	64.03	0.31	2.18	0.11	2.07	0.00	26.04	74.00	0.00	0.00	42.91
140000	3.90	3.08	4.67	1.58	61.27	0.31	2.21	0.13	2.08	0.00	26.04	74.00	0.00	0.00	43.07
150000	4.02	3.09	5.93	2.78	56.34	0.31	2.25	0.16	2.09	0.00	26.04	74.00	0.00	0.00	42.17
160000	5.03	3.44	11.11	7.62	52.80	0.31	2.30	0.18	2.12	0.00	26.04	74.00	0.00	0.00	44.83
170000	4.49	3.39	11.47	8.01	47.12	0.31	2.30	0.17	2.13	0.00	26.04	74.00	0.00	0.00	44.03
180000	4.17	3.18	7.74	4.53	38.67	0.31	2.28	0.17	2.11	0.00	26.04	74.00	0.00	0.00	41.43
190000	4.08	2.99	6.14	3.12	39.31	0.31	2.18	0.10	2.08	0.00	26.04	74.00	0.00	0.00	40.82
200000	4.15	3.38	10.97	7.56	24.35	0.31	2.31	0.09	2.22	0.00	26.04	74.00	0.00	0.00	42.37
210000	3.77	3.07	6.43	3.32	24.61	0.31	2.39	0.07	2.32	0.00	26.04	74.00	0.00	0.00	45.77
220000	3.94	3.15	7.57	4.36	26.81	0.31	2.35	0.09	2.26	0.00	26.04	74.00	0.00	0.00	42.74
230000	3.85	3.10	7.97	4.80	19.23	0.31	2.47	0.09	2.38	0.00	26.04	74.00	0.00	0.00	45.64
極大值	5.03	4.11	11.47	8.01	83.72	0.31	2.80	0.18	2.73	0.00	26.04	74.00	0.00	0.00	51.14
極小值	3.54	2.98	2.70	0.00	17.52	0.31	2.18	0.04	2.07	0.00	26.04	74.00	0.00	0.00	38.55
平均值	3.98	3.22	6.28	3.13	42.57	0.31	2.36	0.10	2.26	0.00	26.04	74.00	0.00	0.00	44.21
標準差	0.39	0.29	2.48	2.22	20.22	0	0.16	0.04	0.18	0	0	0	0	0	3

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.46	3.71	12.41	8.91	10.39	0.17	3.52	0.64	2.88	0.00	28.79	69.29	0.00	0.00	37.64
010000	4.54	3.67	11.36	7.92	10.37	0.16	4.19	0.81	3.38	0.00	28.66	69.28	0.00	0.00	39.69
020000	4.61	3.62	10.77	7.33	9.97	0.17	4.58	0.92	3.66	0.00	28.46	69.29	0.00	0.00	42.05
030000	4.41	3.58	9.87	6.44	11.12	0.15	4.69	0.94	3.75	0.00	28.43	69.30	0.00	0.00	38.73
040000	4.50	3.62	10.00	6.53	12.52	0.14	4.30	0.85	3.45	0.00	28.41	69.32	0.00	0.00	31.99
050000	4.48	3.79	10.29	6.69	10.56	0.15	4.94	1.16	3.78	0.00	28.42	69.32	0.00	0.00	29.50
060000	4.45	4.51	11.08	6.78	9.10	0.17	5.00	1.24	3.76	0.00	28.33	69.30	0.00	0.00	30.50
070000	4.53	5.41	12.70	7.50	10.52	0.18	4.61	0.88	3.73	0.00	28.14	69.29	0.00	0.00	35.51
080000	4.55	7.20	16.75	9.87	9.79	0.23	4.57	0.93	3.64	0.00	28.20	69.26	0.00	0.00	32.59
090000	4.67	8.13	17.41	9.64	9.02	0.25	4.73	0.95	3.78	0.00	28.23	69.27	0.00	0.00	47.72
100000	4.73	8.97	16.94	8.33	11.51	0.26	0.00	0.00	0.00	0.00	28.13	69.21	0.00	0.00	49.97
110000	5.36	4.33	8.88	4.71	26.03	0.21	0.00	0.00	0.00	0.00	27.90	69.23	0.00	0.00	58.53
120000	5.61	3.69	6.07	2.44	31.77	0.07	0.00	0.00	0.00	0.00	28.15	69.77	0.00	0.00	50.49
130000	5.37	3.64	5.40	1.75	33.65	0.00	0.00	0.00	0.00	0.00	28.26	70.21	0.00	0.00	29.04
140000	5.47	3.55	6.52	3.01	38.95	0.00	0.00	0.00	0.00	0.00	28.25	70.41	0.00	0.00	24.52
150000	5.41	3.70	9.46	5.91	34.36	0.00	0.00	0.00	0.00	0.00	28.26	70.46	0.00	0.00	28.04
160000	5.34	3.89	11.98	8.30	29.67	0.00	0.00	0.00	0.00	0.00	28.25	70.45	0.00	0.00	39.87
170000	5.11	3.65	12.25	8.80	27.82	0.00	0.00	0.00	0.00	0.00	28.10	70.36	0.00	0.00	31.93
180000	5.08	3.53	12.78	9.45	25.85	0.00	0.00	0.00	0.00	0.00	27.94	70.44	0.00	0.00	33.84
190000	5.03	3.64	14.35	10.96	22.75	0.00	0.00	0.00	0.00	0.00	27.90	70.32	0.00	0.00	34.81
200000	5.13	3.63	14.56	11.16	20.94	0.00	0.00	0.00	0.00	0.00	27.27	70.32	0.00	0.00	41.81
210000	5.28	3.67	14.42	10.99	20.13	0.00	0.00	0.00	0.00	0.00	26.86	70.27	0.00	0.00	36.23
220000	5.07	3.49	12.10	8.80	19.30	0.00	0.00	0.00	0.00	0.00	25.89	70.18	0.00	0.00	30.97
230000	4.98	3.44	10.52	7.23	19.27	0.00	0.00	0.00	0.00	0.00	24.94	70.10	0.00	0.00	25.04
極大值	5.61	8.97	17.41	11.16	38.95	0.26	5.00	1.24	3.78	0.00	28.79	70.46	0.00	0.00	58.53
極小值	4.41	3.44	5.40	1.75	9.02	0.00	0.00	0.00	0.00	0.00	24.94	69.21	0.00	0.00	24.52
平均值	4.92	4.34	11.62	7.48	19.39	0.10	1.88	0.39	1.49	0.00	27.92	69.78	0.00	0.00	36.71
標準差	0.39	1.53	3.19	2.56	9.63	0.1	2.29	0.48	1.81	0	0.88	0.53	0	0	8.49

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.83	3.40	9.62	6.35	18.95	0.06	0.00	0.00	0.00	0.00	24.34	69.36	0.00	0.00	25.53
010000	4.75	3.34	8.94	5.73	17.79	0.14	0.00	0.00	0.00	0.00	24.34	69.33	0.00	0.00	28.17
020000	4.62	3.39	8.59	5.31	16.84	0.16	0.00	0.00	0.00	0.00	24.36	69.33	0.00	0.00	32.99
030000	4.59	3.45	8.45	5.11	16.29	0.18	0.00	0.00	0.00	0.00	24.36	69.33	0.00	0.00	31.29
040000	4.52	3.39	8.53	5.25	14.19	0.19	0.00	0.00	0.00	0.00	24.27	69.32	0.00	0.00	38.08
050000	4.51	3.56	9.25	5.83	12.58	0.21	0.00	0.00	0.00	0.00	24.11	69.33	0.00	0.00	36.55
060000	4.61	3.97	10.50	6.68	11.04	0.24	0.00	0.00	0.00	0.00	23.88	69.31	0.00	0.00	37.63
070000	4.54	5.10	12.50	7.65	10.42	0.27	0.00	0.00	0.00	0.00	23.95	69.29	0.00	0.00	43.77
080000	4.57	5.26	13.93	8.92	11.65	0.30	0.00	0.00	0.00	0.00	23.90	69.24	0.00	0.00	45.78
090000	4.74	7.38	20.84	13.91	11.40	0.37	0.00	0.00	0.00	0.00	23.82	69.19	0.00	0.00	49.00
100000	5.12	10.51	28.89	19.02	13.37	0.33	2.86	0.34	2.52	0.00	23.79	69.19	0.00	0.00	59.90
110000	5.00	7.96	18.19	10.60	17.85	0.26	3.27	0.45	2.82	0.00	23.84	69.23	0.00	0.00	74.04
120000	5.12	4.54	9.72	5.36	27.57	0.10	2.40	0.21	2.19	0.00	24.08	69.71	0.00	0.00	58.36
130000	5.16	3.74	6.77	3.11	33.97	0.00	2.13	0.15	1.98	0.00	24.27	70.08	0.00	0.00	43.80
140000	5.46	3.92	8.21	4.41	36.27	0.00	2.07	0.15	1.92	0.00	24.29	70.40	0.00	0.00	32.45
150000	6.26	3.86	14.36	10.77	39.91	0.00	2.07	0.20	1.87	0.00	24.26	70.59	0.00	0.00	34.96
160000	6.44	3.88	20.12	16.64	32.87	0.00	2.09	0.24	1.85	0.00	24.24	70.60	0.00	0.00	55.76
170000	5.64	3.77	22.68	19.37	25.60	0.00	2.13	0.26	1.87	0.00	24.18	70.60	0.00	0.00	63.37
180000	5.58	3.70	22.41	19.16	22.46	0.00	2.16	0.25	1.91	0.00	24.19	70.60	0.00	0.00	62.73
190000	5.74	3.68	21.29	18.02	20.23	0.00	2.18	0.26	1.92	0.00	24.13	70.60	0.00	0.00	58.99
200000	6.07	3.67	20.80	17.58	17.14	0.00	2.25	0.26	1.99	0.00	24.17	70.60	0.00	0.00	62.52
210000	6.70	3.90	21.97	18.50	14.75	0.00	2.31	0.29	2.02	0.00	24.15	70.60	0.00	0.00	67.45
220000	5.85	3.80	20.37	16.97	12.31	0.00	2.42	0.30	2.12	0.00	24.16	70.60	0.00	0.00	70.51
230000	5.59	3.78	18.61	15.18	12.57	0.00	2.49	0.27	2.22	0.00	24.10	70.52	0.00	0.00	60.15
極大值	6.70	10.51	28.89	19.37	39.91	0.37	3.27	0.45	2.82	0.00	24.36	70.60	0.00	0.00	74.04
極小值	4.51	3.34	6.77	3.11	10.42	0.00	0.00	0.00	0.00	0.00	23.79	69.19	0.00	0.00	25.53
平均值	5.25	4.46	15.23	11.06	19.50	0.12	1.37	0.15	1.22	0.00	24.13	69.87	0.00	0.00	48.91
標準差	0.67	1.75	6.37	5.87	8.71	0.13	1.21	0.14	1.07	0	0.18	0.63	0	0	14.71

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.38	3.80	22.55	19.21	8.91	0.10	2.76	0.30	2.46	0.00	23.59	69.59	0.00	0.00	49.47
010000	5.15	3.54	19.29	16.11	11.72	0.24	2.56	0.31	2.25	0.00	23.45	69.21	0.00	0.00	68.77
020000	5.18	3.52	17.46	14.28	12.12	0.29	2.61	0.33	2.28	0.00	23.45	69.26	0.00	0.00	78.08
030000	4.95	3.55	14.39	11.10	10.91	0.28	3.23	0.43	2.80	0.00	23.44	69.20	0.00	0.00	82.38
040000	4.84	3.64	13.53	10.15	9.56	0.28	3.49	0.42	3.07	0.00	23.45	69.19	0.00	0.00	69.26
050000	4.77	3.80	13.50	9.96	9.02	0.31	3.56	0.39	3.17	0.00	23.45	69.19	0.00	0.00	66.83
060000	4.65	4.42	15.08	10.98	8.29	0.33	3.74	0.40	3.34	0.00	23.45	69.19	0.00	0.00	67.90
070000	4.78	5.82	17.97	12.52	8.46	0.40	3.79	0.43	3.36	0.00	23.43	69.19	0.00	0.00	76.56
080000	4.67	5.29	16.47	11.52	12.27	0.41	3.49	0.40	3.09	0.00	23.41	69.19	0.00	0.00	82.90
090000	5.12	4.42	13.72	9.59	19.95	0.34	3.11	0.36	2.75	0.00	23.42	69.19	0.00	0.00	86.03
100000	6.80	4.83	15.66	11.14	21.13	0.48	3.05	0.34	2.71	0.00	23.41	69.19	0.00	0.00	87.20
110000	9.38	5.40	23.96	19.06	22.96	0.61	2.97	0.38	2.59	0.00	23.42	69.22	0.00	0.00	98.73
120000	11.26	5.06	26.42	21.91	27.16	0.47	2.39	0.32	2.07	0.00	23.70	69.73	0.00	0.00	119.13
130000	9.18	4.22	16.82	12.94	30.82	0.10	2.13	0.22	1.91	0.00	23.86	70.07	0.00	0.00	100.61
140000	10.10	4.25	18.16	14.27	30.45	0.06	2.09	0.19	1.90	0.00	23.95	70.26	0.00	0.00	60.43
150000	10.03	4.13	16.70	12.88	31.30	0.08	2.07	0.19	1.88	0.00	23.84	70.41	0.00	0.00	61.50
160000	8.70	3.92	15.41	11.77	34.60	0.00	2.07	0.22	1.85	0.00	23.80	70.55	0.00	0.00	59.36
170000	7.83	3.78	15.55	12.03	34.85	0.00	2.06	0.22	1.84	0.00	23.84	70.61	0.00	0.00	58.75
180000	6.91	3.56	14.26	10.93	32.66	0.00	2.06	0.22	1.84	0.00	23.82	70.65	0.00	0.00	55.67
190000	5.73	3.51	7.75	4.33	28.20	0.00	2.06	0.17	1.89	0.00	23.77	70.60	0.00	0.00	52.51
200000	5.11	3.44	6.76	3.38	25.83	0.00	2.05	0.15	1.90	0.00	23.75	70.60	0.00	0.00	22.61
210000	5.16	3.51	7.91	4.51	22.89	0.00	2.10	0.13	1.97	0.00	23.58	70.60	0.00	0.00	25.46
220000	5.21	3.58	11.10	7.65	17.79	0.00	2.26	0.16	2.10	0.00	23.41	70.60	0.00	0.00	27.14
230000	5.33	3.56	11.49	8.10	16.70	0.00	2.45	0.18	2.27	0.00	23.28	70.60	0.00	0.00	38.76
極大值	11.26	5.82	26.42	21.91	34.85	0.61	3.79	0.43	3.36	0.00	23.95	70.65	0.00	0.00	119.13
極小值	4.65	3.44	6.76	3.38	8.29	0.00	2.05	0.13	1.84	0.00	23.28	69.19	0.00	0.00	22.61
平均值	6.51	4.11	15.50	11.68	20.36	0.20	2.67	0.29	2.39	0.00	23.58	69.84	0.00	0.00	66.50
標準差	2.11	0.7	4.75	4.51	9.39	0.19	0.62	0.1	0.53	0	0.2	0.65	0	0	24.01

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.15	3.68	10.51	7.03	16.57	0.00	2.53	0.18	2.35	0.00	23.24	70.59	0.00	0.00	48.31
010000	5.05	3.61	9.81	6.35	15.18	0.00	2.56	0.18	2.38	0.00	23.23	70.60	0.00	0.00	51.75
020000	5.01	3.61	11.27	7.84	12.42	0.00	2.63	0.17	2.46	0.00	23.45	70.60	0.00	0.00	51.94
030000	4.87	3.81	12.99	9.43	10.42	0.00	2.77	0.18	2.59	0.00	23.51	70.59	0.00	0.00	48.24
040000	4.84	3.77	14.12	10.64	8.71	0.00	2.86	0.18	2.68	0.00	23.50	70.51	0.00	0.00	50.51
050000	4.82	3.98	12.76	9.02	9.75	0.00	2.88	0.18	2.70	0.00	23.45	70.46	0.00	0.00	49.06
060000	4.77	4.49	11.49	7.22	11.79	0.00	2.72	0.16	2.56	0.00	23.34	70.46	0.00	0.00	42.88
070000	4.98	4.64	9.97	5.51	15.68	0.00	2.41	0.15	2.26	0.00	23.31	70.52	0.00	0.00	38.27
080000	5.41	4.08	8.58	4.61	24.91	0.00	2.22	0.16	2.06	0.00	23.45	70.67	0.00	0.00	36.69
090000	6.32	3.59	6.43	2.90	33.44	0.00	2.08	0.15	1.93	0.00	23.56	70.83	0.00	0.00	45.03
100000	6.77	3.63	6.75	3.21	36.07	0.00	2.07	0.16	1.91	0.00	23.74	70.94	0.00	0.00	36.38
110000	6.72	3.64	8.44	4.93	38.20	0.00	2.08	0.19	1.89	0.00	28.64	71.06	0.00	0.00	42.63
120000	6.49	3.81	9.95	6.29	37.34	0.00	2.08	0.22	1.86	0.00	46.81	71.31	0.00	0.00	41.91
130000	6.88	3.87	11.07	7.39	37.53	0.00	2.05	0.22	1.83	0.00	39.72	71.32	0.00	0.00	31.49
140000	6.18	3.52	8.70	5.33	40.29	0.00	2.03	0.21	1.82	0.00	46.12	71.45	0.00	0.00	33.01
150000	5.32	3.45	6.69	3.31	40.01	0.00	2.00	0.17	1.83	0.00	43.94	71.42	0.00	0.00	38.67
160000	5.11	3.33	6.61	3.36	37.89	0.00	2.00	0.17	1.83	0.00	42.11	71.31	0.00	0.00	41.10
170000	4.97	3.37	7.79	4.49	37.74	0.00	2.08	0.19	1.89	0.00	42.83	71.31	0.00	0.00	47.65
180000	4.80	3.41	7.56	4.25	40.16	0.00	2.11	0.17	1.94	0.00	42.03	71.17	0.00	0.00	47.42
190000	4.74	3.32	6.97	3.74	38.66	0.00	2.06	0.16	1.90	0.00	43.12	71.16	0.00	0.00	37.62
200000	4.82	3.41	10.81	7.58	30.08	0.00	2.14	0.18	1.96	0.00	42.74	71.15	0.00	0.00	36.11
210000	4.65	3.50	12.96	9.68	23.14	0.00	2.31	0.18	2.13	0.00	42.60	71.04	0.00	0.00	46.47
220000	4.69	3.33	10.20	7.03	22.96	0.00	2.40	0.18	2.22	0.00	37.52	71.02	0.00	0.00	48.07
230000	4.79	3.41	11.14	7.93	20.81	0.00	2.36	0.17	2.19	0.00	37.40	71.02	0.00	0.00	45.47
極大值	6.88	4.64	14.12	10.64	40.29	0.00	2.88	0.22	2.70	0.00	46.81	71.45	0.00	0.00	51.94
極小值	4.65	3.32	6.43	2.90	8.71	0.00	2.00	0.15	1.82	0.00	23.23	70.46	0.00	0.00	31.49
平均值	5.34	3.68	9.73	6.21	26.66	0.00	2.31	0.18	2.13	0.00	33.06	70.94	0.00	0.00	43.20
標準差	0.75	0.34	2.28	2.25	11.73	0	0.29	0.02	0.3	0	9.65	0.34	0	0	6.01

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.80	3.44	9.07	5.77	21.18	0.00	2.37	0.18	2.19	0.00	36.54	70.90	0.00	0.00	44.23
010000	4.85	3.40	9.77	6.53	18.68	0.00	2.52	0.18	2.34	0.00	36.84	70.88	0.00	0.00	45.08
020000	4.83	3.49	10.54	7.25	14.21	0.00	2.81	0.18	2.63	0.00	38.58	70.88	0.00	0.00	53.31
030000	4.68	3.46	8.02	4.69	14.25	0.00	3.06	0.17	2.89	0.00	37.44	70.88	0.00	0.00	48.24
040000	4.72	3.43	8.11	4.79	14.56	0.00	2.67	0.17	2.50	0.00	36.52	70.88	0.00	0.00	40.17
050000	4.70	3.43	8.38	5.07	14.32	0.00	2.52	0.16	2.36	0.00	36.06	70.88	0.00	0.00	39.77
060000	4.75	3.73	9.80	6.20	12.70	0.00	2.51	0.17	2.34	0.00	29.97	70.84	0.00	0.00	38.50
070000	4.81	4.05	11.07	7.20	12.96	0.00	2.47	0.18	2.29	0.00	23.57	70.74	0.00	0.00	39.02
080000	4.90	3.95	10.45	6.67	17.13	0.00	2.43	0.18	2.25	0.00	23.12	70.74	0.00	0.00	48.00
090000	5.04	4.15	10.33	6.36	21.99	0.00	2.33	0.17	2.16	0.00	23.07	70.81	0.00	0.00	48.41
100000	5.30	4.01	8.06	4.17	29.67	0.00	2.22	0.17	2.05	0.00	23.11	70.89	0.00	0.00	52.49
110000	5.47	3.48	6.65	3.23	37.06	0.00	2.12	0.18	1.94	0.00	23.19	71.07	0.00	0.00	50.66
120000	6.69	3.67	9.49	5.98	45.93	0.00	2.08	0.21	1.87	0.00	23.28	71.16	0.00	0.00	51.81
130000	8.04	3.87	13.75	10.13	47.94	0.00	2.09	0.26	1.83	0.00	23.29	71.21	0.00	0.00	57.92
140000	7.83	3.65	13.13	9.70	49.08	0.00	2.12	0.28	1.84	0.00	23.31	71.35	0.00	0.00	67.90
150000	7.07	3.76	13.87	10.33	45.85	0.00	2.09	0.26	1.83	0.00	23.38	71.45	0.00	0.00	71.55
160000	6.40	3.66	14.55	11.16	43.17	0.00	2.09	0.26	1.83	0.00	23.39	71.41	0.00	0.00	61.65
170000	6.10	3.55	13.49	10.18	43.25	0.00	2.10	0.26	1.84	0.00	23.38	71.31	0.00	0.00	67.54
180000	5.77	3.53	14.22	10.93	33.99	0.00	2.12	0.25	1.87	0.00	23.34	71.30	0.00	0.00	72.58
190000	5.27	3.45	12.20	8.95	30.10	0.00	2.15	0.22	1.93	0.00	23.23	71.16	0.00	0.00	76.72
200000	5.14	3.37	12.81	9.66	26.57	0.00	2.25	0.21	2.04	0.00	23.19	71.09	0.00	0.00	74.44
210000	5.15	3.38	12.34	9.15	22.32	0.00	2.35	0.21	2.14	0.00	23.12	71.02	0.00	0.00	70.03
220000	5.07	3.43	13.24	10.04	18.89	0.00	2.47	0.20	2.27	0.00	23.00	71.02	0.00	0.00	64.24
230000	5.04	3.41	12.18	8.94	19.67	0.00	2.49	0.20	2.29	0.00	22.86	70.89	0.00	0.00	65.83
極大值	8.04	4.15	14.55	11.16	49.08	0.00	3.06	0.28	2.89	0.00	38.58	71.45	0.00	0.00	76.72
極小值	4.68	3.37	6.65	3.23	12.70	0.00	2.08	0.16	1.83	0.00	22.86	70.74	0.00	0.00	38.50
平均值	5.52	3.61	11.06	7.63	27.31	0.00	2.35	0.20	2.15	0.00	26.95	71.03	0.00	0.00	56.25
標準差	0.99	0.24	2.32	2.38	12.75	0	0.26	0.04	0.28	0	6.1	0.22	0	0	12.46

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.70	3.40	11.72	8.49	16.82	0.00	2.64	0.19	2.45	0.00	22.34	69.90	0.00	0.00	66.80
010000	4.39	3.34	9.93	6.74	15.09	0.00	2.70	0.16	2.54	0.00	24.47	69.32	0.00	0.00	74.08
020000	4.36	3.33	8.48	5.26	15.28	0.03	2.47	0.16	2.31	0.00	22.42	69.19	0.00	0.00	71.52
030000	4.28	3.40	7.88	4.61	14.44	0.05	2.46	0.15	2.31	0.00	22.34	69.19	0.00	0.00	58.42
040000	4.22	3.51	7.51	4.10	12.04	0.08	2.59	0.14	2.45	0.00	22.21	69.19	0.00	0.00	67.29
050000	4.31	3.61	8.17	4.70	10.80	0.11	2.71	0.14	2.57	0.00	22.13	69.19	0.00	0.00	61.74
060000	4.29	3.96	8.68	4.88	9.44	0.13	2.98	0.19	2.79	0.00	22.11	69.19	0.00	0.00	61.45
070000	4.38	4.51	9.54	5.17	8.95	0.17	3.08	0.24	2.84	0.00	22.12	69.19	0.00	0.00	66.14
080000	4.51	4.37	8.89	4.68	10.67	0.20	2.92	0.23	2.69	0.00	22.12	69.19	0.00	0.00	70.14
090000	4.52	4.42	8.28	4.00	17.97	0.20	2.71	0.23	2.48	0.00	22.13	69.19	0.00	0.00	77.56
100000	4.55	3.74	6.68	3.06	30.19	0.24	2.57	0.22	2.35	0.00	22.11	69.08	0.00	0.00	83.94
110000	5.50	3.63	7.63	4.12	38.11	0.32	2.45	0.21	2.24	0.00	22.14	69.14	0.00	0.00	91.10
120000	8.84	4.44	17.55	13.48	42.23	0.24	2.26	0.22	2.04	0.00	22.46	69.83	0.00	0.00	104.48
130000	7.98	3.71	11.48	7.95	55.52	0.09	2.20	0.20	2.00	0.00	22.65	70.31	0.00	0.00	109.41
140000	7.09	3.64	7.92	4.38	54.52	0.00	2.14	0.16	1.98	0.00	22.73	70.57	0.00	0.00	96.16
150000	6.07	3.52	5.97	2.50	48.95	0.00	2.09	0.14	1.95	0.00	22.65	70.71	0.00	0.00	62.95
160000	5.83	3.49	6.70	3.30	45.53	0.00	2.06	0.15	1.91	0.00	22.73	70.84	0.00	0.00	43.45
170000	5.54	3.46	6.64	3.25	42.27	0.00	2.05	0.15	1.90	0.00	22.73	70.88	0.00	0.00	41.25
180000	5.30	3.40	6.67	3.34	38.88	0.00	2.04	0.16	1.88	0.00	22.70	70.88	0.00	0.00	32.56
190000	5.07	3.36	5.46	2.17	38.70	0.00	2.04	0.15	1.89	0.00	22.64	70.88	0.00	0.00	30.41
200000	4.91	3.28	4.90	1.65	35.75	0.00	2.05	0.14	1.91	0.00	22.66	70.88	0.00	0.00	28.59
210000	4.88	3.27	5.04	1.80	36.11	0.00	2.05	0.15	1.90	0.00	22.68	70.88	0.00	0.00	14.81
220000	4.83	3.36	6.91	3.66	30.69	0.00	2.12	0.16	1.96	0.00	22.71	70.88	0.00	0.00	22.07
230000	4.88	3.42	7.61	4.29	25.09	0.00	2.26	0.16	2.10	0.00	22.65	70.76	0.00	0.00	23.37
極大值	8.84	4.51	17.55	13.48	55.52	0.32	3.08	0.24	2.84	0.00	24.47	70.88	0.00	0.00	109.41
極小值	4.22	3.27	4.90	1.65	8.95	0.00	2.04	0.14	1.88	0.00	22.11	69.08	0.00	0.00	14.81
平均值	5.22	3.65	8.18	4.65	28.92	0.08	2.40	0.18	2.23	0.00	22.53	69.97	0.00	0.00	60.82
標準差	1.21	0.39	2.65	2.53	15.28	0.1	0.33	0.03	0.31	0	0.48	0.78	0	0	26.55

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.92	3.31	6.07	2.81	27.11	0.00	2.30	0.14	2.16	0.00	22.19	69.75	0.00	0.00	29.84
010000	4.51	3.32	6.13	2.88	23.89	0.00	2.32	0.12	2.20	0.00	21.99	69.23	0.00	0.00	36.25
020000	4.36	3.41	6.50	3.17	18.91	0.05	2.43	0.11	2.32	0.00	22.00	69.19	0.00	0.00	39.83
030000	4.37	3.55	7.37	3.94	15.22	0.10	2.61	0.11	2.50	0.00	21.98	69.19	0.00	0.00	36.77
040000	4.32	3.68	8.31	4.78	14.05	0.12	2.53	0.12	2.41	0.00	21.97	69.19	0.00	0.00	39.12
050000	4.34	3.76	10.19	6.63	11.97	0.15	2.61	0.12	2.49	0.00	21.99	69.19	0.00	0.00	35.63
060000	4.27	4.85	13.10	8.50	10.79	0.20	2.61	0.13	2.48	0.00	21.98	69.19	0.00	0.00	40.13
070000	4.31	4.82	10.71	6.10	15.26	0.23	2.45	0.13	2.32	0.00	21.97	69.19	0.00	0.00	47.85
080000	4.32	4.36	8.53	4.35	23.92	0.23	2.27	0.14	2.13	0.00	21.94	69.08	0.00	0.00	44.17
090000	4.46	3.80	5.96	2.29	36.10	0.26	2.15	0.13	2.02	0.00	21.95	69.05	0.00	0.00	46.51
100000	4.43	3.77	5.76	2.07	38.62	0.33	2.16	0.15	2.01	0.00	21.92	69.05	0.00	0.00	44.34
110000	4.80	3.74	5.77	2.14	47.20	0.25	2.13	0.17	1.96	0.00	22.00	69.13	0.00	0.00	61.82
120000	5.78	3.57	5.05	1.50	50.60	0.00	2.09	0.12	1.97	0.00	22.38	69.91	0.00	0.00	33.31
130000	5.31	3.58	4.56	0.97	49.24	0.00	2.04	0.11	1.93	0.00	22.59	70.44	0.00	0.00	36.83
140000	5.70	3.81	7.75	4.04	49.98	0.00	2.03	0.15	1.88	0.00	22.69	70.69	0.00	0.00	31.46
150000	5.54	3.72	7.47	3.81	49.45	0.00	2.03	0.16	1.87	0.00	22.81	70.88	0.00	0.00	39.72
160000	5.92	3.77	10.33	6.75	45.47	0.00	2.02	0.17	1.85	0.00	23.88	70.90	0.00	0.00	42.01
170000	5.52	3.55	10.12	6.75	42.91	0.00	2.03	0.19	1.84	0.00	23.86	70.99	0.00	0.00	43.01
180000	5.58	3.46	10.75	7.46	40.08	0.00	2.04	0.23	1.81	0.00	23.77	70.90	0.00	0.00	44.72
190000	5.33	3.48	9.58	6.28	38.22	0.00	2.05	0.22	1.83	0.00	23.64	70.92	0.00	0.00	50.46
200000	5.17	3.46	8.09	4.76	36.45	0.00	2.08	0.18	1.90	0.00	23.60	70.97	0.00	0.00	41.15
210000	5.20	3.38	6.94	3.65	33.54	0.00	2.18	0.17	2.01	0.00	23.62	70.93	0.00	0.00	47.76
220000	5.35	3.41	6.71	3.41	30.87	0.00	2.15	0.16	1.99	0.00	23.61	70.91	0.00	0.00	39.23
230000	5.42	3.53	9.23	5.84	23.71	0.00	2.19	0.17	2.02	0.00	23.52	70.80	0.00	0.00	31.24
極大值	5.92	4.85	13.10	8.50	50.60	0.33	2.61	0.23	2.50	0.00	23.88	70.99	0.00	0.00	61.82
極小值	4.27	3.31	4.56	0.97	10.79	0.00	2.02	0.11	1.81	0.00	21.92	69.05	0.00	0.00	29.84
平均值	4.97	3.71	7.96	4.37	32.23	0.08	2.23	0.15	2.08	0.00	22.66	69.99	0.00	0.00	40.96
標準差	0.57	0.41	2.16	2.03	13.38	0.11	0.21	0.03	0.23	0	0.78	0.84	0	0	7.08

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.68	3.39	7.56	4.23	22.87	0.00	2.28	0.14	2.14	0.00	23.06	69.83	0.00	0.00	32.43
010000	4.39	3.46	8.32	5.00	20.80	0.00	2.39	0.13	2.26	0.00	22.81	69.28	0.00	0.00	32.97
020000	4.32	3.58	8.35	4.92	16.88	0.05	2.73	0.12	2.61	0.00	22.76	69.19	0.00	0.00	43.36
030000	4.31	3.54	8.02	4.59	20.62	0.10	2.72	0.13	2.59	0.00	22.79	69.19	0.00	0.00	45.82
040000	4.24	3.85	12.03	8.43	14.86	0.11	2.76	0.12	2.64	0.00	22.80	69.19	0.00	0.00	65.24
050000	4.26	3.70	9.36	5.79	10.98	0.13	2.81	0.12	2.69	0.00	22.78	69.19	0.00	0.00	59.24
060000	4.16	5.77	13.75	8.25	9.50	0.18	2.74	0.13	2.61	0.00	22.78	69.19	0.00	0.00	48.58
070000	4.19	6.14	13.49	7.62	11.39	0.22	3.00	0.19	2.81	0.00	22.78	69.18	0.00	0.00	47.01
080000	4.30	4.40	8.49	4.24	22.39	0.24	2.84	0.22	2.62	0.00	22.77	69.08	0.00	0.00	64.48
090000	4.18	3.82	5.98	2.25	33.55	0.23	2.50	0.19	2.31	0.00	22.74	69.05	0.00	0.00	57.71
100000	4.36	3.69	5.97	2.36	39.44	0.24	2.39	0.19	2.20	0.00	22.71	69.05	0.00	0.00	45.82
110000	4.57	3.85	8.69	4.97	51.53	0.25	2.22	0.15	2.07	0.00	22.75	69.12	0.00	0.00	41.01
120000	5.45	3.71	6.54	2.91	54.15	0.00	2.11	0.10	2.01	0.00	23.08	69.87	0.00	0.00	52.90
130000	5.04	3.68	5.50	1.84	46.18	0.00	2.06	0.09	1.97	0.00	23.24	70.42	0.00	0.00	51.00
140000	4.90	3.59	4.82	1.27	41.31	0.00	2.03	0.11	1.92	0.00	23.31	70.62	0.00	0.00	42.02
150000	4.97	3.59	4.95	1.38	43.73	0.00	2.02	0.12	1.90	0.00	23.39	70.74	0.00	0.00	39.76
160000	5.09	3.50	4.48	1.00	46.41	0.00	2.02	0.13	1.89	0.00	27.95	70.81	0.00	0.00	38.64
170000	5.10	3.43	4.38	0.95	46.95	0.00	2.02	0.13	1.89	0.00	32.27	70.88	0.00	0.00	40.07
180000	5.00	3.31	4.68	1.40	44.77	0.00	2.03	0.14	1.89	0.00	32.07	70.89	0.00	0.00	42.25
190000	4.95	3.38	4.98	1.64	41.31	0.00	2.06	0.15	1.91	0.00	31.54	70.89	0.00	0.00	42.14
200000	4.77	3.41	6.28	2.92	40.42	0.00	2.12	0.14	1.98	0.00	31.25	70.89	0.00	0.00	38.44
210000	4.83	3.41	6.32	3.00	39.91	0.00	2.15	0.14	2.01	0.00	31.16	70.88	0.00	0.00	40.74
220000	4.71	3.41	7.38	4.07	33.62	0.00	2.26	0.14	2.12	0.00	31.27	70.88	0.00	0.00	42.50
230000	4.63	3.86	13.55	9.95	21.81	0.00	2.40	0.16	2.24	0.00	31.39	70.86	0.00	0.00	38.23
極大值	5.45	6.14	13.75	9.95	54.15	0.25	3.00	0.22	2.81	0.00	32.27	70.89	0.00	0.00	65.24
極小值	4.16	3.31	4.38	0.95	9.50	0.00	2.02	0.09	1.89	0.00	22.71	69.05	0.00	0.00	32.43
平均值	4.64	3.81	7.66	3.96	32.31	0.07	2.36	0.14	2.22	0.00	25.64	69.97	0.00	0.00	45.52
標準差	0.37	0.7	2.94	2.57	14.14	0.1	0.32	0.03	0.31	0	4.02	0.81	0	0	8.88

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.51	3.49	9.11	5.72	20.40	0.00	2.54	0.14	2.40	0.00	25.80	69.80	0.00	0.00	39.15
010000	4.31	3.43	6.68	3.33	17.50	0.00	2.45	0.12	2.33	0.00	23.12	69.26	0.00	0.00	45.46
020000	4.12	3.46	5.94	2.55	19.21	0.03	2.40	0.11	2.29	0.00	22.97	69.19	0.00	0.00	40.88
030000	4.14	3.37	4.79	1.43	8.99	0.09	2.37	0.10	2.27	0.00	22.70	69.19	0.00	0.00	33.98
040000	4.19	3.43	4.96	1.56	6.40	0.09	2.33	0.10	2.23	0.00	22.65	69.19	0.00	0.00	29.26
050000	4.25	3.40	4.71	1.34	22.60	0.09	2.37	0.12	2.25	0.00	22.59	69.19	0.00	0.00	27.44
060000	4.22	3.88	7.85	4.12	19.58	0.16	2.75	0.19	2.56	0.00	22.58	69.19	0.00	0.00	31.05
070000	4.13	4.62	8.88	4.41	18.34	0.17	2.87	0.24	2.63	0.00	22.58	69.18	0.00	0.00	36.27
080000	4.19	4.62	9.01	4.55	23.53	0.19	2.65	0.21	2.44	0.00	22.57	69.11	0.00	0.00	44.09
090000	4.18	4.11	8.24	4.29	34.74	0.23	2.60	0.23	2.37	0.00	22.52	69.06	0.00	0.00	55.63
100000	4.46	3.84	7.55	3.83	40.92	0.25	2.58	0.24	2.34	0.00	22.47	69.05	0.00	0.00	65.59
110000	4.65	3.83	7.32	3.65	46.50	0.19	2.23	0.15	2.08	0.00	22.53	69.12	0.00	0.00	60.07
120000	5.21	3.76	5.04	1.31	45.86	0.00	2.08	0.09	1.99	0.00	22.84	69.82	0.00	0.00	49.10
130000	4.93	3.75	5.73	2.05	43.88	0.00	2.06	0.09	1.97	0.00	23.00	70.27	0.00	0.00	30.36
140000	5.02	3.66	5.50	1.90	41.34	0.00	2.04	0.10	1.94	0.00	23.04	70.54	0.00	0.00	34.68
150000	4.71	3.68	4.23	0.87	36.38	0.00	2.02	0.11	1.91	0.00	23.03	70.65	0.00	0.00	27.21
160000	4.84	3.48	3.74	0.50	31.57	0.00	2.00	0.11	1.89	0.00	22.98	70.77	0.00	0.00	21.88
170000	4.87	3.62	5.63	2.11	29.78	0.00	1.99	0.13	1.86	0.00	23.01	70.88	0.00	0.00	20.87
180000	4.72	3.42	4.76	1.40	28.18	0.00	2.00	0.14	1.86	0.00	22.98	70.88	0.00	0.00	22.54
190000	4.63	3.43	5.30	1.91	26.24	0.00	2.01	0.15	1.86	0.00	22.98	70.88	0.00	0.00	25.10
200000	4.58	3.51	6.55	3.17	24.03	0.00	2.03	0.15	1.88	0.00	23.03	70.88	0.00	0.00	24.71
210000	5.09	3.58	8.87	5.41	19.91	0.00	2.08	0.15	1.93	0.00	23.00	70.88	0.00	0.00	22.40
220000	5.36	3.66	9.14	5.62	18.11	0.00	2.16	0.16	2.00	0.00	22.90	70.88	0.00	0.00	31.28
230000	4.77	3.60	7.06	3.53	20.33	0.00	2.17	0.16	2.01	0.00	22.86	70.78	0.00	0.00	31.89
極大值	5.36	4.62	9.14	5.72	46.50	0.25	2.87	0.24	2.63	0.00	25.80	70.88	0.00	0.00	65.59
極小值	4.12	3.37	3.74	0.50	6.40	0.00	1.99	0.09	1.86	0.00	22.47	69.05	0.00	0.00	20.87
平均值	4.59	3.69	6.52	2.94	26.85	0.06	2.28	0.15	2.14	0.00	22.95	69.94	0.00	0.00	35.45
標準差	0.37	0.34	1.73	1.57	11.2	0.09	0.27	0.05	0.24	0	0.64	0.79	0	0	12.39

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.47	3.57	9.61	6.18	13.37	0.00	2.26	0.13	2.13	0.00	22.38	69.77	0.00	0.00	25.85
010000	4.15	3.66	9.16	5.65	10.84	0.00	2.59	0.11	2.48	0.00	22.15	69.22	0.00	0.00	34.63
020000	4.22	3.52	7.45	4.02	1.74	0.00	2.63	0.09	2.54	0.00	22.12	69.19	0.00	0.00	33.51
030000	4.15	3.74	7.78	4.17	1.66	0.03	2.47	0.09	2.38	0.00	22.12	69.19	0.00	0.00	36.16
040000	4.13	3.68	8.40	4.86	9.61	0.05	2.39	0.10	2.29	0.00	22.17	69.19	0.00	0.00	35.38
050000	4.17	5.48	12.67	7.43	7.93	0.07	2.57	0.10	2.47	0.00	22.16	69.19	0.00	0.00	31.74
060000	4.15	10.50	20.30	10.22	6.55	0.12	2.60	0.12	2.48	0.00	22.15	69.19	0.00	0.00	34.00
070000	4.04	8.85	15.84	7.31	8.59	0.20	2.83	0.19	2.64	0.00	22.16	69.13	0.00	0.00	36.25
080000	4.17	4.68	8.56	4.04	18.52	0.19	2.52	0.18	2.34	0.00	22.16	69.06	0.00	0.00	42.98
090000	4.20	4.35	8.70	4.48	22.73	0.23	2.43	0.16	2.27	0.00	22.16	69.05	0.00	0.00	44.31
100000	4.11	4.31	7.97	3.80	29.83	0.19	2.26	0.16	2.10	0.00	22.16	69.05	0.00	0.00	49.46
110000	4.26	3.91	5.83	2.00	37.70	0.16	2.19	0.14	2.05	0.00	22.17	69.11	0.00	0.00	41.44
120000	5.82	3.82	6.26	2.54	41.99	0.00	2.07	0.12	1.95	0.00	22.51	69.91	0.00	0.00	36.11
130000	5.92	4.11	7.44	3.45	34.88	0.00	2.03	0.12	1.91	0.00	22.74	70.44	0.00	0.00	33.01
140000	6.45	4.37	8.96	4.73	30.19	0.00	2.02	0.14	1.88	0.00	22.77	70.71	0.00	0.00	35.20
150000	5.62	5.11	12.32	7.45	27.50	0.00	2.02	0.15	1.87	0.00	22.83	70.87	0.00	0.00	38.41
160000	6.29	4.03	8.90	5.00	27.55	0.00	2.01	0.15	1.86	0.00	22.81	70.88	0.00	0.00	36.91
170000	7.67	3.96	10.74	6.96	26.30	0.00	2.03	0.17	1.86	0.00	22.83	70.94	0.00	0.00	32.38
180000	5.13	3.83	11.28	7.64	22.05	0.00	2.05	0.20	1.85	0.00	22.85	70.97	0.00	0.00	35.09
190000	5.05	3.63	11.82	8.39	18.01	0.00	2.09	0.20	1.89	0.00	22.91	70.90	0.00	0.00	34.62
200000	5.10	3.54	10.81	7.42	15.82	0.00	2.14	0.20	1.94	0.00	22.87	70.88	0.00	0.00	33.03
210000	4.90	3.58	9.22	5.77	16.30	0.00	2.19	0.19	2.00	0.00	22.79	70.88	0.00	0.00	31.54
220000	4.87	3.55	9.87	6.46	15.65	0.00	2.22	0.17	2.05	0.00	22.66	70.88	0.00	0.00	26.78
230000	4.90	3.77	13.77	10.26	12.95	0.00	2.26	0.18	2.08	0.00	22.55	70.88	0.00	0.00	29.83
極大值	7.67	10.50	20.30	10.26	41.99	0.23	2.83	0.20	2.64	0.00	22.91	70.97	0.00	0.00	49.46
極小值	4.04	3.52	5.83	2.00	1.66	0.00	2.01	0.09	1.85	0.00	22.12	69.05	0.00	0.00	25.85
平均值	4.91	4.48	10.15	5.84	19.09	0.05	2.29	0.15	2.14	0.00	22.47	69.98	0.00	0.00	35.36
標準差	0.95	1.69	3.2	2.18	11.1	0.08	0.24	0.04	0.26	0	0.32	0.84	0	0	5.26

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.87	3.75	12.71	9.17	12.19	0.00	2.36	0.18	2.18	0.00	22.66	70.88	0.00	0.00	30.41
010000	4.83	3.97	12.29	8.55	11.39	0.00	2.35	0.18	2.17	0.00	22.60	70.88	0.00	0.00	32.78
020000	4.79	4.86	15.35	10.80	7.13	0.00	2.65	0.17	2.48	0.00	22.59	70.88	0.00	0.00	29.83
030000	4.71	3.76	9.57	5.95	9.52	0.00	2.60	0.15	2.45	0.00	22.61	70.88	0.00	0.00	29.97
040000	4.72	3.67	9.87	6.36	9.23	0.00	2.32	0.15	2.17	0.00	22.60	70.88	0.00	0.00	28.52
050000	4.63	4.23	11.75	7.77	7.56	0.00	2.56	0.14	2.42	0.00	22.58	70.82	0.00	0.00	26.67
060000	4.74	10.71	19.55	9.27	6.44	0.00	2.83	0.16	2.67	0.00	22.58	70.78	0.00	0.00	31.73
070000	4.93	9.00	17.33	8.72	9.26	0.00	2.63	0.17	2.46	0.00	22.59	70.88	0.00	0.00	31.29
080000	5.42	4.67	9.57	5.08	19.32	0.00	2.27	0.18	2.09	0.00	22.61	70.96	0.00	0.00	32.77
090000	5.51	3.92	7.07	3.24	29.22	0.00	2.11	0.20	1.91	0.00	22.71	71.20	0.00	0.00	31.71
100000	5.50	3.94	6.85	3.00	34.27	0.00	2.04	0.20	1.84	0.00	22.77	71.38	0.00	0.00	23.58
110000	5.50	4.19	8.33	4.26	35.54	0.00	2.04	0.23	1.81	0.00	22.85	71.51	0.00	0.00	14.63
120000	5.28	4.12	7.78	3.80	36.51	0.00	2.00	0.22	1.78	0.00	22.92	71.61	0.00	0.00	20.15
130000	5.06	3.97	6.52	2.65	35.77	0.00	1.97	0.18	1.79	0.00	22.99	71.73	0.00	0.00	16.65
140000	4.97	3.88	6.65	2.87	34.10	0.00	1.97	0.20	1.77	0.00	26.71	71.73	0.00	0.00	19.17
150000	4.76	3.87	6.94	3.14	31.59	0.00	1.97	0.23	1.74	0.00	30.79	71.73	0.00	0.00	15.72
160000	4.77	3.82	7.11	3.39	26.46	0.00	1.97	0.24	1.73	0.00	30.51	71.73	0.00	0.00	16.27
170000	4.84	3.78	7.72	4.07	28.81	0.00	1.97	0.24	1.73	0.00	30.59	71.73	0.00	0.00	10.13
180000	4.75	3.58	7.38	3.92	30.69	0.00	1.98	0.23	1.75	0.00	30.24	71.62	0.00	0.00	12.63
190000	4.72	3.33	7.19	3.94	30.48	0.00	1.99	0.22	1.77	0.00	29.87	71.54	0.00	0.00	13.25
200000	6.41	3.63	11.30	7.85	0.00	0.00	2.06	0.22	1.84	0.00	29.83	71.45	0.00	0.00	16.72
210000	5.60	3.55	12.46	9.11	17.33	0.00	2.27	0.23	2.04	0.00	29.73	71.45	0.00	0.00	22.41
220000	5.20	3.63	12.41	8.99	16.67	0.00	2.35	0.24	2.11	0.00	29.73	71.45	0.00	0.00	18.54
230000	5.26	3.77	13.29	9.74	14.86	0.00	2.37	0.24	2.13	0.00	29.64	71.42	0.00	0.00	29.39
極大值	6.41	10.71	19.55	10.80	36.51	0.00	2.83	0.24	2.67	0.00	30.79	71.73	0.00	0.00	32.78
極小值	4.63	3.33	6.52	2.65	0.00	0.00	1.97	0.14	1.73	0.00	22.58	70.78	0.00	0.00	10.13
平均值	5.07	4.40	10.29	6.07	20.60	0.00	2.23	0.20	2.03	0.00	25.64	71.30	0.00	0.00	23.12
標準差	0.42	1.73	3.61	2.72	11.69	0	0.27	0.03	0.29	0	3.64	0.36	0	0	7.54

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.20	3.80	14.36	10.81	11.49	0.00	2.54	0.24	2.30	0.00	29.53	71.31	0.00	0.00	24.60
010000	5.18	3.85	13.07	9.45	11.20	0.00	2.65	0.23	2.42	0.00	29.52	71.31	0.00	0.00	23.63
020000	5.33	3.76	12.06	8.48	11.18	0.00	2.64	0.23	2.41	0.00	29.40	71.31	0.00	0.00	23.67
030000	5.19	3.80	11.28	7.66	11.41	0.00	2.57	0.23	2.34	0.00	29.37	71.30	0.00	0.00	28.32
040000	5.25	4.01	12.47	8.69	9.66	0.00	2.63	0.22	2.41	0.00	29.24	71.18	0.00	0.00	21.80
050000	5.28	4.47	14.97	10.81	9.69	0.00	2.58	0.21	2.37	0.00	29.26	71.16	0.00	0.00	25.81
060000	5.36	4.84	13.06	8.49	10.81	0.00	2.63	0.19	2.44	0.00	29.30	71.16	0.00	0.00	23.78
070000	5.52	4.68	11.60	7.17	15.14	0.00	2.77	0.19	2.58	0.00	29.27	71.16	0.00	0.00	27.34
080000	5.92	5.01	12.13	7.35	20.19	0.00	2.48	0.20	2.28	0.00	29.20	71.29	0.00	0.00	29.40
090000	5.76	4.63	9.69	5.22	25.11	0.00	2.12	0.22	1.90	0.00	29.27	71.31	0.00	0.00	28.59
100000	5.51	3.79	6.90	3.22	27.14	0.00	2.01	0.25	1.76	0.00	29.32	71.34	0.00	0.00	20.92
110000	5.38	3.79	6.03	2.31	26.17	0.00	1.97	0.21	1.76	0.00	29.24	71.45	0.00	0.00	17.41
120000	5.24	3.90	6.16	2.36	24.00	0.00	1.96	0.19	1.77	0.00	29.17	71.48	0.00	0.00	14.93
130000	5.27	4.09	7.19	3.17	22.07	0.00	1.95	0.21	1.74	0.00	29.27	71.59	0.00	0.00	11.42
140000	5.27	4.01	7.89	4.01	20.32	0.00	1.94	0.27	1.67	0.00	29.28	71.69	0.00	0.00	9.64
150000	5.41	4.34	9.26	5.07	16.09	0.00	1.93	0.29	1.64	0.00	29.26	71.73	0.00	0.00	10.56
160000	5.80	4.99	12.16	7.42	11.53	0.00	1.92	0.31	1.61	0.00	29.19	71.79	0.00	0.00	11.24
170000	5.80	5.20	14.42	9.55	8.99	0.00	1.93	0.32	1.61	0.00	29.11	71.76	0.00	0.00	17.59
180000	5.55	4.85	14.57	10.00	8.00	0.00	1.97	1.71	0.26	0.00	29.07	71.67	0.00	0.00	20.13
190000	5.31	4.50	13.97	9.72	7.70	0.00	2.04	4.84	-2.80	0.00	29.02	71.59	0.00	0.00	21.41
200000	5.49	4.36	13.57	9.46	7.52	0.00	2.07	5.00	-2.93	0.00	28.88	71.51	0.00	0.00	22.36
210000	5.55	4.08	11.54	7.64	8.17	0.00	2.15	4.43	-2.28	0.00	28.84	71.45	0.00	0.00	22.15
220000	5.56	3.74	9.99	6.38	9.02	0.00	2.14	3.40	-1.26	0.00	28.89	71.45	0.00	0.00	23.43
230000	5.68	3.85	11.01	7.33	8.57	0.00	2.13	2.66	-0.53	0.00	28.88	71.35	0.00	0.00	20.74
極大值	5.92	5.20	14.97	10.81	27.14	0.00	2.77	5.00	2.58	0.00	29.53	71.79	0.00	0.00	29.40
極小值	5.18	3.74	6.03	2.31	7.52	0.00	1.92	0.19	-2.93	0.00	28.84	71.16	0.00	0.00	9.64
平均值	5.45	4.26	11.22	7.16	14.22	0.00	2.24	1.09	1.14	0.00	29.20	71.43	0.00	0.00	20.87
標準差	0.22	0.47	2.76	2.64	6.61	0	0.31	1.64	1.75	0	0.19	0.2	0	0	5.81

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.17	3.42	5.63	2.28	10.53	0.00	2.13	1.97	0.16	0.00	33.29	70.45	0.00	0.00	18.91
010000	4.60	3.25	2.98	0.00	9.96	0.00	2.08	1.39	0.69	0.00	30.60	69.88	0.00	0.00	23.07
020000	4.36	3.37	3.40	0.42	10.24	0.00	2.08	0.89	1.19	0.00	30.19	69.43	0.00	0.00	15.27
030000	4.31	3.40	3.62	0.35	12.49	0.00	2.15	0.64	1.51	0.00	30.64	69.27	0.00	0.00	11.71
040000	4.34	3.48	4.48	1.01	12.36	0.06	2.65	0.70	1.95	0.00	30.45	69.28	0.00	0.00	12.42
050000	4.33	3.46	4.50	1.04	15.22	0.08	2.66	0.62	2.04	0.00	30.08	69.33	0.00	0.00	7.29
060000	4.38	3.48	4.20	0.75	16.44	0.07	2.72	0.61	2.11	0.00	28.46	69.30	0.00	0.00	4.80
070000	4.35	3.61	5.26	1.71	16.98	0.07	2.66	0.58	2.08	0.00	22.93	69.19	0.00	0.00	6.80
080000	4.38	3.72	6.02	2.42	15.35	0.09	2.86	0.62	2.24	0.00	22.73	69.19	0.00	0.00	8.64
090000	4.47	3.94	6.65	2.83	16.22	0.09	2.94	0.65	2.29	0.00	22.66	69.19	0.00	0.00	10.13
100000	4.49	4.08	6.74	2.78	17.70	0.08	2.55	0.51	2.04	0.00	22.62	69.19	0.00	0.00	20.37
110000	4.55	3.87	6.44	2.70	18.89	0.09	2.56	0.52	2.04	0.00	22.64	69.24	0.00	0.00	27.81
120000	4.58	3.75	6.90	3.25	20.57	0.00	2.23	0.55	1.68	0.00	22.77	69.64	0.00	0.00	31.15
130000	5.19	3.92	8.49	4.70	20.07	0.00	2.17	0.58	1.59	0.00	22.80	69.87	0.00	0.00	38.61
140000	5.70	4.00	7.91	4.01	20.42	0.00	2.18	0.60	1.58	0.00	22.73	70.01	0.00	0.00	53.80
150000	5.29	3.76	7.78	4.14	20.17	0.00	2.21	0.62	1.59	0.00	22.69	70.16	0.00	0.00	76.47
160000	5.28	3.67	9.78	6.25	18.25	0.00	2.24	0.64	1.60	0.00	22.58	70.23	0.00	0.00	79.57
170000	5.22	3.59	9.61	6.16	15.59	0.00	2.26	0.66	1.60	0.00	22.60	70.36	0.00	0.00	61.26
180000	5.00	3.54	9.53	6.11	13.96	0.00	2.27	0.66	1.61	0.00	22.58	70.46	0.00	0.00	45.03
190000	5.01	3.60	9.95	6.51	14.63	0.00	2.25	0.64	1.61	0.00	22.58	70.46	0.00	0.00	41.05
200000	5.05	3.65	9.16	5.63	17.73	0.00	2.26	0.56	1.70	0.00	22.50	70.46	0.00	0.00	48.53
210000	4.99	3.55	9.12	5.72	18.43	0.00	2.19	0.56	1.63	0.00	22.48	70.46	0.00	0.00	51.53
220000	5.12	3.60	10.61	7.18	14.59	0.00	2.20	0.57	1.63	0.00	22.51	70.46	0.00	0.00	55.96
230000	4.87	3.67	9.35	5.83	12.92	0.00	2.27	0.54	1.73	0.00	22.45	70.37	0.00	0.00	54.40
極大值	5.70	4.08	10.61	7.18	20.57	0.09	2.94	1.97	2.29	0.00	33.29	70.46	0.00	0.00	79.57
極小值	4.31	3.25	2.98	0.00	9.96	0.00	2.08	0.51	0.16	0.00	22.45	69.19	0.00	0.00	4.80
平均值	4.79	3.64	7.00	3.49	15.82	0.03	2.37	0.70	1.66	0.00	24.94	69.83	0.00	0.00	33.52
標準差	0.41	0.21	2.36	2.28	3.26	0.04	0.26	0.32	0.47	0	3.74	0.53	0	0	22.87

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.53	3.51	7.52	4.13	11.59	0.00	2.39	0.41	1.98	0.00	22.01	69.42	0.00	0.00	46.20
010000	4.36	3.47	6.08	2.69	12.06	0.03	2.42	0.34	2.08	0.00	21.94	69.19	0.00	0.00	47.51
020000	4.35	3.45	6.04	2.67	11.27	0.07	2.31	0.30	2.01	0.00	21.96	69.19	0.00	0.00	33.92
030000	4.21	3.65	6.21	2.66	9.54	0.09	2.38	0.28	2.10	0.00	21.95	69.19	0.00	0.00	25.83
040000	4.31	3.84	6.84	3.10	9.13	0.12	2.56	0.26	2.30	0.00	21.96	69.19	0.00	0.00	23.55
050000	4.25	3.77	7.92	4.31	9.20	0.16	2.51	0.25	2.26	0.00	21.99	69.19	0.00	0.00	26.11
060000	4.29	4.75	10.30	5.70	8.24	0.20	2.48	0.25	2.23	0.00	21.97	69.19	0.00	0.00	35.18
070000	4.29	6.30	11.30	5.20	10.69	0.28	2.36	0.25	2.11	0.00	21.96	69.19	0.00	0.00	39.22
080000	4.46	5.44	9.38	4.10	22.42	0.21	2.28	0.26	2.02	0.00	21.93	69.16	0.00	0.00	46.58
090000	4.66	4.23	7.29	3.18	31.52	0.20	2.39	0.30	2.09	0.00	21.91	69.11	0.00	0.00	64.75
100000	5.25	5.02	10.86	6.07	36.31	0.18	2.37	0.26	2.11	0.00	21.91	69.05	0.00	0.00	67.83
110000	5.50	4.03	8.08	4.19	46.76	0.11	2.31	0.24	2.07	0.00	21.93	69.13	0.00	0.00	66.74
120000	6.21	3.86	8.32	4.56	54.19	0.00	2.11	0.21	1.90	0.00	22.27	69.90	0.00	0.00	54.93
130000	7.32	4.29	11.81	7.75	49.10	0.00	2.06	0.23	1.83	0.00	22.52	70.46	0.00	0.00	58.70
140000	9.71	4.85	16.51	12.01	42.26	0.00	2.04	0.23	1.81	0.00	22.31	70.74	0.00	0.00	75.55
150000	10.69	4.90	17.68	13.14	38.60	0.00	2.02	0.23	1.79	0.00	22.27	70.88	0.00	0.00	99.50
160000	9.45	4.38	17.56	13.56	37.45	0.00	2.02	0.26	1.76	0.00	22.30	70.97	0.00	0.00	118.33
170000	6.27	3.72	17.24	13.85	37.04	0.00	2.02	0.25	1.77	0.00	22.28	71.02	0.00	0.00	115.83
180000	5.50	3.48	15.45	12.27	31.51	0.00	2.07	0.36	1.71	0.00	22.15	70.91	0.00	0.00	114.86
190000	5.35	3.53	15.84	12.62	26.73	0.00	2.23	0.38	1.85	0.00	22.09	70.88	0.00	0.00	111.72
200000	5.25	3.62	17.01	13.69	23.20	0.00	2.34	0.36	1.98	0.00	22.09	70.88	0.00	0.00	110.58
210000	5.17	3.68	16.15	12.79	18.12	0.00	2.50	0.34	2.16	0.00	21.83	70.78	0.00	0.00	115.73
220000	5.00	3.59	13.88	10.52	17.57	0.00	2.60	0.32	2.28	0.00	21.63	70.74	0.00	0.00	102.69
230000	4.99	3.49	10.89	7.57	18.67	0.00	2.47	0.29	2.18	0.00	21.53	70.61	0.00	0.00	89.39
極大值	10.69	6.30	17.68	13.85	54.19	0.28	2.60	0.41	2.30	0.00	22.52	71.02	0.00	0.00	118.33
極小值	4.21	3.45	6.04	2.66	8.24	0.00	2.02	0.21	1.71	0.00	21.53	69.05	0.00	0.00	23.55
平均值	5.64	4.12	11.51	7.60	25.55	0.07	2.30	0.29	2.02	0.00	22.03	69.96	0.00	0.00	70.47
標準差	1.84	0.74	4.22	4.3	14.46	0.09	0.19	0.05	0.18	0	0.22	0.82	0	0	33.48

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.91	3.41	11.38	8.15	15.74	0.00	2.38	0.25	2.13	0.00	21.04	69.48	0.00	0.00	83.42
010000	4.59	3.41	11.42	8.20	14.78	0.00	2.47	0.21	2.26	0.00	20.92	69.19	0.00	0.00	79.01
020000	4.56	3.52	11.37	8.05	11.93	0.03	2.83	0.19	2.64	0.00	20.96	69.19	0.00	0.00	78.79
030000	4.43	3.61	12.05	8.65	10.59	0.09	2.99	0.18	2.81	0.00	20.94	69.19	0.00	0.00	68.46
040000	4.53	3.59	11.16	7.77	10.55	0.07	3.07	0.17	2.90	0.00	20.95	69.19	0.00	0.00	63.89
050000	4.44	3.72	11.04	7.49	10.82	0.06	2.69	0.16	2.53	0.00	20.94	69.19	0.00	0.00	59.62
060000	4.49	7.79	17.03	9.57	8.55	0.11	2.68	0.17	2.51	0.00	20.96	69.19	0.00	0.00	52.03
070000	4.61	7.14	14.63	7.79	12.73	0.13	2.58	0.17	2.41	0.00	20.95	69.19	0.00	0.00	55.44
080000	4.73	4.92	10.74	5.98	25.01	0.13	2.41	0.18	2.23	0.00	20.93	69.12	0.00	0.00	64.88
090000	4.81	4.36	9.17	4.99	32.24	0.15	2.20	0.20	2.00	0.00	20.92	69.05	0.00	0.00	82.87
100000	5.25	4.06	8.15	4.22	37.27	0.14	2.14	0.21	1.93	0.00	20.92	69.05	0.00	0.00	103.06
110000	5.62	3.95	12.66	8.95	54.23	0.24	2.10	0.22	1.88	0.00	20.96	69.13	0.00	0.00	95.97
120000	6.97	3.86	14.96	11.38	66.03	0.11	2.09	0.21	1.88	0.00	21.31	69.94	0.00	0.00	113.16
130000	6.34	3.72	8.88	5.29	63.37	0.00	2.07	0.18	1.89	0.00	21.50	70.49	0.00	0.00	112.86
140000	6.29	3.68	7.99	4.43	61.51	0.00	2.05	0.17	1.88	0.00	21.59	70.81	0.00	0.00	92.33
150000	6.27	3.65	7.03	3.45	59.79	0.00	2.05	0.17	1.88	0.00	21.66	70.94	0.00	0.00	91.99
160000	6.11	3.47	6.45	3.06	58.90	0.00	2.03	0.16	1.87	0.00	21.78	71.06	0.00	0.00	95.14
170000	5.95	3.45	7.60	4.24	55.67	0.00	2.02	0.17	1.85	0.00	21.84	71.16	0.00	0.00	96.89
180000	5.88	3.40	8.66	5.40	51.06	0.00	2.03	0.19	1.84	0.00	21.79	71.16	0.00	0.00	101.65
190000	5.74	3.42	8.19	4.91	49.43	0.00	2.05	0.21	1.84	0.00	21.67	71.09	0.00	0.00	106.10
200000	5.49	3.50	9.77	6.44	42.14	0.00	2.07	0.19	1.88	0.00	21.62	71.02	0.00	0.00	101.72
210000	5.24	3.52	11.19	7.88	33.12	0.00	2.16	0.18	1.98	0.00	21.65	71.02	0.00	0.00	91.42
220000	5.18	3.42	9.68	6.40	34.55	0.00	2.16	0.17	1.99	0.00	21.62	70.99	0.00	0.00	79.47
230000	5.07	3.44	12.06	8.86	32.42	0.00	2.08	0.17	1.91	0.00	21.57	70.78	0.00	0.00	75.72
極大值	6.97	7.79	17.03	11.38	66.03	0.24	3.07	0.25	2.90	0.00	21.84	71.16	0.00	0.00	113.16
極小值	4.43	3.40	6.45	3.06	8.55	0.00	2.02	0.16	1.84	0.00	20.92	69.05	0.00	0.00	52.03
平均值	5.31	4.00	10.55	6.73	35.52	0.05	2.31	0.19	2.12	0.00	21.29	70.03	0.00	0.00	85.25
標準差	0.74	1.13	2.6	2.14	20.19	0.07	0.33	0.02	0.33	0	0.36	0.9	0	0	17.85

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.91	3.41	11.38	8.15	15.74	0.00	2.38	0.25	2.13	0.00	21.04	69.48	0.00	0.00	83.42
010000	4.59	3.41	11.42	8.20	14.78	0.00	2.47	0.21	2.26	0.00	20.92	69.19	0.00	0.00	79.01
020000	4.56	3.52	11.37	8.05	11.93	0.03	2.83	0.19	2.64	0.00	20.96	69.19	0.00	0.00	78.79
030000	4.43	3.61	12.05	8.65	10.59	0.09	2.99	0.18	2.81	0.00	20.94	69.19	0.00	0.00	68.46
040000	4.53	3.59	11.16	7.77	10.55	0.07	3.07	0.17	2.90	0.00	20.95	69.19	0.00	0.00	63.89
050000	4.44	3.72	11.04	7.49	10.82	0.06	2.69	0.16	2.53	0.00	20.94	69.19	0.00	0.00	59.62
060000	4.49	7.79	17.03	9.57	8.55	0.11	2.68	0.17	2.51	0.00	20.96	69.19	0.00	0.00	52.03
070000	4.61	7.14	14.63	7.79	12.73	0.13	2.58	0.17	2.41	0.00	20.95	69.19	0.00	0.00	55.44
080000	4.73	4.92	10.74	5.98	25.01	0.13	2.41	0.18	2.23	0.00	20.93	69.12	0.00	0.00	64.88
090000	4.81	4.36	9.17	4.99	32.24	0.15	2.20	0.20	2.00	0.00	20.92	69.05	0.00	0.00	82.87
100000	5.25	4.06	8.15	4.22	37.27	0.14	2.14	0.21	1.93	0.00	20.92	69.05	0.00	0.00	103.06
110000	5.62	3.95	12.66	8.95	54.23	0.24	2.10	0.22	1.88	0.00	20.96	69.13	0.00	0.00	95.97
120000	6.97	3.86	14.96	11.38	66.03	0.11	2.09	0.21	1.88	0.00	21.31	69.94	0.00	0.00	113.16
130000	6.34	3.72	8.88	5.29	63.37	0.00	2.07	0.18	1.89	0.00	21.50	70.49	0.00	0.00	112.86
140000	6.29	3.68	7.99	4.43	61.51	0.00	2.05	0.17	1.88	0.00	21.59	70.81	0.00	0.00	92.33
150000	6.27	3.65	7.03	3.45	59.79	0.00	2.05	0.17	1.88	0.00	21.66	70.94	0.00	0.00	91.99
160000	6.11	3.47	6.45	3.06	58.90	0.00	2.03	0.16	1.87	0.00	21.78	71.06	0.00	0.00	95.14
170000	5.95	3.45	7.60	4.24	55.67	0.00	2.02	0.17	1.85	0.00	21.84	71.16	0.00	0.00	96.89
180000	5.88	3.40	8.66	5.40	51.06	0.00	2.03	0.19	1.84	0.00	21.79	71.16	0.00	0.00	101.65
190000	5.74	3.42	8.19	4.91	49.43	0.00	2.05	0.21	1.84	0.00	21.67	71.09	0.00	0.00	106.10
200000	5.49	3.50	9.77	6.44	42.14	0.00	2.07	0.19	1.88	0.00	21.62	71.02	0.00	0.00	101.72
210000	5.24	3.52	11.19	7.88	33.12	0.00	2.16	0.18	1.98	0.00	21.65	71.02	0.00	0.00	91.42
220000	5.18	3.42	9.68	6.40	34.55	0.00	2.16	0.17	1.99	0.00	21.62	70.99	0.00	0.00	79.47
230000	5.07	3.44	12.06	8.86	32.42	0.00	2.08	0.17	1.91	0.00	21.57	70.78	0.00	0.00	75.72
極大值	6.97	7.79	17.03	11.38	66.03	0.24	3.07	0.25	2.90	0.00	21.84	71.16	0.00	0.00	113.16
極小值	4.43	3.40	6.45	3.06	8.55	0.00	2.02	0.16	1.84	0.00	20.92	69.05	0.00	0.00	52.03
平均值	5.31	4.00	10.55	6.73	35.52	0.05	2.31	0.19	2.12	0.00	21.29	70.03	0.00	0.00	85.25
標準差	0.74	1.13	2.6	2.14	20.19	0.07	0.33	0.02	0.33	0	0.36	0.9	0	0	17.85

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.10	3.55	13.65	10.34	16.59	0.00	2.66	0.18	2.48	0.00	21.17	69.80	0.00	0.00	85.33
010000	4.75	3.38	8.39	5.14	19.50	0.00	2.53	0.14	2.39	0.00	20.93	69.24	0.00	0.00	78.72
020000	4.58	3.47	8.86	5.52	8.17	0.04	2.48	0.13	2.35	0.00	20.87	69.19	0.00	0.00	71.02
030000	4.56	3.59	9.77	6.37	1.20	0.07	2.62	0.13	2.49	0.00	20.86	69.19	0.00	0.00	63.76
040000	4.55	3.53	10.37	7.03	1.72	0.09	2.85	0.12	2.73	0.00	20.83	69.19	0.00	0.00	63.55
050000	4.54	3.87	11.88	8.24	3.60	0.13	2.94	0.12	2.82	0.00	20.80	69.19	0.00	0.00	64.39
060000	4.55	5.50	14.16	8.93	6.67	0.13	2.93	0.12	2.81	0.00	20.74	69.18	0.00	0.00	60.07
070000	4.60	6.63	15.87	9.57	15.74	0.17	2.74	0.12	2.62	0.00	20.75	69.13	0.00	0.00	54.56
080000	4.60	7.02	17.48	10.81	19.28	0.23	2.60	0.16	2.44	0.00	20.66	69.05	0.00	0.00	50.55
090000	4.61	4.52	9.72	5.39	27.92	0.21	2.36	0.17	2.19	0.00	20.63	69.05	0.00	0.00	49.85
100000	4.55	3.75	3.89	0.00	24.36	0.13	2.08	0.13	1.95	0.00	20.70	69.15	0.00	0.00	46.02
110000	4.54	3.66	3.19	0.00	20.14	0.07	1.98	0.11	1.87	0.00	20.77	69.27	0.00	0.00	23.45
120000	4.91	3.64	3.05	0.00	19.63	0.00	1.94	0.09	1.85	0.00	21.16	70.11	0.00	0.00	19.99
130000	5.06	3.79	3.55	0.00	21.04	0.00	1.93	0.11	1.82	0.00	21.41	70.69	0.00	0.00	15.79
140000	5.29	4.07	4.33	0.53	20.96	0.00	1.92	0.13	1.79	0.00	21.57	70.96	0.00	0.00	11.10
150000	5.34	4.22	4.59	0.53	18.83	0.00	1.91	0.15	1.76	0.00	21.74	71.15	0.00	0.00	12.49
160000	5.26	4.35	5.14	0.92	18.46	0.00	1.90	0.17	1.73	0.00	21.80	71.30	0.00	0.00	12.01
170000	5.34	3.93	4.73	0.89	18.15	0.00	1.91	0.19	1.72	0.00	21.85	71.31	0.00	0.00	15.75
180000	5.32	3.61	4.51	0.95	17.85	0.00	1.92	0.20	1.72	0.00	21.78	71.31	0.00	0.00	17.21
190000	5.29	3.54	5.14	1.65	17.36	0.00	1.95	0.20	1.75	0.00	28.20	71.36	0.00	0.00	20.45
200000	5.26	3.64	5.52	1.94	16.82	0.00	1.96	0.19	1.77	0.00	28.56	71.33	0.00	0.00	24.30
210000	5.16	3.64	7.21	3.68	14.86	0.00	2.00	0.19	1.81	0.00	25.81	71.31	0.00	0.00	25.96
220000	5.04	3.70	7.85	4.30	13.47	0.00	2.03	0.19	1.84	0.00	25.89	71.27	0.00	0.00	24.49
230000	5.00	3.85	9.57	5.87	11.55	0.00	2.07	0.18	1.89	0.00	26.02	71.19	0.00	0.00	22.22
極大值	5.34	7.02	17.48	10.81	27.92	0.23	2.94	0.20	2.82	0.00	28.56	71.36	0.00	0.00	85.33
極小值	4.54	3.38	3.05	0.00	1.20	0.00	1.90	0.09	1.72	0.00	20.63	69.05	0.00	0.00	11.10
平均值	4.91	4.10	8.02	4.11	15.58	0.05	2.26	0.15	2.11	0.00	22.31	70.16	0.00	0.00	38.88
標準差	0.32	0.95	4.21	3.67	6.88	0.07	0.38	0.03	0.39	0	2.5	1.01	0	0	23.94

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.99	3.95	9.70	5.91	8.65	0.00	2.23	0.18	2.05	0.00	25.46	71.16	0.00	0.00	15.84
010000	4.89	3.97	9.76	5.92	7.95	0.00	2.46	0.18	2.28	0.00	23.89	71.16	0.00	0.00	14.49
020000	4.84	3.76	8.45	4.80	9.47	0.00	2.22	0.17	2.05	0.00	23.56	71.14	0.00	0.00	15.90
030000	4.75	3.80	9.87	6.22	8.87	0.00	2.10	0.17	1.93	0.00	23.56	71.02	0.00	0.00	15.06
040000	4.91	3.78	9.73	6.11	8.49	0.00	2.13	0.16	1.97	0.00	23.54	71.02	0.00	0.00	15.88
050000	4.81	3.76	8.76	5.14	8.71	0.00	2.32	0.15	2.17	0.00	23.52	71.02	0.00	0.00	18.08
060000	4.77	7.65	15.69	8.35	7.63	0.00	2.25	0.15	2.10	0.00	23.51	71.02	0.00	0.00	18.70
070000	4.93	10.44	20.44	10.43	7.54	0.00	2.25	0.16	2.09	0.00	23.75	71.02	0.00	0.00	19.25
080000	5.21	6.18	11.87	5.89	14.47	0.00	2.12	0.17	1.95	0.00	23.71	71.10	0.00	0.00	24.20
090000	5.96	4.58	9.34	4.89	22.98	0.00	1.99	0.21	1.78	0.00	24.50	71.35	0.00	0.00	24.62
100000	6.01	4.29	10.76	6.65	30.63	0.00	2.02	0.28	1.74	0.00	22.27	71.53	0.00	0.00	22.07
110000	5.67	4.41	10.63	6.41	30.90	0.00	1.97	0.28	1.69	0.00	22.26	71.69	0.00	0.00	32.66
120000	5.11	4.07	8.26	4.34	25.51	0.00	1.93	0.23	1.70	0.00	22.19	71.73	0.00	0.00	24.89
130000	4.96	4.25	8.87	4.77	27.28	0.00	1.93	0.23	1.70	0.00	22.10	71.78	0.00	0.00	16.16
140000	4.75	4.24	9.38	5.29	27.46	0.00	1.94	0.24	1.70	0.00	22.33	71.87	0.00	0.00	27.45
150000	5.11	4.21	10.57	6.56	28.52	0.00	1.94	0.26	1.68	0.00	22.08	71.85	0.00	0.00	31.24
160000	4.93	4.29	11.28	7.20	23.38	0.00	1.95	0.26	1.69	0.00	22.04	71.74	0.00	0.00	38.05
170000	4.97	4.19	12.30	8.35	22.52	0.00	1.96	0.28	1.68	0.00	21.98	71.73	0.00	0.00	34.34
180000	4.88	3.48	9.20	5.84	23.42	0.00	1.96	0.25	1.71	0.00	21.93	71.65	0.00	0.00	36.53
190000	4.89	3.51	8.36	4.98	22.62	0.00	1.96	0.23	1.73	0.00	21.78	71.59	0.00	0.00	36.87
200000	4.93	3.51	8.62	5.22	19.85	0.00	1.99	0.22	1.77	0.00	21.71	71.46	0.00	0.00	36.98
210000	5.01	3.40	7.49	4.20	19.43	0.00	1.99	0.21	1.78	0.00	21.62	71.45	0.00	0.00	30.50
220000	5.04	3.59	11.93	8.55	15.28	0.00	2.04	0.21	1.83	0.00	21.53	71.45	0.00	0.00	33.80
230000	5.10	3.68	12.68	9.24	12.33	0.00	2.25	0.21	2.04	0.00	21.53	71.42	0.00	0.00	33.83
極大值	6.01	10.44	20.44	10.43	30.90	0.00	2.46	0.28	2.28	0.00	25.46	71.87	0.00	0.00	38.05
極小值	4.75	3.40	7.49	4.20	7.54	0.00	1.93	0.15	1.68	0.00	21.53	71.02	0.00	0.00	14.49
平均值	5.06	4.46	10.58	6.30	18.08	0.00	2.08	0.21	1.87	0.00	22.76	71.41	0.00	0.00	25.72
標準差	0.34	1.57	2.77	1.63	8.31	0	0.15	0.04	0.18	0	1.08	0.3	0	0	8.39

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.20	3.67	10.93	7.47	12.52	0.00	2.45	0.19	2.26	0.00	21.50	71.31	0.00	0.00	34.00
010000	5.13	3.80	12.32	8.73	9.89	0.00	2.54	0.19	2.35	0.00	21.51	71.31	0.00	0.00	32.99
020000	5.17	3.69	11.68	8.17	9.32	0.00	2.45	0.18	2.27	0.00	21.46	71.31	0.00	0.00	31.44
030000	5.17	3.79	11.35	7.75	8.15	0.00	2.37	0.18	2.19	0.00	21.45	71.22	0.00	0.00	28.80
040000	5.01	3.78	10.54	6.96	8.58	0.00	2.39	0.17	2.22	0.00	21.43	71.16	0.00	0.00	31.66
050000	5.19	3.68	9.85	6.29	9.68	0.00	2.42	0.17	2.25	0.00	21.34	71.16	0.00	0.00	25.23
060000	5.17	4.84	12.07	7.45	8.87	0.00	2.38	0.18	2.20	0.00	21.32	71.16	0.00	0.00	34.87
070000	5.23	5.57	12.83	7.50	12.09	0.00	2.19	0.19	2.00	0.00	21.32	71.16	0.00	0.00	35.77
080000	5.37	5.89	10.89	5.21	18.88	0.00	2.05	0.19	1.86	0.00	21.38	71.30	0.00	0.00	35.53
090000	5.26	4.89	10.14	5.41	20.17	0.00	1.99	0.20	1.79	0.00	21.43	71.45	0.00	0.00	35.23
100000	5.14	4.09	8.21	4.25	21.99	0.00	2.01	0.21	1.80	0.00	21.44	71.51	0.00	0.00	29.87
110000	5.02	4.25	9.32	5.22	22.12	0.00	1.95	0.22	1.73	0.00	21.45	71.65	0.00	0.00	25.24
120000	4.90	4.28	9.30	5.17	20.98	0.00	1.93	0.22	1.71	0.00	21.37	71.74	0.00	0.00	26.98
130000	4.74	4.75	10.64	6.10	17.15	0.00	1.92	0.24	1.68	0.00	21.32	71.85	0.00	0.00	26.35
140000	4.67	4.61	10.63	6.22	17.28	0.00	1.91	0.24	1.67	0.00	21.30	71.87	0.00	0.00	28.39
150000	4.66	4.26	10.16	6.09	15.47	0.00	1.91	0.28	1.63	0.00	21.38	71.87	0.00	0.00	22.20
160000	4.54	4.24	11.09	7.03	14.49	0.00	1.91	0.31	1.60	0.00	21.51	71.87	0.00	0.00	23.53
170000	4.53	4.52	12.58	8.29	12.97	0.00	1.92	0.30	1.62	0.00	21.45	71.87	0.00	0.00	19.27
180000	4.53	3.80	11.50	7.89	13.45	0.00	1.93	0.30	1.63	0.00	21.44	71.83	0.00	0.00	24.82
190000	4.88	3.58	10.88	7.45	12.72	0.00	1.95	0.32	1.63	0.00	21.29	71.73	0.00	0.00	26.03
200000	5.15	3.72	14.06	10.56	9.42	0.00	1.99	0.37	1.62	0.00	21.23	71.59	0.00	0.00	25.89
210000	11.63	3.92	15.08	11.43	8.23	0.00	2.11	2.50	-0.39	0.00	21.17	71.56	0.00	0.00	25.01
220000	12.74	4.43	16.65	12.56	6.87	0.00	2.24	2.50	-0.26	0.00	21.15	71.45	0.00	0.00	30.59
230000	8.55	4.39	15.82	11.73	6.75	0.00	2.29	0.62	1.67	0.00	21.10	71.33	0.00	0.00	32.17
極大值	12.74	5.89	16.65	12.56	22.12	0.00	2.54	2.50	2.35	0.00	21.51	71.87	0.00	0.00	35.77
極小值	4.53	3.58	8.21	4.25	6.75	0.00	1.91	0.17	-0.39	0.00	21.10	71.16	0.00	0.00	19.27
平均值	5.73	4.27	11.60	7.54	13.25	0.00	2.13	0.44	1.70	0.00	21.36	71.51	0.00	0.00	28.83
標準差	2.14	0.6	2.07	2.18	4.95	0	0.22	0.64	0.68	0	0.11	0.27	0	0	4.62

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.62	4.17	13.09	9.17	6.57	0.00	2.38	0.33	2.05	0.00	20.70	70.27	0.00	0.00	33.02
010000	4.97	4.62	13.39	9.04	5.78	0.00	2.72	0.23	2.49	0.00	20.45	69.70	0.00	0.00	35.57
020000	4.72	5.30	12.98	7.91	5.67	0.00	3.08	0.20	2.88	0.00	20.24	69.27	0.00	0.00	37.34
030000	4.60	4.42	9.84	5.60	5.06	0.03	2.85	0.18	2.67	0.00	20.19	69.11	0.00	0.00	26.79
040000	4.55	5.07	10.10	5.24	3.85	0.08	2.68	0.17	2.51	0.00	20.17	69.12	0.00	0.00	51.62
050000	4.55	6.41	11.17	5.00	1.61	0.13	2.70	0.18	2.52	0.00	20.19	69.14	0.00	0.00	41.03
060000	4.59	6.97	9.79	3.01	3.83	0.14	2.67	0.22	2.45	0.00	20.17	69.11	0.00	0.00	32.88
070000	4.47	6.83	8.93	2.28	7.40	0.16	2.76	0.33	2.43	0.00	20.17	69.06	0.00	0.00	28.14
080000	4.55	4.90	6.17	1.38	10.71	0.18	2.57	0.26	2.31	0.00	20.16	69.05	0.00	0.00	33.94
090000	4.52	4.41	5.51	1.19	14.70	0.21	2.49	0.24	2.25	0.00	20.12	69.05	0.00	0.00	39.77
100000	4.54	3.85	4.75	0.93	21.53	0.21	2.40	0.24	2.16	0.00	20.11	69.05	0.00	0.00	40.61
110000	4.63	3.72	4.21	0.56	25.03	0.17	2.27	0.20	2.07	0.00	20.18	69.17	0.00	0.00	36.02
120000	5.32	5.10	9.41	4.47	22.16	0.00	2.01	0.13	1.88	0.00	20.54	70.06	0.00	0.00	39.52
130000	6.79	4.12	5.19	1.16	25.23	0.00	1.95	0.14	1.81	0.00	20.73	70.68	0.00	0.00	32.15
140000	7.14	4.17	5.94	1.87	25.02	0.00	1.94	0.44	1.50	0.00	20.80	71.00	0.00	0.00	39.64
150000	7.81	4.24	6.65	2.50	22.37	0.00	1.93	0.22	1.71	0.00	20.98	71.24	0.00	0.00	48.31
160000	7.08	4.33	7.67	3.49	17.89	0.00	1.93	0.20	1.73	0.00	21.05	71.39	0.00	0.00	40.42
170000	8.73	4.54	9.32	4.96	15.16	0.00	1.93	0.21	1.72	0.00	21.08	71.45	0.00	0.00	44.34
180000	5.91	4.34	9.99	5.84	12.85	0.00	1.95	0.24	1.71	0.00	21.18	71.45	0.00	0.00	36.24
190000	5.57	3.89	7.93	4.20	10.85	0.00	1.99	0.24	1.75	0.00	21.21	71.41	0.00	0.00	27.89
200000	5.52	3.85	9.27	5.56	9.59	0.00	2.02	0.22	1.80	0.00	21.29	71.31	0.00	0.00	25.94
210000	5.67	4.35	13.97	9.91	8.11	0.00	2.04	0.23	1.81	0.00	21.32	71.31	0.00	0.00	25.27
220000	5.68	4.53	12.98	8.68	8.06	0.00	2.07	0.24	1.83	0.00	21.18	71.31	0.00	0.00	30.09
230000	5.53	6.58	18.72	12.54	5.85	0.00	2.19	0.28	1.91	0.00	21.06	71.19	0.00	0.00	27.58
極大值	8.73	6.97	18.72	12.54	25.23	0.21	3.08	0.44	2.88	0.00	21.32	71.45	0.00	0.00	51.62
極小值	4.47	3.72	4.21	0.56	1.61	0.00	1.93	0.13	1.50	0.00	20.11	69.05	0.00	0.00	25.27
平均值	5.54	4.78	9.46	4.85	12.29	0.05	2.31	0.23	2.08	0.00	20.64	70.20	0.00	0.00	35.59
標準差	1.18	0.97	3.51	3.28	7.7	0.08	0.36	0.07	0.37	0	0.45	1.04	0	0	7.04

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.29	8.12	17.97	10.24	5.79	0.00	2.27	0.23	2.04	0.00	20.52	70.10	0.00	0.00	29.44
010000	4.88	8.28	16.15	8.23	5.61	0.00	2.53	0.17	2.36	0.00	20.29	69.56	0.00	0.00	31.90
020000	4.62	4.86	9.89	5.19	5.81	0.00	2.69	0.15	2.54	0.00	20.16	69.17	0.00	0.00	28.36
030000	4.36	4.23	7.99	3.90	5.72	0.03	2.59	0.13	2.46	0.00	20.15	69.06	0.00	0.00	34.06
040000	4.49	4.53	8.51	4.13	5.64	0.06	2.46	0.14	2.32	0.00	20.16	69.06	0.00	0.00	40.77
050000	4.55	5.48	8.50	3.18	5.39	0.10	2.41	0.12	2.29	0.00	20.15	69.06	0.00	0.00	36.63
060000	4.55	10.39	13.81	3.69	3.73	0.16	2.71	0.13	2.58	0.00	20.14	69.05	0.00	0.00	33.74
070000	4.60	7.17	9.63	2.66	2.90	0.18	2.81	0.13	2.68	0.00	20.15	69.05	0.00	0.00	30.57
080000	4.48	5.39	8.08	2.83	4.90	0.33	2.28	0.16	2.12	0.00	20.15	69.05	0.00	0.00	41.90
090000	4.48	5.04	8.09	3.21	8.97	0.42	2.16	0.20	1.96	0.00	20.15	69.05	0.00	0.00	54.98
100000	4.56	4.10	6.05	2.03	13.46	0.37	2.24	0.22	2.02	0.00	20.18	69.07	0.00	0.00	71.77
110000	4.51	4.54	8.35	3.97	25.42	0.28	2.17	0.23	1.94	0.00	20.24	69.28	0.00	0.00	88.71
120000	5.00	6.44	14.61	8.46	15.74	0.00	1.96	0.18	1.78	0.00	20.58	70.14	0.00	0.00	43.22
130000	5.76	4.56	7.19	2.78	23.89	0.00	1.93	0.16	1.77	0.00	20.79	70.65	0.00	0.00	30.33
140000	6.12	5.17	11.16	6.21	24.97	0.00	1.93	0.25	1.68	0.00	20.89	70.95	0.00	0.00	26.21
150000	7.41	5.98	14.01	8.29	19.88	0.00	1.92	0.26	1.66	0.00	20.98	71.14	0.00	0.00	27.37
160000	11.10	7.82	22.79	15.47	14.86	0.00	1.94	0.32	1.62	0.00	21.02	71.33	0.00	0.00	31.38
170000	6.20	5.23	17.25	12.40	14.18	0.00	1.94	0.35	1.59	0.00	21.06	71.44	0.00	0.00	41.96
180000	5.78	4.62	17.92	13.67	11.23	0.00	1.97	0.35	1.62	0.00	21.02	71.45	0.00	0.00	31.40
190000	5.43	3.78	10.36	6.75	11.43	0.00	2.03	0.26	1.77	0.00	21.00	71.33	0.00	0.00	30.91
200000	5.49	3.95	11.47	7.72	9.23	0.00	2.05	0.23	1.82	0.00	21.01	71.31	0.00	0.00	26.49
210000	5.56	3.93	11.88	8.14	8.31	0.00	2.13	0.23	1.90	0.00	21.02	71.30	0.00	0.00	24.90
220000	5.58	4.04	12.27	8.44	8.38	0.00	2.15	0.24	1.91	0.00	21.01	71.20	0.00	0.00	26.88
230000	5.66	6.29	18.34	12.46	7.06	0.00	2.18	0.24	1.94	0.00	20.94	71.05	0.00	0.00	128.92
極大值	11.10	10.39	22.79	15.47	25.42	0.42	2.81	0.35	2.68	0.00	21.06	71.45	0.00	0.00	128.92
極小值	4.36	3.78	6.05	2.03	2.90	0.00	1.92	0.12	1.59	0.00	20.14	69.05	0.00	0.00	24.90
平均值	5.44	5.58	12.18	6.84	10.94	0.08	2.23	0.21	2.02	0.00	20.57	70.16	0.00	0.00	41.37
標準差	1.42	1.7	4.39	3.87	6.81	0.13	0.28	0.07	0.33	0	0.4	1.03	0	0	23.98

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.24	4.88	15.86	11.29	6.16	0.00	2.34	0.21	2.13	0.00	20.46	70.00	0.00	0.00	1000.00
010000	4.76	5.43	13.16	7.98	5.25	0.00	2.45	0.18	2.27	0.00	20.23	69.45	0.00	0.00	1000.00
020000	4.60	4.08	8.05	4.13	6.38	0.04	2.31	0.14	2.17	0.00	20.11	69.17	0.00	0.00	1000.00
030000	4.54	5.23	10.04	5.02	5.27	0.08	2.27	0.13	2.14	0.00	20.11	69.19	0.00	0.00	1000.00
040000	4.48	5.29	9.95	4.86	1.53	0.12	2.63	0.12	2.51	0.00	20.10	69.19	0.00	0.00	1000.00
050000	4.58	5.27	9.57	4.47	1.53	0.15	2.55	0.12	2.43	0.00	20.11	69.19	0.00	0.00	1000.00
060000	4.51	11.06	15.67	4.91	2.54	0.21	2.57	0.14	2.43	0.00	20.10	69.12	0.00	0.00	1000.00
070000	4.51	8.08	11.77	3.93	2.47	0.24	2.54	0.15	2.39	0.00	20.09	69.05	0.00	0.00	1000.00
080000	4.44	6.09	10.35	4.46	2.60	0.24	2.36	0.15	2.21	0.00	20.07	69.05	0.00	0.00	1000.00
090000	4.43	5.18	10.38	5.42	3.41	0.29	2.19	0.18	2.01	0.00	20.06	68.97	0.00	0.00	1000.00
100000	4.41	5.83	11.90	6.34	5.83	0.32	2.04	0.20	1.84	0.00	20.09	69.05	0.00	0.00	1000.00
110000	4.51	6.70	13.41	6.98	11.77	0.30	1.96	0.25	1.71	0.00	20.15	69.16	0.00	0.00	1000.00
120000	5.95	5.77	9.79	4.18	14.43	0.00	1.93	0.17	1.76	0.00	20.49	70.00	0.00	0.00	1000.00
130000	6.46	5.46	8.43	3.14	15.68	0.00	1.91	0.15	1.76	0.00	20.70	70.56	0.00	0.00	1000.00
140000	8.96	7.63	14.91	7.60	14.59	0.00	1.92	0.20	1.72	0.00	20.82	70.84	0.00	0.00	1000.00
150000	7.89	8.74	17.05	8.68	12.17	0.00	1.92	0.22	1.70	0.00	20.91	71.05	0.00	0.00	1000.00
160000	5.97	6.37	13.50	7.40	14.07	0.00	1.91	0.25	1.66	0.00	20.98	71.21	0.00	0.00	1000.00
170000	6.12	4.97	10.55	5.78	13.58	0.00	1.92	0.21	1.71	0.00	21.01	71.31	0.00	0.00	1000.00
180000	5.85	4.34	11.19	7.07	11.03	0.00	1.94	0.20	1.74	0.00	20.94	71.31	0.00	0.00	1000.00
190000	5.87	4.32	13.25	9.19	7.89	0.00	1.98	0.23	1.75	0.00	25.69	71.29	0.00	0.00	1000.00
200000	5.77	4.41	13.88	9.76	6.73	0.00	2.05	0.25	1.80	0.00	26.89	71.23	0.00	0.00	1000.00
210000	5.82	4.57	14.73	10.48	6.94	0.00	2.17	0.26	1.91	0.00	26.79	71.16	0.00	0.00	1000.00
220000	5.83	4.88	16.39	11.88	6.39	0.00	2.28	0.26	2.02	0.00	26.87	71.16	0.00	0.00	1000.00
230000	5.88	4.94	16.23	11.65	6.09	0.00	2.40	0.26	2.14	0.00	25.74	70.99	0.00	0.00	1000.00
極大值	8.96	11.06	17.05	11.88	15.68	0.32	2.63	0.26	2.51	0.00	26.89	71.31	0.00	0.00	1000.00
極小值	4.41	4.08	8.05	3.14	1.53	0.00	1.91	0.12	1.66	0.00	20.06	68.97	0.00	0.00	1000.00
平均值	5.47	5.81	12.50	6.94	7.68	0.08	2.19	0.19	2.00	0.00	21.65	70.11	0.00	0.00	1000.00
標準差	1.16	1.63	2.69	2.66	4.56	0.12	0.25	0.05	0.28	0	2.52	0.97	0	0	0

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.40	5.28	16.60	11.67	6.11	0.00	2.38	0.24	2.14	0.00	20.93	69.87	0.00	0.00	904.56
010000	4.96	4.88	15.51	10.96	6.07	0.00	2.36	0.28	2.08	0.00	20.60	69.28	0.00	0.00	45.12
020000	4.87	4.52	12.16	7.86	6.07	0.10	2.29	0.26	2.03	0.00	20.50	69.10	0.00	0.00	39.65
030000	4.70	5.21	12.15	7.18	4.47	0.12	2.32	0.20	2.12	0.00	20.49	69.15	0.00	0.00	29.03
040000	4.71	5.05	11.16	6.30	2.49	0.13	2.45	0.14	2.31	0.00	20.49	69.16	0.00	0.00	30.27
050000	4.78	8.00	14.23	6.52	1.69	0.18	2.64	0.12	2.52	0.00	20.46	69.16	0.00	0.00	21.33
060000	4.84	9.90	13.91	4.31	1.92	0.20	2.73	0.14	2.59	0.00	20.43	69.07	0.00	0.00	24.29
070000	4.74	6.83	10.69	4.09	2.08	0.22	2.44	0.13	2.31	0.00	20.37	69.05	0.00	0.00	33.23
080000	4.57	5.04	6.17	2.30	2.04	0.19	2.17	0.11	2.06	0.00	20.29	69.05	0.00	0.00	30.01
090000	4.65	4.41	4.79	0.53	2.05	0.20	1.99	0.09	1.90	0.00	20.28	69.05	0.00	0.00	22.16
100000	4.58	4.24	5.03	0.86	2.29	0.22	1.98	0.10	1.88	0.00	20.24	69.01	0.00	0.00	20.81
110000	4.71	4.23	6.95	2.80	6.74	0.24	1.98	0.14	1.84	0.00	20.29	69.13	0.00	0.00	27.88
120000	5.92	4.72	7.34	2.74	18.54	0.00	1.94	0.16	1.78	0.00	20.62	70.07	0.00	0.00	34.69
130000	6.17	4.96	7.35	2.55	17.66	0.00	1.91	0.16	1.75	0.00	20.79	70.61	0.00	0.00	21.85
140000	6.08	4.64	6.42	1.92	16.51	0.00	1.90	0.18	1.72	0.00	20.92	70.92	0.00	0.00	17.09
150000	6.07	4.67	6.21	1.65	16.84	0.00	1.89	0.18	1.71	0.00	20.86	71.12	0.00	0.00	17.90
160000	5.98	5.03	8.58	3.74	15.05	0.00	1.89	0.20	1.69	0.00	20.80	71.29	0.00	0.00	16.86
170000	6.35	4.58	12.31	7.99	13.00	0.00	1.91	0.24	1.67	0.00	20.76	71.31	0.00	0.00	16.27
180000	5.67	3.90	9.78	6.07	13.30	0.00	1.95	0.23	1.72	0.00	20.74	71.31	0.00	0.00	24.60
190000	5.60	4.27	12.80	8.78	10.16	0.00	1.99	0.24	1.75	0.00	20.72	71.31	0.00	0.00	20.82
200000	5.72	6.12	15.19	9.40	8.64	0.00	2.01	0.24	1.77	0.00	20.65	71.31	0.00	0.00	25.20
210000	7.36	4.72	12.07	7.61	7.36	0.00	2.14	0.25	1.89	0.00	20.70	71.31	0.00	0.00	23.39
220000	5.81	3.90	9.22	5.46	7.72	0.00	2.26	0.22	2.04	0.00	20.72	71.31	0.00	0.00	25.53
230000	5.66	3.95	9.27	5.47	8.57	0.00	2.22	0.21	2.01	0.00	20.69	71.19	0.00	0.00	18.31
極大值	7.36	9.90	16.60	11.67	18.54	0.24	2.73	0.28	2.59	0.00	20.93	71.31	0.00	0.00	904.56
極小值	4.57	3.90	4.79	0.53	1.69	0.00	1.89	0.09	1.67	0.00	20.24	69.01	0.00	0.00	16.27
平均值	5.41	5.13	10.25	5.36	8.22	0.08	2.16	0.19	1.97	0.00	20.60	70.13	0.00	0.00	62.12
標準差	0.73	1.38	3.5	3.15	5.65	0.1	0.25	0.06	0.26	0	0.21	1.03	0	0	179.59

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.44	5.19	11.85	6.85	8.62	0.00	2.21	0.17	2.04	0.00	20.27	70.13	0.00	0.00	24.05
010000	4.92	3.86	7.26	3.50	9.66	0.00	2.46	0.21	2.25	0.00	20.08	69.56	0.00	0.00	26.93
020000	4.67	3.62	5.33	1.76	9.73	0.00	2.57	0.23	2.34	0.00	19.96	69.24	0.00	0.00	31.39
030000	4.62	3.60	4.96	1.39	1.99	0.05	2.69	0.24	2.45	0.00	19.94	69.05	0.00	0.00	28.93
040000	4.57	3.62	5.35	1.79	1.64	0.08	3.07	0.29	2.78	0.00	19.96	69.05	0.00	0.00	42.56
050000	4.52	3.93	8.72	4.90	1.36	0.14	2.83	0.24	2.59	0.00	19.97	69.05	0.00	0.00	49.29
060000	4.48	5.24	10.11	5.05	1.85	0.18	2.68	0.19	2.49	0.00	19.95	69.05	0.00	0.00	35.14
070000	4.54	4.92	6.73	1.92	2.16	0.21	2.54	0.18	2.36	0.00	19.93	69.05	0.00	0.00	43.00
080000	4.58	4.25	4.62	0.75	2.14	0.20	2.37	0.18	2.19	0.00	19.94	69.05	0.00	0.00	37.25
090000	4.57	3.83	3.48	0.00	2.17	0.21	2.16	0.15	2.01	0.00	19.95	69.05	0.00	0.00	33.98
100000	4.61	3.76	3.10	0.00	2.36	0.22	2.13	0.14	1.99	0.00	19.94	69.04	0.00	0.00	26.91
110000	4.54	3.90	3.47	0.00	3.89	0.23	2.05	0.13	1.92	0.00	19.94	69.01	0.00	0.00	13.89
120000	4.65	3.84	2.89	0.00	5.62	0.00	1.96	0.11	1.85	0.00	20.29	69.93	0.00	0.00	15.41
130000	5.18	5.93	10.38	4.66	13.53	0.00	1.93	0.13	1.80	0.00	20.44	70.55	0.00	0.00	10.78
140000	5.99	5.02	8.00	3.12	18.38	0.00	1.93	0.19	1.74	0.00	20.54	70.88	0.00	0.00	12.40
150000	6.63	5.71	11.06	5.52	17.69	0.00	1.93	0.22	1.71	0.00	20.63	71.10	0.00	0.00	14.13
160000	6.33	5.00	9.13	4.36	16.96	0.00	1.93	0.24	1.69	0.00	20.65	71.28	0.00	0.00	22.59
170000	7.80	5.25	16.18	11.24	14.38	0.00	1.94	0.25	1.69	0.00	20.63	71.39	0.00	0.00	19.47
180000	7.55	5.02	18.51	13.83	9.13	0.00	1.99	0.29	1.70	0.00	20.67	71.45	0.00	0.00	24.02
190000	5.75	15.67	29.91	14.92	7.14	0.00	2.05	0.27	1.78	0.00	20.70	71.41	0.00	0.00	27.78
200000	5.69	8.76	21.54	13.21	6.60	0.00	2.20	0.26	1.94	0.00	20.68	71.31	0.00	0.00	31.67
210000	5.91	10.10	22.59	12.95	6.43	0.00	2.27	0.27	2.00	0.00	20.65	71.31	0.00	0.00	35.74
220000	5.88	5.87	16.09	10.54	7.64	0.00	2.25	0.26	1.99	0.00	20.65	71.31	0.00	0.00	25.99
230000	5.79	3.97	10.32	6.52	9.13	0.00	2.13	0.21	1.92	0.00	20.63	71.31	0.00	0.00	24.45
極大值	7.80	15.67	29.91	14.92	18.38	0.23	3.07	0.29	2.78	0.00	20.70	71.45	0.00	0.00	49.29
極小值	4.48	3.60	2.89	0.00	1.36	0.00	1.93	0.11	1.69	0.00	19.93	69.01	0.00	0.00	10.78
平均值	5.38	5.41	10.48	5.37	7.51	0.06	2.26	0.21	2.05	0.00	20.29	70.15	0.00	0.00	27.41
標準差	0.97	2.7	7.04	4.88	5.42	0.09	0.32	0.05	0.31	0	0.33	1.05	0	0	10.18

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.75	3.80	8.65	5.00	8.13	0.00	2.31	0.19	2.12	0.00	20.65	71.26	0.00	0.00	19.05
010000	5.81	3.85	9.53	5.81	7.15	0.00	2.37	0.20	2.17	0.00	20.65	71.17	0.00	0.00	21.88
020000	5.76	4.15	10.93	7.00	6.87	0.00	2.53	0.21	2.32	0.00	20.56	71.16	0.00	0.00	20.12
030000	5.80	4.34	11.98	7.88	6.63	0.00	2.67	0.21	2.46	0.00	20.46	71.16	0.00	0.00	18.92
040000	5.80	4.23	11.13	7.13	6.58	0.00	2.67	0.20	2.47	0.00	20.44	71.16	0.00	0.00	26.18
050000	5.75	6.69	14.33	7.95	6.40	0.00	2.61	0.19	2.42	0.00	20.41	71.16	0.00	0.00	19.66
060000	5.94	8.33	14.14	6.07	6.42	0.00	2.66	0.20	2.46	0.00	20.36	71.16	0.00	0.00	20.40
070000	6.03	6.90	13.84	7.21	9.13	0.00	2.53	0.22	2.31	0.00	20.31	71.24	0.00	0.00	29.25
080000	6.30	5.09	11.90	7.01	15.53	0.00	2.14	0.23	1.91	0.00	20.12	71.43	0.00	0.00	21.19
090000	5.98	4.83	12.38	7.78	18.50	0.00	2.00	0.25	1.75	0.00	20.09	71.61	0.00	0.00	17.36
100000	6.38	4.86	14.74	10.17	21.08	0.00	1.94	0.28	1.66	0.00	20.19	71.80	0.00	0.00	21.03
110000	5.98	4.29	13.19	9.13	24.10	0.00	1.93	0.30	1.63	0.00	20.26	71.88	0.00	0.00	21.57
120000	5.57	4.02	13.10	9.30	27.64	0.00	1.94	0.31	1.63	0.00	20.31	72.01	0.00	0.00	23.52
130000	6.37	4.63	16.32	12.02	26.51	0.00	1.94	0.34	1.60	0.00	20.40	72.08	0.00	0.00	19.33
140000	7.70	6.12	23.19	17.54	21.71	0.00	1.93	0.38	1.55	0.00	20.47	72.15	0.00	0.00	30.04
150000	6.04	4.63	18.99	14.73	26.78	0.00	1.95	0.39	1.56	0.00	20.50	72.15	0.00	0.00	43.47
160000	5.41	4.55	19.81	15.69	28.76	0.00	1.96	0.37	1.59	0.00	20.50	72.13	0.00	0.00	34.14
170000	5.25	4.24	19.34	15.48	28.32	0.00	1.98	0.37	1.61	0.00	20.55	72.04	0.00	0.00	31.47
180000	5.59	4.17	21.77	18.06	28.72	0.00	2.05	0.39	1.66	0.00	20.50	72.01	0.00	0.00	33.06
190000	5.36	3.74	19.38	16.04	28.99	0.00	2.13	0.37	1.76	0.00	20.37	71.87	0.00	0.00	41.02
200000	5.46	3.71	18.22	14.86	25.88	0.00	2.20	0.34	1.86	0.00	20.32	71.87	0.00	0.00	39.43
210000	5.56	3.54	15.65	12.39	27.62	0.00	2.21	0.31	1.90	0.00	42.65	71.92	0.00	0.00	37.76
220000	5.58	3.33	12.03	8.87	29.83	0.00	2.13	0.28	1.85	0.00	49.94	71.92	0.00	0.00	28.44
230000	5.56	3.38	11.68	8.47	28.48	0.00	2.17	0.27	1.90	0.00	50.44	71.87	0.00	0.00	21.24
極大值	7.70	8.33	23.19	18.06	29.83	0.00	2.67	0.39	2.47	0.00	50.44	72.15	0.00	0.00	43.47
極小值	5.25	3.33	8.65	5.00	6.40	0.00	1.93	0.19	1.55	0.00	20.09	71.16	0.00	0.00	17.36
平均值	5.86	4.64	14.84	10.48	19.41	0.00	2.21	0.28	1.92	0.00	23.81	71.68	0.00	0.00	26.65
標準差	0.5	1.22	3.95	4.07	9.49	0	0.27	0.07	0.33	0	9.31	0.39	0	0	7.95

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.02	3.73	16.39	12.96	17.46	0.00	2.36	0.28	2.08	0.00	24.78	71.63	0.00	0.00	18.54
010000	6.50	3.97	19.74	16.16	15.30	0.00	2.44	0.33	2.11	0.00	22.79	71.53	0.00	0.00	30.56
020000	6.54	3.96	19.76	16.21	15.04	0.00	2.40	0.34	2.06	0.00	22.55	71.45	0.00	0.00	38.51
030000	6.34	3.86	17.64	14.11	14.46	0.00	2.48	0.31	2.17	0.00	22.42	71.45	0.00	0.00	42.65
040000	6.21	3.82	17.49	14.03	11.84	0.00	2.64	0.30	2.34	0.00	22.24	71.44	0.00	0.00	43.36
050000	6.11	4.71	18.98	14.63	9.60	0.00	2.88	0.28	2.60	0.00	22.05	71.33	0.00	0.00	44.36
060000	6.39	5.65	17.39	12.07	11.14	0.00	3.17	0.28	2.89	0.00	21.92	71.31	0.00	0.00	42.87
070000	7.11	4.70	15.20	10.75	18.53	0.00	2.70	0.28	2.42	0.00	21.72	71.43	0.00	0.00	44.63
080000	7.40	4.30	16.89	12.91	34.84	0.00	2.44	0.39	2.05	0.00	21.50	71.56	0.00	0.00	41.69
090000	7.22	3.86	14.72	11.12	41.49	0.00	2.27	0.43	1.84	0.00	21.05	71.74	0.00	0.00	34.95
100000	7.10	4.29	18.31	14.39	47.76	0.00	2.22	0.39	1.83	0.00	20.93	71.88	0.00	0.00	30.14
110000	7.42	4.22	20.21	16.40	49.10	0.00	2.12	0.40	1.72	0.00	20.96	72.01	0.00	0.00	33.64
120000	6.78	4.20	17.07	13.22	26.87	0.00	2.04	0.35	1.69	0.00	20.86	72.14	0.00	0.00	34.16
130000	6.72	4.07	17.93	14.23	40.48	0.00	2.05	0.36	1.69	0.00	20.82	72.15	0.00	0.00	24.89
140000	6.42	4.08	19.47	15.78	36.56	0.00	2.02	0.40	1.62	0.00	20.81	72.15	0.00	0.00	22.85
150000	7.13	4.11	17.64	13.88	32.27	0.00	2.03	0.39	1.64	0.00	20.85	72.15	0.00	0.00	29.99
160000	6.28	3.85	16.55	13.04	31.01	0.00	2.03	0.40	1.63	0.00	20.83	72.15	0.00	0.00	24.49
170000	5.49	3.95	19.51	15.98	38.14	0.00	2.10	0.42	1.68	0.00	20.79	72.15	0.00	0.00	24.23
180000	5.34	3.89	20.07	16.61	34.02	0.00	2.17	0.41	1.76	0.00	20.76	72.08	0.00	0.00	39.89
190000	5.03	3.43	14.02	10.83	34.18	0.00	2.05	0.32	1.73	0.00	20.69	71.94	0.00	0.00	38.39
200000	5.15	3.35	13.86	10.74	34.57	0.00	2.05	0.31	1.74	0.00	20.58	71.87	0.00	0.00	23.29
210000	5.22	3.37	12.08	8.93	32.66	0.00	2.05	0.28	1.77	0.00	20.58	71.76	0.00	0.00	25.76
220000	5.43	3.17	10.15	7.14	33.61	0.00	2.06	0.26	1.80	0.00	20.56	71.72	0.00	0.00	12.92
230000	5.49	3.56	14.34	11.05	23.25	0.00	2.19	0.26	1.93	0.00	20.51	71.47	0.00	0.00	10.87
極大值	7.42	5.65	20.21	16.61	49.10	0.00	3.17	0.43	2.89	0.00	24.78	72.15	0.00	0.00	44.63
極小值	5.03	3.17	10.15	7.14	9.60	0.00	2.02	0.26	1.62	0.00	20.51	71.31	0.00	0.00	10.87
平均值	6.28	4.00	16.89	13.22	28.51	0.00	2.29	0.34	1.95	0.00	21.40	71.77	0.00	0.00	31.57
標準差	0.75	0.52	2.64	2.5	11.81	0	0.31	0.06	0.33	0	1.01	0.3	0	0	9.98

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.50	3.40	14.07	10.93	15.37	0.00	2.49	0.25	2.24	0.00	20.04	70.39	0.00	0.00	17.35
010000	5.08	3.71	16.06	12.63	10.59	0.00	2.75	0.23	2.52	0.00	19.76	69.78	0.00	0.00	33.62
020000	5.02	3.86	12.73	9.12	9.90	0.14	2.90	0.26	2.64	0.00	19.59	69.31	0.00	0.00	51.52
030000	4.91	4.05	14.03	10.25	8.92	0.31	2.72	0.28	2.44	0.00	19.52	69.08	0.00	0.00	72.14
040000	4.78	3.81	9.49	5.86	2.91	0.29	2.74	0.25	2.49	0.00	19.55	69.10	0.00	0.00	85.19
050000	4.83	4.00	9.74	5.89	3.21	0.32	2.73	0.23	2.50	0.00	19.55	69.10	0.00	0.00	70.03
060000	4.84	4.69	9.73	5.21	7.27	0.33	2.66	0.22	2.44	0.00	19.58	69.08	0.00	0.00	72.52
070000	4.68	4.24	7.11	3.02	9.74	0.30	2.53	0.23	2.30	0.00	19.55	69.05	0.00	0.00	62.21
080000	4.70	3.69	4.97	1.33	18.59	0.30	2.31	0.20	2.11	0.00	19.50	68.99	0.00	0.00	39.90
090000	4.80	3.68	5.62	2.04	17.33	0.36	2.19	0.19	2.00	0.00	19.49	69.04	0.00	0.00	28.04
100000	4.72	3.69	7.11	3.54	20.12	0.44	2.22	0.20	2.02	0.00	19.50	69.05	0.00	0.00	34.33
110000	4.77	3.59	6.70	3.23	24.04	0.41	2.20	0.19	2.01	0.00	19.57	69.14	0.00	0.00	48.20
120000	5.82	3.59	4.77	1.23	36.49	0.00	2.09	0.12	1.97	0.00	19.93	70.07	0.00	0.00	48.61
130000	6.07	3.68	4.55	0.89	35.93	0.00	2.03	0.13	1.90	0.00	20.11	70.60	0.00	0.00	22.48
140000	6.25	3.77	6.42	2.75	34.94	0.00	2.00	0.16	1.84	0.00	20.26	70.94	0.00	0.00	16.30
150000	6.45	3.98	8.89	5.06	32.06	0.00	1.98	0.20	1.78	0.00	20.34	71.15	0.00	0.00	18.84
160000	10.29	4.81	18.01	13.56	24.54	0.00	1.98	0.30	1.68	0.00	20.37	71.35	0.00	0.00	23.53
170000	8.97	3.92	11.08	7.34	30.07	0.00	2.00	0.27	1.73	0.00	20.40	71.45	0.00	0.00	32.09
180000	6.15	3.83	11.85	8.25	26.34	0.00	2.09	0.26	1.83	0.00	20.33	71.45	0.00	0.00	34.45
190000	6.01	3.64	12.06	8.62	22.81	0.00	2.09	0.26	1.83	0.00	20.30	71.45	0.00	0.00	34.15
200000	5.91	3.72	13.10	9.63	20.45	0.00	2.07	0.26	1.81	0.00	20.33	71.45	0.00	0.00	34.76
210000	5.79	3.48	9.89	6.54	22.42	0.00	2.06	0.22	1.84	0.00	20.34	71.45	0.00	0.00	35.67
220000	6.03	3.57	12.29	8.94	19.11	0.00	2.10	0.22	1.88	0.00	20.32	71.43	0.00	0.00	30.32
230000	6.10	3.53	11.03	7.68	0.00	0.00	2.14	0.22	1.92	0.00	20.24	71.24	0.00	0.00	31.59
極大值	10.29	4.81	18.01	13.56	36.49	0.44	2.90	0.30	2.64	0.00	20.40	71.45	0.00	0.00	85.19
極小值	4.68	3.40	4.55	0.89	0.00	0.00	1.98	0.12	1.68	0.00	19.49	68.99	0.00	0.00	16.30
平均值	5.77	3.83	10.05	6.40	18.88	0.13	2.29	0.22	2.07	0.00	19.94	70.21	0.00	0.00	40.74
標準差	1.35	0.34	3.67	3.67	10.72	0.17	0.3	0.04	0.29	0	0.37	1.06	0	0	19.16

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.59	4.12	10.09	6.12	17.49	0.00	2.37	0.18	2.19	0.00	19.77	70.13	0.00	0.00	29.72
010000	5.12	3.59	8.27	4.82	14.01	0.00	2.71	0.17	2.54	0.00	19.60	69.53	0.00	0.00	29.56
020000	4.86	3.57	7.34	3.88	12.28	0.07	2.73	0.19	2.54	0.00	19.47	69.16	0.00	0.00	33.55
030000	4.85	3.78	8.65	5.04	10.05	0.14	2.77	0.18	2.59	0.00	19.47	69.06	0.00	0.00	35.67
040000	4.81	3.82	10.02	6.39	3.22	0.18	2.70	0.18	2.52	0.00	19.49	69.05	0.00	0.00	33.56
050000	4.82	4.53	11.27	6.97	3.10	0.22	2.74	0.17	2.57	0.00	19.46	69.06	0.00	0.00	43.74
060000	4.87	5.56	12.04	6.72	2.83	0.29	3.02	0.17	2.85	0.00	19.45	69.05	0.00	0.00	30.31
070000	4.93	5.53	11.66	6.38	3.38	0.35	3.04	0.18	2.86	0.00	19.45	69.05	0.00	0.00	48.32
080000	4.74	5.26	10.18	5.13	3.66	0.33	2.36	0.15	2.21	0.00	19.44	69.05	0.00	0.00	60.38
090000	4.62	4.72	6.90	2.31	7.04	0.29	2.15	0.11	2.04	0.00	19.40	69.02	0.00	0.00	43.65
100000	4.58	4.04	4.79	0.96	7.32	0.28	2.09	0.11	1.98	0.00	19.39	69.04	0.00	0.00	33.60
110000	4.63	3.81	3.53	0.00	12.88	0.24	2.03	0.10	1.93	0.00	19.43	69.13	0.00	0.00	20.71
120000	5.04	3.76	3.66	0.00	19.21	0.00	1.98	0.08	1.90	0.00	19.74	70.00	0.00	0.00	13.20
130000	5.38	4.58	5.73	1.64	23.10	0.00	1.95	0.10	1.85	0.00	19.95	70.60	0.00	0.00	13.15
140000	5.63	4.14	6.87	2.81	31.37	0.00	1.96	0.14	1.82	0.00	20.10	70.94	0.00	0.00	23.04
150000	6.32	4.52	10.25	5.91	33.60	0.00	1.99	0.18	1.81	0.00	20.19	71.17	0.00	0.00	35.76
160000	6.03	4.14	10.60	6.63	32.47	0.00	2.00	0.21	1.79	0.00	20.21	71.32	0.00	0.00	70.21
170000	5.76	3.96	10.55	6.76	30.72	0.00	2.01	0.22	1.79	0.00	20.25	71.45	0.00	0.00	45.71
180000	5.74	3.71	10.84	7.32	28.50	0.00	2.06	0.23	1.83	0.00	20.25	71.45	0.00	0.00	33.77
190000	5.74	3.64	10.09	6.60	26.93	0.00	2.09	0.23	1.86	0.00	20.22	71.43	0.00	0.00	32.50
200000	5.77	3.58	9.69	6.26	23.32	0.00	2.12	0.23	1.89	0.00	20.19	71.34	0.00	0.00	38.16
210000	5.86	3.71	10.35	6.82	20.73	0.00	2.15	0.25	1.90	0.00	20.21	71.31	0.00	0.00	24.79
220000	6.94	3.58	10.55	7.17	20.03	0.00	2.15	0.27	1.88	0.00	20.10	71.31	0.00	0.00	24.22
230000	6.53	3.59	9.84	6.39	25.01	0.00	2.14	0.24	1.90	0.00	20.03	71.16	0.00	0.00	33.96
極大值	6.94	5.56	12.04	7.32	33.60	0.35	3.04	0.27	2.86	0.00	20.25	71.45	0.00	0.00	70.21
極小值	4.58	3.57	3.53	0.00	2.83	0.00	1.95	0.08	1.79	0.00	19.39	69.02	0.00	0.00	13.15
平均值	5.38	4.14	8.91	4.96	17.18	0.10	2.30	0.18	2.13	0.00	19.80	70.16	0.00	0.00	34.64
標準差	0.66	0.62	2.47	2.37	10.52	0.13	0.36	0.05	0.36	0	0.35	1.05	0	0	13.1

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.72	3.33	8.75	5.53	24.21	0.00	2.20	0.21	1.99	0.00	19.59	70.15	0.00	0.00	23.61
010000	5.10	3.19	3.46	0.45	40.35	0.00	2.18	0.15	2.03	0.00	19.38	69.54	0.00	0.00	29.71
020000	4.78	3.25	3.04	0.00	37.87	0.09	2.17	0.12	2.05	0.00	19.24	69.21	0.00	0.00	24.34
030000	4.62	3.21	2.83	0.00	21.80	0.19	2.16	0.11	2.05	0.00	19.22	69.05	0.00	0.00	23.72
040000	4.55	3.28	3.67	0.67	11.74	0.24	2.21	0.13	2.08	0.00	19.22	69.06	0.00	0.00	22.96
050000	4.64	3.43	5.73	2.35	3.08	0.27	2.49	0.14	2.35	0.00	19.21	69.06	0.00	0.00	21.59
060000	4.61	3.66	6.34	2.79	5.09	0.34	2.54	0.15	2.39	0.00	19.21	69.05	0.00	0.00	20.72
070000	4.58	3.66	5.38	1.87	3.87	0.35	2.28	0.13	2.15	0.00	19.20	69.05	0.00	0.00	22.98
080000	4.55	3.66	4.70	1.16	4.30	0.38	2.17	0.15	2.02	0.00	19.19	69.01	0.00	0.00	22.88
090000	4.60	3.69	4.43	0.88	4.45	0.39	2.12	0.17	1.95	0.00	19.18	68.97	0.00	0.00	27.84
100000	4.53	3.68	5.08	1.48	4.63	0.40	2.09	0.17	1.92	0.00	19.18	68.99	0.00	0.00	21.58
110000	4.57	3.61	4.45	0.93	4.60	0.38	2.08	0.17	1.91	0.00	19.19	69.02	0.00	0.00	28.49
120000	5.01	3.49	4.02	0.64	20.84	0.13	2.04	0.11	1.93	0.00	19.55	69.90	0.00	0.00	31.35
130000	5.47	3.67	4.82	1.20	61.76	0.00	2.04	0.13	1.91	0.00	19.74	70.50	0.00	0.00	36.73
140000	5.47	3.71	4.48	0.81	61.39	0.00	2.04	0.16	1.88	0.00	19.89	70.83	0.00	0.00	48.51
150000	5.71	3.58	5.61	2.08	58.66	0.00	2.03	0.18	1.85	0.00	20.01	71.00	0.00	0.00	42.78
160000	5.92	3.58	6.65	3.17	57.75	0.00	2.03	0.20	1.83	0.00	20.03	71.16	0.00	0.00	44.32
170000	5.90	3.63	7.08	3.55	54.75	0.00	2.02	0.20	1.82	0.00	20.06	71.30	0.00	0.00	42.40
180000	5.76	3.59	8.16	4.70	53.29	0.00	2.03	0.20	1.83	0.00	20.04	71.31	0.00	0.00	43.42
190000	5.71	3.44	7.13	3.77	53.45	0.00	2.05	0.20	1.85	0.00	19.99	71.26	0.00	0.00	40.02
200000	5.66	3.37	5.97	2.69	53.27	0.00	2.05	0.19	1.86	0.00	19.94	71.19	0.00	0.00	41.82
210000	5.50	3.39	5.96	2.66	43.49	0.00	2.06	0.18	1.88	0.00	19.95	71.16	0.00	0.00	44.38
220000	5.48	3.51	8.23	4.84	35.05	0.00	2.12	0.18	1.94	0.00	19.96	71.16	0.00	0.00	29.10
230000	5.50	3.42	9.40	6.13	29.95	0.00	2.27	0.18	2.09	0.00	19.92	71.07	0.00	0.00	22.09
極大值	5.92	3.71	9.40	6.13	61.76	0.40	2.54	0.21	2.39	0.00	20.06	71.31	0.00	0.00	48.51
極小值	4.53	3.19	2.83	0.00	3.08	0.00	2.02	0.11	1.82	0.00	19.18	68.97	0.00	0.00	20.72
平均值	5.16	3.50	5.64	2.26	31.24	0.13	2.14	0.16	1.98	0.00	19.59	70.08	0.00	0.00	31.56
標準差	0.53	0.17	1.81	1.76	22.18	0.16	0.14	0.03	0.15	0	0.37	0.99	0	0	9.42

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.03	3.28	7.15	3.94	32.82	0.00	2.35	0.16	2.19	0.00	19.45	70.01	0.00	0.00	28.44
010000	4.89	3.23	5.77	2.59	30.41	0.00	2.37	0.14	2.23	0.00	19.25	69.39	0.00	0.00	40.70
020000	4.59	3.20	4.24	1.05	31.58	0.16	2.39	0.12	2.27	0.00	19.13	69.07	0.00	0.00	41.76
030000	4.49	3.26	5.24	2.02	27.58	0.22	2.38	0.12	2.26	0.00	19.14	69.07	0.00	0.00	40.09
040000	4.62	3.33	6.49	3.24	17.00	0.26	2.44	0.12	2.32	0.00	19.17	69.08	0.00	0.00	36.28
050000	4.61	3.51	7.84	4.47	6.68	0.30	2.50	0.12	2.38	0.00	19.17	69.06	0.00	0.00	37.63
060000	4.75	4.99	13.03	8.29	4.17	0.41	2.73	0.13	2.60	0.00	19.17	69.05	0.00	0.00	44.48
070000	4.57	4.83	11.23	6.62	7.78	0.45	2.74	0.17	2.57	0.00	19.19	69.05	0.00	0.00	49.24
080000	4.49	3.56	5.02	1.54	6.82	0.41	2.36	0.17	2.19	0.00	19.18	68.99	0.00	0.00	52.31
090000	4.36	3.46	3.73	0.50	6.54	0.41	2.17	0.15	2.02	0.00	19.13	68.91	0.00	0.00	44.92
100000	4.52	3.55	4.23	0.99	5.96	0.43	2.17	0.16	2.01	0.00	19.15	69.02	0.00	0.00	44.39
110000	4.66	3.59	7.06	3.58	27.90	0.50	2.16	0.19	1.97	0.00	19.21	69.14	0.00	0.00	43.59
120000	5.56	3.63	6.20	2.66	72.61	0.16	2.09	0.14	1.95	0.00	19.57	69.99	0.00	0.00	65.39
130000	5.73	3.63	5.06	1.48	57.52	0.00	2.03	0.12	1.91	0.00	19.77	70.57	0.00	0.00	59.91
140000	5.53	3.79	6.09	2.38	52.72	0.00	2.01	0.14	1.87	0.00	19.87	70.85	0.00	0.00	44.40
150000	5.71	3.84	8.06	4.35	48.33	0.00	2.00	0.15	1.85	0.00	19.91	71.02	0.00	0.00	36.08
160000	7.19	4.05	13.85	10.08	43.55	0.00	2.01	0.23	1.78	0.00	19.86	71.13	0.00	0.00	40.99
170000	6.20	3.83	13.41	9.82	37.28	0.00	2.02	0.26	1.76	0.00	19.89	71.22	0.00	0.00	45.71
180000	5.73	3.75	10.88	7.33	33.18	0.00	2.02	0.22	1.80	0.00	19.95	71.31	0.00	0.00	38.95
190000	5.81	3.59	9.55	6.12	33.90	0.00	2.01	0.20	1.81	0.00	19.91	71.25	0.00	0.00	34.76
200000	5.97	3.65	12.66	9.26	26.60	0.00	2.10	0.22	1.88	0.00	19.91	71.25	0.00	0.00	34.83
210000	5.65	3.71	11.20	7.69	25.95	0.00	2.16	0.22	1.94	0.00	19.87	71.23	0.00	0.00	37.92
220000	5.58	3.63	11.18	7.77	24.12	0.00	2.20	0.21	1.99	0.00	19.86	71.19	0.00	0.00	42.63
230000	5.55	3.72	11.75	8.23	18.97	0.00	2.30	0.20	2.10	0.00	19.81	71.09	0.00	0.00	37.69
極大值	7.19	4.99	13.85	10.08	72.61	0.50	2.74	0.26	2.60	0.00	19.95	71.31	0.00	0.00	65.39
極小值	4.36	3.20	3.73	0.50	4.17	0.00	2.00	0.12	1.76	0.00	19.13	68.91	0.00	0.00	28.44
平均值	5.24	3.69	8.37	4.83	28.33	0.15	2.24	0.17	2.07	0.00	19.52	70.08	0.00	0.00	42.63
標準差	0.71	0.43	3.3	3.11	17.89	0.19	0.22	0.04	0.24	0	0.35	1	0	0	8.04

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.12	3.07	5.08	1.78	15.93	0.56	2.26	0.27	1.99	27.46	24.00	72.00	40.92	9.70	28.40
010000	3.10	3.12	5.15	1.82	15.78	0.55	2.18	0.26	1.92	27.35	46.91	131.21	38.61	9.64	948.88
020000	3.03	3.15	5.06	1.69	15.76	0.55	2.45	0.26	2.19	27.15	25.37	75.54	55.04	8.06	81.35
030000	3.13	3.13	5.16	1.80	16.53	0.53	2.44	0.25	2.19	27.00	24.00	72.00	61.98	8.35	20.45
040000	3.04	3.19	5.19	1.78	17.69	0.52	2.17	0.24	1.93	26.76	24.00	72.00	55.66	10.09	17.82
050000	3.09	3.09	5.15	1.84	16.62	0.52	2.34	0.23	2.11	26.77	24.00	72.00	49.09	7.22	19.12
060000	3.11	3.12	5.17	1.80	15.51	0.53	2.52	0.23	2.29	26.94	24.00	72.00	47.91	8.95	23.54
070000	3.11	3.15	5.21	1.83	15.60	0.56	2.44	0.25	2.19	27.12	46.96	131.37	54.30	10.63	950.36
080000	3.31	3.16	5.14	1.76	14.51	0.61	2.53	0.28	2.25	27.46	48.19	134.54	55.11	7.05	1000.00
090000	7.82	3.07	5.03	1.73	14.67	0.59	2.54	0.26	2.28	27.96	48.19	134.55	102.50	3.82	1000.00
100000	7.89	3.17	5.20	1.78	16.17	0.61	2.57	0.27	2.30	29.90	24.86	74.23	217.23	2.63	64.78
110000	7.81	3.17	5.17	1.77	30.54	0.57	2.26	0.36	1.90	31.24	24.00	72.00	255.74	4.19	36.62
120000	7.80	3.18	5.16	1.76	37.94	0.54	2.18	0.25	1.93	31.57	24.00	72.00	262.30	7.27	36.27
130000	7.82	3.19	5.18	1.78	39.13	0.55	2.24	0.21	2.03	31.30	24.00	72.00	273.23	7.17	21.63
140000	7.81	3.20	5.17	1.74	41.43	0.60	2.23	0.21	2.02	30.90	24.00	72.00	254.27	4.04	23.09
150000	7.79	3.20	5.17	1.75	40.36	0.56	2.07	0.22	1.85	30.11	24.00	72.00	60.33	13.52	32.75
160000	7.73	3.18	5.25	1.85	34.59	0.55	2.07	0.22	1.85	29.57	24.00	72.00	28.94	10.34	35.38
170000	7.81	3.17	5.13	1.76	27.47	0.59	2.38	0.26	2.12	29.52	24.00	72.00	74.02	5.90	21.75
180000	7.81	3.14	5.13	1.77	26.17	0.58	2.42	0.27	2.15	29.25	24.00	72.00	81.25	5.39	21.09
190000	7.88	3.19	5.15	1.75	23.65	0.58	2.36	0.27	2.09	28.68	24.00	72.00	87.49	5.64	24.53
200000	7.85	3.20	5.16	1.75	24.22	0.57	2.36	0.29	2.07	28.15	24.00	72.00	49.97	10.11	25.21
210000	7.89	3.19	5.18	1.77	25.39	0.56	2.43	0.29	2.14	27.62	24.00	72.00	32.19	12.49	25.69
220000	7.79	3.18	5.17	1.77	24.07	0.55	2.43	0.26	2.17	27.29	24.00	72.00	60.00	10.07	21.07
230000	7.76	3.11	5.14	1.82	23.96	0.54	2.40	0.25	2.15	27.06	24.00	72.00	62.76	7.86	17.87
極大值	7.89	3.20	5.25	1.85	41.43	0.61	2.57	0.36	2.30	31.57	48.19	134.55	273.23	13.52	1000.00
極小值	3.03	3.07	5.03	1.69	14.51	0.52	2.07	0.21	1.85	26.76	24.00	72.00	28.94	2.63	17.82
平均值	6.05	3.16	5.15	1.78	23.90	0.56	2.34	0.26	2.09	28.51	28.02	82.39	98.37	7.92	187.40
標準差	2.33	0.04	0.05	0.04	9.09	0.03	0.14	0.03	0.14	1.62	8.94	23.11	82.91	2.79	360.16

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.78	3.14	5.18	1.80	22.09	0.54	2.36	0.26	2.10	27.02	24.00	72.00	60.52	5.55	22.10
010000	7.82	3.19	5.21	1.81	21.65	0.54	2.33	0.25	2.08	26.89	46.95	131.32	62.54	6.52	950.29
020000	7.78	3.19	5.19	1.78	21.92	0.53	2.43	0.26	2.17	26.76	25.21	75.13	42.16	9.04	74.70
030000	7.85	3.08	5.13	1.84	21.74	0.53	2.53	0.25	2.28	26.59	24.00	72.00	30.01	8.96	22.06
040000	7.79	3.15	5.19	1.80	20.24	0.53	2.56	0.25	2.31	26.58	24.00	72.00	37.92	7.94	20.00
050000	7.82	3.11	5.11	1.76	19.29	0.54	2.51	0.24	2.27	26.62	24.00	72.00	35.55	8.68	25.77
060000	7.81	3.10	5.21	1.88	17.76	0.56	2.57	0.25	2.32	26.75	24.00	72.00	37.66	8.19	24.59
070000	7.85	3.08	5.17	1.88	16.26	0.59	2.53	0.26	2.27	27.05	24.00	72.00	27.66	7.66	25.26
080000	7.74	3.21	5.20	1.77	15.82	0.62	2.66	0.27	2.39	27.50	24.00	72.00	39.32	6.51	32.16
090000	7.82	3.15	5.18	1.84	15.29	0.67	2.61	0.31	2.30	27.77	24.00	72.00	55.07	8.75	39.54
100000	7.79	3.13	5.19	1.84	16.78	0.66	2.41	0.34	2.07	27.92	24.00	72.00	77.67	7.87	42.74
110000	7.80	3.19	5.17	1.76	21.45	0.61	2.42	0.29	2.13	28.54	24.00	72.00	74.09	9.00	48.27
120000	7.78	3.22	5.20	1.75	29.45	0.59	2.30	0.25	2.05	30.07	24.00	72.00	75.73	7.72	39.89
130000	7.85	3.20	5.25	1.86	35.37	0.57	2.28	0.24	2.04	30.92	24.00	72.00	103.64	5.95	31.99
140000	7.69	3.19	5.20	1.81	39.82	0.62	2.30	0.25	2.05	30.94	24.00	72.00	277.52	6.35	29.31
150000	7.75	3.16	5.09	1.74	42.35	0.66	2.39	0.28	2.11	30.14	24.00	72.00	295.31	9.87	45.89
160000	7.73	3.22	5.22	1.79	33.52	0.70	2.51	0.35	2.16	29.82	24.00	72.00	217.50	5.76	56.29
170000	7.77	3.26	5.22	1.74	26.39	0.68	2.51	0.33	2.18	29.48	24.00	72.00	70.94	4.70	59.43
180000	7.74	3.18	5.16	1.78	24.20	0.64	2.50	0.32	2.18	29.14	24.00	72.00	109.07	3.81	50.06
190000	7.70	3.25	5.26	1.81	20.59	0.63	2.54	0.33	2.21	28.90	24.00	72.00	99.44	1.27	50.17
200000	7.72	3.15	5.11	1.77	17.80	0.64	2.96	0.36	2.60	28.83	24.00	72.00	94.62	0.58	52.29
210000	7.71	3.18	5.15	1.77	16.51	0.65	2.97	0.38	2.59	28.71	24.00	72.00	90.91	1.47	56.58
220000	7.73	3.17	5.18	1.78	17.20	0.68	3.27	0.37	2.90	28.71	24.00	72.00	36.66	2.74	56.11
230000	7.58	3.19	5.17	1.75	16.73	0.67	3.16	0.35	2.81	28.73	24.00	72.00	109.37	3.31	54.44
極大值	7.85	3.26	5.26	1.88	42.35	0.70	3.27	0.38	2.90	30.94	46.95	131.32	295.31	9.87	950.29
極小值	7.58	3.08	5.09	1.74	15.29	0.53	2.28	0.24	2.04	26.58	24.00	72.00	27.66	0.58	20.00
平均值	7.77	3.17	5.18	1.80	22.93	0.61	2.57	0.29	2.27	28.35	25.01	74.60	90.04	6.18	79.58
標準差	0.06	0.05	0.04	0.04	7.73	0.06	0.26	0.05	0.23	1.41	4.68	12.1	72.84	2.73	186.04

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.52	3.09	5.12	1.81	14.35	0.73	3.53	0.41	3.12	28.33	24.00	72.00	28.65	8.41	46.80
010000	7.62	3.11	5.13	1.81	15.41	0.73	3.43	0.40	3.03	28.19	46.96	131.36	34.66	8.07	951.51
020000	7.55	3.15	5.13	1.74	15.88	0.70	3.42	0.38	3.04	28.17	25.23	75.18	31.00	6.30	109.92
030000	7.57	3.15	5.18	1.81	15.73	0.68	3.10	0.36	2.74	28.18	24.00	72.00	163.94	3.26	61.52
040000	7.62	3.13	5.16	1.81	14.33	0.67	3.19	0.30	2.89	28.26	24.00	72.00	69.77	4.28	54.50
050000	7.71	3.15	5.14	1.80	12.94	0.67	3.53	0.28	3.25	28.13	24.00	72.00	162.55	1.72	50.41
060000	7.63	3.13	5.16	1.82	11.86	0.67	3.01	-0.19	3.20	28.27	24.00	72.00	99.55	1.91	51.15
070000	7.64	3.12	5.18	1.82	12.85	0.70	0.09	0.09	0.00	28.66	24.00	72.00	146.85	0.70	55.58
080000	7.66	3.15	5.18	1.81	15.31	0.72	0.09	0.09	0.00	29.04	24.00	72.00	36.19	5.39	63.01
090000	7.67	3.14	5.13	1.77	21.44	0.68	0.09	0.09	0.00	29.57	24.00	72.00	114.31	3.69	69.75
100000	7.65	3.11	5.15	1.83	21.25	0.81	0.09	0.09	0.00	30.16	24.00	72.00	163.78	2.21	69.62
110000	7.67	3.20	5.19	1.79	22.26	0.95	0.09	0.09	0.00	30.50	24.00	72.00	194.58	2.40	78.38
120000	7.64	3.20	5.19	1.79	25.77	0.95	0.09	0.09	0.00	30.55	24.00	72.00	259.46	3.73	92.02
130000	7.66	3.19	5.23	1.85	27.91	0.76	0.09	0.09	0.00	30.57	24.00	72.00	196.71	3.25	65.12
140000	7.54	3.15	5.15	1.79	28.72	0.83	0.09	0.09	0.00	30.54	24.00	72.00	161.65	2.39	55.73
150000	7.59	3.25	5.23	1.76	27.63	0.90	0.09	0.09	0.00	30.90	24.00	72.00	221.13	0.79	58.58
160000	7.60	3.20	5.17	1.77	32.80	0.75	0.09	0.09	0.00	30.73	24.00	72.00	268.06	4.97	59.47
170000	7.56	3.18	5.19	1.82	36.28	0.71	0.09	0.09	0.00	30.14	24.00	72.00	283.46	6.28	80.01
180000	7.64	3.16	5.12	1.74	33.07	0.67	0.09	0.09	0.00	29.59	24.00	72.00	277.11	5.16	56.27
190000	7.65	3.21	5.20	1.81	30.16	0.62	0.09	0.09	0.00	29.45	24.00	72.00	265.06	3.02	46.75
200000	7.58	3.24	5.25	1.81	32.02	0.52	0.09	0.09	0.00	29.39	24.00	72.00	318.96	6.35	26.90
210000	7.60	3.15	5.14	1.78	27.10	0.53	0.09	0.09	0.00	28.85	24.00	72.00	201.41	0.56	15.11
220000	7.59	3.16	5.18	1.80	20.35	0.58	0.09	0.09	0.00	28.20	24.00	72.00	63.35	4.84	20.95
230000	7.46	3.14	5.17	1.80	19.49	0.66	0.09	0.09	0.00	28.21	24.00	72.00	38.63	8.52	30.52
極大值	7.71	3.25	5.25	1.85	36.28	0.95	3.53	0.41	3.25	30.90	46.96	131.36	318.96	8.52	951.51
極小值	7.46	3.09	5.12	1.74	11.86	0.52	0.09	-0.19	0.00	28.13	24.00	72.00	28.65	0.56	15.11
平均值	7.61	3.16	5.17	1.80	22.29	0.72	1.03	0.14	0.89	29.27	25.01	74.61	158.37	4.09	94.57
標準差	0.06	0.04	0.04	0.03	7.58	0.11	1.5	0.14	1.41	1.01	4.68	12.11	92.75	2.38	183.77

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.52	3.09	5.15	1.85	22.07	0.68	0.09	0.09	0.00	28.23	24.00	72.00	55.70	5.19	40.66
010000	7.57	3.15	5.23	1.86	22.30	0.66	0.09	0.09	0.00	28.36	46.93	131.22	61.25	4.58	951.25
020000	7.60	3.14	5.17	1.80	18.58	0.68	0.09	0.09	0.00	28.20	25.23	75.18	80.06	3.71	91.09
030000	7.50	3.14	5.10	1.74	14.57	0.69	0.09	0.09	0.00	27.86	24.00	72.00	51.59	4.42	43.76
040000	7.61	3.14	5.15	1.78	13.97	0.69	0.09	0.09	0.00	27.71	24.00	72.00	157.36	3.03	44.30
050000	7.59	3.18	5.20	1.80	12.79	0.70	0.09	0.09	0.00	27.46	24.00	72.00	90.62	4.59	39.22
060000	7.53	3.14	5.19	1.86	18.24	0.64	0.09	0.09	0.00	28.00	24.00	72.00	50.24	6.57	34.04
070000	7.57	3.10	5.14	1.82	15.31	0.70	0.09	0.09	0.00	28.84	24.00	72.00	28.32	7.18	17.48
080000	7.57	3.12	5.14	1.79	25.35	0.68	0.09	0.09	0.00	30.32	46.43	129.91	45.14	9.12	947.30
090000	7.55	3.13	5.15	1.79	37.16	0.60	0.09	0.09	0.00	31.39	48.16	134.39	84.70	4.92	1000.00
100000	7.58	3.19	5.13	1.70	39.37	0.59	0.09	0.09	0.00	31.95	48.16	134.42	126.14	2.62	1000.00
110000	7.52	3.21	5.15	1.72	42.48	0.60	0.09	0.09	0.00	31.74	48.19	134.59	282.10	5.88	1000.00
120000	7.66	3.23	5.21	1.76	43.59	0.65	0.09	0.09	0.00	31.41	48.20	134.62	295.31	8.73	1000.00
130000	7.63	3.20	5.21	1.79	45.08	0.63	0.09	0.09	0.00	31.79	48.20	134.62	289.39	9.18	1000.00
140000	7.62	3.24	5.25	1.79	45.18	0.63	0.09	0.09	0.00	31.46	48.19	134.58	286.69	11.81	1000.00
150000	7.67	3.21	5.19	1.78	45.48	0.55	0.09	0.09	0.00	30.73	48.19	134.57	289.35	9.65	1000.00
160000	7.68	3.21	5.22	1.79	39.51	0.58	0.09	0.09	0.00	30.64	48.19	134.57	287.65	6.77	1000.00
170000	7.56	3.20	5.19	1.77	38.07	0.56	0.09	0.09	0.00	30.40	48.18	134.53	252.93	3.52	1000.00
180000	7.62	3.19	5.18	1.78	40.32	0.56	0.09	0.09	0.00	30.10	48.18	134.50	231.26	1.51	1000.00
190000	7.54	3.21	5.21	1.80	37.73	0.55	0.09	0.09	0.00	29.91	48.16	134.40	115.43	2.73	1000.00
200000	7.60	3.17	5.14	1.76	28.82	0.57	0.09	0.09	0.00	29.43	48.17	134.43	160.87	0.67	1000.00
210000	7.60	3.10	5.16	1.85	21.95	0.59	0.09	0.09	0.00	29.47	48.16	134.39	118.79	2.03	1000.00
220000	7.57	3.12	5.14	1.81	22.68	0.62	0.09	0.09	0.00	29.31	48.18	134.50	212.84	0.26	1000.00
230000	7.53	3.13	5.20	1.81	23.78	0.60	0.09	0.09	0.00	29.34	48.17	134.45	173.42	2.29	1000.00
極大值	7.68	3.24	5.25	1.86	45.48	0.70	0.09	0.09	0.00	31.95	48.20	134.62	295.31	11.81	1000.00
極小值	7.50	3.09	5.10	1.70	12.79	0.55	0.09	0.09	0.00	27.46	24.00	72.00	28.32	0.26	17.48
平均值	7.58	3.16	5.18	1.79	29.77	0.62	0.09	0.09	0.00	29.75	41.05	116.08	159.46	5.04	717.05
標準差	0.05	0.04	0.04	0.04	11.56	0.05	0	0	0	1.45	11.07	28.62	96.1	3.07	441.31

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.53	3.10	5.17	1.85	21.92	0.60	0.09	0.09	0.00	29.20	48.16	134.40	123.21	0.70	1000.00
010000	7.49	3.13	5.16	1.82	21.99	0.62	0.09	0.09	0.00	29.26	48.15	134.33	80.47	5.11	1000.00
020000	7.42	3.15	5.12	1.75	18.53	0.64	0.09	0.09	0.00	29.02	48.15	134.31	56.12	6.79	1000.00
030000	7.54	3.10	5.06	1.71	20.88	0.60	0.09	0.09	0.00	29.07	48.15	134.29	25.01	9.86	1000.00
040000	7.61	3.15	5.22	1.83	18.43	0.60	0.09	0.09	0.00	28.96	48.16	134.40	149.32	2.69	1000.00
050000	7.39	3.14	5.15	1.78	17.13	0.61	0.09	0.09	0.00	28.87	48.16	134.37	125.83	2.32	1000.00
060000	7.58	3.11	5.11	1.79	14.11	0.63	0.09	0.09	0.00	28.90	48.16	134.37	143.85	0.14	1000.00
070000	7.52	3.17	5.15	1.75	16.03	0.65	0.09	0.09	0.00	29.33	48.16	134.36	113.86	0.61	1000.00
080000	7.48	3.16	5.21	1.83	18.89	0.62	0.09	0.09	0.00	29.66	48.15	134.29	55.87	4.57	1000.00
090000	7.60	3.12	5.13	1.79	21.93	0.60	0.09	0.09	0.00	30.38	48.16	134.36	119.19	3.21	1000.00
100000	7.50	3.14	5.17	1.79	31.95	0.59	0.09	0.09	0.00	31.98	48.18	134.51	264.31	4.77	1000.00
110000	7.59	3.19	5.18	1.77	40.27	0.59	0.09	0.09	0.00	31.44	48.18	134.54	287.71	7.39	1000.00
120000	7.60	3.20	5.20	1.80	48.58	0.70	0.09	0.09	0.00	31.69	48.18	134.54	279.52	5.77	1000.00
130000	7.61	3.22	5.26	1.85	49.54	0.83	0.09	0.09	0.00	32.48	48.18	134.51	255.05	4.60	1000.00
140000	7.59	3.24	5.21	1.76	55.17	0.79	0.09	0.09	0.00	32.27	48.18	134.54	289.50	9.01	1000.00
150000	7.57	3.18	5.20	1.79	53.93	0.70	0.09	0.09	0.00	31.57	48.19	134.55	292.32	11.01	1000.00
160000	7.62	3.17	5.13	1.77	47.85	0.70	0.09	0.09	0.00	31.63	48.18	134.54	287.02	8.65	1000.00
170000	7.62	3.12	5.18	1.86	46.74	0.68	0.09	0.09	0.00	31.12	48.18	134.52	266.05	6.69	1000.00
180000	7.58	3.21	5.18	1.75	37.79	0.64	0.09	0.09	0.00	30.42	48.15	134.32	43.65	9.46	1000.00
190000	7.59	3.18	5.22	1.83	32.43	0.63	0.09	0.09	0.00	29.90	48.15	134.30	40.12	8.81	1000.00
200000	7.67	3.20	5.19	1.78	25.41	0.63	0.09	0.09	0.00	29.71	48.17	134.46	216.47	0.71	1000.00
210000	7.57	3.16	5.19	1.81	24.69	0.62	0.09	0.09	0.00	29.66	48.15	134.35	106.28	1.86	1000.00
220000	7.50	3.18	5.16	1.75	22.65	0.63	0.09	0.09	0.00	29.66	48.14	134.28	27.23	4.18	1000.00
230000	7.49	3.21	5.21	1.78	21.51	0.64	0.09	0.09	0.00	29.49	48.15	134.29	39.75	5.75	1000.00
極大值	7.67	3.24	5.26	1.86	55.17	0.83	0.09	0.09	0.00	32.48	48.19	134.55	292.32	11.01	1000.00
極小值	7.39	3.10	5.06	1.71	14.11	0.59	0.09	0.09	0.00	28.87	48.14	134.28	25.01	0.14	1000.00
平均值	7.55	3.16	5.17	1.79	30.35	0.65	0.09	0.09	0.00	30.24	48.16	134.41	153.65	5.19	1000.00
標準差	0.07	0.04	0.04	0.04	13.45	0.06	0	0	0	1.2	0.01	0.1	100.03	3.24	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.51	3.15	5.16	1.80	19.88	0.65	0.09	0.09	0.00	29.41	48.15	134.29	42.76	4.89	1000.00
010000	7.55	3.12	5.08	1.74	19.89	0.65	0.09	0.09	0.00	29.26	48.15	134.31	59.12	8.50	1000.00
020000	7.52	3.21	5.16	1.74	20.38	0.63	0.09	0.09	0.00	28.80	48.14	134.28	50.86	9.57	1000.00
030000	7.57	3.14	5.14	1.78	20.20	0.62	0.09	0.09	0.00	28.96	48.15	134.29	51.23	7.65	1000.00
040000	7.61	3.15	5.13	1.76	17.77	0.62	0.09	0.09	0.00	28.93	48.14	134.27	50.23	6.99	1000.00
050000	7.50	3.20	5.16	1.74	17.02	0.63	0.09	0.09	0.00	28.91	48.14	134.27	42.31	8.46	1000.00
060000	7.61	3.09	5.07	1.75	14.74	0.64	0.09	0.09	0.00	29.01	48.14	134.28	38.19	5.16	1000.00
070000	7.63	3.15	5.20	1.81	14.75	0.67	0.09	0.09	0.00	29.54	48.16	134.40	185.23	0.40	1000.00
080000	7.60	3.16	5.15	1.76	16.32	0.68	0.09	0.09	0.00	30.10	48.15	134.31	95.42	4.14	1000.00
090000	7.68	3.15	5.18	1.81	25.30	0.67	0.09	0.09	0.00	31.24	48.14	134.26	30.54	9.03	1000.00
100000	7.69	3.10	5.11	1.79	36.91	0.67	0.09	0.09	0.00	32.36	48.16	134.38	156.16	3.66	1000.00
110000	7.69	3.14	5.16	1.78	42.46	0.75	0.09	0.09	0.00	32.69	48.17	134.44	205.94	3.65	1000.00
120000	7.77	3.20	5.21	1.79	48.42	0.86	0.09	0.09	0.00	32.80	48.18	134.52	277.11	9.60	1000.00
130000	7.77	3.22	5.24	1.82	61.31	0.86	0.09	0.09	0.00	32.09	48.18	134.53	278.55	13.37	1000.00
140000	7.87	3.19	5.23	1.82	59.96	0.80	0.09	0.09	0.00	32.09	48.18	134.52	284.03	12.60	1000.00
150000	7.83	3.23	5.21	1.78	55.43	0.69	0.09	0.09	0.00	32.20	48.18	134.52	280.87	11.40	1000.00
160000	7.91	3.25	5.24	1.78	51.67	0.64	0.09	0.09	0.00	31.81	48.18	134.51	271.03	10.74	1000.00
170000	7.86	3.19	5.20	1.82	49.58	0.61	0.09	0.09	0.00	31.14	48.18	134.51	275.97	9.43	1000.00
180000	7.70	3.19	5.26	1.86	47.35	0.58	0.09	0.09	0.00	30.74	48.18	134.52	283.95	8.00	1000.00
190000	7.81	3.19	5.20	1.81	46.18	0.57	0.09	0.09	0.00	30.59	48.18	134.53	289.06	7.54	1000.00
200000	7.73	3.21	5.16	1.75	40.95	0.57	0.09	0.09	0.00	30.54	48.18	134.54	298.47	4.60	1000.00
210000	7.68	3.24	5.23	1.77	41.39	0.58	0.09	0.09	0.00	30.42	48.18	134.50	250.45	4.79	1000.00
220000	7.68	3.13	5.13	1.77	32.75	0.59	0.09	0.09	0.00	29.84	48.16	134.37	109.09	8.37	1000.00
230000	7.64	3.11	5.12	1.78	32.82	0.61	0.09	0.09	0.00	29.56	48.15	134.31	39.82	13.19	1000.00
極大值	7.91	3.25	5.26	1.86	61.31	0.86	0.09	0.09	0.00	32.80	48.18	134.54	298.47	13.37	1000.00
極小值	7.50	3.09	5.07	1.74	14.74	0.57	0.09	0.09	0.00	28.80	48.14	134.26	30.54	0.40	1000.00
平均值	7.68	3.17	5.17	1.78	34.73	0.66	0.09	0.09	0.00	30.54	48.16	134.40	164.43	7.74	1000.00
標準差	0.12	0.04	0.05	0.03	15.6	0.08	0	0	0	1.35	0.02	0.11	108.66	3.33	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.61	3.09	5.16	1.84	32.20	0.61	0.09	0.09	0.00	29.61	48.15	134.27	27.32	10.53	1000.00
010000	7.54	3.14	5.12	1.75	26.99	0.60	0.09	0.09	0.00	29.53	48.16	134.40	166.62	1.23	1000.00
020000	7.55	3.13	5.21	1.86	22.81	0.61	0.09	0.09	0.00	29.43	48.15	134.33	100.12	4.87	1000.00
030000	7.64	3.13	5.20	1.84	19.88	0.62	0.09	0.09	0.00	29.41	48.16	134.37	144.99	3.46	1000.00
040000	7.65	3.14	5.16	1.83	20.75	0.66	0.09	0.09	0.00	29.44	48.15	134.31	52.77	8.54	1000.00
050000	7.67	3.16	5.14	1.76	18.37	0.67	0.09	0.09	0.00	29.38	48.14	134.27	27.67	8.25	1000.00
060000	7.64	3.11	5.12	1.79	15.28	0.67	0.09	0.09	0.00	29.54	48.15	134.33	90.77	2.79	1000.00
070000	7.70	3.14	5.19	1.84	17.36	0.72	0.09	0.09	0.00	30.84	48.15	134.33	119.15	1.56	1000.00
080000	7.70	3.18	5.22	1.79	29.18	0.65	0.09	0.09	0.00	32.11	48.15	134.30	64.75	4.19	1000.00
090000	7.70	3.20	5.18	1.76	37.75	0.67	0.09	0.09	0.00	33.28	48.16	134.37	152.09	3.51	1000.00
100000	7.68	3.10	5.19	1.85	42.65	0.65	0.09	0.09	0.00	33.65	48.17	134.45	201.69	5.18	1000.00
110000	7.86	3.07	5.14	1.84	51.29	0.58	0.09	0.09	0.00	33.11	48.19	134.58	293.33	12.89	1000.00
120000	7.83	3.21	5.23	1.84	52.59	0.59	0.09	0.09	0.00	32.91	48.19	134.56	292.38	13.02	1000.00
130000	7.87	3.21	5.25	1.83	46.51	0.63	0.09	0.09	0.00	32.81	48.18	134.53	288.14	11.70	1000.00
140000	7.87	3.19	5.17	1.78	44.45	0.66	0.09	0.09	0.00	32.89	48.18	134.54	285.82	11.56	1000.00
150000	7.79	3.17	5.26	1.89	49.84	0.66	0.09	0.09	0.00	32.46	48.18	134.52	288.41	11.28	1000.00
160000	7.90	3.23	5.17	1.73	49.61	0.72	0.09	0.09	0.00	32.00	48.18	134.54	299.27	9.79	1000.00
170000	7.83	3.24	5.19	1.75	43.78	0.76	0.09	0.09	0.00	31.69	48.18	134.53	287.12	8.48	1000.00
180000	7.89	3.20	5.23	1.82	34.21	0.70	0.09	0.09	0.00	31.45	48.18	134.52	278.97	5.17	1000.00
190000	7.77	3.19	5.18	1.77	28.42	0.74	0.09	0.09	0.00	31.40	48.17	134.44	165.93	1.66	1000.00
200000	7.90	3.20	5.19	1.79	26.97	0.71	0.09	0.09	0.00	31.25	48.16	134.36	98.85	0.78	1000.00
210000	7.79	3.16	5.17	1.80	28.06	0.64	0.09	0.09	0.00	30.94	48.18	134.48	226.07	0.07	1000.00
220000	7.78	3.12	5.16	1.83	32.52	0.60	0.09	0.09	0.00	30.79	48.19	134.54	260.26	0.19	1000.00
230000	7.70	3.12	5.11	1.74	26.64	0.60	0.09	0.09	0.00	30.71	48.17	134.43	157.24	0.07	1000.00
極大值	7.90	3.24	5.26	1.89	52.59	0.76	0.09	0.09	0.00	33.65	48.19	134.58	299.27	13.02	1000.00
極小值	7.54	3.07	5.11	1.73	15.28	0.58	0.09	0.09	0.00	29.38	48.14	134.27	27.32	0.07	1000.00
平均值	7.74	3.16	5.18	1.80	33.25	0.66	0.09	0.09	0.00	31.28	48.17	134.43	182.07	5.87	1000.00
標準差	0.11	0.05	0.04	0.04	11.79	0.05	0	0	0	1.43	0.02	0.1	95.11	4.48	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.66	3.16	5.19	1.80	21.82	0.60	0.09	0.09	0.00	30.54	48.17	134.43	175.86	2.01	1000.00
010000	7.71	3.16	5.20	1.82	22.79	0.61	0.09	0.09	0.00	30.45	48.16	134.36	88.00	5.13	1000.00
020000	7.62	3.13	5.16	1.79	22.82	0.64	0.09	0.09	0.00	30.43	48.16	134.34	69.85	5.59	1000.00
030000	7.65	3.15	5.15	1.76	19.02	0.63	0.09	0.09	0.00	30.08	48.18	134.45	185.28	1.47	1000.00
040000	7.59	3.12	5.18	1.82	18.25	0.63	0.09	0.09	0.00	29.76	48.17	134.36	91.38	3.20	1000.00
050000	7.67	3.12	5.10	1.74	13.91	0.62	0.09	0.09	0.00	29.44	48.18	134.45	192.10	1.25	1000.00
060000	7.66	3.11	5.13	1.79	13.07	0.68	0.09	0.09	0.00	29.66	48.17	134.37	95.79	2.14	1000.00
070000	7.78	3.14	5.22	1.86	14.54	0.70	0.09	0.09	0.00	30.68	48.16	134.30	66.72	5.21	1000.00
080000	7.83	3.18	5.15	1.75	26.11	0.66	0.09	0.09	0.00	32.06	48.16	134.31	71.80	4.79	1000.00
090000	7.86	3.13	5.14	1.77	37.81	0.60	0.09	0.09	0.00	32.89	48.16	134.30	59.48	8.44	1000.00
100000	7.74	3.09	5.09	1.77	44.17	0.59	0.09	0.09	0.00	33.57	48.17	134.42	163.26	6.80	1000.00
110000	7.93	3.18	5.15	1.76	53.08	0.61	0.09	0.09	0.00	33.27	48.19	134.58	287.94	12.10	1000.00
120000	7.93	3.22	5.16	1.75	58.33	0.61	0.09	0.09	0.00	33.35	48.19	134.55	291.61	14.83	1000.00
130000	7.97	3.27	5.25	1.79	52.01	0.60	0.09	0.09	0.00	32.43	48.19	134.54	293.77	15.11	1000.00
140000	7.84	3.20	5.19	1.79	50.05	0.59	0.09	0.09	0.00	32.11	48.18	134.51	278.06	15.72	1000.00
150000	7.94	3.26	5.26	1.79	52.76	0.59	0.09	0.09	0.00	31.78	48.18	134.50	266.74	13.62	1000.00
160000	7.85	3.24	5.17	1.72	54.83	0.59	0.09	0.09	0.00	31.65	48.18	134.51	273.79	13.84	1000.00
170000	7.96	3.22	5.23	1.81	53.22	0.60	0.09	0.09	0.00	31.55	48.18	134.51	281.84	11.65	1000.00
180000	7.96	3.17	5.16	1.80	49.16	0.61	0.09	0.09	0.00	31.10	48.19	134.53	282.32	7.64	1000.00
190000	7.92	3.13	5.22	1.87	49.64	0.59	0.09	0.09	0.00	31.00	48.19	134.56	299.82	6.36	1000.00
200000	7.85	3.19	5.21	1.79	41.99	0.60	0.09	0.09	0.00	30.76	48.19	134.54	275.64	3.11	1000.00
210000	7.78	3.13	5.14	1.79	40.30	0.62	0.09	0.09	0.00	30.79	48.19	134.55	281.75	2.03	1000.00
220000	7.83	3.19	5.17	1.75	38.86	0.62	0.09	0.09	0.00	30.72	48.19	134.52	231.02	0.18	1000.00
230000	7.79	3.10	5.13	1.79	29.91	0.61	0.09	0.09	0.00	30.54	48.16	134.33	57.13	0.07	1000.00
極大值	7.97	3.27	5.26	1.87	58.33	0.70	0.09	0.09	0.00	33.57	48.19	134.58	299.82	15.72	1000.00
極小值	7.59	3.09	5.09	1.72	13.07	0.59	0.09	0.09	0.00	29.44	48.16	134.30	57.13	0.07	1000.00
平均值	7.80	3.17	5.17	1.79	36.60	0.62	0.09	0.09	0.00	31.28	48.18	134.45	194.21	6.76	1000.00
標準差	0.12	0.05	0.04	0.03	15.35	0.03	0	0	0	1.19	0.01	0.09	94.55	5.18	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.82	3.10	5.14	1.79	26.96	0.60	0.09	0.09	0.00	30.52	48.16	134.30	37.67	3.88	1000.00
010000	7.78	3.12	5.10	1.75	25.65	0.59	0.09	0.09	0.00	30.48	48.16	134.33	71.34	2.02	1000.00
020000	7.75	3.10	5.07	1.76	25.52	0.59	0.09	0.09	0.00	30.44	48.16	134.33	75.38	8.26	1000.00
030000	7.75	3.09	5.10	1.77	27.93	0.63	0.09	0.09	0.00	30.09	48.17	134.39	136.22	4.91	1000.00
040000	7.87	3.12	5.16	1.82	24.25	0.61	0.09	0.09	0.00	29.60	48.16	134.33	96.57	2.32	1000.00
050000	7.75	3.16	5.14	1.75	25.29	0.59	0.09	0.09	0.00	29.33	48.17	134.41	162.34	1.74	1000.00
060000	7.95	3.15	5.19	1.79	23.66	0.61	0.09	0.09	0.00	29.41	48.19	134.55	297.29	1.65	1000.00
070000	7.88	3.11	5.12	1.76	22.24	0.65	0.09	0.09	0.00	30.66	48.17	134.41	146.71	2.15	1000.00
080000	7.78	3.16	5.14	1.76	28.33	0.66	0.09	0.09	0.00	31.83	48.16	134.31	46.24	6.71	1000.00
090000	7.97	3.13	5.15	1.79	37.32	0.64	0.09	0.09	0.00	32.87	48.16	134.32	79.03	6.57	1000.00
100000	7.94	3.09	5.13	1.81	42.43	0.62	0.09	0.09	0.00	33.15	48.18	134.45	194.49	7.75	1000.00
110000	7.94	3.15	5.13	1.76	47.12	0.59	0.09	0.09	0.00	32.50	48.19	134.56	290.87	11.95	1000.00
120000	8.05	3.19	5.22	1.80	49.53	0.59	0.09	0.09	0.00	32.53	48.19	134.56	292.76	12.82	1000.00
130000	8.05	3.23	5.18	1.74	40.89	0.61	0.09	0.09	0.00	31.99	48.19	134.55	295.28	10.64	1000.00
140000	8.03	3.18	5.15	1.77	30.11	0.60	0.09	0.09	0.00	31.68	48.19	134.54	285.50	9.32	1000.00
150000	8.05	3.21	5.22	1.76	33.89	0.59	0.09	0.09	0.00	31.75	48.19	134.52	268.54	9.29	1000.00
160000	7.92	3.20	5.22	1.81	32.37	0.58	0.09	0.09	0.00	31.87	48.18	134.51	263.34	8.04	1000.00
170000	7.95	3.22	5.15	1.73	30.85	0.59	0.09	0.09	0.00	31.49	48.18	134.51	279.27	5.80	1000.00
180000	7.94	3.21	5.23	1.81	28.65	0.59	0.09	0.09	0.00	31.25	48.18	134.50	282.28	4.87	1000.00
190000	7.89	3.16	5.16	1.80	28.04	0.58	0.09	0.09	0.00	31.06	48.18	134.48	271.00	4.42	1000.00
200000	7.83	3.21	5.17	1.72	28.93	0.57	0.09	0.09	0.00	31.01	48.18	134.51	290.92	4.32	1000.00
210000	7.82	3.07	5.12	1.82	27.75	0.57	0.09	0.09	0.00	31.03	48.18	134.51	280.24	2.24	1000.00
220000	7.94	3.14	5.13	1.77	24.27	0.56	0.09	0.09	0.00	30.92	48.18	134.48	243.69	1.72	1000.00
230000	7.90	3.05	5.07	1.80	25.16	0.56	0.09	0.09	0.00	30.66	48.18	134.54	292.24	2.45	1000.00
極大值	8.05	3.23	5.23	1.82	49.53	0.66	0.09	0.09	0.00	33.15	48.19	134.56	297.29	12.82	1000.00
極小值	7.75	3.05	5.07	1.72	22.24	0.56	0.09	0.09	0.00	29.33	48.16	134.30	37.67	1.65	1000.00
平均值	7.90	3.15	5.15	1.78	30.71	0.60	0.09	0.09	0.00	31.17	48.18	134.45	207.47	5.66	1000.00
標準差	0.1	0.05	0.04	0.03	7.49	0.03	0	0	0	1.04	0.01	0.09	95.34	3.45	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.90	3.12	5.18	1.84	19.90	0.55	0.09	0.09	0.00	30.33	48.15	134.30	62.72	3.64	1000.00
010000	7.82	3.06	5.10	1.81	16.25	0.56	0.09	0.09	0.00	30.03	48.15	134.30	68.80	3.53	1000.00
020000	7.95	3.11	5.12	1.80	16.95	0.54	0.09	0.09	0.00	30.06	48.15	134.29	58.71	3.37	1000.00
030000	7.92	3.11	5.10	1.75	15.43	0.55	0.09	0.09	0.00	30.11	48.14	134.26	47.05	5.21	1000.00
040000	7.89	3.11	5.16	1.82	13.46	0.63	0.09	0.09	0.00	29.85	48.15	134.35	141.83	0.87	1000.00
050000	7.95	3.08	5.06	1.73	12.03	0.61	0.09	0.09	0.00	29.64	48.16	134.35	132.98	2.81	1000.00
060000	7.96	3.14	5.16	1.77	12.35	0.59	0.09	0.09	0.00	29.95	48.15	134.34	113.35	3.40	1000.00
070000	7.93	3.13	5.09	1.73	15.81	0.65	0.09	0.09	0.00	31.14	48.15	134.28	60.24	7.60	1000.00
080000	8.04	3.09	5.12	1.80	25.17	0.59	0.09	0.09	0.00	32.26	48.15	134.29	79.24	9.76	1000.00
090000	8.07	3.12	5.16	1.82	32.48	0.60	0.09	0.09	0.00	32.49	48.15	134.27	76.63	11.92	1000.00
100000	8.09	3.08	5.06	1.77	34.66	0.59	0.09	0.09	0.00	33.52	48.15	134.31	103.40	8.72	1000.00
110000	8.11	3.15	5.08	1.70	44.16	0.57	0.09	0.09	0.00	33.91	48.16	134.30	57.08	12.86	1000.00
120000	8.03	3.21	5.21	1.80	42.67	0.59	0.09	0.09	0.00	34.09	48.17	134.36	111.68	7.39	1000.00
130000	8.12	3.09	5.15	1.85	33.90	0.60	0.09	0.09	0.00	33.57	48.17	134.36	139.70	8.05	1000.00
140000	8.14	3.15	5.14	1.76	33.24	0.59	0.09	0.09	0.00	33.36	48.16	134.35	121.47	9.84	1000.00
150000	8.10	3.18	5.18	1.78	30.99	0.60	0.09	0.09	0.00	32.89	48.17	134.35	134.79	9.27	1000.00
160000	8.16	3.15	5.17	1.77	30.37	0.63	0.09	0.09	0.00	32.81	48.17	134.37	140.38	8.50	1000.00
170000	8.20	3.18	5.18	1.77	29.90	0.65	0.09	0.09	0.00	32.44	48.16	134.34	123.33	8.28	1000.00
180000	8.11	3.13	5.10	1.73	27.62	0.65	0.09	0.09	0.00	31.93	48.16	134.30	65.66	8.25	1000.00
190000	8.20	3.17	5.17	1.79	24.21	0.66	0.09	0.09	0.00	31.44	48.15	134.28	53.86	11.26	1000.00
200000	8.17	3.19	5.18	1.77	20.30	0.68	0.09	0.09	0.00	31.00	48.15	134.26	39.52	7.94	1000.00
210000	8.17	3.15	5.14	1.77	18.36	0.66	0.09	0.09	0.00	30.59	48.16	134.34	143.17	5.55	1000.00
220000	8.08	3.12	5.10	1.76	21.41	0.63	0.09	0.09	0.00	30.53	48.17	134.38	151.68	6.98	1000.00
230000	8.06	3.20	5.09	1.67	17.93	0.64	0.09	0.09	0.00	29.93	48.18	134.48	244.93	0.07	1000.00
極大值	8.20	3.21	5.21	1.85	44.16	0.68	0.09	0.09	0.00	34.09	48.18	134.48	244.93	12.86	1000.00
極小值	7.82	3.06	5.06	1.67	12.03	0.54	0.09	0.09	0.00	29.64	48.14	134.26	39.52	0.07	1000.00
平均值	8.05	3.13	5.13	1.77	24.56	0.61	0.09	0.09	0.00	31.58	48.16	134.33	103.01	6.88	1000.00
標準差	0.11	0.04	0.04	0.04	9.33	0.04	0	0	0	1.49	0.01	0.05	47.62	3.4	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.10	3.14	5.10	1.72	16.76	0.63	0.09	0.09	0.00	29.87	48.18	134.46	226.81	0.14	1000.00
010000	7.95	3.15	5.16	1.78	16.24	0.64	0.09	0.09	0.00	29.78	48.18	134.49	254.25	0.61	1000.00
020000	8.00	3.11	5.17	1.81	12.01	0.63	0.09	0.09	0.00	29.20	48.15	134.28	55.98	2.43	1000.00
030000	7.97	3.13	5.16	1.80	12.43	0.60	0.09	0.09	0.00	29.09	48.16	134.33	98.67	1.72	1000.00
040000	8.01	3.09	5.13	1.81	12.63	0.59	0.09	0.09	0.00	28.87	48.16	134.32	90.17	1.21	1000.00
050000	8.01	3.05	5.07	1.77	10.99	0.65	0.09	0.09	0.00	28.74	48.15	134.29	67.61	1.06	1000.00
060000	8.13	3.10	5.17	1.84	11.04	0.63	0.09	0.09	0.00	29.42	48.16	134.34	113.67	2.33	1000.00
070000	8.06	3.13	5.14	1.78	12.68	0.67	0.09	0.09	0.00	30.59	48.15	134.28	56.43	5.95	1000.00
080000	8.03	3.13	5.12	1.76	19.39	0.65	0.09	0.09	0.00	32.45	48.17	134.37	148.44	2.62	1000.00
090000	8.11	3.06	5.08	1.81	31.34	0.62	0.09	0.09	0.00	33.17	48.19	134.51	268.58	5.94	1000.00
100000	8.08	3.04	5.13	1.84	36.80	0.61	0.09	0.09	0.00	33.38	48.20	134.57	276.30	8.99	1000.00
110000	8.18	3.06	5.10	1.78	40.94	0.55	0.09	0.09	0.00	33.59	48.20	134.63	284.48	8.02	1000.00
120000	8.25	3.14	5.15	1.81	46.67	0.58	0.09	0.09	0.00	33.78	48.20	134.60	297.35	13.24	1000.00
130000	8.30	3.24	5.19	1.75	45.48	0.59	0.09	0.09	0.00	33.72	48.19	134.58	289.03	18.20	1000.00
140000	8.22	3.24	5.17	1.74	47.47	0.59	0.09	0.09	0.00	33.61	48.19	134.56	282.93	19.80	1000.00
150000	8.24	3.21	5.22	1.81	45.83	0.59	0.09	0.09	0.00	33.58	48.19	134.55	280.67	19.21	1000.00
160000	8.25	3.26	5.23	1.77	46.29	0.59	0.09	0.09	0.00	32.97	48.19	134.55	277.94	18.97	1000.00
170000	8.17	3.19	5.19	1.79	45.67	0.60	0.09	0.09	0.00	32.46	48.19	134.53	278.08	16.14	1000.00
180000	8.20	3.19	5.17	1.76	43.51	0.59	0.09	0.09	0.00	32.11	48.19	134.53	280.92	13.97	1000.00
190000	8.17	3.23	5.22	1.78	41.64	0.59	0.09	0.09	0.00	31.94	48.19	134.52	273.49	9.39	1000.00
200000	8.17	3.18	5.16	1.76	30.19	0.60	0.09	0.09	0.00	31.79	48.17	134.44	192.21	0.88	1000.00
210000	8.22	3.14	5.15	1.77	21.03	0.64	0.09	0.09	0.00	31.44	48.16	134.37	127.39	4.43	1000.00
220000	8.19	3.08	5.03	1.68	20.52	0.64	0.09	0.09	0.00	31.36	48.18	134.53	302.46	1.26	1000.00
230000	8.08	3.09	5.12	1.78	19.82	0.64	0.09	0.09	0.00	31.38	48.16	134.37	156.35	2.05	1000.00
極大值	8.30	3.26	5.23	1.84	47.47	0.67	0.09	0.09	0.00	33.78	48.20	134.63	302.46	19.80	1000.00
極小值	7.95	3.04	5.03	1.68	10.99	0.55	0.09	0.09	0.00	28.74	48.15	134.28	55.98	0.14	1000.00
平均值	8.13	3.14	5.15	1.78	28.64	0.61	0.09	0.09	0.00	31.60	48.18	134.46	207.51	7.44	1000.00
標準差	0.1	0.06	0.05	0.04	14.34	0.03	0	0	0	1.75	0.02	0.11	89.43	6.94	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.10	3.16	5.17	1.75	15.25	0.66	0.09	0.09	0.00	30.95	48.15	134.34	123.46	2.44	1000.00
010000	8.20	3.15	5.18	1.77	14.26	0.67	0.09	0.09	0.00	30.84	48.16	134.38	177.81	1.04	1000.00
020000	8.12	3.14	5.12	1.72	13.76	0.66	0.09	0.09	0.00	30.52	48.15	134.32	116.80	0.52	1000.00
030000	8.19	3.15	5.15	1.76	13.10	0.65	0.09	0.09	0.00	30.48	48.17	134.47	268.58	0.19	1000.00
040000	8.28	3.13	5.09	1.72	13.28	0.65	0.09	0.09	0.00	30.66	48.17	134.45	217.14	2.14	1000.00
050000	8.23	3.15	5.08	1.70	25.04	0.60	0.09	0.09	0.00	30.80	48.19	134.54	292.68	5.87	1000.00
060000	8.13	3.16	5.09	1.70	16.84	0.64	0.09	0.09	0.00	31.03	48.18	134.48	258.34	2.10	1000.00
070000	8.28	3.09	5.11	1.77	17.26	0.66	0.09	0.09	0.00	31.86	48.16	134.32	126.10	0.22	1000.00
080000	8.17	3.16	5.14	1.76	19.98	0.64	0.09	0.09	0.00	32.46	48.17	134.41	214.68	1.84	1000.00
090000	8.22	3.18	5.18	1.77	26.74	0.60	0.09	0.09	0.00	32.25	48.17	134.48	273.53	6.55	1000.00
100000	8.27	3.13	5.21	1.86	31.50	0.56	0.09	0.09	0.00	32.52	48.17	134.48	264.40	7.72	1000.00
110000	8.32	3.10	5.07	1.75	32.29	0.55	0.09	0.09	0.00	33.16	48.18	134.51	280.41	8.81	1000.00
120000	8.25	3.21	5.21	1.77	29.93	0.55	0.09	0.09	0.00	33.41	48.19	134.55	292.81	10.40	1000.00
130000	8.27	3.23	5.25	1.81	28.55	0.56	0.09	0.09	0.00	33.45	48.19	134.55	289.98	8.71	1000.00
140000	8.30	3.12	5.17	1.82	23.33	0.56	0.09	0.09	0.00	33.72	48.19	134.54	284.01	7.47	1000.00
150000	8.41	3.16	5.16	1.80	16.28	0.54	0.09	0.09	0.00	33.86	48.19	134.52	273.01	6.57	1000.00
160000	8.31	3.22	5.16	1.73	14.31	0.62	0.09	0.09	0.00	33.48	48.19	134.54	284.38	5.74	1000.00
170000	8.41	3.15	5.18	1.81	12.70	0.61	0.09	0.09	0.00	33.16	48.19	134.52	278.26	4.62	1000.00
180000	8.23	3.18	5.16	1.77	11.58	0.62	0.09	0.09	0.00	32.69	48.19	134.54	290.76	4.31	1000.00
190000	8.24	3.18	5.18	1.77	12.01	0.59	0.09	0.09	0.00	32.45	48.19	134.54	290.21	3.97	1000.00
200000	8.16	3.16	5.16	1.75	11.79	0.59	0.09	0.09	0.00	32.44	48.19	134.52	266.24	4.24	1000.00
210000	8.14	3.15	5.09	1.71	13.07	0.56	0.09	0.09	0.00	32.40	48.18	134.49	241.33	2.68	1000.00
220000	8.13	3.09	5.13	1.81	14.33	0.53	0.09	0.09	0.00	32.24	48.18	134.46	205.25	1.91	1000.00
230000	8.21	3.13	5.11	1.74	13.24	0.54	0.09	0.09	0.00	32.11	48.17	134.44	193.30	1.76	1000.00
極大值	8.41	3.23	5.25	1.86	32.29	0.67	0.09	0.09	0.00	33.86	48.19	134.55	292.81	10.40	1000.00
極小值	8.10	3.09	5.07	1.70	11.58	0.53	0.09	0.09	0.00	30.48	48.15	134.32	116.80	0.19	1000.00
平均值	8.23	3.15	5.15	1.76	18.35	0.60	0.09	0.09	0.00	32.21	48.18	134.47	241.81	4.24	1000.00
標準差	0.08	0.04	0.05	0.04	6.93	0.05	0	0	0	1.09	0.01	0.07	57.06	2.99	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.16	3.10	5.09	1.74	16.84	0.53	0.09	0.09	0.00	31.97	48.19	134.53	286.32	3.96	1000.00
010000	8.18	3.11	5.07	1.70	17.11	0.50	0.09	0.09	0.00	31.22	48.18	134.51	261.00	0.48	1000.00
020000	8.24	3.11	5.07	1.74	18.86	0.51	0.09	0.09	0.00	31.16	48.17	134.42	178.88	8.64	1000.00
030000	8.15	3.11	5.10	1.75	23.16	0.57	0.09	0.09	0.00	30.27	48.15	134.29	30.34	14.52	1000.00
040000	8.09	3.09	5.16	1.85	21.01	0.62	0.09	0.09	0.00	29.62	48.16	134.34	117.12	8.81	1000.00
050000	8.09	3.11	5.12	1.77	21.07	0.67	0.09	0.09	0.00	28.71	48.15	134.30	49.89	10.20	1000.00
060000	8.15	3.08	5.13	1.80	20.79	0.62	0.09	0.09	0.00	28.51	48.15	134.30	83.14	9.04	1000.00
070000	8.19	3.13	5.12	1.76	20.11	0.61	0.09	0.09	0.00	28.20	48.15	134.31	78.39	6.81	1000.00
080000	8.16	3.15	5.17	1.80	18.49	0.63	0.09	0.09	0.00	27.91	48.16	134.36	140.45	4.26	1000.00
090000	8.18	3.13	5.22	1.85	18.79	0.60	0.09	0.09	0.00	28.02	48.16	134.35	123.57	4.10	1000.00
100000	8.22	3.11	5.16	1.82	21.13	0.60	0.09	0.09	0.00	28.08	48.16	134.31	50.99	9.53	1000.00
110000	8.14	3.14	5.16	1.77	22.11	0.60	0.09	0.09	0.00	27.43	48.15	134.29	59.94	8.93	1000.00
120000	8.24	3.16	5.17	1.78	20.88	0.59	0.09	0.09	0.00	27.30	48.16	134.31	107.40	4.11	1000.00
130000	8.24	3.15	5.14	1.80	19.64	0.59	0.09	0.09	0.00	27.58	48.16	134.34	130.24	2.22	1000.00
140000	8.29	3.16	5.19	1.78	19.25	0.60	0.09	0.09	0.00	28.10	48.15	134.27	58.88	5.59	1000.00
150000	8.24	3.13	5.09	1.72	18.55	0.60	0.09	0.09	0.00	28.18	48.15	134.27	53.88	6.16	1000.00
160000	8.18	3.15	5.22	1.85	20.14	0.65	0.09	0.09	0.00	28.24	48.15	134.27	34.03	9.12	1000.00
170000	8.17	3.13	5.10	1.73	16.76	0.74	0.09	0.09	0.00	28.36	48.15	134.27	41.52	6.22	1000.00
180000	8.21	3.23	5.25	1.79	13.18	0.73	0.09	0.09	0.00	28.35	48.15	134.28	77.81	1.75	1000.00
190000	8.17	3.20	5.11	1.70	14.64	0.71	0.09	0.09	0.00	28.24	48.17	134.38	175.21	0.88	1000.00
200000	8.14	3.16	5.19	1.83	20.07	0.71	0.09	0.09	0.00	28.16	48.17	134.45	236.95	4.88	1000.00
210000	8.16	3.20	5.19	1.79	21.61	0.67	0.09	0.09	0.00	28.14	48.18	134.46	233.13	1.59	1000.00
220000	8.15	3.18	5.18	1.78	17.01	0.66	0.09	0.09	0.00	28.10	48.16	134.35	100.88	1.63	1000.00
230000	8.04	3.14	5.13	1.76	15.04	0.65	0.09	0.09	0.00	28.14	48.15	134.29	60.01	2.36	1000.00
極大值	8.29	3.23	5.25	1.85	23.16	0.74	0.09	0.09	0.00	31.97	48.19	134.53	286.32	14.52	1000.00
極小值	8.04	3.08	5.07	1.70	13.18	0.50	0.09	0.09	0.00	27.30	48.15	134.27	30.34	0.48	1000.00
平均值	8.17	3.14	5.15	1.78	19.01	0.62	0.09	0.09	0.00	28.67	48.16	134.34	115.42	5.66	1000.00
標準差	0.06	0.04	0.05	0.04	2.5	0.06	0	0	0	1.24	0.01	0.08	75.91	3.61	0

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	8.13	3.10	5.15	1.81	14.77	0.62	0.09	0.09	0.00	28.15	48.17	134.40	182.81	1.56	1000.00
010000	8.05	3.17	5.17	1.78	15.18	0.61	0.09	0.09	0.00	28.10	48.16	134.35	124.70	0.80	1000.00
020000	8.14	3.19	5.11	1.69	14.65	0.60	0.09	0.09	0.00	28.24	48.15	134.26	42.68	1.48	1000.00
030000	8.05	3.11	5.10	1.75	13.77	0.60	0.09	0.09	0.00	28.26	48.16	134.31	78.50	6.91	1000.00
040000	8.11	3.11	5.15	1.81	14.43	0.62	0.09	0.09	0.00	28.26	48.15	134.29	58.07	10.16	1000.00
050000	8.13	3.11	5.10	1.76	15.26	0.64	0.09	0.09	0.00	28.37	48.15	134.27	26.76	8.89	1000.00
060000	8.08	3.12	5.19	1.85	13.94	0.66	0.09	0.09	0.00	28.45	48.15	134.26	33.49	7.65	1000.00
070000	8.00	3.14	5.09	1.74	14.75	0.72	0.09	0.09	0.00	29.22	48.15	134.28	46.16	9.70	1000.00
080000	8.09	3.13	5.15	1.78	28.63	0.64	1.84	-0.45	2.29	31.00	48.17	134.40	52.51	7.85	1000.00
090000	8.29	3.16	5.14	1.74	33.87	0.63	2.52	0.25	2.27	31.71	48.18	134.46	74.74	8.34	1000.00
100000	8.16	3.13	5.11	1.75	36.38	0.58	2.46	0.25	2.21	32.51	25.32	75.41	65.00	8.27	108.66
110000	8.20	3.08	5.12	1.81	42.57	0.52	2.47	0.28	2.19	33.33	24.00	72.00	69.13	9.29	56.60
120000	8.32	3.18	5.20	1.80	46.57	0.55	2.45	0.29	2.16	34.20	24.00	72.00	145.61	5.04	49.34
130000	8.26	3.23	5.22	1.78	51.98	0.71	2.41	0.26	2.15	32.88	24.00	72.00	296.96	13.89	59.21
140000	8.30	3.18	5.15	1.76	47.01	0.88	2.39	0.25	2.14	32.70	24.00	72.00	282.32	15.11	85.85
150000	8.33	3.21	5.17	1.76	41.70	1.03	2.39	0.25	2.14	32.36	24.00	72.00	280.40	14.64	100.52
160000	8.36	3.18	5.18	1.77	40.29	0.92	2.41	0.27	2.14	31.89	24.00	72.00	283.81	10.20	112.11
170000	8.30	3.21	5.20	1.77	36.30	0.70	2.40	0.25	2.15	30.91	24.00	72.00	245.39	4.96	111.32
180000	8.35	3.23	5.28	1.83	28.71	0.59	2.48	0.26	2.22	30.00	24.00	72.00	121.71	5.05	98.38
190000	8.41	3.20	5.18	1.76	16.46	0.62	2.87	0.29	2.58	28.83	24.00	72.00	136.84	0.47	98.54
200000	8.34	3.19	5.21	1.79	15.14	0.63	2.89	0.27	2.62	28.46	24.00	72.00	96.07	3.19	86.03
210000	8.25	3.18	5.16	1.75	13.97	0.64	2.96	0.26	2.70	28.05	24.00	72.00	93.98	3.30	96.28
220000	8.30	3.14	5.19	1.83	18.68	0.61	2.98	0.26	2.72	27.90	24.00	72.00	36.09	8.74	91.01
230000	8.29	3.14	5.14	1.79	24.03	0.58	2.61	0.23	2.38	28.06	24.00	72.00	72.88	10.66	91.63
極大值	8.41	3.23	5.28	1.85	51.98	1.03	2.98	0.29	2.72	34.20	48.18	134.46	296.96	15.11	1000.00
極小值	8.00	3.08	5.09	1.69	13.77	0.52	0.09	-0.45	0.00	27.90	24.00	72.00	26.76	0.47	49.34
平均值	8.22	3.16	5.16	1.78	26.63	0.66	1.72	0.17	1.54	30.08	34.12	98.11	122.78	7.34	468.56
標準差	0.12	0.04	0.04	0.04	13.19	0.12	1.2	0.16	1.13	2.11	12.12	31.27	90.06	4.21	459.06

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.23	3.11	5.09	1.77	24.29	0.56	2.74	0.22	2.52	27.40	24.00	72.00	68.37	12.00	84.53
010000	8.23	3.12	5.11	1.77	19.18	0.60	3.26	0.23	3.03	27.23	46.50	130.16	20.02	11.66	935.72
020000	8.19	3.16	5.20	1.82	16.79	0.63	3.62	0.24	3.38	27.12	25.70	76.39	55.22	10.63	136.47
030000	8.19	3.15	5.19	1.80	17.66	0.60	3.90	0.21	3.69	26.86	24.00	72.00	80.67	12.91	64.43
040000	8.14	3.11	5.17	1.82	15.73	0.55	3.67	0.20	3.47	26.61	24.00	72.00	75.72	11.73	55.31
050000	8.24	3.08	5.15	1.86	15.97	0.54	3.08	0.20	2.88	26.61	24.00	72.00	41.33	11.52	50.27
060000	8.29	3.13	5.20	1.84	14.14	0.55	3.04	0.21	2.83	26.82	24.00	72.00	31.27	9.83	39.19
070000	8.19	3.06	5.11	1.82	15.53	0.61	3.07	0.23	2.84	28.52	24.00	72.00	41.37	8.37	51.15
080000	8.25	3.09	5.18	1.85	27.60	0.56	2.66	0.23	2.43	30.92	24.00	72.00	77.83	6.37	54.41
090000	8.25	3.11	5.14	1.80	34.20	0.53	2.46	0.23	2.23	32.19	24.00	72.00	93.99	6.72	62.09
100000	8.22	3.10	5.11	1.77	37.46	0.52	2.45	0.26	2.19	33.83	24.00	72.00	138.16	3.42	86.53
110000	8.29	3.03	5.05	1.77	54.26	0.57	2.51	0.31	2.20	33.84	24.00	72.00	263.59	10.64	94.74
120000	8.27	3.21	5.23	1.82	68.27	0.69	2.47	0.30	2.17	33.99	24.00	72.00	280.82	11.75	102.21
130000	8.20	3.22	5.15	1.75	70.28	0.61	2.38	0.23	2.15	33.81	24.00	72.00	288.94	13.27	106.09
140000	8.32	3.24	5.28	1.83	64.85	0.59	2.36	0.22	2.14	33.61	24.00	72.00	298.97	12.17	95.14
150000	8.25	3.23	5.23	1.78	66.45	0.58	2.34	0.20	2.14	33.49	24.00	72.00	294.65	11.59	126.20
160000	8.28	3.27	5.20	1.74	63.14	0.56	2.33	0.20	2.13	33.02	24.00	72.00	291.83	9.67	100.67
170000	8.12	3.23	5.21	1.75	57.20	0.60	2.33	0.20	2.13	32.23	24.00	72.00	292.90	7.28	93.15
180000	8.19	3.20	5.17	1.75	43.77	0.60	2.37	0.23	2.14	31.67	24.00	72.00	291.22	5.69	101.37
190000	8.16	3.16	5.12	1.72	50.64	0.57	2.38	0.23	2.15	31.47	24.00	72.00	303.90	3.67	121.30
200000	8.20	3.16	5.18	1.78	44.22	0.56	2.40	0.24	2.16	30.93	24.00	72.00	196.95	3.51	95.93
210000	8.08	3.17	5.16	1.76	30.32	0.57	2.51	0.21	2.30	29.82	24.00	72.00	36.45	4.59	87.31
220000	8.05	3.06	5.12	1.83	32.95	0.57	2.61	0.19	2.42	29.53	24.00	72.00	161.02	2.42	78.51
230000	8.09	3.10	5.12	1.78	33.39	0.56	2.49	0.18	2.31	29.20	24.00	72.00	168.42	1.96	69.41
極大值	8.32	3.27	5.28	1.86	70.28	0.69	3.90	0.31	3.69	33.99	46.50	130.16	303.90	13.27	935.72
極小值	8.05	3.03	5.05	1.72	14.14	0.52	2.33	0.18	2.13	26.61	24.00	72.00	20.02	1.96	39.19
平均值	8.20	3.15	5.16	1.79	38.26	0.58	2.73	0.22	2.50	30.45	25.01	74.61	162.23	8.47	120.51
標準差	0.07	0.06	0.05	0.04	19.42	0.04	0.47	0.03	0.48	2.76	4.59	11.87	109.87	3.71	175.48

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.01	3.11	5.14	1.81	33.32	0.55	2.50	0.19	2.31	29.21	24.00	72.00	36.82	6.87	64.44
010000	8.05	3.08	5.04	1.73	29.08	0.57	2.70	0.20	2.50	29.00	46.42	129.97	60.29	6.88	931.93
020000	7.96	3.14	5.12	1.76	26.26	0.60	3.35	0.20	3.15	28.70	25.67	76.31	58.43	8.28	127.52
030000	7.93	3.06	5.08	1.81	25.96	0.63	3.37	0.22	3.15	28.58	24.00	72.00	47.09	8.67	74.72
040000	7.93	3.03	5.14	1.86	25.07	0.62	3.36	0.22	3.14	28.41	24.00	72.00	93.21	6.89	79.09
050000	8.01	3.12	5.19	1.84	25.55	0.60	3.37	0.20	3.17	28.31	24.00	72.00	26.94	10.25	68.41
060000	8.09	3.10	5.12	1.78	20.27	0.61	3.61	0.21	3.40	28.47	24.00	72.00	43.58	9.78	64.35
070000	8.03	3.13	5.15	1.80	24.98	0.64	3.02	0.22	2.80	30.03	24.00	72.00	52.62	6.02	66.62
080000	8.04	3.14	5.16	1.78	33.74	0.63	2.70	0.23	2.47	32.41	46.52	130.27	155.89	1.30	935.64
090000	8.08	3.16	5.12	1.74	47.37	0.64	2.41	0.21	2.20	33.18	48.20	134.62	219.53	4.47	1000.00
100000	8.15	3.14	5.17	1.80	53.76	0.70	2.43	0.27	2.16	33.68	48.20	134.64	240.59	5.57	1000.00
110000	7.94	3.15	5.13	1.74	56.45	0.58	2.45	0.28	2.17	33.36	48.22	134.76	285.60	10.82	1000.00
120000	8.16	3.21	5.23	1.79	54.56	0.57	2.32	0.21	2.11	33.41	48.22	134.73	290.63	11.75	1000.00
130000	8.12	3.25	5.20	1.71	56.35	0.58	2.29	0.19	2.10	33.39	48.22	134.71	295.22	11.36	1000.00
140000	8.11	3.25	5.19	1.74	49.29	0.58	2.29	0.19	2.10	33.61	48.22	134.70	291.47	10.79	1000.00
150000	8.22	3.16	5.12	1.78	49.74	0.60	2.32	0.21	2.11	33.58	48.21	134.69	280.98	8.73	1000.00
160000	8.06	3.19	5.23	1.82	49.14	0.68	2.36	0.24	2.12	33.55	48.21	134.65	259.83	5.72	1000.00
170000	8.11	3.18	5.18	1.80	40.96	0.88	2.47	0.31	2.16	32.58	48.19	134.52	132.70	4.65	1000.00
180000	8.05	3.17	5.21	1.85	37.92	0.70	2.50	0.27	2.23	31.64	48.18	134.47	88.47	6.34	1000.00
190000	8.08	3.18	5.18	1.77	35.24	0.67	2.83	0.24	2.59	31.01	48.18	134.48	51.78	9.36	1000.00
200000	7.98	3.21	5.21	1.77	29.47	0.68	2.84	0.26	2.58	30.67	48.19	134.54	138.27	5.72	1000.00
210000	7.96	3.11	5.16	1.82	22.66	0.68	2.73	0.27	2.46	29.74	48.19	134.59	213.70	0.36	1000.00
220000	7.87	3.13	5.12	1.79	26.21	0.66	2.67	0.25	2.42	29.82	48.20	134.64	245.51	0.44	1000.00
230000	7.72	3.13	5.14	1.78	18.94	0.65	2.80	0.23	2.57	29.23	48.19	134.54	155.97	1.74	1000.00
極大值	8.22	3.25	5.23	1.86	56.45	0.88	3.61	0.31	3.40	33.68	48.22	134.76	295.22	11.75	1000.00
極小值	7.72	3.03	5.04	1.71	18.94	0.55	2.29	0.19	2.10	28.31	24.00	72.00	26.94	0.36	64.35
平均值	8.03	3.15	5.16	1.79	36.35	0.64	2.74	0.23	2.51	31.07	41.07	116.16	156.88	6.78	725.53
標準差	0.11	0.05	0.05	0.04	12.59	0.07	0.41	0.03	0.41	2.08	11.05	28.58	99.24	3.4	425.08

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.78	3.21	5.20	1.75	18.73	0.67	2.99	0.23	2.76	29.09	48.17	134.44	38.53	7.18	1000.00
010000	7.80	3.10	5.09	1.79	22.51	0.62	2.68	0.22	2.46	28.85	48.17	134.46	55.75	7.06	1000.00
020000	7.88	3.10	5.18	1.83	23.02	0.61	2.76	0.22	2.54	28.87	48.17	134.45	45.24	7.55	1000.00
030000	7.76	3.13	5.17	1.83	21.14	0.62	3.59	0.21	3.38	28.64	48.18	134.50	57.99	10.63	1000.00
040000	7.90	3.07	5.10	1.80	19.38	0.63	3.49	0.21	3.28	28.55	48.18	134.48	35.54	9.91	1000.00
050000	8.00	3.13	5.14	1.77	20.16	0.59	3.37	0.20	3.17	28.53	48.19	134.53	111.47	8.12	1000.00
060000	7.90	3.07	5.07	1.76	18.14	0.59	3.35	0.20	3.15	28.87	48.18	134.47	28.52	7.82	1000.00
070000	7.86	3.10	5.15	1.81	21.75	0.59	2.98	0.21	2.77	30.19	48.17	134.42	34.10	8.26	1000.00
080000	7.92	3.21	5.19	1.73	24.90	0.60	2.87	0.22	2.65	31.92	48.17	134.43	60.72	7.41	1000.00
090000	7.92	3.12	5.12	1.75	30.27	0.57	2.58	0.22	2.36	34.24	48.19	134.53	165.58	4.29	1000.00
100000	7.92	3.03	5.06	1.76	29.35	0.45	2.29	0.18	2.11	34.82	48.22	134.75	268.41	13.59	1000.00
110000	7.97	3.03	5.11	1.77	26.97	0.34	2.22	0.17	2.05	34.78	48.23	134.77	272.71	16.59	1000.00
120000	8.10	3.14	5.11	1.75	28.58	0.40	2.19	0.17	2.02	34.76	48.22	134.75	273.48	15.95	1000.00
130000	8.06	3.23	5.18	1.74	31.62	0.47	2.17	0.16	2.01	34.37	48.21	134.72	280.81	16.89	1000.00
140000	8.15	3.19	5.15	1.75	30.20	0.49	2.17	0.16	2.01	34.14	48.20	134.67	285.44	12.76	1000.00
150000	8.02	3.20	5.22	1.81	26.54	0.49	2.18	0.17	2.01	33.98	48.20	134.66	275.72	11.62	1000.00
160000	7.98	3.26	5.19	1.70	27.46	0.51	2.17	0.16	2.01	33.16	48.20	134.66	284.04	12.55	1000.00
170000	8.15	3.12	5.07	1.75	25.59	0.52	2.18	0.16	2.02	32.60	48.21	134.67	276.92	8.26	1000.00
180000	8.06	3.17	5.19	1.79	22.94	0.57	2.20	0.17	2.03	32.19	48.21	134.68	281.93	5.50	1000.00
190000	8.03	3.20	5.19	1.79	21.93	0.59	2.23	0.17	2.06	31.93	48.21	134.68	283.25	6.23	1000.00
200000	8.00	3.16	5.21	1.82	21.03	0.54	2.22	0.16	2.06	31.81	48.21	134.67	276.35	4.86	1000.00
210000	7.87	3.09	5.11	1.79	22.63	0.53	2.22	0.16	2.06	31.78	48.21	134.70	294.63	4.46	1000.00
220000	7.91	3.13	5.16	1.80	21.55	0.52	2.24	0.15	2.09	31.66	48.21	134.69	298.37	4.48	1000.00
230000	7.80	3.01	5.06	1.80	21.22	0.49	2.23	0.16	2.07	31.55	48.21	134.68	273.96	4.71	1000.00
極大值	8.15	3.26	5.22	1.83	31.62	0.67	3.59	0.23	3.38	34.82	48.23	134.77	298.37	16.89	1000.00
極小值	7.76	3.01	5.06	1.70	18.14	0.34	2.17	0.15	2.01	28.53	48.17	134.42	28.52	4.29	1000.00
平均值	7.95	3.13	5.14	1.78	24.07	0.54	2.57	0.18	2.38	31.72	48.20	134.60	189.98	9.03	1000.00
標準差	0.11	0.07	0.05	0.03	3.96	0.08	0.49	0.03	0.47	2.28	0.02	0.12	112.77	3.96	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.90	3.12	5.10	1.74	14.54	0.50	2.41	0.18	2.23	30.82	48.20	134.57	151.05	1.34	1000.00
010000	7.94	3.05	5.11	1.82	12.40	0.52	2.75	0.17	2.58	30.49	48.19	134.50	54.95	2.72	1000.00
020000	7.93	3.15	5.11	1.74	12.68	0.51	2.54	0.16	2.38	30.13	48.20	134.58	160.00	1.74	1000.00
030000	7.97	3.15	5.16	1.77	14.35	0.51	2.31	0.16	2.15	30.07	48.19	134.54	145.57	1.93	1000.00
040000	7.92	3.10	5.10	1.77	12.78	0.52	2.47	0.16	2.31	30.03	48.18	134.45	52.53	4.14	1000.00
050000	7.94	3.13	5.15	1.78	12.32	0.52	2.62	0.17	2.45	29.98	48.19	134.51	108.73	1.65	1000.00
060000	7.99	3.16	5.06	1.69	12.23	0.54	2.71	0.17	2.54	30.28	48.18	134.47	64.23	5.07	1000.00
070000	7.92	3.12	5.18	1.83	11.06	0.60	2.81	0.21	2.60	31.19	48.18	134.47	73.28	1.94	1000.00
080000	8.00	3.09	5.17	1.86	15.58	0.64	2.49	0.27	2.22	32.98	48.19	134.52	139.16	2.16	1000.00
090000	7.95	3.07	5.09	1.78	24.06	0.74	2.48	0.36	2.12	34.17	48.20	134.58	170.28	3.25	1000.00
100000	7.92	3.06	5.17	1.84	31.24	0.62	2.45	0.27	2.18	34.10	48.21	134.70	259.69	6.17	1000.00
110000	8.08	3.08	5.13	1.77	30.88	0.44	2.33	0.25	2.08	33.75	48.23	134.77	287.15	12.68	1000.00
120000	8.17	3.21	5.19	1.77	33.57	0.47	2.21	0.18	2.03	33.98	48.21	134.72	298.72	11.46	1000.00
130000	8.08	3.17	5.13	1.73	31.18	0.54	2.22	0.19	2.03	33.90	48.21	134.69	300.30	14.01	1000.00
140000	8.03	3.21	5.19	1.77	30.77	0.57	2.24	0.20	2.04	33.59	48.20	134.66	288.64	12.19	1000.00
150000	8.03	3.20	5.19	1.77	26.76	0.57	2.25	0.20	2.05	33.62	48.20	134.66	296.58	11.99	1000.00
160000	8.08	3.20	5.24	1.84	27.78	0.59	2.27	0.21	2.06	33.31	48.20	134.67	294.12	10.32	1000.00
170000	8.09	3.22	5.18	1.76	26.77	0.62	2.31	0.23	2.08	32.63	48.20	134.65	288.21	9.02	1000.00
180000	8.06	3.18	5.16	1.77	27.29	0.58	2.25	0.17	2.08	32.17	48.20	134.65	291.78	6.39	1000.00
190000	8.14	3.20	5.17	1.77	25.11	0.57	2.24	0.17	2.07	31.86	48.20	134.64	280.86	4.83	1000.00
200000	8.02	3.20	5.17	1.76	24.82	0.56	2.24	0.16	2.08	31.87	48.20	134.64	286.18	4.52	1000.00
210000	8.03	3.16	5.16	1.80	22.51	0.54	2.25	0.17	2.08	31.83	48.20	134.65	287.71	4.32	1000.00
220000	8.01	3.14	5.19	1.86	20.39	0.56	2.28	0.17	2.11	31.55	48.19	134.57	192.73	1.21	1000.00
230000	7.93	3.12	5.15	1.81	15.20	0.58	2.47	0.18	2.29	31.15	48.18	134.52	145.04	0.10	1000.00
極大值	8.17	3.22	5.24	1.86	33.57	0.74	2.81	0.36	2.60	34.17	48.23	134.77	300.30	14.01	1000.00
極小值	7.90	3.05	5.06	1.69	11.06	0.44	2.21	0.16	2.03	29.98	48.18	134.45	52.53	0.10	1000.00
平均值	8.01	3.15	5.15	1.78	21.51	0.56	2.40	0.20	2.20	32.06	48.20	134.60	204.90	5.63	1000.00
標準差	0.08	0.05	0.04	0.04	7.69	0.06	0.18	0.05	0.18	1.49	0.01	0.09	91.96	4.33	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.88	3.09	5.14	1.82	17.82	0.56	2.68	0.17	2.51	31.09	48.20	134.61	218.14	0.08	1000.00
010000	7.89	3.13	5.08	1.71	13.83	0.56	2.80	0.17	2.63	30.72	48.18	134.49	107.81	0.08	1000.00
020000	7.87	3.11	5.09	1.77	14.35	0.55	2.78	0.17	2.61	30.62	48.17	134.43	59.96	1.65	1000.00
030000	7.86	3.11	5.12	1.79	12.87	0.55	2.73	0.17	2.56	30.37	48.17	134.42	52.04	4.55	1000.00
040000	8.01	3.14	5.19	1.80	13.48	0.60	2.68	0.24	2.44	30.44	48.18	134.46	103.44	4.44	1000.00
050000	7.95	3.13	5.13	1.79	12.25	0.62	2.68	0.26	2.42	30.34	48.19	134.57	203.65	0.12	1000.00
060000	7.87	3.10	5.14	1.83	12.82	0.58	2.66	0.19	2.47	30.77	48.20	134.59	231.12	0.08	1000.00
070000	8.03	3.12	5.08	1.70	13.60	0.62	2.53	0.21	2.32	31.77	48.18	134.51	152.46	1.61	1000.00
080000	8.00	3.14	5.12	1.79	22.65	0.55	2.30	0.20	2.10	32.68	48.17	134.41	85.10	3.25	1000.00
090000	7.98	3.12	5.16	1.82	24.86	0.56	2.27	0.18	2.09	33.21	48.20	134.63	269.96	6.66	1000.00
100000	8.08	3.09	5.15	1.77	25.12	0.51	2.24	0.16	2.08	33.54	48.22	134.72	284.66	10.15	1000.00
110000	8.10	3.10	5.11	1.74	25.65	0.44	2.26	0.21	2.05	33.90	48.23	134.78	286.25	10.42	1000.00
120000	8.02	3.20	5.19	1.77	28.50	0.48	2.20	0.18	2.02	33.90	48.21	134.71	287.38	13.09	1000.00
130000	8.08	3.24	5.13	1.72	26.14	0.51	2.18	0.17	2.01	33.42	48.21	134.68	303.85	11.33	1000.00
140000	8.12	3.17	5.16	1.79	24.48	0.52	2.21	0.19	2.02	33.52	48.21	134.67	292.71	10.39	1000.00
150000	8.03	3.19	5.22	1.80	21.86	0.52	2.21	0.19	2.02	33.80	48.20	134.65	281.83	8.73	1000.00
160000	8.05	3.13	5.12	1.78	19.20	0.53	2.22	0.20	2.02	33.71	48.20	134.64	279.73	9.16	1000.00
170000	8.16	3.15	5.16	1.79	17.58	0.56	2.22	0.18	2.04	32.82	48.20	134.65	288.79	8.74	1000.00
180000	8.09	3.19	5.18	1.79	17.39	0.57	2.22	0.17	2.05	32.15	48.20	134.65	289.04	7.24	1000.00
190000	8.12	3.15	5.14	1.80	14.26	0.57	2.24	0.17	2.07	31.92	48.20	134.63	264.29	2.97	1000.00
200000	8.04	3.28	5.26	1.75	12.15	0.58	2.29	0.18	2.11	31.51	48.17	134.44	86.70	0.08	1000.00
210000	7.96	3.21	5.24	1.81	10.84	0.59	2.39	0.19	2.20	31.31	48.17	134.45	102.16	0.08	1000.00
220000	7.93	3.16	5.17	1.79	11.30	0.59	2.65	0.18	2.47	31.14	48.19	134.55	170.67	1.65	1000.00
230000	7.97	3.17	5.16	1.77	11.71	0.59	3.41	0.19	3.22	31.28	48.19	134.53	70.81	7.95	1000.00
極大值	8.16	3.28	5.26	1.83	28.50	0.62	3.41	0.26	3.22	33.90	48.23	134.78	303.85	13.09	1000.00
極小值	7.86	3.09	5.08	1.70	10.84	0.44	2.18	0.16	2.01	30.34	48.17	134.41	52.04	0.08	1000.00
平均值	8.00	3.15	5.15	1.78	17.70	0.55	2.46	0.19	2.27	32.08	48.19	134.58	198.86	5.19	1000.00
標準差	0.09	0.05	0.05	0.03	5.72	0.04	0.3	0.02	0.3	1.29	0.02	0.11	92.21	4.36	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	7.95	3.14	5.12	1.77	11.13	0.64	3.71	0.21	3.50	30.93	48.19	134.51	46.49	11.01	1000.00
010000	7.89	3.07	5.10	1.81	11.38	0.64	3.69	0.20	3.49	30.80	48.19	134.51	53.02	10.73	1000.00
020000	7.91	3.04	5.05	1.75	11.72	0.62	3.81	0.20	3.61	30.65	48.19	134.49	32.66	9.25	1000.00
030000	8.01	3.12	5.11	1.76	10.70	0.61	3.18	0.21	2.97	30.46	48.18	134.50	118.32	2.44	1000.00
040000	7.87	3.11	5.17	1.80	10.96	0.62	3.22	0.21	3.01	30.35	48.19	134.51	126.30	2.22	1000.00
050000	7.98	3.13	5.14	1.79	10.93	0.63	3.07	0.22	2.85	30.18	48.18	134.48	115.05	3.35	1000.00
060000	8.04	3.13	5.11	1.79	11.54	0.65	3.01	0.22	2.79	30.63	48.17	134.41	27.58	7.79	1000.00
070000	8.01	3.12	5.12	1.78	14.39	0.62	2.50	0.21	2.29	31.78	48.16	134.38	33.39	10.38	1000.00
080000	8.04	3.15	5.09	1.72	18.61	0.60	2.50	0.21	2.29	32.95	48.17	134.39	67.74	10.60	1000.00
090000	8.11	3.07	5.12	1.82	24.48	0.59	2.40	0.21	2.19	33.78	48.17	134.39	51.01	11.26	1000.00
100000	8.05	3.10	5.14	1.76	30.72	0.57	2.37	0.24	2.13	34.94	48.18	134.49	46.54	12.00	1000.00
110000	8.15	3.08	5.14	1.78	29.61	0.47	2.36	0.27	2.09	35.54	48.20	134.57	97.86	10.68	1000.00
120000	8.15	3.18	5.14	1.74	33.37	0.50	2.30	0.26	2.04	36.01	48.19	134.54	120.60	9.10	1000.00
130000	8.15	3.19	5.15	1.75	31.68	0.55	2.26	0.24	2.02	35.87	48.18	134.50	125.81	9.81	1000.00
140000	8.27	3.18	5.19	1.79	29.72	0.56	2.27	0.23	2.04	35.81	48.19	134.52	159.71	9.85	1000.00
150000	8.20	3.21	5.20	1.78	26.44	0.57	2.28	0.24	2.04	35.55	48.18	134.49	144.54	7.96	1000.00
160000	8.24	3.15	5.20	1.85	22.76	0.56	2.26	0.22	2.04	34.70	48.19	134.52	156.65	9.52	1000.00
170000	8.21	3.23	5.17	1.73	20.06	0.57	2.25	0.21	2.04	33.75	48.19	134.48	120.66	7.73	1000.00
180000	8.20	3.20	5.20	1.78	18.74	0.59	2.29	0.22	2.07	33.06	48.17	134.41	90.72	8.27	1000.00
190000	8.10	3.17	5.26	1.89	16.27	0.58	2.32	0.21	2.11	32.66	48.17	134.39	62.24	6.57	1000.00
200000	8.15	3.21	5.25	1.81	13.16	0.60	2.39	0.20	2.19	32.12	48.18	134.49	172.94	1.12	1000.00
210000	8.17	3.18	5.21	1.79	11.14	0.59	2.39	0.20	2.19	31.86	48.19	134.58	242.69	0.08	1000.00
220000	8.00	3.15	5.14	1.75	11.19	0.61	2.47	0.21	2.26	31.86	48.19	134.57	204.87	0.08	1000.00
230000	7.96	3.21	5.16	1.74	11.08	0.63	2.71	0.21	2.50	31.33	48.17	134.44	82.23	0.08	1000.00
極大值	8.27	3.23	5.26	1.89	33.37	0.65	3.81	0.27	3.61	36.01	48.20	134.58	242.69	12.00	1000.00
極小值	7.87	3.04	5.05	1.72	10.70	0.47	2.25	0.20	2.02	30.18	48.16	134.38	27.58	0.08	1000.00
平均值	8.08	3.15	5.15	1.78	18.41	0.59	2.67	0.22	2.45	32.82	48.18	134.48	104.15	7.16	1000.00
標準差	0.12	0.05	0.05	0.04	8.08	0.04	0.51	0.02	0.52	2.03	0.01	0.06	57.18	4.07	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.05	3.17	5.16	1.78	10.57	0.62	2.71	0.22	2.49	31.16	48.18	134.46	113.72	0.70	1000.00
010000	8.05	3.11	5.15	1.84	10.62	0.61	2.79	0.22	2.57	31.11	48.17	134.43	69.19	1.45	1000.00
020000	7.96	3.06	5.12	1.83	11.03	0.57	2.94	0.20	2.74	31.17	48.18	134.46	107.37	0.96	1000.00
030000	8.02	3.12	5.10	1.75	11.15	0.55	2.67	0.20	2.47	31.25	48.16	134.39	81.32	0.17	1000.00
040000	8.06	3.17	5.14	1.75	10.73	0.55	2.61	0.20	2.41	31.31	48.18	134.46	120.91	0.79	1000.00
050000	8.11	3.13	5.16	1.80	10.66	0.57	2.68	0.20	2.48	31.14	48.18	134.44	113.59	0.72	1000.00
060000	8.10	3.10	5.16	1.82	10.94	0.60	3.37	0.21	3.16	31.75	48.19	134.56	166.80	1.89	1000.00
070000	8.06	3.18	5.18	1.78	12.45	0.61	3.26	0.22	3.04	32.58	48.18	134.45	64.36	7.32	1000.00
080000	8.04	3.18	5.22	1.79	18.18	0.69	2.52	0.23	2.29	33.54	48.17	134.39	52.88	11.17	1000.00
090000	8.05	3.08	5.05	1.70	20.95	0.73	2.47	0.24	2.23	34.33	48.19	134.53	100.55	7.06	1000.00
100000	8.11	3.02	5.08	1.75	27.15	0.64	2.41	0.24	2.17	35.46	48.21	134.60	142.37	4.45	1000.00
110000	8.15	3.01	5.06	1.74	31.39	0.51	2.41	0.32	2.09	35.36	48.24	134.79	257.79	10.19	1000.00
120000	8.28	3.11	5.13	1.77	32.55	0.50	2.28	0.26	2.02	34.78	48.24	134.82	291.81	16.00	1000.00
130000	8.32	3.22	5.21	1.75	35.10	0.53	2.23	0.22	2.01	34.51	48.23	134.79	303.29	13.32	1000.00
140000	8.39	3.16	5.16	1.79	33.03	0.57	2.31	0.28	2.03	35.04	48.22	134.78	294.10	14.07	1000.00
150000	8.27	3.23	5.19	1.76	24.99	0.65	2.34	0.30	2.04	34.87	48.22	134.74	292.53	12.23	1000.00
160000	8.26	3.22	5.22	1.80	18.45	0.96	2.40	0.34	2.06	34.66	48.21	134.68	244.27	6.21	1000.00
170000	8.37	3.19	5.19	1.78	17.94	0.68	2.40	0.35	2.05	33.55	48.21	134.67	246.39	6.34	1000.00
180000	8.34	3.16	5.12	1.75	15.23	0.63	2.43	0.34	2.09	32.79	48.20	134.58	161.91	4.38	1000.00
190000	8.19	3.21	5.24	1.83	14.69	0.64	2.43	0.26	2.17	32.18	48.19	134.51	99.63	3.59	1000.00
200000	8.24	3.19	5.21	1.79	11.80	0.65	2.56	0.23	2.33	31.68	48.18	134.49	120.11	2.26	1000.00
210000	8.17	3.09	5.14	1.81	11.60	0.63	2.63	0.23	2.40	31.25	48.19	134.53	138.05	0.48	1000.00
220000	8.19	3.12	5.14	1.81	11.18	0.64	2.61	0.23	2.38	30.89	48.18	134.50	128.72	0.53	1000.00
230000	8.09	3.10	5.07	1.75	11.79	0.63	2.77	0.23	2.54	31.06	48.18	134.50	89.48	3.21	1000.00
極大值	8.39	3.23	5.24	1.84	35.10	0.96	3.37	0.35	3.16	35.46	48.24	134.82	303.29	16.00	1000.00
極小值	7.96	3.01	5.05	1.70	10.57	0.50	2.23	0.20	2.01	30.89	48.16	134.39	52.88	0.17	1000.00
平均值	8.16	3.14	5.15	1.78	17.67	0.62	2.59	0.25	2.34	32.81	48.20	134.56	158.38	5.40	1000.00
標準差	0.12	0.06	0.05	0.03	8.4	0.09	0.28	0.05	0.31	1.67	0.02	0.14	82.55	4.97	0

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.02	3.07	5.05	1.76	11.27	0.61	2.99	0.24	2.75	30.67	48.20	134.63	216.67	0.55	1000.00
010000	8.08	3.11	5.14	1.80	10.60	0.62	2.80	0.24	2.56	30.28	48.18	134.50	122.99	1.02	1000.00
020000	8.05	3.10	5.06	1.73	10.99	0.60	2.66	0.22	2.44	29.98	48.18	134.49	122.19	0.80	1000.00
030000	7.98	3.14	5.15	1.78	11.34	0.60	2.56	0.21	2.35	29.90	48.17	134.41	58.76	2.47	1000.00
040000	8.02	3.15	5.19	1.81	10.78	0.61	2.83	0.21	2.62	29.60	48.19	134.57	193.80	0.81	1000.00
050000	8.11	3.13	5.10	1.73	10.24	0.63	2.92	0.24	2.68	29.42	48.18	134.51	130.84	0.08	1000.00
060000	7.99	3.19	5.13	1.72	11.11	0.63	2.99	0.22	2.77	30.28	48.17	134.42	43.94	5.45	1000.00
070000	8.16	3.12	5.12	1.79	13.29	0.63	2.91	0.22	2.69	31.96	48.18	134.45	74.73	6.19	1000.00
080000	8.19	3.16	5.20	1.82	20.13	0.62	2.66	0.25	2.41	33.33	48.18	134.49	149.39	6.26	1000.00
090000	8.15	3.14	5.11	1.75	24.01	0.64	2.50	0.28	2.22	34.78	48.19	134.55	174.69	4.52	1000.00
100000	8.12	3.07	5.18	1.80	23.99	0.63	2.39	0.31	2.08	35.13	48.22	134.74	282.00	7.27	1000.00
110000	8.15	3.05	5.06	1.68	21.95	0.55	2.32	0.30	2.02	34.79	48.24	134.80	291.11	14.75	1000.00
120000	8.33	3.22	5.14	1.69	22.29	0.50	2.24	0.24	2.00	34.73	48.22	134.77	296.56	15.87	1000.00
130000	8.27	3.17	5.16	1.81	24.58	0.53	2.23	0.24	1.99	34.42	48.21	134.74	295.33	16.19	1000.00
140000	8.30	3.25	5.20	1.77	18.54	0.75	2.30	0.27	2.03	34.82	48.21	134.68	270.17	12.03	1000.00
150000	8.29	3.21	5.22	1.79	15.63	0.74	2.28	0.25	2.03	34.92	48.20	134.65	251.62	9.64	1000.00
160000	8.25	3.14	5.16	1.79	17.39	0.58	2.32	0.29	2.03	34.64	48.20	134.62	228.88	7.75	1000.00
170000	8.26	3.15	5.14	1.80	18.60	0.59	2.26	0.24	2.02	33.49	48.18	134.46	99.18	10.99	1000.00
180000	8.14	3.19	5.20	1.77	18.35	0.59	2.23	0.20	2.03	32.55	48.17	134.42	53.62	12.66	1000.00
190000	8.12	3.16	5.18	1.82	14.65	0.61	2.31	0.23	2.08	32.00	48.17	134.43	96.53	7.08	1000.00
200000	8.14	3.19	5.25	1.84	11.85	0.63	2.53	0.29	2.24	31.45	48.18	134.48	119.50	4.14	1000.00
210000	8.07	3.10	5.17	1.85	11.21	0.63	2.85	0.27	2.58	31.18	48.18	134.47	88.36	9.57	1000.00
220000	8.08	3.15	5.13	1.75	11.22	0.63	3.05	0.28	2.77	31.00	48.18	134.46	60.49	7.96	1000.00
230000	8.11	3.12	5.13	1.77	10.98	0.62	2.87	0.31	2.56	30.89	48.18	134.47	55.73	6.84	1000.00
極大值	8.33	3.25	5.25	1.85	24.58	0.75	3.05	0.31	2.77	35.13	48.24	134.80	296.56	16.19	1000.00
極小值	7.98	3.05	5.05	1.68	10.24	0.50	2.23	0.20	1.99	29.42	48.17	134.41	43.94	0.08	1000.00
平均值	8.14	3.14	5.15	1.78	15.62	0.62	2.58	0.25	2.33	32.34	48.19	134.55	157.38	7.12	1000.00
標準差	0.1	0.05	0.05	0.04	5.07	0.05	0.29	0.03	0.3	2.04	0.02	0.12	88.48	4.9	0

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.09	3.09	5.10	1.76	10.81	0.64	2.89	0.39	2.50	30.83	48.18	134.47	95.42	5.84	1000.00
010000	8.12	3.06	5.11	1.82	11.05	0.68	2.95	0.43	2.52	31.03	48.18	134.49	130.13	6.65	1000.00
020000	8.11	3.10	5.10	1.76	11.51	0.63	2.73	0.37	2.36	30.73	48.17	134.42	60.29	9.25	1000.00
030000	8.23	3.13	5.15	1.77	11.69	0.60	2.78	0.29	2.49	30.36	48.17	134.42	63.99	11.38	1000.00
040000	8.12	3.14	5.16	1.78	11.21	0.59	3.01	0.21	2.80	29.91	48.18	134.45	71.30	10.92	1000.00
050000	8.12	3.06	5.12	1.84	10.68	0.59	3.50	0.20	3.30	29.94	48.19	134.53	105.80	8.26	1000.00
060000	8.12	3.11	5.17	1.83	11.36	0.61	3.44	0.21	3.23	30.95	48.19	134.50	72.63	7.88	1000.00
070000	8.15	3.08	5.08	1.78	12.84	0.60	2.83	0.22	2.61	32.29	48.17	134.42	73.10	7.11	1000.00
080000	8.31	3.17	5.15	1.75	17.50	0.54	2.38	0.19	2.19	33.00	48.17	134.37	31.04	14.02	1000.00
090000	8.23	3.12	5.14	1.81	18.27	0.52	2.21	0.18	2.03	33.38	48.17	134.39	87.07	8.42	1000.00
100000	8.31	3.06	5.15	1.86	23.40	0.54	2.21	0.19	2.02	34.73	48.18	134.44	85.59	10.49	1000.00
110000	8.29	3.08	5.10	1.77	26.53	0.51	2.31	0.27	2.04	35.57	48.21	134.61	163.45	6.90	1000.00
120000	8.36	3.23	5.21	1.76	26.36	0.52	2.26	0.26	2.00	34.82	48.21	134.71	291.17	15.71	1000.00
130000	8.34	3.24	5.19	1.73	24.81	0.55	2.23	0.23	2.00	34.46	48.21	134.70	299.26	15.19	1000.00
140000	8.33	3.24	5.21	1.76	23.33	0.56	2.22	0.22	2.00	34.09	48.20	134.66	298.32	12.23	1000.00
150000	8.31	3.18	5.15	1.76	22.65	0.54	2.20	0.20	2.00	33.88	48.20	134.65	294.40	10.47	1000.00
160000	8.20	3.18	5.14	1.75	19.01	0.57	2.21	0.21	2.00	33.27	48.20	134.63	286.51	9.20	1000.00
170000	8.33	3.20	5.22	1.82	17.65	0.63	2.24	0.23	2.01	33.09	48.19	134.60	251.74	7.28	1000.00
180000	8.20	3.20	5.19	1.78	18.06	0.59	2.26	0.23	2.03	32.73	48.19	134.54	194.02	4.18	1000.00
190000	8.20	3.20	5.18	1.76	15.56	0.61	2.29	0.24	2.05	32.41	48.18	134.49	144.04	4.87	1000.00
200000	8.24	3.19	5.15	1.76	15.31	0.61	2.33	0.23	2.10	32.13	48.18	134.47	124.07	5.31	1000.00
210000	8.25	3.14	5.14	1.77	11.87	0.62	2.77	0.22	2.55	31.70	48.18	134.47	101.21	2.61	1000.00
220000	8.18	3.18	5.15	1.75	12.36	0.60	3.04	0.20	2.84	31.81	48.18	134.47	73.54	3.47	1000.00
230000	8.08	3.13	5.13	1.79	13.06	0.59	2.84	0.19	2.65	31.75	48.18	134.45	68.61	4.04	1000.00
極大值	8.36	3.24	5.22	1.86	26.53	0.68	3.50	0.43	3.30	35.57	48.21	134.71	299.26	15.71	1000.00
極小值	8.08	3.06	5.08	1.73	10.68	0.51	2.20	0.18	2.00	29.91	48.17	134.37	31.04	2.61	1000.00
平均值	8.22	3.15	5.15	1.78	16.54	0.58	2.59	0.24	2.35	32.45	48.19	134.51	144.45	8.40	1000.00
標準差	0.09	0.06	0.04	0.03	5.43	0.04	0.41	0.07	0.4	1.62	0.01	0.1	91.39	3.63	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.20	3.07	5.13	1.82	14.24	0.59	2.23	0.20	2.03	31.81	48.18	134.45	94.06	4.40	1000.00
010000	8.05	3.10	5.10	1.75	15.79	0.58	2.33	0.20	2.13	31.76	48.18	134.42	46.63	8.75	1000.00
020000	8.02	3.14	5.13	1.77	17.12	0.55	2.67	0.22	2.45	31.63	48.17	134.39	22.86	10.72	1000.00
030000	8.14	3.10	5.12	1.80	16.43	0.54	2.88	0.24	2.64	31.59	48.16	134.33	84.15	4.76	1000.00
040000	8.08	3.11	5.16	1.85	13.87	0.54	3.12	0.23	2.89	31.31	48.17	134.40	217.76	0.11	1000.00
050000	8.14	3.09	5.10	1.77	13.70	0.54	2.96	0.22	2.74	31.49	48.17	134.44	256.67	0.08	1000.00
060000	8.26	3.09	5.13	1.83	12.00	0.60	2.85	0.26	2.59	31.74	48.17	134.40	211.22	0.08	1000.00
070000	8.20	3.07	5.09	1.79	12.50	0.62	2.82	0.24	2.58	32.49	48.17	134.39	201.15	1.46	1000.00
080000	8.32	3.12	5.10	1.75	17.65	0.58	2.58	0.24	2.34	33.48	48.17	134.44	242.15	4.30	1000.00
090000	8.13	3.02	5.00	1.71	19.45	0.53	2.27	0.23	2.04	33.16	48.19	134.56	291.69	7.63	1000.00
100000	8.13	3.05	5.08	1.72	22.28	0.50	2.12	0.21	1.91	33.97	48.19	134.57	279.96	8.36	1000.00
110000	8.10	3.11	5.16	1.74	22.11	0.42	2.10	0.23	1.87	34.51	48.20	134.60	290.33	10.63	1000.00
120000	8.23	3.20	5.23	1.82	24.97	0.46	2.10	0.24	1.86	34.43	48.19	134.60	290.55	13.55	1000.00
130000	8.34	3.23	5.19	1.77	24.95	0.52	2.09	0.23	1.86	34.53	48.19	134.56	296.72	12.94	1000.00
140000	8.24	3.26	5.23	1.75	25.82	0.54	2.09	0.23	1.86	34.43	48.18	134.54	297.91	12.84	1000.00
150000	8.25	3.18	5.19	1.81	22.78	0.59	2.09	0.22	1.87	34.20	48.18	134.54	300.22	11.65	1000.00
160000	8.30	3.18	5.20	1.82	22.88	0.58	2.09	0.22	1.87	33.68	48.18	134.53	299.04	10.35	1000.00
170000	8.35	3.16	5.17	1.80	20.34	0.74	2.10	0.21	1.89	33.05	48.18	134.49	267.45	6.93	1000.00
180000	8.29	3.21	5.15	1.73	13.09	0.88	2.12	0.21	1.91	32.51	48.16	134.39	185.48	3.87	1000.00
190000	8.19	3.18	5.18	1.76	12.61	0.63	2.13	0.21	1.92	31.99	48.15	134.32	108.56	3.82	1000.00
200000	8.32	3.19	5.16	1.75	12.12	0.66	2.20	0.21	1.99	31.88	48.15	134.28	81.62	4.54	1000.00
210000	8.14	3.22	5.13	1.77	13.23	0.64	2.32	0.22	2.10	31.63	48.14	134.24	66.72	9.01	1000.00
220000	8.18	3.07	5.13	1.84	14.34	0.61	2.47	0.21	2.26	31.50	48.15	134.28	56.47	13.80	1000.00
230000	8.07	3.11	5.12	1.78	15.78	0.58	2.58	0.20	2.38	31.53	48.14	134.25	45.87	10.96	1000.00
極大值	8.35	3.26	5.23	1.85	25.82	0.88	3.12	0.26	2.89	34.53	48.20	134.60	300.22	13.80	1000.00
極小值	8.02	3.02	5.00	1.71	12.00	0.42	2.09	0.20	1.86	31.31	48.14	134.24	22.86	0.08	1000.00
平均值	8.19	3.14	5.14	1.78	17.50	0.58	2.39	0.22	2.17	32.68	48.17	134.43	188.97	7.31	1000.00
標準差	0.1	0.06	0.05	0.04	4.64	0.09	0.33	0.02	0.33	1.18	0.02	0.11	102.42	4.47	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.22	3.11	5.13	1.77	14.72	0.56	2.81	0.20	2.61	31.33	48.14	134.25	44.83	9.08	1000.00
010000	8.09	3.11	5.08	1.74	14.26	0.59	2.70	0.20	2.50	31.17	48.14	134.24	49.48	11.23	1000.00
020000	8.13	3.13	5.09	1.75	12.48	0.59	2.47	0.18	2.29	30.77	48.14	134.25	43.11	8.47	1000.00
030000	8.09	3.10	5.16	1.83	12.09	0.59	2.48	0.18	2.30	30.56	48.14	134.26	63.69	12.29	1000.00
040000	8.12	3.13	5.14	1.80	12.68	0.58	2.55	0.19	2.36	30.56	48.14	134.28	55.07	10.26	1000.00
050000	8.12	3.05	5.06	1.76	12.08	0.58	2.56	0.19	2.37	30.66	48.14	134.24	35.06	9.44	1000.00
060000	8.18	3.11	5.14	1.79	11.34	0.59	2.61	0.20	2.41	31.11	48.14	134.24	46.86	8.41	1000.00
070000	8.10	3.16	5.16	1.79	13.59	0.62	2.50	0.21	2.29	32.53	48.14	134.22	25.96	9.77	1000.00
080000	8.21	3.17	5.19	1.79	19.77	0.60	2.34	0.20	2.14	33.84	48.14	134.24	53.70	12.07	1000.00
090000	8.28	3.04	5.08	1.80	21.45	0.57	2.21	0.17	2.04	34.75	48.15	134.29	63.11	10.02	1000.00
100000	8.20	3.04	5.07	1.76	19.16	0.58	2.03	0.18	1.85	34.91	48.19	134.53	215.91	8.78	1000.00
110000	8.27	3.02	5.11	1.81	22.60	0.41	2.30	0.24	2.06	35.43	48.19	134.48	137.69	8.40	1000.00
120000	8.39	3.21	5.18	1.73	31.74	0.48	2.35	0.28	2.07	35.41	48.17	134.40	72.44	11.10	1000.00
130000	8.37	3.22	5.16	1.76	30.12	0.59	2.13	0.29	1.84	35.45	48.18	134.49	212.13	8.86	1000.00
140000	8.48	3.18	5.14	1.76	28.15	0.86	2.09	0.24	1.85	34.44	48.19	134.55	287.97	13.92	1000.00
150000	8.43	3.19	5.14	1.74	30.43	0.69	2.03	0.20	1.83	34.79	48.18	134.47	215.57	7.91	1000.00
160000	8.28	3.16	5.17	1.81	32.34	0.62	2.16	0.18	1.98	34.70	48.18	134.46	214.09	4.45	1000.00
170000	8.26	3.19	5.18	1.78	31.37	0.65	2.18	0.18	2.00	33.73	48.16	134.39	203.59	6.39	1000.00
180000	8.31	3.23	5.19	1.75	32.37	0.69	2.19	0.18	2.01	33.05	48.15	134.30	99.52	8.14	1000.00
190000	8.37	3.18	5.18	1.77	32.74	0.70	2.20	0.19	2.01	32.40	48.14	134.24	40.83	9.10	1000.00
200000	8.17	3.19	5.18	1.76	27.29	0.70	2.23	0.22	2.01	32.12	48.15	134.30	115.92	3.79	1000.00
210000	8.25	3.19	5.19	1.77	23.14	0.69	2.34	0.24	2.10	31.77	48.17	134.43	246.05	1.56	1000.00
220000	8.20	3.10	5.12	1.79	31.45	0.65	2.41	0.23	2.18	31.83	48.17	134.49	298.84	0.75	1000.00
230000	8.08	3.16	5.16	1.78	33.54	0.62	2.33	0.23	2.10	31.74	48.19	134.54	325.77	1.30	1000.00
極大值	8.48	3.23	5.19	1.83	33.54	0.86	2.81	0.29	2.61	35.45	48.19	134.55	325.77	13.92	1000.00
極小值	8.08	3.02	5.06	1.73	11.34	0.41	2.03	0.17	1.83	30.56	48.14	134.22	25.96	0.75	1000.00
平均值	8.23	3.14	5.14	1.77	22.95	0.62	2.34	0.21	2.13	32.88	48.16	134.36	131.97	8.15	1000.00
標準差	0.11	0.06	0.04	0.03	8.35	0.08	0.21	0.03	0.22	1.76	0.02	0.12	97.78	3.49	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.05	3.07	5.13	1.82	21.69	0.65	2.51	0.07	2.44	31.07	48.16	134.30	52.56	7.09	1000.00
010000	8.22	3.16	5.13	1.75	18.13	0.82	2.81	0.09	2.72	30.68	48.16	134.30	62.75	8.03	1000.00
020000	8.16	3.11	5.12	1.77	17.71	0.80	3.50	0.14	3.36	30.39	48.16	134.30	52.82	6.65	1000.00
030000	8.32	3.12	5.10	1.74	16.23	0.78	3.35	0.12	3.23	30.17	48.15	134.31	74.62	5.45	1000.00
040000	8.33	3.11	5.17	1.81	15.29	0.78	2.97	0.10	2.87	30.10	48.16	134.31	82.48	4.09	1000.00
050000	8.21	3.02	5.10	1.81	13.45	0.79	3.00	0.10	2.90	30.02	48.16	134.35	133.60	0.91	1000.00
060000	8.22	3.15	5.17	1.77	13.66	0.81	3.06	0.10	2.96	30.82	48.15	134.28	71.25	3.35	1000.00
070000	8.17	3.13	5.11	1.73	19.02	0.80	2.96	0.11	2.85	32.05	48.16	134.31	103.67	4.22	1000.00
080000	8.30	3.12	5.13	1.77	31.79	0.80	2.69	0.11	2.58	33.66	48.17	134.40	189.37	1.91	1000.00
090000	8.14	3.10	5.15	1.81	39.62	0.74	2.32	0.07	2.25	34.19	48.18	134.46	209.89	3.19	1000.00
100000	8.14	3.00	5.11	1.82	41.96	0.68	2.22	0.07	2.15	34.27	48.19	134.55	268.62	6.23	1000.00
110000	8.28	3.07	5.09	1.75	49.26	0.59	2.22	0.08	2.14	34.38	48.20	134.60	288.09	10.17	1000.00
120000	8.36	3.20	5.24	1.81	51.04	0.63	2.19	0.08	2.11	34.17	48.19	134.60	292.59	12.26	1000.00
130000	8.45	3.20	5.21	1.80	48.97	0.74	2.15	0.07	2.08	34.71	48.18	134.54	291.10	12.08	1000.00
140000	8.35	3.18	5.19	1.80	34.47	0.74	2.18	0.10	2.08	34.48	48.18	134.49	255.16	6.45	948.86
150000	8.42	3.26	5.21	1.74	35.10	0.64	2.18	0.09	2.09	35.05	48.16	134.34	124.68	5.53	61.60
160000	8.33	3.18	5.16	1.78	35.10	0.61	2.16	0.07	2.09	34.49	48.15	134.29	93.16	10.05	45.62
170000	8.30	3.15	5.20	1.83	40.61	0.66	2.17	0.06	2.11	33.52	48.14	134.26	47.26	9.75	51.17
180000	8.36	3.21	5.19	1.76	36.10	0.73	2.20	0.07	2.13	32.39	48.14	134.25	66.38	8.08	63.21
190000	8.25	3.23	5.24	1.80	35.25	0.66	2.30	0.06	2.24	32.04	48.17	134.45	257.27	4.75	62.74
200000	8.32	3.23	5.24	1.78	42.25	0.63	2.44	0.09	2.35	31.71	48.18	134.49	290.22	7.87	50.45
210000	8.16	3.21	5.20	1.76	39.74	0.62	2.48	0.08	2.40	31.61	48.17	134.49	289.54	5.81	49.23
220000	8.19	3.16	5.17	1.76	37.56	0.61	2.30	0.07	2.23	31.65	48.18	134.52	296.76	3.51	47.72
230000	8.09	3.17	5.19	1.79	24.70	0.65	2.36	0.07	2.29	30.92	48.14	134.27	58.98	3.12	45.82
極大值	8.45	3.26	5.24	1.83	51.04	0.82	3.50	0.14	3.36	35.05	48.20	134.60	296.76	12.26	1000.00
極小值	8.05	3.00	5.09	1.73	13.45	0.59	2.15	0.06	2.08	30.02	48.14	134.25	47.26	0.91	45.62
平均值	8.26	3.15	5.16	1.78	31.61	0.71	2.53	0.09	2.44	32.44	48.17	134.39	164.70	6.27	642.77
標準差	0.1	0.07	0.05	0.03	12.08	0.08	0.41	0.02	0.39	1.73	0.02	0.12	100.36	3.07	466.74

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.17	3.20	5.13	1.71	17.18	0.74	2.83	0.14	2.69	30.60	48.14	134.23	36.59	5.95	38.08
010000	8.09	3.11	5.15	1.80	16.98	0.77	2.79	0.12	2.67	30.56	48.14	134.24	45.34	6.44	739.30
020000	8.21	3.16	5.15	1.74	15.31	0.83	2.97	0.11	2.86	30.22	48.14	134.22	31.11	9.51	324.22
030000	8.22	3.16	5.20	1.79	15.34	0.90	2.84	0.11	2.73	30.07	48.14	134.22	28.91	10.30	37.93
040000	8.18	3.11	5.13	1.79	16.28	0.83	3.04	0.12	2.92	30.15	48.14	134.23	26.93	10.88	29.80
050000	8.25	3.12	5.11	1.75	16.20	0.80	3.07	0.13	2.94	30.16	48.14	134.20	30.79	9.00	32.92
060000	8.24	3.12	5.12	1.76	16.42	0.80	4.19	0.15	4.04	30.81	48.15	134.27	78.15	4.05	27.47
070000	8.18	3.18	5.14	1.72	22.14	0.75	3.53	0.14	3.39	32.74	48.16	134.36	154.45	0.07	23.35
080000	8.20	3.09	5.12	1.79	29.65	0.65	2.78	0.12	2.66	33.91	48.18	134.48	265.76	2.50	30.16
090000	8.11	3.12	5.19	1.83	40.55	0.70	2.11	0.03	2.08	33.70	48.19	134.56	288.31	7.22	34.09
100000	8.22	3.07	5.14	1.77	48.53	0.69	2.03	0.02	2.01	34.05	48.19	134.58	280.01	9.20	39.09
110000	8.25	3.05	5.04	1.68	59.35	0.62	2.03	0.04	1.99	33.91	48.21	134.64	293.29	12.59	32.25
120000	8.38	3.24	5.17	1.70	48.41	0.58	2.04	0.05	1.99	34.00	48.19	134.61	299.93	12.40	24.03
130000	8.39	3.22	5.20	1.76	42.04	0.62	2.04	0.04	2.00	34.51	48.18	134.56	289.83	11.75	23.17
140000	8.29	3.24	5.23	1.77	40.99	0.60	2.04	0.04	2.00	34.64	48.18	134.52	283.12	11.51	33.19
150000	8.36	3.20	5.09	1.69	37.81	0.62	2.05	0.03	2.02	34.40	48.18	134.53	297.66	9.47	36.25
160000	8.42	3.22	5.19	1.80	28.52	0.90	2.05	0.01	2.04	34.16	48.18	134.51	276.13	7.92	34.20
170000	8.36	3.21	5.19	1.79	30.76	0.80	2.07	0.02	2.05	33.48	48.16	134.35	112.12	4.73	29.54
180000	8.35	3.19	5.16	1.77	28.67	0.65	2.12	0.05	2.07	32.65	48.17	134.38	147.42	4.31	23.70
190000	8.30	3.18	5.22	1.83	22.61	0.67	2.10	0.03	2.07	32.10	48.17	134.44	208.17	0.96	25.97
200000	8.37	3.20	5.20	1.76	20.45	0.71	2.14	0.03	2.11	31.91	48.17	134.43	194.05	0.07	25.29
210000	8.29	3.16	5.19	1.82	20.38	0.64	2.46	0.05	2.41	31.58	48.16	134.36	115.09	2.07	34.71
220000	8.23	3.12	5.12	1.77	19.68	0.61	2.81	0.06	2.75	31.33	48.17	134.39	148.50	1.02	34.33
230000	8.29	3.13	5.13	1.78	18.69	0.63	3.04	0.07	2.97	30.97	48.16	134.32	75.94	1.60	30.55
極大值	8.42	3.24	5.23	1.83	59.35	0.90	4.19	0.15	4.04	34.64	48.21	134.64	299.93	12.59	739.30
極小值	8.09	3.05	5.04	1.68	15.31	0.58	2.03	0.01	1.99	30.07	48.14	134.20	26.93	0.07	23.17
平均值	8.26	3.16	5.15	1.77	28.04	0.71	2.55	0.07	2.48	32.36	48.17	134.40	166.98	6.48	72.65
標準差	0.09	0.05	0.05	0.04	12.78	0.1	0.58	0.05	0.54	1.66	0.02	0.14	106.55	4.22	154.16

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.22	3.12	5.09	1.74	19.02	0.62	2.56	0.16	2.40	30.94	48.17	134.40	183.53	0.58	70.38
010000	8.17	3.11	5.15	1.81	17.91	0.62	2.58	0.16	2.42	30.93	48.16	134.37	136.44	0.07	751.48
020000	8.21	3.15	5.14	1.76	16.13	0.61	2.58	0.17	2.41	30.79	48.18	134.46	251.55	0.26	308.05
030000	8.14	3.09	5.08	1.78	14.56	0.61	2.53	0.20	2.33	30.58	48.16	134.34	136.81	0.07	58.58
040000	8.29	3.14	5.14	1.79	12.17	0.62	2.50	0.15	2.35	30.42	48.15	134.27	71.01	0.28	56.98
050000	8.30	3.07	5.13	1.82	12.30	0.63	2.61	0.13	2.48	30.49	48.15	134.31	101.53	2.32	58.15
060000	8.23	3.08	5.09	1.77	12.73	0.67	2.68	0.18	2.50	31.04	48.15	134.29	91.55	3.87	60.13
070000	8.23	3.15	5.11	1.74	18.85	0.72	2.46	0.16	2.30	31.48	48.15	134.27	59.94	13.39	57.95
080000	8.23	3.12	5.16	1.78	26.01	0.69	2.53	0.19	2.34	31.96	48.15	134.28	40.68	17.72	71.97
090000	8.30	3.09	5.08	1.76	29.96	0.63	2.59	0.19	2.40	32.43	48.16	134.32	61.09	24.50	81.49
100000	8.29	3.13	5.15	1.79	32.38	0.56	2.50	0.13	2.37	33.43	48.16	134.31	77.72	22.61	75.45
110000	8.36	3.13	5.11	1.77	28.21	0.53	2.39	0.19	2.20	34.26	48.16	134.32	73.78	15.80	61.09
120000	8.43	3.23	5.20	1.77	30.01	0.55	2.25	0.12	2.13	34.69	48.16	134.29	58.75	15.01	65.11
130000	8.39	3.21	5.16	1.74	29.21	0.58	2.22	0.09	2.13	34.94	48.16	134.31	102.39	11.69	71.72
140000	8.39	3.19	5.09	1.68	36.99	0.61	2.18	0.07	2.11	34.83	48.16	134.29	81.46	13.20	66.51
150000	8.40	3.22	5.16	1.69	38.49	0.66	2.20	0.09	2.11	34.50	48.16	134.30	114.94	11.49	62.08
160000	8.29	3.21	5.16	1.73	38.03	0.65	2.18	0.07	2.11	33.70	48.15	134.28	91.09	11.60	59.40
170000	8.32	3.19	5.17	1.78	37.64	0.67	2.16	0.07	2.09	33.06	48.15	134.27	47.98	12.83	58.09
180000	8.21	3.24	5.17	1.72	33.20	0.68	2.15	0.06	2.09	32.47	48.15	134.25	44.65	10.33	58.48
190000	8.32	3.14	5.12	1.78	29.64	0.68	2.26	0.10	2.16	32.04	48.14	134.22	54.03	8.00	49.71
200000	8.23	3.12	5.20	1.88	26.09	0.68	2.40	0.14	2.26	31.78	48.15	134.29	115.79	4.61	46.42
210000	8.19	3.21	5.20	1.77	21.07	0.69	2.50	0.18	2.32	31.62	48.16	134.36	199.27	0.97	39.61
220000	8.21	3.16	5.14	1.75	22.05	0.68	2.37	0.15	2.22	31.57	48.17	134.45	276.91	0.50	27.61
230000	8.13	3.14	5.13	1.77	27.76	0.67	2.37	0.12	2.25	31.66	48.18	134.48	291.26	5.17	22.63
極大值	8.43	3.24	5.20	1.88	38.49	0.72	2.68	0.20	2.50	34.94	48.18	134.48	291.26	24.50	751.48
極小值	8.13	3.07	5.08	1.68	12.17	0.53	2.15	0.06	2.09	30.42	48.14	134.22	40.68	0.07	22.63
平均值	8.27	3.15	5.14	1.77	25.43	0.64	2.41	0.14	2.27	32.32	48.16	134.32	115.17	8.62	97.46
標準差	0.08	0.05	0.04	0.04	8.58	0.05	0.17	0.04	0.13	1.5	0.01	0.07	73.44	7.46	148.96

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.16	3.17	5.12	1.72	28.00	0.70	2.81	0.14	2.67	31.54	48.17	134.46	277.17	5.80	76.50
010000	8.16	3.18	5.14	1.73	37.71	0.66	3.14	0.14	3.00	31.52	48.17	134.45	265.44	5.69	932.59
020000	8.19	3.16	5.15	1.73	42.60	0.65	3.06	0.14	2.92	31.26	48.17	134.47	289.16	5.76	5.91
030000	8.20	3.08	5.13	1.84	40.55	0.65	3.07	0.13	2.94	31.34	48.18	134.49	300.56	3.10	9.25
040000	8.14	3.10	5.12	1.80	40.91	0.65	3.00	0.12	2.88	31.44	48.18	134.49	298.38	4.42	18.25
050000	8.26	3.16	5.11	1.73	33.11	0.66	3.17	0.12	3.05	30.87	48.17	134.46	263.30	2.63	13.65
060000	8.16	3.12	5.09	1.77	30.71	0.68	3.50	0.14	3.36	31.45	48.17	134.47	282.66	2.80	13.36
070000	8.20	3.14	5.12	1.77	36.13	0.70	2.87	0.14	2.73	32.94	48.17	134.46	247.04	4.46	17.93
080000	8.15	3.08	5.10	1.79	37.08	0.67	2.62	0.12	2.50	33.62	48.18	134.50	269.73	5.06	19.42
090000	8.31	3.08	5.10	1.73	43.14	0.59	2.46	0.11	2.35	33.56	48.20	134.61	290.66	8.95	17.13
100000	8.32	3.05	5.10	1.74	49.71	0.52	2.33	0.11	2.22	33.62	48.21	134.62	296.41	10.54	20.13
110000	8.29	3.00	5.03	1.74	53.27	0.48	2.23	0.11	2.12	33.51	48.21	134.63	294.17	13.73	21.77
120000	8.44	3.12	5.15	1.81	64.39	0.58	2.21	0.11	2.10	33.64	48.20	134.64	292.67	15.67	35.13
130000	8.41	3.21	5.18	1.76	71.13	0.66	2.21	0.10	2.11	33.51	48.20	134.60	300.92	13.96	33.44
140000	8.45	3.22	5.21	1.75	69.65	0.66	2.24	0.12	2.12	33.36	48.19	134.57	301.46	12.63	26.39
150000	8.37	3.20	5.16	1.75	67.27	0.66	2.24	0.11	2.13	33.19	48.19	134.56	294.85	11.45	26.21
160000	8.37	3.21	5.20	1.78	64.73	0.67	2.24	0.11	2.13	32.80	48.19	134.54	293.59	9.61	26.85
170000	8.36	3.17	5.20	1.81	59.32	0.69	2.21	0.10	2.11	32.32	48.18	134.52	292.22	7.85	32.46
180000	8.30	3.19	5.21	1.79	52.52	0.69	2.20	0.08	2.12	31.83	48.19	134.52	289.38	6.30	29.18
190000	8.29	3.15	5.11	1.75	48.26	0.72	2.26	0.10	2.16	31.66	48.19	134.54	282.19	4.35	36.59
200000	8.33	3.19	5.21	1.80	51.77	0.69	2.25	0.09	2.16	31.70	48.19	134.54	296.54	2.27	32.00
210000	8.18	3.19	5.23	1.81	39.98	0.68	2.27	0.07	2.20	31.15	48.18	134.50	254.55	0.07	31.30
220000	8.12	3.13	5.12	1.77	37.04	0.67	2.28	0.06	2.22	30.97	48.17	134.40	137.11	0.57	19.60
230000	8.19	3.13	5.16	1.78	30.34	0.66	2.39	0.06	2.33	30.61	48.16	134.36	97.83	1.62	24.06
極大值	8.45	3.22	5.23	1.84	71.13	0.72	3.50	0.14	3.36	33.64	48.21	134.64	301.46	15.67	932.59
極小值	8.12	3.00	5.03	1.72	28.00	0.48	2.20	0.06	2.10	30.61	48.16	134.36	97.83	0.07	5.91
平均值	8.26	3.14	5.14	1.77	47.06	0.65	2.55	0.11	2.44	32.23	48.18	134.52	271.17	6.64	63.30
標準差	0.1	0.06	0.05	0.03	13.25	0.06	0.41	0.02	0.39	1.06	0.01	0.07	49.99	4.49	185.66

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	8.09	3.14	5.14	1.76	30.94	0.65	2.47	0.09	2.38	30.27	48.17	134.40	144.42	3.59	46.37
010000	8.06	3.11	5.13	1.78	29.88	0.65	2.35	0.08	2.27	30.19	48.17	134.41	164.74	2.49	42.89
020000	8.13	3.11	5.14	1.79	31.67	0.65	2.29	0.09	2.20	30.10	48.17	134.41	163.90	0.19	44.85
030000	8.08	3.13	5.18	1.81	31.92	0.64	2.20	0.07	2.13	29.99	48.16	134.34	107.67	1.36	42.56
040000	8.05	3.12	5.13	1.77	26.69	0.66	2.36	0.07	2.29	29.84	48.15	134.30	53.20	6.96	43.76
050000	8.02	3.08	5.14	1.81	25.14	0.67	2.42	0.07	2.35	29.73	48.15	134.28	42.37	11.21	44.15
060000	7.95	3.12	5.15	1.79	21.72	0.71	2.34	0.06	2.28	30.22	48.15	134.27	25.60	9.39	43.74
070000	8.02	3.10	5.19	1.85	30.13	0.75	2.62	0.06	2.56	31.61	48.15	134.27	35.84	9.40	49.04
080000	8.00	3.05	5.12	1.84	47.74	0.69	2.47	0.09	2.38	32.74	48.15	134.28	61.43	9.38	47.24
090000	8.11	3.15	5.13	1.74	48.58	0.65	2.38	0.08	2.30	33.85	48.16	134.34	126.97	4.29	45.30
100000	8.09	3.09	5.16	1.81	51.00	0.64	2.38	0.14	2.24	34.21	48.17	134.45	171.20	7.55	45.05
110000	8.12	3.06	5.12	1.78	71.34	0.63	2.26	0.08	2.18	33.84	48.20	134.61	298.06	12.24	41.88
120000	8.25	3.16	5.23	1.88	75.71	0.63	2.22	0.10	2.12	33.82	48.19	134.59	291.48	12.30	39.96
130000	8.37	3.25	5.22	1.76	64.07	0.66	2.18	0.08	2.10	33.83	48.18	134.54	298.32	13.28	40.90
140000	8.18	3.24	5.20	1.74	58.89	0.67	2.22	0.11	2.11	33.74	48.18	134.52	294.98	12.07	42.66
150000	8.24	3.23	5.23	1.78	52.01	0.67	2.21	0.09	2.12	33.22	48.18	134.51	294.29	11.61	42.30
160000	8.23	3.24	5.24	1.80	46.54	0.80	2.21	0.09	2.12	33.28	48.18	134.50	288.13	7.38	40.29
170000	8.21	3.17	5.18	1.82	41.10	0.76	2.23	0.10	2.13	32.75	48.18	134.50	287.62	7.59	40.95
180000	8.21	3.22	5.20	1.77	34.35	0.69	2.34	0.15	2.19	32.01	48.18	134.50	291.99	7.05	43.45
190000	8.18	3.20	5.23	1.78	33.11	0.67	2.37	0.11	2.26	31.83	48.17	134.47	258.82	4.96	45.80
200000	8.21	3.24	5.21	1.74	24.14	0.73	2.69	0.18	2.51	31.71	48.15	134.29	85.03	4.98	52.35
210000	8.12	3.17	5.20	1.81	26.70	0.73	3.05	0.28	2.77	31.53	48.15	134.30	74.58	4.88	56.72
220000	8.09	3.11	5.11	1.78	22.70	0.73	2.90	0.13	2.77	30.98	48.16	134.37	172.54	1.24	56.52
230000	8.06	3.13	5.15	1.77	21.88	0.69	3.22	0.16	3.06	30.78	48.15	134.28	78.04	1.53	60.15
極大值	8.37	3.25	5.24	1.88	75.71	0.80	3.22	0.28	3.06	34.21	48.20	134.61	298.32	13.28	60.15
極小值	7.95	3.05	5.11	1.74	21.72	0.63	2.18	0.06	2.10	29.73	48.15	134.27	25.60	0.19	39.96
平均值	8.13	3.15	5.17	1.79	39.50	0.68	2.43	0.11	2.33	31.92	48.17	134.41	171.30	6.96	45.79
標準差	0.1	0.06	0.04	0.03	16.04	0.05	0.28	0.05	0.25	1.55	0.01	0.11	102.37	4.02	5.45