

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.21	3.36	7.84	3.97	38.37	0.30	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.23	3.33	7.94	4.11	38.37	0.30	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.30	3.35	7.91	4.05	38.29	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.27	3.41	7.91	4.00	38.11	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.23	3.32	7.88	4.07	38.04	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.28	3.34	7.89	4.04	38.03	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.27	3.36	7.89	4.03	37.97	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.38	3.32	7.92	4.10	38.00	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.58	3.37	7.97	4.07	38.89	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.69	3.39	7.94	4.03	40.45	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
100000	4.07	3.37	7.92	3.97	41.93	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
110000	4.46	3.31	7.78	3.87	43.25	0.30	2.22	0.33	1.89	0.00	26.04	74.00	0.00	0.00	1000.00
120000	4.63	3.27	7.82	3.95	45.41	0.30	2.22	0.33	1.89	0.00	26.04	74.00	0.00	0.00	1000.00
130000	4.57	3.32	7.88	3.93	45.25	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
140000	4.19	3.31	7.95	4.01	44.28	0.30	2.23	0.34	1.89	0.00	26.04	74.00	0.00	0.00	1000.00
150000	3.88	3.26	7.95	4.07	43.46	0.30	2.23	0.34	1.89	0.00	26.04	74.00	0.00	0.00	1000.00
160000	3.73	3.35	7.92	3.97	42.55	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.78	3.32	7.89	4.01	42.27	0.30	2.23	0.35	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.58	3.40	7.91	3.99	41.57	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.40	3.41	7.91	3.96	40.50	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.39	3.32	7.93	4.08	39.42	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.36	3.42	8.00	4.02	38.94	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.33	3.26	7.85	4.06	38.44	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.27	3.40	7.94	4.02	38.57	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	4.63	3.42	8.00	4.11	45.41	0.30	2.23	0.35	1.89	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.21	3.26	7.78	3.87	37.97	0.30	2.21	0.33	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	3.63	3.34	7.91	4.02	40.43	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.45	0.05	0.05	0.06	2.52	0	0	0	0.01	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.27	3.32	7.84	4.00	38.85	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.27	3.36	7.93	4.03	38.82	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.32	3.27	7.81	4.00	38.68	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.26	3.31	7.85	3.98	38.72	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.22	3.35	7.91	3.98	38.60	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.27	3.31	7.93	4.02	38.31	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.31	3.26	7.89	4.07	38.32	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.41	3.23	7.91	4.08	38.52	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.57	3.14	7.77	4.02	39.74	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.83	3.34	7.98	4.00	41.44	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
100000	3.87	3.26	7.86	3.93	42.30	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
110000	3.88	3.25	7.86	3.93	42.59	0.30	2.23	0.35	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
120000	3.82	3.27	7.94	3.97	42.91	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
130000	3.65	3.26	7.89	3.92	42.53	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
140000	3.33	3.16	7.77	3.85	40.48	0.30	2.23	0.34	1.89	0.00	26.04	74.00	0.00	0.00	1000.00
150000	3.26	3.24	7.94	3.97	39.90	0.30	2.23	0.35	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
160000	3.23	3.24	7.82	3.86	39.61	0.30	2.22	0.34	1.88	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.22	3.27	7.92	3.96	39.38	0.30	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.26	3.24	7.83	3.98	39.17	0.30	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.15	3.32	7.92	3.97	39.18	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.19	3.20	7.83	3.99	39.29	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.14	3.27	7.93	3.99	39.04	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.20	3.27	7.93	3.99	38.89	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.27	3.30	7.98	4.01	38.56	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	3.88	3.36	7.98	4.08	42.91	0.30	2.23	0.35	1.89	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.14	3.14	7.77	3.85	38.31	0.30	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	3.38	3.27	7.88	3.98	39.74	0.30	2.19	0.34	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.24	0.05	0.06	0.05	1.48	0	0.06	0.01	0.05	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.24	3.16	7.82	4.01	38.56	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.21	3.24	7.79	3.90	38.53	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.17	3.25	7.93	4.06	38.16	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.18	3.23	7.90	4.06	38.13	0.30	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.18	3.19	7.87	4.06	38.15	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.16	3.24	7.88	4.02	38.21	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.15	3.24	7.85	4.00	38.20	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.20	3.28	7.89	3.98	38.18	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.30	3.26	7.91	4.01	38.50	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.37	3.29	7.82	3.87	38.93	0.30	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
100000	3.33	3.24	7.91	3.96	39.57	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
110000	3.22	3.21	7.91	3.91	32.78	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
120000	3.22	3.13	7.95	3.94	23.15	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
130000	3.21	3.17	7.83	3.98	15.20	0.31	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
140000	3.17	3.23	7.87	3.97	15.76	0.31	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
150000	3.21	3.32	7.91	3.93	15.84	0.31	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
160000	3.20	3.22	7.87	4.00	15.43	0.31	2.09	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.16	3.29	7.84	3.96	14.74	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.15	3.25	7.85	4.03	12.85	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.12	3.36	7.92	4.02	11.30	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.14	3.28	7.88	4.03	8.51	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.16	3.30	7.88	4.01	5.61	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.20	3.24	7.72	3.92	2.65	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.20	3.41	8.00	4.01	0.54	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	3.37	3.41	8.00	4.06	39.57	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.12	3.13	7.72	3.87	0.54	0.30	2.09	0.32	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	3.20	3.25	7.88	3.98	24.90	0.30	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.06	0.06	0.06	0.05	14.15	0.01	0	0	0.01	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.17	3.28	7.84	4.03	0.00	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.17	3.34	7.84	3.98	0.42	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.16	3.34	7.90	4.05	0.29	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.18	3.32	7.90	4.05	0.35	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.15	3.40	7.92	4.01	0.44	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.15	3.36	7.87	3.99	0.45	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.23	3.31	7.84	4.01	0.49	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.21	3.27	7.78	3.99	0.77	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.18	3.43	7.94	3.97	5.09	0.31	2.09	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.22	3.32	7.88	3.99	10.30	0.31	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
100000	3.24	3.20	7.80	3.98	12.20	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
110000	3.21	3.19	7.80	4.00	15.77	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
120000	3.20	3.31	7.84	3.89	16.69	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
130000	3.16	3.33	7.90	4.02	14.28	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
140000	3.15	3.35	7.89	4.01	12.35	0.31	2.09	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
150000	3.14	3.29	7.85	4.06	13.36	0.31	2.09	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
160000	3.18	3.35	7.86	3.97	13.71	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.21	3.32	7.88	4.05	13.39	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.21	3.34	7.86	4.03	12.36	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.14	3.33	7.92	4.07	13.81	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.14	3.30	7.86	4.03	17.62	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.08	3.41	7.92	4.00	13.11	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.15	3.39	7.89	3.96	9.62	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.12	3.32	7.88	4.04	7.13	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	3.24	3.43	7.94	4.07	17.62	0.31	2.10	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.08	3.19	7.78	3.89	0.00	0.31	2.09	0.32	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	3.17	3.32	7.87	4.01	8.50	0.31	2.10	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.04	0.06	0.04	0.04	6.42	0	0	0	0.01	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.17	3.34	7.90	4.04	1.74	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.13	3.34	7.91	4.04	1.20	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.12	3.34	7.84	3.97	3.09	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.09	3.32	7.83	3.97	1.60	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.13	3.29	7.84	4.02	0.40	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.12	3.25	7.86	4.06	0.39	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.16	3.27	7.90	4.09	0.36	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.21	3.34	7.86	3.95	0.43	0.31	2.09	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.36	3.23	7.86	4.06	1.08	0.31	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.52	3.33	7.91	4.02	9.46	0.31	2.09	0.33	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
100000	3.86	3.30	7.84	3.98	22.73	0.31	2.09	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
110000	4.46	3.31	7.89	4.03	38.82	0.31	2.09	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
120000	4.61	3.34	7.82	3.94	50.77	0.30	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
130000	4.29	3.32	7.82	3.95	62.99	0.30	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
140000	4.00	3.36	7.88	3.96	55.19	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
150000	3.84	3.31	7.78	3.96	55.83	0.30	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
160000	3.84	3.36	7.86	3.97	52.82	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.67	3.31	7.84	4.02	48.32	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.57	3.31	7.86	4.04	43.50	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.63	3.28	7.83	4.04	35.73	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.86	3.34	7.83	3.95	19.56	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
210000	4.44	3.33	7.83	3.96	11.04	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
220000	4.82	3.29	7.80	3.99	4.98	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
230000	4.33	3.29	7.91	4.10	3.33	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	4.82	3.36	7.91	4.10	62.99	0.31	2.11	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.09	3.23	7.78	3.94	0.36	0.30	2.09	0.32	1.76	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	3.72	3.31	7.85	4.00	21.89	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.54	0.03	0.04	0.05	23.01	0	0.01	0	0.01	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.63	3.40	7.92	4.02	4.24	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
010000	4.16	3.29	7.85	4.04	3.04	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
020000	4.30	3.38	7.89	4.00	1.99	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
030000	4.15	3.35	7.89	4.00	1.72	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.67	3.30	7.85	4.01	2.55	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.59	3.30	7.91	4.08	2.98	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.60	3.32	7.87	4.01	2.47	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.64	3.39	7.90	3.98	3.96	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.48	3.35	7.86	3.98	4.92	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.53	19.27	22.31	23.15	6.37	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
100000	3.79	3.79	13.28	9.64	12.33	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
110000	5.36	2.95	16.24	13.28	23.78	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
120000	6.90	2.10	17.33	15.24	22.86	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
130000	4.27	0.95	8.91	7.93	21.11	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
140000	3.82	2.88	15.68	12.78	14.08	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
150000	5.82	2.53	19.19	16.67	14.35	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
160000	4.64	1.12	19.03	17.89	14.60	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.91	0.63	21.84	21.20	12.46	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.68	0.35	18.16	17.78	10.36	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
190000	6.08	0.31	17.16	16.89	9.70	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
200000	5.23	0.46	17.91	17.45	8.14	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
210000	4.23	0.32	14.22	13.95	10.93	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.77	0.20	10.34	10.22	11.70	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.68	0.15	9.18	9.16	11.57	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	6.90	19.27	22.31	23.15	23.78	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.48	0.15	7.85	3.98	1.72	0.31	2.10	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	4.29	2.84	12.99	10.81	9.68	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.92	3.75	5.19	6.4	6.61	0	0.01	0	0.01	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.67	0.24	8.91	8.82	8.99	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.61	0.33	8.53	8.29	5.59	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.55	0.26	7.89	7.69	5.62	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.63	0.24	8.63	8.47	5.97	0.31	2.10	0.32	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.59	0.25	8.20	7.98	4.08	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.53	0.20	7.54	7.39	3.49	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.56	0.76	8.99	8.24	2.43	0.31	2.11	0.32	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.68	4.61	12.66	8.02	2.97	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
080000	7.00	4.25	14.58	10.29	8.92	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
090000	7.20	2.51	12.27	9.73	20.22	0.31	2.10	0.33	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
100000	5.00	1.36	9.95	8.56	28.49	0.31	2.11	0.33	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
110000	4.20	0.59	7.76	7.16	40.30	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
120000	4.31	0.33	8.48	8.29	44.51	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
130000	5.00	0.33	10.28	10.26	41.95	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
140000	7.39	0.77	16.83	16.13	33.94	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
150000	5.22	0.00	9.45	9.71	39.89	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
160000	4.33	0.00	7.91	8.17	42.63	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
170000	4.20	0.00	8.70	9.00	40.49	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.78	0.00	10.07	10.40	31.68	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.94	0.00	12.68	12.80	28.65	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.93	0.00	11.53	10.61	28.82	0.31	2.12	0.34	1.78	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.79	0.00	9.40	9.54	23.91	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.77	0.00	9.24	9.36	22.90	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.75	0.00	8.36	8.54	21.20	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	7.39	4.61	16.83	16.13	44.51	0.31	2.13	0.34	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.53	0.00	7.54	7.16	2.43	0.31	2.10	0.32	1.77	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	4.40	0.71	9.95	9.31	22.40	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	1.18	1.28	2.35	1.92	15.1	0	0.01	0	0.01	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.85	0.13	9.71	9.71	17.63	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
010000	4.25	0.17	11.20	11.24	15.21	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.77	0.00	8.87	8.99	15.75	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.73	0.00	8.44	8.54	12.37	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.62	0.00	7.60	7.77	11.39	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.56	0.21	7.47	7.44	8.29	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.55	0.86	8.82	8.13	6.21	0.31	2.14	0.34	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.91	1.57	8.85	7.26	10.14	0.31	2.14	0.34	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
080000	5.54	2.32	10.49	8.11	16.16	0.31	2.13	0.34	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
090000	4.04	1.26	7.64	6.37	22.69	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
100000	3.95	0.48	4.52	4.34	33.10	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
110000	4.63	0.00	3.08	3.40	44.90	0.31	2.14	0.34	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
120000	4.33	0.00	4.61	4.77	54.79	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
130000	4.09	0.00	4.33	4.65	66.40	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
140000	4.30	0.00	3.60	3.99	62.54	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
150000	4.46	0.00	5.19	5.56	63.24	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
160000	6.27	0.00	10.96	11.12	57.36	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
170000	4.52	0.00	7.29	7.73	55.85	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
180000	4.18	0.00	8.81	9.14	48.03	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.91	0.00	8.39	8.59	39.78	0.31	2.15	0.33	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.81	0.00	10.03	10.20	30.43	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.81	0.00	10.02	10.21	25.94	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.85	0.00	9.48	9.65	24.38	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.75	0.00	9.65	9.81	19.74	0.31	2.16	0.35	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	6.27	2.32	11.20	11.24	66.40	0.31	2.16	0.35	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.55	0.00	3.08	3.40	6.21	0.31	2.12	0.33	1.79	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	4.15	0.29	7.88	7.78	31.76	0.31	2.14	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.63	0.61	2.41	2.31	19.96	0	0.01	0.01	0.01	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.85	0.24	12.13	12.00	14.96	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.76	0.00	8.37	8.47	16.15	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.65	0.00	8.08	8.04	12.31	0.31	2.16	0.34	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.61	0.00	6.49	6.70	13.39	0.31	2.15	0.33	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
040000	4.37	0.16	8.69	8.71	9.58	0.31	2.16	0.34	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.72	0.00	7.09	7.06	5.78	0.31	2.16	0.34	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.62	0.80	8.74	7.97	4.85	0.31	2.16	0.35	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.74	1.83	8.38	6.50	6.21	0.31	2.16	0.35	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.92	1.68	7.79	6.06	13.05	0.31	2.16	0.35	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
090000	4.23	0.53	5.80	5.30	27.27	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
100000	8.03	0.56	8.92	8.58	47.27	0.31	2.16	0.34	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
110000	8.18	0.67	15.15	14.48	58.02	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
120000	5.61	0.24	7.26	7.23	57.57	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
130000	5.26	0.00	6.36	6.46	57.97	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
140000	4.34	0.00	4.35	4.62	57.57	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
150000	4.14	0.00	4.81	5.12	64.23	0.31	2.17	0.33	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
160000	4.19	0.00	4.89	5.27	63.67	0.31	2.17	0.33	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.97	0.00	4.50	4.88	57.70	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
180000	4.21	0.00	5.06	5.61	54.26	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
190000	4.27	0.00	9.03	9.52	45.52	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
200000	5.19	0.00	10.52	10.81	37.61	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
210000	4.01	0.00	9.25	9.51	29.96	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.76	0.00	8.11	8.24	22.74	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.71	0.15	8.46	8.49	17.42	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	8.18	1.83	15.15	14.48	64.23	0.31	2.18	0.35	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.61	0.00	4.35	4.62	4.85	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	4.47	0.29	7.84	7.73	33.13	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	1.24	0.51	2.5	2.39	21.7	0	0.01	0.01	0.01	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.60	0.26	8.77	8.70	11.92	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.63	0.00	7.50	7.58	13.11	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.59	0.00	6.62	6.72	11.43	0.31	2.19	0.34	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.47	0.48	7.36	7.19	6.83	0.31	2.20	0.35	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.54	0.71	8.50	7.87	2.22	0.31	2.18	0.33	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.51	0.89	9.54	8.63	0.84	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.54	1.71	10.56	8.82	0.74	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.90	4.98	17.92	12.93	4.19	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
080000	4.18	2.38	12.44	10.01	15.38	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
090000	5.64	1.44	11.60	10.16	28.21	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
100000	6.47	0.55	9.02	8.59	44.98	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
110000	8.06	0.79	14.88	14.32	60.06	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
120000	7.36	0.77	17.38	16.81	67.13	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
130000	6.45	0.00	8.51	8.86	77.37	0.31	2.17	0.33	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
140000	4.98	0.00	7.14	7.57	74.54	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
150000	4.98	0.00	8.04	8.43	65.99	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
160000	4.12	0.00	9.78	10.01	56.40	0.31	2.18	0.33	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
170000	4.70	0.00	12.87	13.12	51.39	0.31	2.20	0.35	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
180000	4.31	0.00	16.11	16.30	41.19	0.31	2.20	0.35	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
190000	4.08	0.00	17.11	17.36	30.16	0.31	2.20	0.34	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
200000	4.38	0.00	18.25	18.31	22.02	0.31	2.20	0.35	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
210000	4.87	0.00	15.40	15.50	21.41	0.31	2.20	0.34	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.95	0.00	12.41	12.42	18.75	0.31	2.20	0.34	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.73	0.28	12.73	12.49	11.12	0.31	2.20	0.34	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	8.06	4.98	18.25	18.31	77.37	0.31	2.20	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.47	0.00	6.62	6.72	0.74	0.31	2.15	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	4.63	0.64	11.68	11.20	30.72	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	1.29	1.12	3.8	3.61	25.34	0	0.02	0.01	0.01	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.66	0.49	13.44	12.92	5.06	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.58	0.44	12.40	11.97	3.00	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.61	0.43	11.63	11.20	4.17	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.50	0.35	10.12	9.85	4.76	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.53	0.49	9.91	9.61	4.79	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.49	0.84	10.59	10.02	4.14	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.58	2.42	13.71	11.26	1.68	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.68	3.26	12.81	9.51	3.53	0.31	2.21	0.35	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.83	2.40	11.33	8.89	15.72	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.95	0.41	5.64	5.38	36.97	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
100000	3.90	0.00	4.02	4.29	50.85	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
110000	3.90	0.00	2.18	2.57	47.71	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
120000	4.99	0.00	1.86	2.29	48.56	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
130000	4.95	0.00	5.02	5.37	66.82	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
140000	5.77	0.15	11.51	11.56	68.82	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
150000	4.92	0.00	5.71	6.12	77.19	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
160000	4.05	0.00	3.38	3.85	67.35	0.31	2.13	0.33	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
170000	3.81	0.00	4.53	4.68	45.45	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.61	0.00	4.23	4.67	26.78	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
190000	4.64	0.00	11.57	11.76	25.84	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.97	0.00	9.39	9.74	36.33	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.92	0.00	11.30	11.48	27.92	0.31	2.15	0.34	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.88	0.00	14.27	14.41	23.50	0.31	2.15	0.33	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.73	0.54	13.76	13.53	16.36	0.31	2.15	0.32	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	5.77	3.26	14.27	14.41	77.19	0.31	2.21	0.35	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.49	0.00	1.86	2.29	1.68	0.31	2.13	0.32	1.80	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	4.02	0.51	8.93	8.62	29.72	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.59	0.89	4.11	3.68	24.52	0	0.03	0.01	0.03	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.57	0.49	14.31	13.97	6.36	0.31	2.15	0.33	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.59	0.69	15.92	15.23	4.19	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.45	0.33	13.29	13.07	5.44	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.51	0.00	9.23	9.34	7.83	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.52	0.24	9.60	9.55	7.52	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.57	0.55	11.05	10.62	3.59	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.59	1.95	14.59	12.69	2.19	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.64	3.48	14.11	10.60	4.47	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
080000	3.84	2.03	11.01	9.01	17.71	0.31	2.17	0.34	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
090000	3.96	0.29	4.21	4.20	36.70	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
100000	4.07	0.00	2.60	2.84	38.76	0.31	2.14	0.33	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
110000	5.00	0.00	3.29	3.63	51.34	0.31	2.15	0.33	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
120000	4.32	0.00	3.46	3.75	51.09	0.31	2.15	0.32	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
130000	3.95	0.00	3.48	3.86	52.12	0.31	2.15	0.32	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
140000	3.97	0.00	3.41	3.78	54.79	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
150000	4.04	0.00	3.99	4.42	58.29	0.31	2.15	0.33	1.82	0.00	26.04	74.00	0.00	0.00	1000.00
160000	4.05	0.00	5.50	5.75	58.06	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
170000	4.00	0.00	6.46	6.70	49.63	0.31	2.17	0.33	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
180000	3.78	0.00	5.74	6.10	46.28	0.31	2.17	0.33	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
190000	3.78	0.00	4.97	5.51	44.47	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
200000	3.75	0.00	3.71	4.25	44.68	0.31	2.18	0.34	1.84	0.00	26.04	74.00	0.00	0.00	1000.00
210000	3.64	0.00	6.05	6.60	30.80	0.31	2.18	0.33	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
220000	3.64	0.00	8.39	8.68	20.76	0.31	2.19	0.34	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
230000	3.60	0.00	7.45	7.67	18.23	0.31	2.19	0.34	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
極大值	5.00	3.48	15.92	15.23	58.29	0.31	2.19	0.34	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.45	0.00	2.60	2.84	2.19	0.31	2.14	0.32	1.81	0.00	26.04	74.00	0.00	0.00	1000.00
平均值	3.83	0.42	7.74	7.58	29.80	0.31	2.16	0.33	1.83	0.00	26.04	74.00	0.00	0.00	1000.00
標準差	0.34	0.86	4.28	3.67	20.97	0	0.01	0.01	0.01	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.54	0.00	7.75	7.88	14.89	0.31	2.19	0.34	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
010000	3.53	0.00	4.33	4.49	12.00	0.31	2.20	0.35	1.85	0.00	26.04	74.00	0.00	0.00	1000.00
020000	3.55	0.00	6.09	6.28	11.80	0.31	2.20	0.34	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
030000	3.56	0.00	6.84	6.92	10.60	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
040000	3.64	0.27	9.17	9.03	7.77	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
050000	3.58	0.40	10.90	10.56	4.20	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
060000	3.62	0.82	11.25	10.41	4.89	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
070000	3.76	2.67	12.01	9.28	7.44	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
080000	4.06	1.96	10.97	9.00	13.20	0.31	2.21	0.34	1.87	0.00	26.04	74.00	0.00	0.00	1000.00
090000	4.48	1.23	9.15	7.90	24.66	0.31	2.20	0.34	1.86	0.00	26.04	74.00	0.00	0.00	1000.00
100000	4.17	0.45	3.80	3.45	20.75	0.31	1.30	-0.72	2.02	0.00	26.04	74.00	0.00	0.00	1000.00
110000	3.71	2.48	4.25	1.82	19.97	0.31	2.03	-1.67	3.70	0.00	26.04	74.00	0.00	0.00	42.29
120000	3.58	2.95	4.70	1.72	21.66	0.31	2.04	0.07	1.97	0.00	26.04	74.00	0.00	0.00	39.94
130000	3.56	3.07	4.95	1.88	21.78	0.31	2.04	0.05	1.99	0.00	26.04	74.00	0.00	0.00	37.38
140000	3.57	3.19	5.50	2.30	21.33	0.31	2.04	0.04	2.00	0.00	26.04	74.00	0.00	0.00	37.87
150000	3.60	3.10	4.94	1.82	20.36	0.31	2.02	0.02	2.00	0.00	26.04	74.00	0.00	0.00	38.35
160000	3.55	3.04	5.08	2.02	20.26	0.31	2.01	0.01	2.00	0.00	26.04	74.00	0.00	0.00	38.59
170000	3.54	2.88	4.88	1.99	19.20	0.31	2.00	0.02	1.98	0.00	26.04	74.00	0.00	0.00	39.18
180000	3.54	3.01	6.49	3.47	15.72	0.31	2.00	0.02	1.98	0.00	26.04	74.00	0.00	0.00	38.85
190000	3.54	3.06	8.13	5.03	12.79	0.31	2.04	0.03	2.01	0.00	26.04	74.00	0.00	0.00	38.83
200000	3.52	3.33	10.89	7.54	9.30	0.31	2.11	0.04	2.07	0.00	26.04	74.00	0.00	0.00	38.41
210000	3.50	2.90	8.11	5.23	11.86	0.31	2.08	0.02	2.06	0.00	26.04	74.00	0.00	0.00	37.63
220000	3.48	3.01	9.83	6.83	9.52	0.31	2.10	0.01	2.09	0.00	26.04	74.00	0.00	0.00	37.94
230000	3.50	5.54	15.93	10.39	1.40	0.31	2.35	0.02	2.33	0.00	26.04	74.00	0.00	0.00	42.77
極大值	4.48	5.54	15.93	10.56	24.66	0.31	2.35	0.35	3.70	0.00	26.04	74.00	0.00	0.00	1000.00
極小值	3.48	0.00	3.80	1.72	1.40	0.31	1.30	-1.67	1.85	0.00	26.04	74.00	0.00	0.00	37.38
平均值	3.65	2.06	7.75	5.72	14.06	0.31	2.09	0.06	2.04	0.00	26.04	74.00	0.00	0.00	479.50
標準差	0.24	1.49	3.14	3.16	6.48	0	0.19	0.44	0.37	0	0	0	0	0	489.09

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A002 油車庄站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.48	4.36	11.64	7.25	1.43	0.31	2.72	0.01	2.71	0.00	26.04	74.00	0.00	0.00	51.54
010000	3.49	3.15	8.53	5.37	3.32	0.31	2.66	0.01	2.65	0.00	26.04	74.00	0.00	0.00	47.62
020000	3.47	3.53	10.69	7.11	1.44	0.31	2.69	0.04	2.65	0.00	26.04	74.00	0.00	0.00	50.24
030000	3.46	4.45	13.90	9.44	0.27	0.31	3.14	0.07	3.07	0.00	26.04	74.00	0.00	0.00	58.31
040000	3.50	3.99	11.64	7.63	0.26	0.31	2.71	0.06	2.65	0.00	26.04	74.00	0.00	0.00	49.80
050000	3.47	4.56	12.90	8.35	0.26	0.31	2.75	0.06	2.69	0.00	26.04	74.00	0.00	0.00	51.92
060000	3.52	7.46	14.84	7.37	0.28	0.31	2.78	0.07	2.71	0.00	26.04	74.00	0.00	0.00	50.68
070000	3.61	9.24	14.91	5.63	0.23	0.31	2.85	0.07	2.78	0.00	26.04	74.00	0.00	0.00	53.19
080000	3.88	6.90	11.97	5.04	1.24	0.31	2.64	0.07	2.57	0.00	26.04	74.00	0.00	0.00	50.52
090000	4.03	4.01	8.27	4.21	13.78	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	43.09
100000	3.92	3.25	6.59	3.27	22.38	0.31	2.19	0.17	2.02	0.00	26.04	74.00	0.00	0.00	41.44
110000	3.72	3.09	5.62	2.50	23.05	0.31	2.05	0.07	1.98	0.00	26.04	74.00	0.00	0.00	37.82
120000	3.55	2.97	4.95	1.97	24.16	0.31	2.01	0.04	1.97	0.00	26.04	74.00	0.00	0.00	37.19
130000	3.64	2.95	6.27	3.29	31.84	0.31	2.08	0.06	2.02	0.00	26.04	74.00	0.00	0.00	38.27
140000	3.74	2.91	7.87	4.91	38.27	0.31	2.16	0.10	2.06	0.00	26.04	74.00	0.00	0.00	40.97
150000	3.70	2.78	5.79	3.03	30.76	0.31	2.25	0.23	2.02	0.00	26.04	74.00	0.00	0.00	41.83
160000	3.70	2.84	5.73	2.92	30.02	0.31	2.12	0.09	2.03	0.00	26.04	74.00	0.00	0.00	40.84
170000	3.68	2.76	6.45	3.70	30.41	0.31	2.20	0.16	2.04	0.00	26.04	74.00	0.00	0.00	40.44
180000	3.70	2.74	7.00	4.25	29.64	0.31	2.51	0.45	2.06	0.00	26.04	74.00	0.00	0.00	46.50
190000	3.54	3.02	9.78	6.74	23.31	0.31	2.13	0.03	2.10	0.00	26.04	74.00	0.00	0.00	40.66
200000	3.56	2.85	9.03	6.14	20.13	0.31	2.29	0.13	2.16	0.00	26.04	74.00	0.00	0.00	42.27
210000	3.52	2.69	6.32	3.62	23.37	0.31	2.24	0.18	2.06	0.00	26.04	74.00	0.00	0.00	40.89
220000	3.49	2.89	9.56	6.63	17.33	0.31	2.21	0.05	2.16	0.00	26.04	74.00	0.00	0.00	39.20
230000	3.47	2.99	9.22	6.20	9.98	0.31	2.53	0.04	2.49	0.00	26.04	74.00	0.00	0.00	47.65
極大值	4.03	9.24	14.91	9.44	38.27	0.31	3.14	0.45	3.07	0.00	26.04	74.00	0.00	0.00	58.31
極小值	3.46	2.69	4.95	1.97	0.23	0.31	2.01	0.01	1.97	0.00	26.04	74.00	0.00	0.00	37.19
平均值	3.62	3.85	9.14	5.27	15.72	0.31	2.42	0.10	2.33	0.00	26.04	74.00	0.00	0.00	45.12
標準差	0.16	1.69	3.07	2.03	13.05	0	0.31	0.09	0.34	0	0	0	0	0	5.82

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.49	3.58	11.21	7.58	7.22	0.31	2.72	0.02	2.70	0.00	26.04	74.00	0.00	0.00	50.96
010000	3.47	3.59	11.89	8.26	3.32	0.31	2.64	0.04	2.60	0.00	26.04	74.00	0.00	0.00	49.64
020000	3.43	4.36	13.66	9.28	1.33	0.31	2.85	0.05	2.80	0.00	26.04	74.00	0.00	0.00	52.80
030000	3.44	5.42	12.94	7.49	0.30	0.31	2.48	0.03	2.45	0.00	26.04	74.00	0.00	0.00	45.57
040000	3.41	6.13	12.13	5.96	0.00	0.31	2.51	0.03	2.48	0.00	26.04	74.00	0.00	0.00	47.10
050000	3.39	5.43	11.96	6.50	0.00	0.31	2.69	0.04	2.65	0.00	26.04	74.00	0.00	0.00	50.08
060000	3.44	8.31	15.26	6.93	0.00	0.31	2.79	0.03	2.76	0.00	26.04	74.00	0.00	0.00	52.13
070000	3.51	9.12	15.15	5.98	0.67	0.31	2.91	0.06	2.85	0.00	26.04	74.00	0.00	0.00	54.83
080000	3.67	5.53	10.42	4.86	5.59	0.31	2.67	0.06	2.61	0.00	26.04	74.00	0.00	0.00	49.09
090000	3.75	3.21	5.89	2.68	20.78	0.31	2.17	0.03	2.14	0.00	26.04	74.00	0.00	0.00	39.80
100000	3.79	2.91	5.18	2.27	28.76	0.31	2.13	0.05	2.08	0.00	26.04	74.00	0.00	0.00	39.32
110000	3.77	2.90	5.02	2.13	29.56	0.31	2.08	0.06	2.02	0.00	26.04	74.00	0.00	0.00	41.11
120000	4.00	2.77	6.14	3.39	42.65	0.31	2.21	0.14	2.07	0.00	26.04	74.00	0.00	0.00	42.36
130000	4.27	3.08	7.88	4.75	40.34	0.31	2.14	0.10	2.04	0.00	26.04	74.00	0.00	0.00	39.86
140000	6.80	4.74	14.64	9.86	33.96	0.31	2.18	0.14	2.04	0.00	26.04	74.00	0.00	0.00	41.06
150000	4.71	3.73	10.47	6.69	32.67	0.31	2.11	0.08	2.03	0.00	26.04	74.00	0.00	0.00	39.56
160000	4.10	2.98	6.96	3.92	31.26	0.31	2.09	0.06	2.03	0.00	26.04	74.00	0.00	0.00	38.00
170000	3.77	2.87	7.02	4.14	30.63	0.31	2.14	0.07	2.07	0.00	26.04	74.00	0.00	0.00	39.37
180000	3.68	2.69	7.96	5.24	24.04	0.31	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	40.02
190000	3.68	2.88	10.83	7.93	17.93	0.31	2.21	0.09	2.12	0.00	26.04	74.00	0.00	0.00	41.72
200000	3.57	2.91	9.19	6.27	19.08	0.31	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	40.07
210000	3.64	2.72	8.39	5.65	19.91	0.31	2.25	0.08	2.17	0.00	26.04	74.00	0.00	0.00	39.83
220000	5.28	2.74	10.15	7.40	18.92	0.31	2.28	0.11	2.17	0.00	26.04	74.00	0.00	0.00	42.51
230000	5.39	2.86	11.46	8.56	17.98	0.31	2.28	0.12	2.16	0.00	26.04	74.00	0.00	0.00	42.40
極大值	6.80	9.12	15.26	9.86	42.65	0.31	2.91	0.14	2.85	0.00	26.04	74.00	0.00	0.00	54.83
極小值	3.39	2.69	5.02	2.13	0.00	0.31	2.08	0.02	2.02	0.00	26.04	74.00	0.00	0.00	38.00
平均值	3.98	4.06	10.08	5.99	17.79	0.31	2.37	0.07	2.30	0.00	26.04	74.00	0.00	0.00	44.13
標準差	0.82	1.78	3.12	2.16	14.08	0	0.27	0.03	0.29	0	0	0	0	0	5.22

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.34	2.94	12.40	9.41	15.81	0.31	2.28	0.11	2.17	0.00	26.04	74.00	0.00	0.00	40.49
010000	3.74	2.83	9.55	6.68	15.98	0.31	2.31	0.10	2.21	0.00	26.04	74.00	0.00	0.00	40.63
020000	3.52	2.99	10.11	7.10	11.38	0.31	2.38	0.11	2.27	0.00	26.04	74.00	0.00	0.00	44.31
030000	3.96	2.89	9.35	6.46	10.35	0.31	2.39	0.13	2.26	0.00	26.04	74.00	0.00	0.00	45.10
040000	4.26	3.05	11.36	8.33	10.23	0.31	2.31	0.13	2.18	0.00	26.04	74.00	0.00	0.00	43.84
050000	3.47	2.90	7.87	4.98	15.57	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	42.36
060000	10.10	2.94	8.51	5.56	13.31	0.31	2.32	0.13	2.19	0.00	26.04	74.00	0.00	0.00	44.36
070000	5.17	3.33	8.79	5.42	14.63	0.31	2.26	0.12	2.14	0.00	26.04	74.00	0.00	0.00	44.20
080000	3.86	3.86	8.68	4.79	16.11	0.31	2.25	0.10	2.15	0.00	26.04	74.00	0.00	0.00	43.56
090000	3.70	3.54	8.24	4.69	15.99	0.31	2.29	0.10	2.19	0.00	26.04	74.00	0.00	0.00	42.81
100000	3.96	3.48	7.93	4.40	18.20	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	42.19
110000	6.20	3.39	8.74	5.35	21.86	0.31	2.24	0.10	2.14	0.00	26.04	74.00	0.00	0.00	40.76
120000	3.78	3.09	7.14	3.98	23.34	0.31	2.25	0.08	2.17	0.00	26.04	74.00	0.00	0.00	43.19
130000	3.70	2.87	6.65	3.76	26.66	0.31	2.25	0.07	2.18	0.00	26.04	74.00	0.00	0.00	39.83
140000	4.15	2.86	6.88	3.97	32.79	0.31	2.24	0.08	2.16	0.00	26.04	74.00	0.00	0.00	42.44
150000	5.00	2.62	8.33	5.70	37.44	0.31	2.27	0.10	2.17	0.00	26.04	74.00	0.00	0.00	42.91
160000	3.91	2.61	8.21	5.55	37.30	0.31	2.24	0.10	2.14	0.00	26.04	74.00	0.00	0.00	42.54
170000	3.73	2.57	6.94	4.40	37.52	0.31	2.25	0.09	2.16	0.00	26.04	74.00	0.00	0.00	43.12
180000	3.87	2.57	7.67	5.12	38.66	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	41.31
190000	3.96	2.66	9.38	6.73	36.54	0.31	2.32	0.11	2.21	0.00	26.04	74.00	0.00	0.00	43.49
200000	3.78	2.65	8.18	5.57	36.64	0.31	2.22	0.10	2.12	0.00	26.04	74.00	0.00	0.00	41.75
210000	3.73	2.67	8.22	5.60	35.35	0.31	2.23	0.09	2.14	0.00	26.04	74.00	0.00	0.00	42.41
220000	3.76	2.68	8.11	5.47	34.38	0.31	2.24	0.09	2.15	0.00	26.04	74.00	0.00	0.00	43.36
230000	3.70	2.56	8.19	5.63	31.85	0.31	2.26	0.09	2.17	0.00	26.04	74.00	0.00	0.00	41.89
極大值	10.10	3.86	12.40	9.41	38.66	0.31	2.39	0.13	2.27	0.00	26.04	74.00	0.00	0.00	45.10
極小值	3.47	2.56	6.65	3.76	10.23	0.31	2.22	0.07	2.12	0.00	26.04	74.00	0.00	0.00	39.83
平均值	4.35	2.94	8.56	5.61	24.50	0.31	2.27	0.10	2.17	0.00	26.04	74.00	0.00	0.00	42.62
標準差	1.39	0.35	1.34	1.34	10.54	0	0.04	0.02	0.04	0	0	0	0	0	1.35

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.62	2.59	8.46	5.89	28.29	0.31	2.35	0.08	2.27	0.00	26.04	74.00	0.00	0.00	44.50
010000	6.00	2.60	9.74	7.13	26.31	0.31	2.32	0.10	2.22	0.00	26.04	74.00	0.00	0.00	43.98
020000	7.37	2.65	9.52	6.86	23.13	0.31	2.41	0.12	2.29	0.00	26.04	74.00	0.00	0.00	43.48
030000	4.22	2.61	10.77	8.14	22.43	0.31	2.37	0.12	2.25	0.00	26.04	74.00	0.00	0.00	43.64
040000	4.12	2.61	9.96	7.33	23.06	0.31	2.38	0.11	2.27	0.00	26.04	74.00	0.00	0.00	45.94
050000	3.84	2.64	9.57	6.91	19.90	0.31	2.43	0.09	2.34	0.00	26.04	74.00	0.00	0.00	45.31
060000	3.78	3.14	11.36	8.19	14.63	0.31	2.62	0.09	2.53	0.00	26.04	74.00	0.00	0.00	49.16
070000	4.06	4.05	14.83	10.75	16.42	0.31	2.44	0.11	2.33	0.00	26.04	74.00	0.00	0.00	45.87
080000	4.30	3.98	15.99	11.96	16.68	0.31	2.47	0.12	2.35	0.00	26.04	74.00	0.00	0.00	47.32
090000	4.20	4.46	16.29	11.83	16.30	0.31	2.53	0.11	2.42	0.00	26.04	74.00	0.00	0.00	47.52
100000	4.26	6.02	19.43	13.40	15.99	0.31	2.54	0.13	2.41	0.00	26.04	74.00	0.00	0.00	47.89
110000	4.35	6.25	20.82	14.57	18.81	0.31	2.46	0.15	2.31	0.00	26.04	74.00	0.00	0.00	46.50
120000	4.35	4.67	14.78	10.06	30.95	0.31	2.39	0.13	2.26	0.00	26.04	74.00	0.00	0.00	44.99
130000	5.53	2.88	11.61	8.72	37.37	0.31	2.32	0.10	2.22	0.00	26.04	74.00	0.00	0.00	43.30
140000	4.55	3.24	14.92	11.65	31.97	0.31	2.38	0.12	2.26	0.00	26.04	74.00	0.00	0.00	45.00
150000	5.58	3.82	19.63	15.79	26.76	0.31	2.47	0.17	2.30	0.00	26.04	74.00	0.00	0.00	47.38
160000	4.63	3.19	24.01	20.78	22.06	0.31	2.49	0.19	2.30	0.00	26.04	74.00	0.00	0.00	47.85
170000	5.20	3.12	30.57	27.40	15.70	0.31	2.52	0.27	2.25	0.00	26.04	74.00	0.00	0.00	47.11
180000	4.31	3.05	28.28	25.20	13.51	0.31	2.51	0.20	2.31	0.00	26.04	74.00	0.00	0.00	47.28
190000	3.90	2.66	17.44	14.77	20.64	0.31	2.48	0.13	2.35	0.00	26.04	74.00	0.00	0.00	46.11
200000	3.77	2.71	14.55	11.86	20.41	0.31	2.47	0.12	2.35	0.00	26.04	74.00	0.00	0.00	46.04
210000	3.67	2.54	11.89	9.31	22.54	0.31	2.44	0.10	2.34	0.00	26.04	74.00	0.00	0.00	44.81
220000	3.64	2.51	8.05	5.55	29.22	0.31	2.33	0.09	2.24	0.00	26.04	74.00	0.00	0.00	44.91
230000	3.59	2.38	6.85	4.42	31.88	0.31	2.30	0.09	2.21	0.00	26.04	74.00	0.00	0.00	42.01
極大值	7.37	6.25	30.57	27.40	37.37	0.31	2.62	0.27	2.53	0.00	26.04	74.00	0.00	0.00	49.16
極小值	3.59	2.38	6.85	4.42	13.51	0.31	2.30	0.08	2.21	0.00	26.04	74.00	0.00	0.00	42.01
平均值	4.45	3.35	14.97	11.60	22.71	0.31	2.43	0.13	2.31	0.00	26.04	74.00	0.00	0.00	45.75
標準差	0.9	1.07	6.28	5.91	6.43	0	0.08	0.04	0.07	0	0	0	0	0	1.76

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.58	2.43	6.83	4.35	28.17	0.31	2.35	0.09	2.26	0.00	26.04	74.00	0.00	0.00	44.63
010000	3.57	2.46	7.21	4.75	26.51	0.31	2.31	0.09	2.22	0.00	26.04	74.00	0.00	0.00	42.88
020000	3.50	2.47	5.68	3.22	29.65	0.31	2.32	0.07	2.25	0.00	26.04	74.00	0.00	0.00	43.89
030000	3.53	2.39	4.75	2.38	37.57	0.31	2.26	0.07	2.19	0.00	26.04	74.00	0.00	0.00	43.67
040000	3.46	2.35	5.08	2.72	33.28	0.31	2.25	0.07	2.18	0.00	26.04	74.00	0.00	0.00	41.22
050000	3.48	2.42	5.37	2.97	34.92	0.31	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	41.52
060000	3.46	2.44	6.11	3.66	29.42	0.31	2.29	0.08	2.21	0.00	26.04	74.00	0.00	0.00	44.11
070000	3.51	2.54	8.50	5.93	27.35	0.31	2.33	0.07	2.26	0.00	26.04	74.00	0.00	0.00	43.65
080000	3.55	3.06	12.90	9.82	21.28	0.31	2.42	0.10	2.32	0.00	26.04	74.00	0.00	0.00	46.03
090000	3.55	3.84	15.21	11.33	16.88	0.31	2.41	0.12	2.29	0.00	26.04	74.00	0.00	0.00	44.95
100000	3.55	3.58	11.09	7.47	26.84	0.31	2.30	0.10	2.20	0.00	26.04	74.00	0.00	0.00	43.47
110000	3.53	3.32	10.93	7.58	30.62	0.31	2.26	0.12	2.14	0.00	26.04	74.00	0.00	0.00	41.61
120000	3.51	2.87	7.71	4.83	36.70	0.31	2.20	0.09	2.11	0.00	26.04	74.00	0.00	0.00	40.37
130000	3.46	2.65	6.20	3.55	40.08	0.31	2.17	0.05	2.12	0.00	26.04	74.00	0.00	0.00	40.63
140000	3.49	2.63	6.48	3.84	40.36	0.31	2.22	0.05	2.17	0.00	26.04	74.00	0.00	0.00	42.49
150000	3.55	2.56	7.32	4.78	38.52	0.31	2.19	0.05	2.14	0.00	26.04	74.00	0.00	0.00	39.81
160000	3.48	2.44	7.28	4.81	38.84	0.31	2.16	0.05	2.11	0.00	26.04	74.00	0.00	0.00	40.97
170000	3.56	2.56	12.56	9.98	28.72	0.31	2.36	0.08	2.28	0.00	26.04	74.00	0.00	0.00	44.98
180000	3.57	2.69	15.79	13.08	22.13	0.31	2.41	0.09	2.32	0.00	26.04	74.00	0.00	0.00	45.60
190000	3.59	2.54	14.98	12.40	19.39	0.31	2.38	0.09	2.29	0.00	26.04	74.00	0.00	0.00	44.12
200000	3.53	2.42	9.88	7.41	24.87	0.31	2.32	0.08	2.24	0.00	26.04	74.00	0.00	0.00	41.36
210000	3.48	2.34	6.04	3.68	37.16	0.31	2.22	0.05	2.17	0.00	26.04	74.00	0.00	0.00	42.41
220000	3.51	2.38	5.84	3.47	35.08	0.31	2.31	0.06	2.25	0.00	26.04	74.00	0.00	0.00	43.21
230000	4.62	2.44	6.63	4.19	34.22	0.31	2.28	0.07	2.21	0.00	26.04	74.00	0.00	0.00	42.40
極大值	4.62	3.84	15.79	13.08	40.36	0.31	2.42	0.12	2.32	0.00	26.04	74.00	0.00	0.00	46.03
極小值	3.46	2.34	4.75	2.38	16.88	0.31	2.16	0.05	2.11	0.00	26.04	74.00	0.00	0.00	39.81
平均值	3.57	2.66	8.60	5.92	30.77	0.31	2.29	0.08	2.21	0.00	26.04	74.00	0.00	0.00	42.92
標準差	0.23	0.4	3.45	3.21	6.79	0	0.08	0.02	0.07	0	0	0	0	0	1.72

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.93	2.53	8.19	5.69	28.28	0.31	2.47	0.09	2.38	0.00	26.04	74.00	0.00	0.00	46.37
010000	3.59	2.46	7.72	5.21	27.17	0.31	2.35	0.08	2.27	0.00	26.04	74.00	0.00	0.00	42.89
020000	3.56	2.30	6.85	4.53	28.43	0.31	2.29	0.09	2.20	0.00	26.04	74.00	0.00	0.00	44.85
030000	3.48	2.35	5.05	2.67	30.70	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	42.56
040000	3.45	2.41	5.86	3.44	24.86	0.31	2.36	0.07	2.29	0.00	26.04	74.00	0.00	0.00	43.76
050000	3.48	2.37	6.16	3.74	21.47	0.31	2.42	0.07	2.35	0.00	26.04	74.00	0.00	0.00	44.15
060000	3.47	2.55	9.72	7.20	16.94	0.31	2.34	0.06	2.28	0.00	26.04	74.00	0.00	0.00	43.74
070000	3.56	3.02	9.80	6.75	16.23	0.31	2.62	0.06	2.56	0.00	26.04	74.00	0.00	0.00	49.04
080000	3.70	3.52	10.45	6.89	20.96	0.31	2.47	0.09	2.38	0.00	26.04	74.00	0.00	0.00	47.24
090000	3.64	3.60	10.53	6.91	25.32	0.31	2.38	0.08	2.30	0.00	26.04	74.00	0.00	0.00	45.30
100000	3.57	3.95	10.89	6.91	32.18	0.31	2.38	0.14	2.24	0.00	26.04	74.00	0.00	0.00	45.05
110000	3.74	3.08	8.39	5.27	37.71	0.31	2.26	0.08	2.18	0.00	26.04	74.00	0.00	0.00	41.88
120000	4.03	2.81	7.33	4.47	51.07	0.31	2.22	0.10	2.12	0.00	26.04	74.00	0.00	0.00	39.96
130000	3.88	2.68	6.12	3.40	55.11	0.31	2.18	0.08	2.10	0.00	26.04	74.00	0.00	0.00	40.90
140000	4.60	2.68	8.57	5.86	63.00	0.31	2.22	0.11	2.11	0.00	26.04	74.00	0.00	0.00	42.66
150000	4.27	2.56	9.14	6.57	56.70	0.31	2.21	0.09	2.12	0.00	26.04	74.00	0.00	0.00	42.30
160000	4.17	2.81	10.91	8.13	50.78	0.31	2.21	0.09	2.12	0.00	26.04	74.00	0.00	0.00	40.29
170000	4.12	2.57	12.77	10.22	44.78	0.31	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	40.95
180000	4.13	2.59	14.83	12.24	39.07	0.31	2.34	0.15	2.19	0.00	26.04	74.00	0.00	0.00	43.45
190000	3.89	2.56	16.61	14.07	24.66	0.31	2.37	0.11	2.26	0.00	26.04	74.00	0.00	0.00	45.80
200000	3.88	2.74	24.02	21.30	16.37	0.31	2.69	0.18	2.51	0.00	26.04	74.00	0.00	0.00	52.35
210000	3.90	2.96	33.66	30.71	6.72	0.31	3.05	0.28	2.77	0.00	26.04	74.00	0.00	0.00	56.72
220000	3.69	2.70	16.52	13.84	11.98	0.31	2.90	0.13	2.77	0.00	26.04	74.00	0.00	0.00	56.52
230000	3.64	2.94	19.17	16.22	6.42	0.31	3.22	0.16	3.06	0.00	26.04	74.00	0.00	0.00	60.15
極大值	4.60	3.95	33.66	30.71	63.00	0.31	3.22	0.28	3.06	0.00	26.04	74.00	0.00	0.00	60.15
極小值	3.45	2.30	5.05	2.67	6.42	0.31	2.18	0.06	2.10	0.00	26.04	74.00	0.00	0.00	39.96
平均值	3.81	2.78	11.64	8.84	30.70	0.31	2.43	0.11	2.33	0.00	26.04	74.00	0.00	0.00	45.79
標準差	0.3	0.41	6.59	6.54	15.98	0	0.28	0.05	0.25	0	0	0	0	0	5.45

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.62	3.06	20.11	17.03	4.30	0.31	3.21	0.16	3.05	0.00	26.04	74.00	0.00	0.00	58.75
010000	3.61	2.89	16.23	13.35	4.17	0.31	2.95	0.15	2.80	0.00	26.04	74.00	0.00	0.00	56.01
020000	3.57	2.76	10.88	8.10	6.18	0.31	2.75	0.11	2.64	0.00	26.04	74.00	0.00	0.00	53.54
030000	3.54	2.70	9.11	6.40	5.24	0.31	2.64	0.07	2.57	0.00	26.04	74.00	0.00	0.00	49.16
040000	3.54	2.63	8.88	6.24	6.01	0.31	2.70	0.08	2.62	0.00	26.04	74.00	0.00	0.00	51.19
050000	3.53	2.76	9.79	7.02	4.71	0.31	2.77	0.09	2.68	0.00	26.04	74.00	0.00	0.00	51.29
060000	3.53	3.05	10.99	7.95	4.63	0.31	2.79	0.07	2.72	0.00	26.04	74.00	0.00	0.00	54.07
070000	3.57	5.19	14.92	9.74	4.74	0.31	2.55	0.07	2.48	0.00	26.04	74.00	0.00	0.00	47.88
080000	4.01	6.86	20.17	13.29	7.63	0.31	2.53	0.17	2.36	0.00	26.04	74.00	0.00	0.00	47.35
090000	3.97	7.50	19.18	11.65	10.84	0.31	2.50	0.12	2.38	0.00	26.04	74.00	0.00	0.00	47.48
100000	4.16	6.29	18.14	11.82	20.20	0.31	2.54	0.13	2.41	0.00	26.04	74.00	0.00	0.00	46.56
110000	4.33	3.76	12.53	8.75	41.76	0.31	2.37	0.11	2.26	0.00	26.04	74.00	0.00	0.00	45.29
120000	4.26	2.67	7.36	4.67	55.92	0.31	2.23	0.09	2.14	0.00	26.04	74.00	0.00	0.00	41.83
130000	4.49	2.63	7.97	5.37	60.79	0.31	2.23	0.09	2.14	0.00	26.04	74.00	0.00	0.00	41.39
140000	6.01	2.79	13.41	10.64	74.46	0.31	2.48	0.28	2.20	0.00	26.04	74.00	0.00	0.00	46.91
150000	5.02	2.65	11.45	8.82	74.42	0.31	2.34	0.16	2.18	0.00	26.04	74.00	0.00	0.00	42.24
160000	4.67	2.68	11.90	9.25	70.61	0.31	2.32	0.14	2.18	0.00	26.04	74.00	0.00	0.00	42.66
170000	4.25	2.51	10.86	8.36	62.80	0.31	2.27	0.10	2.17	0.00	26.04	74.00	0.00	0.00	43.54
180000	3.98	2.54	10.55	8.02	53.20	0.31	2.28	0.09	2.19	0.00	26.04	74.00	0.00	0.00	42.32
190000	3.74	2.49	8.13	5.65	43.68	0.31	2.24	0.06	2.18	0.00	26.04	74.00	0.00	0.00	41.24
200000	3.67	2.51	6.79	4.29	41.01	0.31	2.23	0.08	2.15	0.00	26.04	74.00	0.00	0.00	41.81
210000	3.52	2.55	6.48	3.95	38.50	0.31	2.23	0.07	2.16	0.00	26.04	74.00	0.00	0.00	41.54
220000	3.62	2.60	10.45	7.89	26.33	0.31	2.51	0.07	2.44	0.00	26.04	74.00	0.00	0.00	46.04
230000	3.66	2.61	13.36	10.78	20.15	0.31	2.67	0.11	2.56	0.00	26.04	74.00	0.00	0.00	49.73
極大值	6.01	7.50	20.17	17.03	74.46	0.31	3.21	0.28	3.05	0.00	26.04	74.00	0.00	0.00	58.75
極小值	3.52	2.49	6.48	3.95	4.17	0.31	2.23	0.06	2.14	0.00	26.04	74.00	0.00	0.00	41.24
平均值	3.99	3.36	12.07	8.71	30.93	0.31	2.51	0.11	2.40	0.00	26.04	74.00	0.00	0.00	47.08
標準差	0.6	1.48	4.14	3.2	25.88	0	0.26	0.05	0.25	0	0	0	0	0	5.06

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.69	2.74	16.00	13.29	16.98	0.31	2.81	0.14	2.67	0.00	26.04	74.00	0.00	0.00	51.38
010000	3.65	2.79	12.59	9.83	16.40	0.31	3.14	0.14	3.00	0.00	26.04	74.00	0.00	0.00	58.78
020000	3.58	2.77	11.11	8.36	13.63	0.31	3.06	0.14	2.92	0.00	26.04	74.00	0.00	0.00	57.21
030000	3.60	2.71	10.65	7.96	11.72	0.31	3.07	0.13	2.94	0.00	26.04	74.00	0.00	0.00	58.53
040000	3.60	2.89	12.03	9.15	7.30	0.31	3.00	0.12	2.88	0.00	26.04	74.00	0.00	0.00	57.48
050000	3.56	2.76	11.01	8.27	5.64	0.31	3.17	0.12	3.05	0.00	26.04	74.00	0.00	0.00	59.99
060000	3.60	4.98	15.34	10.34	2.11	0.31	3.50	0.14	3.36	0.00	26.04	74.00	0.00	0.00	65.68
070000	3.72	5.26	16.54	11.27	9.50	0.31	2.87	0.14	2.73	0.00	26.04	74.00	0.00	0.00	53.56
080000	3.78	4.19	14.13	9.92	18.01	0.31	2.62	0.12	2.50	0.00	26.04	74.00	0.00	0.00	49.06
090000	3.85	4.35	14.09	9.73	25.92	0.31	2.46	0.11	2.35	0.00	26.04	74.00	0.00	0.00	47.11
100000	4.31	3.06	9.21	6.15	48.73	0.31	2.33	0.11	2.22	0.00	26.04	74.00	0.00	0.00	44.38
110000	4.33	2.61	6.69	4.09	61.45	0.31	2.23	0.11	2.12	0.00	26.04	74.00	0.00	0.00	43.04
120000	4.22	2.54	6.71	4.15	65.35	0.31	2.21	0.11	2.10	0.00	26.04	74.00	0.00	0.00	41.50
130000	4.38	2.58	7.04	4.42	73.26	0.31	2.21	0.10	2.11	0.00	26.04	74.00	0.00	0.00	41.61
140000	4.53	2.48	7.14	4.65	80.88	0.31	2.24	0.12	2.12	0.00	26.04	74.00	0.00	0.00	42.17
150000	4.48	2.46	7.66	5.18	81.24	0.31	2.24	0.11	2.13	0.00	26.04	74.00	0.00	0.00	41.58
160000	4.30	2.44	7.81	5.38	77.37	0.31	2.24	0.11	2.13	0.00	26.04	74.00	0.00	0.00	41.12
170000	3.98	2.44	7.31	4.85	72.17	0.31	2.21	0.10	2.11	0.00	26.04	74.00	0.00	0.00	41.87
180000	3.80	2.48	7.29	4.82	59.06	0.31	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	39.39
190000	3.69	2.58	7.76	5.21	50.08	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	41.94
200000	3.78	2.57	7.83	5.27	48.03	0.31	2.25	0.09	2.16	0.00	26.04	74.00	0.00	0.00	42.31
210000	3.66	2.49	10.08	7.59	41.24	0.31	2.27	0.07	2.20	0.00	26.04	74.00	0.00	0.00	41.40
220000	3.65	2.57	7.70	5.14	46.27	0.31	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	42.47
230000	3.60	2.55	11.01	8.50	32.36	0.31	2.39	0.06	2.33	0.00	26.04	74.00	0.00	0.00	44.44
極大值	4.53	5.26	16.54	13.29	81.24	0.31	3.50	0.14	3.36	0.00	26.04	74.00	0.00	0.00	65.68
極小值	3.56	2.44	6.69	4.09	2.11	0.31	2.20	0.06	2.10	0.00	26.04	74.00	0.00	0.00	39.39
平均值	3.89	2.97	10.20	7.23	40.20	0.31	2.55	0.11	2.44	0.00	26.04	74.00	0.00	0.00	47.83
標準差	0.33	0.82	3.19	2.62	26.86	0	0.41	0.02	0.39	0	0	0	0	0	7.84

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.67	2.51	8.89	6.39	39.43	0.31	2.41	0.07	2.34	0.00	26.04	74.00	0.00	0.00	45.72
010000	3.59	2.55	9.77	7.24	26.31	0.31	2.82	0.07	2.75	0.00	26.04	74.00	0.00	0.00	52.54
020000	3.63	2.72	12.81	10.10	14.19	0.31	3.09	0.11	2.98	0.00	26.04	74.00	0.00	0.00	58.68
030000	3.63	2.84	13.59	10.77	12.02	0.31	3.59	0.13	3.46	0.00	26.04	74.00	0.00	0.00	67.90
040000	3.66	2.73	10.54	7.82	17.64	0.31	3.36	0.12	3.24	0.00	26.04	74.00	0.00	0.00	62.11
050000	3.61	2.74	10.30	7.55	14.95	0.31	3.39	0.11	3.28	0.00	26.04	74.00	0.00	0.00	64.54
060000	3.64	3.80	15.27	11.46	11.21	0.31	3.47	0.12	3.35	0.00	26.04	74.00	0.00	0.00	66.06
070000	3.85	4.01	13.51	9.46	18.91	0.31	3.14	0.13	3.01	0.00	26.04	74.00	0.00	0.00	59.27
080000	4.14	4.65	16.39	11.73	28.98	0.31	2.73	0.11	2.62	0.00	26.04	74.00	0.00	0.00	51.26
090000	4.59	3.01	9.67	6.66	54.54	0.31	2.33	0.07	2.26	0.00	26.04	74.00	0.00	0.00	42.19
100000	4.74	2.61	6.31	3.67	69.06	0.31	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	40.61
110000	5.61	2.65	7.63	4.95	79.21	0.31	2.25	0.12	2.13	0.00	26.04	74.00	0.00	0.00	42.57
120000	5.81	2.50	8.45	5.94	89.42	0.31	2.25	0.12	2.13	0.00	26.04	74.00	0.00	0.00	42.92
130000	5.23	2.51	8.54	6.01	94.78	0.31	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	42.38
140000	4.93	2.55	8.57	6.02	91.29	0.31	2.26	0.13	2.13	0.00	26.04	74.00	0.00	0.00	42.87
150000	4.66	2.49	7.68	5.19	89.06	0.31	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	41.57
160000	4.61	2.45	7.76	5.32	88.19	0.31	2.22	0.09	2.13	0.00	26.04	74.00	0.00	0.00	43.13
170000	4.52	2.41	8.72	6.29	85.76	0.31	2.22	0.08	2.14	0.00	26.04	74.00	0.00	0.00	40.25
180000	4.36	2.38	10.69	8.31	78.22	0.31	2.27	0.09	2.18	0.00	26.04	74.00	0.00	0.00	42.45
190000	4.19	2.46	11.20	8.77	67.80	0.31	2.32	0.08	2.24	0.00	26.04	74.00	0.00	0.00	41.45
200000	4.06	2.46	11.37	8.93	53.84	0.31	2.52	0.09	2.43	0.00	26.04	74.00	0.00	0.00	47.59
210000	3.99	2.55	13.45	10.91	40.10	0.31	2.48	0.07	2.41	0.00	26.04	74.00	0.00	0.00	47.09
220000	3.70	2.55	12.81	10.28	34.28	0.31	2.77	0.07	2.70	0.00	26.04	74.00	0.00	0.00	52.22
230000	3.75	2.59	11.65	9.06	36.24	0.31	2.73	0.07	2.66	0.00	26.04	74.00	0.00	0.00	52.02
極大值	5.81	4.65	16.39	11.73	94.78	0.31	3.59	0.13	3.46	0.00	26.04	74.00	0.00	0.00	67.90
極小值	3.59	2.38	6.31	3.67	11.21	0.31	2.21	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.25
平均值	4.26	2.78	10.65	7.87	51.48	0.31	2.64	0.10	2.54	0.00	26.04	74.00	0.00	0.00	49.56
標準差	0.66	0.56	2.62	2.28	30.19	0	0.46	0.02	0.45	0	0	0	0	0	8.97

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.66	2.55	8.72	6.17	33.35	0.31	2.51	0.07	2.44	0.00	26.04	74.00	0.00	0.00	47.16
010000	3.64	2.54	10.26	7.72	29.88	0.31	2.81	0.09	2.72	0.00	26.04	74.00	0.00	0.00	53.06
020000	3.65	2.77	13.26	10.52	16.21	0.31	3.50	0.14	3.36	0.00	26.04	74.00	0.00	0.00	66.21
030000	3.64	2.71	10.41	7.72	19.75	0.31	3.35	0.12	3.23	0.00	26.04	74.00	0.00	0.00	61.96
040000	3.64	2.62	9.21	6.59	22.41	0.31	2.97	0.10	2.87	0.00	26.04	74.00	0.00	0.00	57.08
050000	3.60	2.79	10.20	7.40	19.70	0.31	3.00	0.10	2.90	0.00	26.04	74.00	0.00	0.00	57.48
060000	3.69	3.04	10.17	7.11	17.78	0.31	3.06	0.10	2.96	0.00	26.04	74.00	0.00	0.00	58.05
070000	3.78	3.77	11.73	7.93	19.25	0.31	2.96	0.11	2.85	0.00	26.04	74.00	0.00	0.00	55.72
080000	4.06	3.26	10.18	6.88	35.14	0.31	2.69	0.11	2.58	0.00	26.04	74.00	0.00	0.00	50.35
090000	4.19	2.85	7.21	4.37	61.18	0.31	2.32	0.07	2.25	0.00	26.04	74.00	0.00	0.00	43.30
100000	4.18	2.63	6.16	3.53	72.52	0.31	2.22	0.07	2.15	0.00	26.04	74.00	0.00	0.00	41.03
110000	4.76	2.54	6.74	4.20	79.26	0.31	2.22	0.08	2.14	0.00	26.04	74.00	0.00	0.00	42.66
120000	4.53	2.57	7.97	5.38	81.65	0.31	2.19	0.08	2.11	0.00	26.04	74.00	0.00	0.00	41.11
130000	4.36	2.58	6.55	3.92	75.36	0.31	2.15	0.07	2.08	0.00	26.04	74.00	0.00	0.00	40.53
140000	4.80	2.68	8.73	6.02	76.96	0.31	2.18	0.10	2.08	0.00	26.04	74.00	0.00	0.00	39.65
150000	4.99	2.75	10.00	7.23	74.16	0.31	2.18	0.09	2.09	0.00	26.04	74.00	0.00	0.00	40.66
160000	4.54	2.53	8.54	6.00	75.77	0.31	2.16	0.07	2.09	0.00	26.04	74.00	0.00	0.00	39.65
170000	4.12	2.42	8.28	5.82	76.46	0.31	2.17	0.06	2.11	0.00	26.04	74.00	0.00	0.00	40.74
180000	3.95	2.46	7.33	4.83	71.13	0.31	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.49
190000	3.83	2.45	8.34	5.86	56.73	0.31	2.30	0.06	2.24	0.00	26.04	74.00	0.00	0.00	43.13
200000	3.73	2.51	13.30	10.74	30.87	0.31	2.44	0.09	2.35	0.00	26.04	74.00	0.00	0.00	45.89
210000	3.67	2.54	11.77	9.25	37.96	0.31	2.48	0.08	2.40	0.00	26.04	74.00	0.00	0.00	46.10
220000	3.71	2.48	8.33	5.87	42.97	0.31	2.30	0.07	2.23	0.00	26.04	74.00	0.00	0.00	43.60
230000	3.69	2.49	9.23	6.75	43.80	0.31	2.36	0.07	2.29	0.00	26.04	74.00	0.00	0.00	45.47
極大值	4.99	3.77	13.30	10.74	81.65	0.31	3.50	0.14	3.36	0.00	26.04	74.00	0.00	0.00	66.21
極小值	3.60	2.42	6.16	3.53	16.21	0.31	2.15	0.06	2.08	0.00	26.04	74.00	0.00	0.00	39.65
平均值	4.02	2.69	9.28	6.58	48.76	0.31	2.53	0.09	2.44	0.00	26.04	74.00	0.00	0.00	47.54
標準差	0.43	0.3	1.94	1.86	24.21	0	0.41	0.02	0.39	0	0	0	0	0	7.94

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.61	2.58	9.73	7.16	31.76	0.31	2.49	0.06	2.43	0.00	26.04	74.00	0.00	0.00	47.64
010000	3.65	2.52	7.25	4.74	33.96	0.31	2.39	0.05	2.34	0.00	26.04	74.00	0.00	0.00	44.08
020000	3.58	2.65	8.96	6.31	25.59	0.31	2.93	0.08	2.85	0.00	26.04	74.00	0.00	0.00	56.02
030000	3.64	2.76	9.86	7.12	17.97	0.31	3.71	0.09	3.62	0.00	26.04	74.00	0.00	0.00	68.33
040000	3.60	2.70	9.70	7.02	16.58	0.31	3.32	0.09	3.23	0.00	26.04	74.00	0.00	0.00	63.52
050000	3.61	2.70	9.92	7.21	13.47	0.31	3.18	0.08	3.10	0.00	26.04	74.00	0.00	0.00	59.69
060000	3.58	4.48	13.81	9.30	7.89	0.31	3.52	0.07	3.45	0.00	26.04	74.00	0.00	0.00	66.84
070000	3.80	4.20	12.77	8.54	16.76	0.31	3.14	0.10	3.04	0.00	26.04	74.00	0.00	0.00	58.06
080000	4.04	3.90	13.13	9.18	32.22	0.31	2.70	0.11	2.59	0.00	26.04	74.00	0.00	0.00	49.72
090000	4.28	2.95	8.85	5.90	54.59	0.31	2.29	0.06	2.23	0.00	26.04	74.00	0.00	0.00	44.88
100000	4.87	2.95	9.37	6.42	64.02	0.31	2.23	0.07	2.16	0.00	26.04	74.00	0.00	0.00	41.61
110000	4.49	2.88	9.35	6.48	62.78	0.31	2.24	0.11	2.13	0.00	26.04	74.00	0.00	0.00	41.25
120000	4.86	2.81	9.52	6.75	63.72	0.31	2.24	0.11	2.13	0.00	26.04	74.00	0.00	0.00	41.28
130000	4.68	2.78	8.71	5.95	62.79	0.31	2.28	0.15	2.13	0.00	26.04	74.00	0.00	0.00	43.52
140000	4.90	2.85	10.02	7.14	63.82	0.31	2.25	0.13	2.12	0.00	26.04	74.00	0.00	0.00	41.81
150000	6.41	3.28	14.95	11.63	58.04	0.31	2.26	0.14	2.12	0.00	26.04	74.00	0.00	0.00	41.15
160000	4.91	2.94	12.30	9.33	54.41	0.31	2.27	0.13	2.14	0.00	26.04	74.00	0.00	0.00	43.18
170000	4.10	2.71	10.18	7.45	47.87	0.31	2.24	0.13	2.11	0.00	26.04	74.00	0.00	0.00	44.04
180000	4.03	2.55	10.58	8.02	38.17	0.31	2.28	0.17	2.11	0.00	26.04	74.00	0.00	0.00	42.08
190000	3.91	2.56	10.63	8.05	29.64	0.31	2.31	0.18	2.13	0.00	26.04	74.00	0.00	0.00	42.72
200000	3.78	2.62	12.12	9.50	19.60	0.31	2.30	0.13	2.17	0.00	26.04	74.00	0.00	0.00	43.21
210000	3.69	2.89	13.26	10.34	16.22	0.31	2.48	0.10	2.38	0.00	26.04	74.00	0.00	0.00	47.52
220000	3.63	2.72	11.67	8.92	20.40	0.31	2.44	0.06	2.38	0.00	26.04	74.00	0.00	0.00	45.94
230000	3.55	2.65	10.54	7.87	15.25	0.31	2.66	0.07	2.59	0.00	26.04	74.00	0.00	0.00	50.28
極大值	6.41	4.48	14.95	11.63	64.02	0.31	3.71	0.18	3.62	0.00	26.04	74.00	0.00	0.00	68.33
極小值	3.55	2.52	7.25	4.74	7.89	0.31	2.23	0.05	2.11	0.00	26.04	74.00	0.00	0.00	41.15
平均值	4.13	2.94	10.72	7.76	36.15	0.31	2.59	0.10	2.49	0.00	26.04	74.00	0.00	0.00	48.68
標準差	0.69	0.52	1.88	1.59	19.75	0	0.46	0.04	0.47	0	0	0	0	0	8.6

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.60	2.68	9.68	6.96	18.06	0.31	2.44	0.07	2.37	0.00	26.04	74.00	0.00	0.00	46.61
010000	3.50	2.72	10.31	7.59	15.53	0.31	2.50	0.08	2.42	0.00	26.04	74.00	0.00	0.00	46.45
020000	3.53	2.58	8.92	6.30	15.01	0.31	2.51	0.07	2.44	0.00	26.04	74.00	0.00	0.00	46.03
030000	3.54	2.77	9.00	6.20	12.35	0.31	2.67	0.08	2.59	0.00	26.04	74.00	0.00	0.00	51.54
040000	3.53	2.80	10.62	7.77	8.46	0.31	3.24	0.09	3.15	0.00	26.04	74.00	0.00	0.00	60.16
050000	3.56	3.28	13.08	9.76	2.32	0.31	4.01	0.11	3.90	0.00	26.04	74.00	0.00	0.00	76.53
060000	3.52	5.70	17.51	11.81	2.27	0.31	3.74	0.12	3.62	0.00	26.04	74.00	0.00	0.00	72.31
070000	3.79	6.43	17.39	10.97	8.48	0.31	3.32	0.19	3.13	0.00	26.04	74.00	0.00	0.00	62.50
080000	3.89	6.43	19.44	12.97	19.95	0.31	2.75	0.14	2.61	0.00	26.04	74.00	0.00	0.00	49.65
090000	3.83	3.28	9.34	6.05	42.29	0.31	2.27	0.06	2.21	0.00	26.04	74.00	0.00	0.00	42.71
100000	3.86	2.98	6.00	3.03	58.35	0.31	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	39.28
110000	3.81	2.71	5.93	3.22	60.00	0.31	2.16	0.10	2.06	0.00	26.04	74.00	0.00	0.00	37.64
120000	3.69	2.72	5.55	2.86	54.61	0.31	2.14	0.10	2.04	0.00	26.04	74.00	0.00	0.00	40.77
130000	3.75	2.62	4.96	2.34	50.80	0.31	2.13	0.09	2.04	0.00	26.04	74.00	0.00	0.00	40.00
140000	3.83	2.62	5.28	2.67	45.22	0.31	2.15	0.10	2.05	0.00	26.04	74.00	0.00	0.00	40.48
150000	3.94	2.53	5.37	2.86	52.62	0.31	2.14	0.08	2.06	0.00	26.04	74.00	0.00	0.00	39.12
160000	4.05	2.70	8.84	6.12	51.98	0.31	2.18	0.09	2.09	0.00	26.04	74.00	0.00	0.00	42.68
170000	3.99	2.80	11.00	8.17	49.75	0.31	2.21	0.11	2.10	0.00	26.04	74.00	0.00	0.00	42.43
180000	4.02	2.65	16.21	13.55	38.50	0.31	2.30	0.15	2.15	0.00	26.04	74.00	0.00	0.00	44.52
190000	4.25	2.62	18.80	16.17	26.22	0.31	2.43	0.16	2.27	0.00	26.04	74.00	0.00	0.00	46.47
200000	3.89	2.80	19.92	17.10	18.99	0.31	2.51	0.14	2.37	0.00	26.04	74.00	0.00	0.00	44.90
210000	3.70	2.91	16.37	13.48	13.53	0.31	2.62	0.12	2.50	0.00	26.04	74.00	0.00	0.00	48.96
220000	3.92	2.94	14.92	11.96	9.42	0.31	2.72	0.11	2.61	0.00	26.04	74.00	0.00	0.00	50.42
230000	4.30	3.18	17.22	14.02	4.66	0.31	2.89	0.14	2.75	0.00	26.04	74.00	0.00	0.00	53.27
極大值	4.30	6.43	19.92	17.10	60.00	0.31	4.01	0.19	3.90	0.00	26.04	74.00	0.00	0.00	76.53
極小值	3.50	2.53	4.96	2.34	2.27	0.31	2.13	0.06	2.04	0.00	26.04	74.00	0.00	0.00	37.64
平均值	3.80	3.23	11.74	8.50	28.31	0.31	2.59	0.11	2.48	0.00	26.04	74.00	0.00	0.00	48.56
標準差	0.22	1.17	5.09	4.58	20.26	0	0.52	0.03	0.51	0	0	0	0	0	10.13

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.18	3.08	14.60	11.50	7.00	0.31	2.83	0.14	2.69	0.00	26.04	74.00	0.00	0.00	51.99
010000	3.73	2.94	12.81	9.85	8.08	0.31	2.79	0.12	2.67	0.00	26.04	74.00	0.00	0.00	50.53
020000	3.60	2.88	11.74	8.88	8.35	0.31	2.97	0.11	2.86	0.00	26.04	74.00	0.00	0.00	55.71
030000	3.65	2.82	9.85	7.05	11.34	0.31	2.84	0.11	2.73	0.00	26.04	74.00	0.00	0.00	52.51
040000	3.67	2.91	11.63	8.74	6.62	0.31	3.04	0.12	2.92	0.00	26.04	74.00	0.00	0.00	57.10
050000	3.63	3.33	13.05	9.70	4.97	0.31	3.07	0.13	2.94	0.00	26.04	74.00	0.00	0.00	57.83
060000	3.71	6.00	16.98	10.98	1.12	0.31	4.19	0.15	4.04	0.00	26.04	74.00	0.00	0.00	81.00
070000	3.82	8.07	19.28	11.19	5.74	0.31	3.53	0.14	3.39	0.00	26.04	74.00	0.00	0.00	66.51
080000	3.97	6.64	18.53	11.87	16.14	0.31	2.78	0.12	2.66	0.00	26.04	74.00	0.00	0.00	51.79
090000	3.71	2.95	6.29	3.37	27.68	0.31	2.11	0.03	2.08	0.00	26.04	74.00	0.00	0.00	41.54
100000	3.61	2.67	4.34	1.63	26.93	0.31	2.03	0.02	2.01	0.00	26.04	74.00	0.00	0.00	39.48
110000	3.59	2.64	4.30	1.63	27.16	0.31	2.03	0.04	1.99	0.00	26.04	74.00	0.00	0.00	38.69
120000	3.58	2.85	4.83	1.96	26.96	0.31	2.04	0.05	1.99	0.00	26.04	74.00	0.00	0.00	39.17
130000	3.60	2.95	5.52	2.56	27.65	0.31	2.04	0.04	2.00	0.00	26.04	74.00	0.00	0.00	40.42
140000	3.63	2.95	5.93	2.98	31.73	0.31	2.04	0.04	2.00	0.00	26.04	74.00	0.00	0.00	38.08
150000	3.65	2.88	5.17	2.31	32.65	0.31	2.05	0.03	2.02	0.00	26.04	74.00	0.00	0.00	39.01
160000	3.61	2.96	5.58	2.62	30.38	0.31	2.05	0.01	2.04	0.00	26.04	74.00	0.00	0.00	39.26
170000	3.57	2.99	5.68	2.70	29.05	0.31	2.07	0.02	2.05	0.00	26.04	74.00	0.00	0.00	40.22
180000	3.99	2.90	8.35	5.45	24.04	0.31	2.12	0.05	2.07	0.00	26.04	74.00	0.00	0.00	41.34
190000	3.60	2.54	5.34	2.81	23.49	0.31	2.10	0.03	2.07	0.00	26.04	74.00	0.00	0.00	40.25
200000	3.58	2.65	7.67	5.01	17.80	0.31	2.14	0.03	2.11	0.00	26.04	74.00	0.00	0.00	42.63
210000	3.55	3.95	19.02	15.03	2.88	0.31	2.46	0.05	2.41	0.00	26.04	74.00	0.00	0.00	48.58
220000	3.54	3.63	16.54	12.87	2.62	0.31	2.81	0.06	2.75	0.00	26.04	74.00	0.00	0.00	52.77
230000	3.49	4.86	16.63	11.75	0.63	0.31	3.04	0.07	2.97	0.00	26.04	74.00	0.00	0.00	55.47
極大值	4.18	8.07	19.28	15.03	32.65	0.31	4.19	0.15	4.04	0.00	26.04	74.00	0.00	0.00	81.00
極小值	3.49	2.54	4.30	1.63	0.63	0.31	2.03	0.01	1.99	0.00	26.04	74.00	0.00	0.00	38.08
平均值	3.68	3.54	10.40	6.85	16.71	0.31	2.55	0.07	2.48	0.00	26.04	74.00	0.00	0.00	48.41
標準差	0.16	1.42	5.31	4.35	11.42	0	0.58	0.05	0.54	0	0	0	0	0	10.61

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.54	3.79	13.75	9.92	0.87	0.31	2.61	0.07	2.54	0.00	26.04	74.00	0.00	0.00	50.40
010000	3.51	3.89	12.88	8.94	0.60	0.31	2.71	0.05	2.66	0.00	26.04	74.00	0.00	0.00	48.87
020000	3.50	4.05	12.73	8.65	0.27	0.31	3.09	0.06	3.03	0.00	26.04	74.00	0.00	0.00	58.20
030000	3.52	5.40	15.15	9.71	0.00	0.31	3.64	0.07	3.57	0.00	26.04	74.00	0.00	0.00	69.07
040000	3.54	5.99	16.54	10.52	0.00	0.31	3.41	0.09	3.32	0.00	26.04	74.00	0.00	0.00	65.09
050000	3.56	7.33	18.42	11.09	0.20	0.31	4.10	0.09	4.01	0.00	26.04	74.00	0.00	0.00	77.32
060000	3.63	16.59	25.78	9.16	0.26	0.31	3.87	0.09	3.78	0.00	26.04	74.00	0.00	0.00	73.83
070000	3.69	10.84	19.32	8.45	2.21	0.31	3.08	0.07	3.01	0.00	26.04	74.00	0.00	0.00	57.74
080000	4.03	4.88	12.01	7.10	18.24	0.31	2.31	0.06	2.25	0.00	26.04	74.00	0.00	0.00	45.29
090000	4.11	3.03	7.07	4.00	33.36	0.31	2.22	0.06	2.16	0.00	26.04	74.00	0.00	0.00	43.19
100000	3.78	2.77	5.77	2.98	35.09	0.31	2.16	0.10	2.06	0.00	26.04	74.00	0.00	0.00	41.42
110000	3.72	2.87	6.01	3.12	32.14	0.31	2.23	0.19	2.04	0.00	26.04	74.00	0.00	0.00	43.47
120000	3.67	2.85	5.17	2.28	27.79	0.31	2.09	0.06	2.03	0.00	26.04	74.00	0.00	0.00	38.98
130000	3.64	3.18	6.25	3.03	26.50	0.31	2.10	0.06	2.04	0.00	26.04	74.00	0.00	0.00	41.27
140000	3.63	3.37	6.11	2.74	25.38	0.31	2.15	0.11	2.04	0.00	26.04	74.00	0.00	0.00	41.44
150000	3.61	3.19	6.24	3.01	25.32	0.31	2.12	0.07	2.05	0.00	26.04	74.00	0.00	0.00	40.18
160000	3.71	3.36	7.43	4.05	23.43	0.31	2.08	0.04	2.04	0.00	26.04	74.00	0.00	0.00	40.95
170000	3.99	3.51	12.56	9.00	20.44	0.31	2.16	0.10	2.06	0.00	26.04	74.00	0.00	0.00	40.69
180000	4.37	3.49	19.23	15.71	11.91	0.31	2.30	0.19	2.11	0.00	26.04	74.00	0.00	0.00	45.28
190000	4.02	3.11	19.60	16.45	5.73	0.31	2.31	0.13	2.18	0.00	26.04	74.00	0.00	0.00	43.96
200000	3.73	3.87	17.27	13.36	2.72	0.31	2.48	0.13	2.35	0.00	26.04	74.00	0.00	0.00	48.94
210000	3.63	3.60	12.91	9.28	0.96	0.31	2.54	0.11	2.43	0.00	26.04	74.00	0.00	0.00	48.63
220000	3.63	3.21	10.16	6.91	4.27	0.31	2.44	0.08	2.36	0.00	26.04	74.00	0.00	0.00	46.63
230000	3.57	3.27	11.09	7.79	2.92	0.31	2.63	0.08	2.55	0.00	26.04	74.00	0.00	0.00	48.53
極大值	4.37	16.59	25.78	16.45	35.09	0.31	4.10	0.19	4.01	0.00	26.04	74.00	0.00	0.00	77.32
極小值	3.50	2.77	5.17	2.28	0.00	0.31	2.08	0.04	2.03	0.00	26.04	74.00	0.00	0.00	38.98
平均值	3.72	4.64	12.48	7.80	12.53	0.31	2.62	0.09	2.53	0.00	26.04	74.00	0.00	0.00	49.97
標準差	0.22	3.11	5.61	4.06	13	0	0.6	0.04	0.61	0	0	0	0	0	11.09

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A002 油車庄站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.55	3.39	11.23	7.82	2.23	0.31	2.58	0.05	2.53	0.00	26.04	74.00	0.00	0.00	48.49
010000	3.52	3.69	9.99	6.29	0.40	0.31	2.73	0.06	2.67	0.00	26.04	74.00	0.00	0.00	51.07
020000	3.49	3.24	7.93	4.65	0.52	0.31	2.38	0.05	2.33	0.00	26.04	74.00	0.00	0.00	45.11
030000	3.52	3.38	8.05	4.64	0.43	0.31	2.42	0.05	2.37	0.00	26.04	74.00	0.00	0.00	44.81
040000	3.46	3.32	8.61	5.28	0.38	0.31	2.60	0.05	2.55	0.00	26.04	74.00	0.00	0.00	47.69
050000	3.48	3.36	7.67	4.26	0.44	0.31	2.57	0.04	2.53	0.00	26.04	74.00	0.00	0.00	47.57
060000	3.52	5.01	10.05	5.04	0.34	0.31	2.53	0.05	2.48	0.00	26.04	74.00	0.00	0.00	47.14
070000	3.66	6.62	12.34	5.74	2.03	0.31	2.42	0.07	2.35	0.00	26.04	74.00	0.00	0.00	45.31
080000	3.65	5.59	10.58	4.97	7.11	0.31	2.17	0.03	2.14	0.00	26.04	74.00	0.00	0.00	42.43
090000	3.56	3.46	5.75	2.26	13.61	0.31	2.05	0.01	2.04	0.00	26.04	74.00	0.00	0.00	40.08
100000	3.67	3.17	5.61	2.42	20.47	0.31	2.05	0.01	2.04	0.00	26.04	74.00	0.00	0.00	38.71
110000	3.89	2.99	6.48	3.45	33.62	0.31	2.10	0.04	2.06	0.00	26.04	74.00	0.00	0.00	40.93
120000	4.88	3.60	10.11	6.50	44.11	0.31	2.15	0.08	2.07	0.00	26.04	74.00	0.00	0.00	42.47
130000	6.55	4.75	14.89	10.12	30.01	0.31	2.26	0.16	2.10	0.00	26.04	74.00	0.00	0.00	43.22
140000	4.57	3.64	9.99	6.35	29.38	0.31	2.19	0.10	2.09	0.00	26.04	74.00	0.00	0.00	42.86
150000	3.95	2.97	6.60	3.61	29.44	0.31	2.17	0.10	2.07	0.00	26.04	74.00	0.00	0.00	43.80
160000	3.69	3.01	6.58	3.58	26.89	0.31	2.15	0.09	2.06	0.00	26.04	74.00	0.00	0.00	41.46
170000	3.71	3.12	8.30	5.13	35.89	0.31	2.17	0.10	2.07	0.00	26.04	74.00	0.00	0.00	42.99
180000	3.80	2.62	7.72	5.11	43.44	0.31	2.13	0.02	2.11	0.00	26.04	74.00	0.00	0.00	40.04
190000	3.75	2.59	6.60	3.98	41.06	0.31	2.11	0.04	2.07	0.00	26.04	74.00	0.00	0.00	40.18
200000	3.84	2.76	11.20	8.43	29.07	0.31	2.29	0.10	2.19	0.00	26.04	74.00	0.00	0.00	43.99
210000	4.65	3.00	12.97	9.96	20.09	0.31	2.35	0.12	2.23	0.00	26.04	74.00	0.00	0.00	46.04
220000	3.82	3.03	13.31	10.22	15.39	0.31	2.33	0.10	2.23	0.00	26.04	74.00	0.00	0.00	42.38
230000	3.78	3.04	12.46	9.39	10.74	0.31	2.42	0.10	2.32	0.00	26.04	74.00	0.00	0.00	43.45
極大值	6.55	6.62	14.89	10.22	44.11	0.31	2.73	0.16	2.67	0.00	26.04	74.00	0.00	0.00	51.07
極小值	3.46	2.59	5.61	2.26	0.34	0.31	2.05	0.01	2.04	0.00	26.04	74.00	0.00	0.00	38.71
平均值	3.92	3.56	9.38	5.80	18.21	0.31	2.30	0.07	2.24	0.00	26.04	74.00	0.00	0.00	43.84
標準差	0.68	0.98	2.61	2.38	15.6	0	0.19	0.04	0.2	0	0	0	0	0	3.05

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.28	3.49	16.49	12.95	5.23	0.31	2.56	0.16	2.40	0.00	26.04	74.00	0.00	0.00	49.39
010000	3.89	3.47	16.61	13.09	3.60	0.31	2.58	0.16	2.42	0.00	26.04	74.00	0.00	0.00	50.44
020000	3.95	3.50	17.40	13.86	2.32	0.31	2.58	0.17	2.41	0.00	26.04	74.00	0.00	0.00	48.07
030000	5.30	3.66	20.38	16.67	2.77	0.31	2.53	0.20	2.33	0.00	26.04	74.00	0.00	0.00	47.46
040000	4.32	3.42	17.69	14.21	2.93	0.31	2.50	0.15	2.35	0.00	26.04	74.00	0.00	0.00	45.51
050000	3.90	3.59	15.53	11.91	1.63	0.31	2.61	0.13	2.48	0.00	26.04	74.00	0.00	0.00	47.87
060000	3.96	5.81	17.97	12.17	1.72	0.31	2.68	0.18	2.50	0.00	26.04	74.00	0.00	0.00	49.94
070000	4.14	7.45	18.89	11.41	6.07	0.31	2.46	0.16	2.30	0.00	26.04	74.00	0.00	0.00	46.41
080000	4.32	7.25	17.85	10.59	10.42	0.31	2.53	0.19	2.34	0.00	26.04	74.00	0.00	0.00	46.83
090000	4.88	6.73	17.99	11.27	16.97	0.31	2.59	0.19	2.40	0.00	26.04	74.00	0.00	0.00	48.74
100000	5.10	4.50	15.50	11.00	26.71	0.31	2.50	0.13	2.37	0.00	26.04	74.00	0.00	0.00	48.14
110000	5.47	3.06	11.79	8.69	54.61	0.31	2.39	0.19	2.20	0.00	26.04	74.00	0.00	0.00	45.69
120000	4.99	2.88	9.75	6.84	60.00	0.31	2.25	0.12	2.13	0.00	26.04	74.00	0.00	0.00	43.71
130000	4.48	2.78	9.03	6.23	63.44	0.31	2.22	0.09	2.13	0.00	26.04	74.00	0.00	0.00	43.08
140000	4.33	2.64	6.98	4.30	61.17	0.31	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	43.04
150000	4.27	2.64	6.71	4.08	63.07	0.31	2.20	0.09	2.11	0.00	26.04	74.00	0.00	0.00	42.55
160000	4.24	2.65	7.39	4.71	63.05	0.31	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	41.22
170000	4.09	2.57	6.56	3.95	59.67	0.31	2.16	0.07	2.09	0.00	26.04	74.00	0.00	0.00	43.31
180000	3.94	2.49	6.22	3.72	55.40	0.31	2.15	0.06	2.09	0.00	26.04	74.00	0.00	0.00	39.97
190000	7.46	2.63	9.92	7.26	40.88	0.31	2.26	0.10	2.16	0.00	26.04	74.00	0.00	0.00	42.59
200000	4.45	2.91	14.74	11.78	24.64	0.31	2.40	0.14	2.26	0.00	26.04	74.00	0.00	0.00	44.75
210000	7.13	2.98	16.58	13.56	16.35	0.31	2.50	0.18	2.32	0.00	26.04	74.00	0.00	0.00	46.77
220000	4.66	2.89	15.59	12.65	17.23	0.31	2.37	0.15	2.22	0.00	26.04	74.00	0.00	0.00	43.52
230000	3.90	2.93	12.47	9.56	17.42	0.31	2.37	0.12	2.25	0.00	26.04	74.00	0.00	0.00	44.60
極大值	7.46	7.45	20.38	16.67	63.44	0.31	2.68	0.20	2.50	0.00	26.04	74.00	0.00	0.00	50.44
極小值	3.89	2.49	6.22	3.72	1.63	0.31	2.15	0.06	2.09	0.00	26.04	74.00	0.00	0.00	39.97
平均值	4.64	3.70	13.58	9.85	28.22	0.31	2.41	0.14	2.27	0.00	26.04	74.00	0.00	0.00	45.57
標準差	0.93	1.51	4.61	3.82	24.83	0	0.17	0.04	0.13	0	0	0	0	0	2.86

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.89	2.84	12.16	9.31	14.70	0.31	2.41	0.12	2.29	0.00	26.04	74.00	0.00	0.00	46.69
010000	3.80	2.84	10.86	8.00	16.36	0.31	2.35	0.12	2.23	0.00	26.04	74.00	0.00	0.00	43.29
020000	3.75	2.80	10.32	7.48	15.16	0.31	2.39	0.11	2.28	0.00	26.04	74.00	0.00	0.00	43.63
030000	3.73	2.83	10.05	7.16	14.05	0.31	2.41	0.11	2.30	0.00	26.04	74.00	0.00	0.00	46.49
040000	3.71	2.88	10.18	7.24	14.96	0.31	2.38	0.11	2.27	0.00	26.04	74.00	0.00	0.00	44.16
050000	3.69	2.82	9.78	6.88	13.36	0.31	2.44	0.11	2.33	0.00	26.04	74.00	0.00	0.00	46.70
060000	3.75	3.21	10.98	7.76	13.03	0.31	2.40	0.11	2.29	0.00	26.04	74.00	0.00	0.00	43.20
070000	3.81	3.27	10.62	7.30	14.47	0.31	2.38	0.11	2.27	0.00	26.04	74.00	0.00	0.00	45.09
080000	3.88	3.92	10.56	6.58	15.86	0.31	2.48	0.12	2.36	0.00	26.04	74.00	0.00	0.00	45.92
090000	3.95	3.56	9.59	5.98	23.76	0.31	2.38	0.10	2.28	0.00	26.04	74.00	0.00	0.00	44.05
100000	4.54	3.03	7.89	4.89	39.76	0.31	2.29	0.10	2.19	0.00	26.04	74.00	0.00	0.00	43.84
110000	5.66	3.16	11.37	8.18	57.11	0.31	2.32	0.14	2.18	0.00	26.04	74.00	0.00	0.00	45.45
120000	6.14	3.38	14.12	10.71	56.79	0.31	2.30	0.14	2.16	0.00	26.04	74.00	0.00	0.00	43.09
130000	4.19	2.68	6.42	3.73	54.88	0.31	2.21	0.09	2.12	0.00	26.04	74.00	0.00	0.00	42.18
140000	4.40	2.61	7.22	4.55	56.48	0.31	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	40.22
150000	4.24	2.59	7.52	4.91	52.49	0.31	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	41.21
160000	4.00	2.85	8.77	5.90	42.30	0.31	2.28	0.09	2.19	0.00	26.04	74.00	0.00	0.00	44.59
170000	5.29	2.73	9.52	6.78	37.47	0.31	2.34	0.10	2.24	0.00	26.04	74.00	0.00	0.00	45.91
180000	4.15	2.77	11.61	8.84	31.50	0.31	2.41	0.11	2.30	0.00	26.04	74.00	0.00	0.00	45.71
190000	7.08	2.97	14.17	11.20	21.65	0.31	2.48	0.13	2.35	0.00	26.04	74.00	0.00	0.00	46.38
200000	4.55	2.84	15.58	12.73	18.68	0.31	2.37	0.15	2.22	0.00	26.04	74.00	0.00	0.00	43.79
210000	3.91	2.79	11.81	9.02	19.30	0.31	2.34	0.11	2.23	0.00	26.04	74.00	0.00	0.00	44.20
220000	3.81	2.77	10.61	7.82	19.13	0.31	2.33	0.10	2.23	0.00	26.04	74.00	0.00	0.00	42.60
230000	3.72	2.74	10.17	7.38	17.73	0.31	2.33	0.10	2.23	0.00	26.04	74.00	0.00	0.00	43.81
極大值	7.08	3.92	15.58	12.73	57.11	0.31	2.48	0.15	2.36	0.00	26.04	74.00	0.00	0.00	46.70
極小值	3.69	2.59	6.42	3.73	13.03	0.31	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	40.22
平均值	4.32	2.95	10.50	7.51	28.37	0.31	2.35	0.11	2.24	0.00	26.04	74.00	0.00	0.00	44.26
標準差	0.87	0.32	2.17	2.12	16.51	0	0.08	0.02	0.07	0	0	0	0	0	1.72

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.66	2.80	11.02	8.23	13.74	0.31	2.38	0.11	2.27	0.00	26.04	74.00	0.00	0.00	44.40
010000	7.30	2.84	12.91	10.06	11.47	0.31	2.45	0.16	2.29	0.00	26.04	74.00	0.00	0.00	45.89
020000	4.13	2.94	12.75	9.80	10.98	0.31	2.43	0.14	2.29	0.00	26.04	74.00	0.00	0.00	46.27
030000	3.80	2.84	10.28	7.43	10.22	0.31	2.45	0.11	2.34	0.00	26.04	74.00	0.00	0.00	46.02
040000	3.67	2.83	9.98	7.11	8.36	0.31	2.50	0.11	2.39	0.00	26.04	74.00	0.00	0.00	46.29
050000	3.75	2.94	10.61	7.65	5.25	0.31	2.54	0.11	2.43	0.00	26.04	74.00	0.00	0.00	47.54
060000	3.85	3.61	14.86	11.21	6.67	0.31	2.44	0.15	2.29	0.00	26.04	74.00	0.00	0.00	46.92
070000	3.71	4.19	12.34	8.11	7.81	0.31	2.46	0.09	2.37	0.00	26.04	74.00	0.00	0.00	46.89
080000	3.89	5.73	14.26	8.52	9.11	0.31	2.59	0.10	2.49	0.00	26.04	74.00	0.00	0.00	48.73
090000	5.18	5.37	15.29	9.89	21.11	0.31	2.51	0.11	2.40	0.00	26.04	74.00	0.00	0.00	47.35
100000	6.88	4.12	16.79	12.63	44.93	0.31	2.39	0.15	2.24	0.00	26.04	74.00	0.00	0.00	44.48
110000	8.22	3.49	17.81	14.26	55.03	0.31	2.39	0.18	2.21	0.00	26.04	74.00	0.00	0.00	45.67
120000	7.29	3.25	12.72	9.43	46.08	0.31	2.31	0.11	2.20	0.00	26.04	74.00	0.00	0.00	44.54
130000	4.30	3.02	11.11	8.04	46.22	0.31	2.31	0.09	2.22	0.00	26.04	74.00	0.00	0.00	42.78
140000	4.27	2.83	9.11	6.26	48.73	0.31	2.29	0.07	2.22	0.00	26.04	74.00	0.00	0.00	46.14
150000	4.24	3.95	16.72	12.75	32.22	0.31	2.38	0.15	2.23	0.00	26.04	74.00	0.00	0.00	45.81
160000	4.11	4.10	19.74	15.61	21.90	0.31	2.40	0.16	2.24	0.00	26.04	74.00	0.00	0.00	46.27
170000	4.09	3.25	19.31	16.03	21.42	0.31	2.40	0.17	2.23	0.00	26.04	74.00	0.00	0.00	46.01
180000	3.91	3.09	16.44	13.32	21.38	0.31	2.39	0.15	2.24	0.00	26.04	74.00	0.00	0.00	48.07
190000	3.93	2.88	14.45	11.56	20.81	0.31	2.39	0.14	2.25	0.00	26.04	74.00	0.00	0.00	47.51
200000	3.95	2.88	19.39	16.46	12.22	0.31	2.45	0.20	2.25	0.00	26.04	74.00	0.00	0.00	46.74
210000	3.85	2.97	20.25	17.25	9.01	0.31	2.42	0.20	2.22	0.00	26.04	74.00	0.00	0.00	46.35
220000	3.75	3.15	18.91	15.70	7.60	0.31	2.39	0.16	2.23	0.00	26.04	74.00	0.00	0.00	46.97
230000	3.66	2.96	17.50	14.50	7.13	0.31	2.40	0.17	2.23	0.00	26.04	74.00	0.00	0.00	46.91
極大值	8.22	5.73	20.25	17.25	55.03	0.31	2.59	0.20	2.49	0.00	26.04	74.00	0.00	0.00	48.73
極小值	3.66	2.80	9.11	6.26	5.25	0.31	2.29	0.07	2.20	0.00	26.04	74.00	0.00	0.00	42.78
平均值	4.56	3.42	14.77	11.33	20.81	0.31	2.42	0.14	2.28	0.00	26.04	74.00	0.00	0.00	46.27
標準差	1.36	0.8	3.49	3.41	15.84	0	0.07	0.04	0.08	0	0	0	0	0	1.29

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.38	3.85	5.32	1.21	11.22	0.28	2.12	0.27	1.85	0.00	24.97	69.44	0.00	0.00	73.81
010000	5.38	3.85	5.32	1.22	10.28	0.28	2.13	0.27	1.86	0.00	24.92	69.45	0.00	0.00	73.81
020000	5.49	3.88	5.32	1.20	10.12	0.28	2.13	0.27	1.86	0.00	24.76	69.44	0.00	0.00	73.81
030000	5.40	3.87	5.32	1.19	9.54	0.28	2.13	0.27	1.86	0.00	24.74	69.43	0.00	0.00	73.80
040000	5.51	3.86	5.32	1.21	8.39	0.28	2.13	0.27	1.86	0.00	24.71	69.43	0.00	0.00	73.81
050000	5.46	3.86	5.32	1.21	8.16	0.28	2.13	0.27	1.86	0.00	24.68	69.44	0.00	0.00	73.82
060000	5.46	3.85	5.32	1.22	7.15	0.28	2.12	0.27	1.85	0.00	24.68	69.44	0.00	0.00	73.86
070000	5.55	3.85	5.32	1.24	7.75	0.28	2.12	0.27	1.85	0.00	24.62	69.44	0.00	0.00	73.86
080000	5.71	3.85	5.32	1.22	13.42	0.27	2.12	0.27	1.85	0.00	24.66	69.41	0.00	0.00	73.84
090000	5.93	3.85	5.32	1.24	23.39	0.28	2.12	0.27	1.85	0.00	24.81	69.47	0.00	0.00	73.83
100000	6.25	3.86	5.32	1.24	33.13	0.28	2.12	0.27	1.85	0.00	25.02	69.47	0.00	0.00	73.84
110000	6.74	3.85	5.32	1.24	37.72	0.28	2.12	0.27	1.85	0.00	25.09	69.47	0.00	0.00	73.85
120000	6.76	3.86	5.32	1.22	53.94	0.28	2.13	0.27	1.86	0.00	25.01	69.47	0.00	0.00	73.86
130000	6.68	3.91	5.32	1.17	54.97	0.28	2.13	0.27	1.86	0.00	24.89	69.47	0.00	0.00	73.83
140000	6.48	3.87	5.32	1.22	47.79	0.28	2.13	0.28	1.85	0.00	24.79	69.47	0.00	0.00	73.84
150000	6.26	3.85	5.32	1.24	44.74	0.28	2.13	0.28	1.85	0.00	24.77	69.47	0.00	0.00	73.84
160000	6.14	3.85	5.32	1.24	36.24	0.28	2.13	0.28	1.85	0.00	24.66	69.47	0.00	0.00	73.81
170000	6.12	3.85	5.32	1.23	34.04	0.28	2.13	0.28	1.85	0.00	24.57	69.47	0.00	0.00	73.82
180000	5.92	3.85	5.32	1.24	29.18	0.28	2.13	0.28	1.85	0.00	24.68	69.44	0.00	0.00	73.82
190000	5.75	3.86	5.32	1.23	23.72	0.28	2.13	0.28	1.85	0.00	24.60	69.44	0.00	0.00	73.83
200000	5.69	3.86	5.32	1.22	16.96	0.28	2.13	0.27	1.86	0.00	24.91	69.47	0.00	0.00	73.82
210000	5.71	3.85	5.32	1.22	17.51	0.28	2.13	0.28	1.85	0.00	24.85	69.47	0.00	0.00	73.82
220000	5.64	3.85	5.32	1.23	15.56	0.28	2.13	0.27	1.86	0.00	24.84	69.47	0.00	0.00	73.83
230000	5.55	3.86	5.32	1.21	12.77	0.28	2.13	0.27	1.86	0.00	24.79	69.46	0.00	0.00	73.83
極大值	6.76	3.91	5.32	1.24	54.97	0.28	2.13	0.28	1.86	0.00	25.09	69.47	0.00	0.00	73.86
極小值	5.38	3.85	5.32	1.17	7.15	0.27	2.12	0.27	1.85	0.00	24.57	69.41	0.00	0.00	73.80
平均值	5.87	3.86	5.32	1.22	23.65	0.28	2.13	0.27	1.85	0.00	24.79	69.45	0.00	0.00	73.83
標準差	0.45	0.01	0	0.02	15.6	0	0	0	0.01	0	0.14	0.02	0	0	0.02

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.48	3.90	5.32	1.13	11.65	0.28	2.13	0.28	1.85	0.00	24.62	69.25	0.00	0.00	73.84
010000	5.64	3.90	5.31	1.11	12.52	0.28	2.13	0.28	1.85	0.00	24.60	69.26	0.00	0.00	73.82
020000	5.57	3.91	5.31	1.10	12.72	0.28	2.13	0.28	1.85	0.00	24.52	69.28	0.00	0.00	73.84
030000	5.60	3.91	5.31	1.10	10.70	0.28	2.13	0.28	1.85	0.00	24.41	69.26	0.00	0.00	73.83
040000	5.59	3.90	5.32	1.11	9.87	0.28	2.13	0.28	1.85	0.00	24.36	69.26	0.00	0.00	73.81
050000	5.62	3.90	5.31	1.11	8.97	0.28	2.12	0.28	1.84	0.00	24.48	69.31	0.00	0.00	73.84
060000	5.64	3.91	5.32	1.11	9.48	0.28	2.13	0.28	1.85	0.00	24.46	69.31	0.00	0.00	73.85
070000	5.76	3.90	5.32	1.10	11.17	0.28	2.13	0.28	1.85	0.00	24.41	69.20	0.00	0.00	73.83
080000	5.79	3.90	5.32	1.12	17.07	0.28	2.12	0.28	1.84	0.00	24.36	69.19	0.00	0.00	73.82
090000	5.79	3.90	5.31	1.15	26.61	0.28	2.12	0.28	1.84	0.00	24.31	69.19	0.00	0.00	73.84
100000	5.96	3.90	5.30	1.15	32.38	0.28	2.12	0.28	1.84	0.00	24.33	69.19	0.00	0.00	73.82
110000	6.01	3.90	5.30	1.16	33.74	0.28	2.12	0.28	1.84	0.00	24.31	69.19	0.00	0.00	73.83
120000	6.11	3.85	5.32	1.22	37.03	0.28	2.13	0.27	1.86	0.00	24.54	69.46	0.00	0.00	73.83
130000	6.02	3.86	5.32	1.24	37.72	0.28	2.14	0.27	1.87	0.00	24.50	69.47	0.00	0.00	73.82
140000	5.74	3.87	5.32	1.22	24.04	0.28	2.14	0.27	1.87	0.00	24.59	69.47	0.00	0.00	73.81
150000	5.72	3.87	5.32	1.22	17.99	0.28	2.14	0.27	1.87	0.00	24.37	69.47	0.00	0.00	73.82
160000	5.63	3.86	5.32	1.24	17.31	0.28	2.14	0.27	1.87	0.00	24.53	69.47	0.00	0.00	73.82
170000	5.55	3.85	5.32	1.24	15.94	0.28	2.14	0.28	1.86	0.00	24.61	69.47	0.00	0.00	73.81
180000	5.57	3.85	5.32	1.25	15.05	0.28	2.14	0.27	1.87	0.00	24.67	69.47	0.00	0.00	73.81
190000	5.43	3.85	5.32	1.24	15.63	0.28	2.14	0.28	1.86	0.00	24.67	69.46	0.00	0.00	73.82
200000	5.51	3.85	5.32	1.23	16.40	0.28	2.13	0.27	1.86	0.00	24.59	69.45	0.00	0.00	73.83
210000	5.47	3.85	5.32	1.23	14.43	0.28	2.13	0.28	1.85	0.00	24.71	69.39	0.00	0.00	73.82
220000	5.54	3.86	5.32	1.21	14.38	0.28	2.13	0.27	1.86	0.00	24.71	69.43	0.00	0.00	73.82
230000	5.45	3.86	5.32	1.22	11.92	0.28	2.13	0.28	1.85	0.00	24.71	69.42	0.00	0.00	73.81
極大值	6.11	3.91	5.32	1.25	37.72	0.28	2.14	0.28	1.87	0.00	24.71	69.47	0.00	0.00	73.85
極小值	5.43	3.85	5.30	1.10	8.97	0.28	2.12	0.27	1.84	0.00	24.31	69.19	0.00	0.00	73.81
平均值	5.67	3.88	5.32	1.18	18.11	0.28	2.13	0.28	1.85	0.00	24.52	69.35	0.00	0.00	73.82
標準差	0.19	0.02	0.01	0.06	8.89	0	0.01	0	0.01	0	0.13	0.11	0	0	0.01

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.33	3.90	5.32	1.13	9.09	0.28	2.13	0.28	1.85	0.00	24.21	69.19	0.00	0.00	73.81
010000	5.35	3.90	5.32	1.10	8.11	0.28	2.13	0.28	1.85	0.00	23.92	69.19	0.00	0.00	73.81
020000	5.33	3.90	5.32	1.08	7.97	0.28	2.13	0.28	1.85	0.00	23.90	69.19	0.00	0.00	73.80
030000	5.33	3.90	5.32	1.08	8.09	0.28	2.13	0.28	1.85	0.00	23.93	69.19	0.00	0.00	73.80
040000	5.37	3.90	5.32	1.10	8.85	0.28	2.13	0.28	1.85	0.00	23.96	69.19	0.00	0.00	73.81
050000	5.29	3.90	5.32	1.09	8.02	0.28	2.13	0.28	1.85	0.00	23.96	69.19	0.00	0.00	73.80
060000	5.18	3.90	5.32	1.09	7.82	0.28	2.13	0.28	1.85	0.00	23.95	69.19	0.00	0.00	73.81
070000	5.35	3.90	5.32	1.09	6.71	0.28	2.13	0.28	1.85	0.00	23.95	69.19	0.00	0.00	73.81
080000	5.36	3.90	5.32	1.14	8.65	0.28	2.12	0.28	1.84	0.00	23.92	69.19	0.00	0.00	73.84
090000	5.30	3.90	5.32	1.15	11.15	0.28	2.12	0.28	1.84	0.00	23.90	69.19	0.00	0.00	73.83
100000	5.33	3.90	5.31	1.17	15.79	0.44	2.13	0.28	1.85	0.00	23.97	69.30	0.00	0.00	73.83
110000	5.43	3.90	5.32	1.22	12.94	1.92	2.13	0.27	1.86	0.00	24.01	69.34	0.00	0.00	73.87
120000	5.38	3.93	5.32	1.18	13.47	0.72	2.14	0.27	1.87	0.00	24.07	69.51	0.00	0.00	73.85
130000	5.35	3.98	5.32	1.15	13.62	0.62	2.14	0.27	1.87	0.00	24.01	69.57	0.00	0.00	73.87
140000	5.35	3.99	5.32	1.15	13.97	0.58	2.14	0.27	1.87	0.00	24.03	69.49	0.00	0.00	73.83
150000	5.33	3.91	5.32	1.21	14.23	0.55	2.14	0.27	1.87	0.00	24.09	69.47	0.00	0.00	73.83
160000	5.28	3.90	5.32	1.21	15.40	0.52	2.14	0.27	1.87	0.00	24.11	69.52	0.00	0.00	73.83
170000	5.25	3.88	5.32	1.23	15.25	0.50	2.14	0.27	1.87	0.00	24.07	69.51	0.00	0.00	73.86
180000	5.30	3.88	5.32	1.24	13.69	0.50	2.14	0.28	1.86	0.00	23.99	69.47	0.00	0.00	73.85
190000	5.23	3.89	5.32	1.24	13.93	0.49	2.13	0.28	1.85	0.00	23.88	69.47	0.00	0.00	73.83
200000	5.17	3.90	5.32	1.25	13.77	0.48	2.13	0.28	1.85	0.00	23.85	69.47	0.00	0.00	73.83
210000	5.24	3.89	5.32	1.25	12.08	0.48	2.13	0.27	1.86	0.00	23.83	69.47	0.00	0.00	73.82
220000	5.36	3.87	5.32	1.25	11.31	0.49	2.13	0.27	1.86	0.00	23.79	69.47	0.00	0.00	73.81
230000	5.31	3.88	5.32	1.25	8.39	0.48	2.13	0.27	1.86	0.00	23.74	69.45	0.00	0.00	73.81
極大值	5.43	3.99	5.32	1.25	15.79	1.92	2.14	0.28	1.87	0.00	24.21	69.57	0.00	0.00	73.87
極小值	5.17	3.87	5.31	1.08	6.71	0.28	2.12	0.27	1.84	0.00	23.74	69.19	0.00	0.00	73.80
平均值	5.31	3.90	5.32	1.17	11.35	0.48	2.13	0.28	1.86	0.00	23.96	69.35	0.00	0.00	73.83
標準差	0.06	0.03	0	0.06	2.97	0.33	0.01	0.01	0.01	0	0.11	0.15	0	0	0.02

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.27	3.90	5.32	1.20	6.34	0.48	2.13	0.28	1.85	0.00	23.58	69.19	0.00	0.00	73.80
010000	5.23	3.90	5.32	1.19	6.55	0.50	2.13	0.28	1.85	0.00	23.54	69.19	0.00	0.00	73.80
020000	5.23	3.90	5.32	1.19	6.75	0.53	2.13	0.28	1.85	0.00	23.50	69.19	0.00	0.00	73.80
030000	5.31	3.90	5.32	1.19	7.08	0.53	2.13	0.28	1.85	0.00	23.50	69.19	0.00	0.00	73.80
040000	5.44	3.90	5.32	1.20	7.18	0.50	2.13	0.28	1.85	0.00	23.49	69.19	0.00	0.00	73.80
050000	5.37	3.90	5.32	1.18	7.90	0.48	2.13	0.28	1.85	0.00	23.51	69.19	0.00	0.00	73.81
060000	5.46	3.90	5.32	1.19	6.20	0.54	2.13	0.28	1.85	0.00	23.49	69.19	0.00	0.00	73.81
070000	5.42	3.90	5.32	1.19	6.18	0.50	2.13	0.28	1.85	0.00	23.48	69.19	0.00	0.00	73.81
080000	5.43	3.90	5.32	1.17	8.28	0.44	2.13	0.28	1.85	0.00	23.45	69.19	0.00	0.00	73.81
090000	5.30	3.90	5.31	1.13	10.60	0.42	2.12	0.28	1.84	0.00	23.41	69.17	0.00	0.00	73.81
100000	5.40	3.90	5.32	1.11	11.84	0.41	2.12	0.28	1.84	0.00	23.37	69.15	0.00	0.00	73.82
110000	5.30	3.90	5.32	1.15	13.53	0.40	2.13	0.28	1.85	0.00	23.38	69.19	0.00	0.00	73.83
120000	5.38	3.93	5.32	1.18	16.09	0.34	2.14	0.27	1.87	0.00	23.58	69.53	0.00	0.00	73.84
130000	5.38	3.98	5.32	1.13	13.40	0.31	2.14	0.27	1.87	0.00	23.59	69.61	0.00	0.00	73.84
140000	5.46	3.94	5.32	1.18	13.64	0.30	2.14	0.28	1.86	0.00	23.62	69.61	0.00	0.00	73.82
150000	5.34	3.91	5.32	1.23	13.94	0.30	2.14	0.27	1.87	0.00	23.63	69.61	0.00	0.00	73.80
160000	5.41	3.95	5.32	1.18	14.41	0.30	2.14	0.27	1.87	0.00	23.62	69.57	0.00	0.00	73.80
170000	5.43	3.96	5.32	1.17	14.06	0.30	2.14	0.27	1.87	0.00	23.58	69.48	0.00	0.00	73.80
180000	5.33	3.91	5.32	1.23	12.89	0.31	2.14	0.28	1.86	0.00	23.50	69.47	0.00	0.00	73.80
190000	5.39	3.92	5.32	1.22	15.44	0.33	2.14	0.27	1.87	0.00	23.49	69.47	0.00	0.00	73.80
200000	5.27	3.91	5.32	1.23	16.83	0.35	2.13	0.27	1.86	0.00	23.49	69.47	0.00	0.00	73.80
210000	5.41	3.90	5.32	1.24	12.87	0.34	2.14	0.27	1.87	0.00	23.45	69.47	0.00	0.00	73.80
220000	5.26	3.91	5.32	1.23	12.44	0.33	2.14	0.27	1.87	0.00	23.45	69.47	0.00	0.00	73.81
230000	5.23	3.93	5.32	1.21	10.58	0.33	2.14	0.27	1.87	0.00	23.44	69.46	0.00	0.00	73.81
極大值	5.46	3.98	5.32	1.24	16.83	0.54	2.14	0.28	1.87	0.00	23.63	69.61	0.00	0.00	73.84
極小值	5.23	3.90	5.31	1.11	6.18	0.30	2.12	0.27	1.84	0.00	23.37	69.15	0.00	0.00	73.80
平均值	5.35	3.91	5.32	1.19	11.04	0.40	2.13	0.28	1.86	0.00	23.51	69.35	0.00	0.00	73.81
標準差	0.08	0.02	0	0.03	3.56	0.09	0.01	0.01	0.01	0	0.07	0.18	0	0	0.01

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.30	3.91	5.32	1.23	7.70	0.37	2.13	0.28	1.85	0.00	23.36	69.33	0.00	0.00	73.80
010000	5.28	3.90	5.32	1.23	7.18	0.38	2.13	0.28	1.85	0.00	23.32	69.33	0.00	0.00	73.81
020000	5.24	3.90	5.32	1.21	8.01	0.35	2.13	0.28	1.85	0.00	23.20	69.33	0.00	0.00	73.81
030000	5.28	3.90	5.32	1.20	6.45	0.37	2.13	0.28	1.85	0.00	23.20	69.33	0.00	0.00	73.81
040000	5.23	3.90	5.32	1.22	6.08	0.36	2.13	0.28	1.85	0.00	23.16	69.33	0.00	0.00	73.80
050000	5.33	3.90	5.32	1.20	5.92	0.38	2.13	0.28	1.85	0.00	23.16	69.33	0.00	0.00	73.80
060000	5.31	3.90	5.32	1.21	5.77	0.43	2.13	0.28	1.85	0.00	23.15	69.33	0.00	0.00	73.80
070000	5.42	3.90	5.32	1.24	6.20	0.44	2.12	0.28	1.84	0.00	23.10	69.24	0.00	0.00	73.80
080000	5.39	3.90	5.32	1.21	6.32	0.43	2.12	0.27	1.85	0.00	22.97	69.19	0.00	0.00	73.80
090000	5.45	3.90	5.32	1.19	10.55	0.40	2.12	0.28	1.84	0.00	22.95	69.19	0.00	0.00	73.81
100000	5.43	3.90	5.32	1.19	17.13	0.44	2.12	0.28	1.84	0.00	22.93	69.14	0.00	0.00	73.80
110000	5.64	3.90	5.32	1.19	29.98	0.54	2.12	0.28	1.84	0.00	22.90	69.21	0.00	0.00	73.80
120000	6.65	3.92	5.32	1.22	41.21	0.54	2.13	0.28	1.85	0.00	23.04	69.45	0.00	0.00	73.80
130000	6.56	3.98	5.32	1.14	47.88	0.45	2.14	0.27	1.87	0.00	23.10	69.49	0.00	0.00	73.80
140000	6.25	3.98	5.32	1.12	42.33	0.38	2.14	0.27	1.87	0.00	23.14	69.50	0.00	0.00	73.80
150000	6.11	3.96	5.32	1.16	42.65	0.38	2.14	0.28	1.86	0.00	23.21	69.53	0.00	0.00	73.80
160000	6.03	3.93	5.32	1.21	38.03	0.36	2.14	0.27	1.87	0.00	23.21	69.50	0.00	0.00	73.80
170000	5.84	3.92	5.32	1.22	38.64	0.36	2.14	0.28	1.86	0.00	23.18	69.47	0.00	0.00	73.80
180000	5.73	3.90	5.32	1.24	32.93	0.37	2.14	0.27	1.87	0.00	23.14	69.47	0.00	0.00	73.80
190000	5.83	3.91	5.32	1.24	27.83	0.37	2.14	0.27	1.87	0.00	23.12	69.47	0.00	0.00	73.80
200000	5.96	3.92	5.32	1.23	17.01	0.46	2.14	0.27	1.87	0.00	23.14	69.47	0.00	0.00	73.80
210000	6.23	3.91	5.32	1.22	14.16	0.44	2.13	0.27	1.86	0.00	23.08	69.47	0.00	0.00	73.80
220000	6.61	3.90	5.32	1.24	10.97	0.46	2.13	0.28	1.85	0.00	23.02	69.47	0.00	0.00	73.80
230000	6.44	3.91	5.32	1.23	9.37	0.45	2.13	0.27	1.86	0.00	22.94	69.45	0.00	0.00	73.80
極大值	6.65	3.98	5.32	1.24	47.88	0.54	2.14	0.28	1.87	0.00	23.36	69.53	0.00	0.00	73.81
極小值	5.23	3.90	5.32	1.12	5.77	0.35	2.12	0.27	1.84	0.00	22.90	69.14	0.00	0.00	73.80
平均值	5.77	3.91	5.32	1.21	20.01	0.41	2.13	0.28	1.86	0.00	23.11	69.38	0.00	0.00	73.80
標準差	0.48	0.02	0	0.03	15.02	0.05	0.01	0	0.01	0	0.12	0.12	0	0	0

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.98	3.90	5.32	1.22	8.53	0.46	2.13	0.28	1.85	0.00	22.76	69.33	0.00	0.00	73.80
010000	6.14	3.90	5.32	1.22	7.81	0.46	2.13	0.28	1.85	0.00	22.77	69.33	0.00	0.00	73.81
020000	6.33	3.90	5.32	1.22	7.16	0.47	2.13	0.28	1.85	0.00	22.73	69.33	0.00	0.00	73.80
030000	6.32	3.90	5.32	1.20	7.13	0.43	2.12	0.28	1.84	0.00	22.59	69.33	0.00	0.00	73.80
040000	5.88	3.90	5.32	1.21	7.29	0.43	2.12	0.28	1.84	0.00	22.67	69.33	0.00	0.00	73.80
050000	6.11	3.90	5.32	1.21	7.61	0.43	2.12	0.28	1.84	0.00	22.70	69.33	0.00	0.00	73.80
060000	6.18	3.90	5.32	1.20	7.21	0.44	2.12	0.28	1.84	0.00	22.72	69.33	0.00	0.00	73.81
070000	6.17	3.90	5.32	1.21	8.16	0.42	2.12	0.28	1.84	0.00	22.67	69.33	0.00	0.00	73.81
080000	6.12	3.90	5.32	1.20	8.26	0.45	2.12	0.27	1.85	0.00	22.71	69.33	0.00	0.00	73.81
090000	6.18	3.90	5.32	1.21	8.77	0.48	2.11	0.28	1.83	0.00	22.74	69.27	0.00	0.00	73.81
100000	5.74	25.85	28.29	29.24	17.04	0.46	2.12	0.43	1.69	0.00	22.67	69.20	0.00	0.00	73.81
110000	4.89	2.86	13.60	10.98	19.72	0.44	2.11	0.27	1.84	0.00	22.66	69.20	0.00	0.00	73.80
120000	5.31	2.02	15.08	13.34	19.98	0.35	2.12	0.27	1.85	0.00	22.76	69.37	0.00	0.00	73.80
130000	4.81	0.64	6.80	6.28	19.36	0.31	2.12	0.27	1.85	0.00	22.82	69.42	0.00	0.00	73.81
140000	4.59	3.31	13.59	10.49	14.94	0.34	2.12	0.27	1.85	0.00	22.81	69.40	0.00	0.00	73.80
150000	6.55	3.00	18.44	15.82	13.63	0.36	2.12	0.27	1.85	0.00	23.17	69.45	0.00	0.00	73.82
160000	5.47	1.32	17.42	16.43	14.43	0.35	2.12	0.27	1.85	0.00	22.99	69.44	0.00	0.00	73.81
170000	4.75	0.69	18.00	17.68	13.51	0.35	2.12	0.27	1.85	0.00	22.80	69.37	0.00	0.00	73.80
180000	4.55	0.45	15.81	15.68	12.34	0.36	2.12	0.27	1.85	0.00	22.78	69.40	0.00	0.00	73.80
190000	5.14	0.46	15.34	15.18	11.55	0.37	2.12	0.27	1.85	0.00	22.78	69.38	0.00	0.00	73.80
200000	6.15	0.48	15.64	15.42	10.69	0.37	2.12	0.27	1.85	0.00	22.69	69.38	0.00	0.00	73.80
210000	5.06	0.30	12.45	12.39	11.98	0.32	2.12	0.27	1.85	0.00	22.66	69.42	0.00	0.00	73.80
220000	4.79	0.25	9.60	9.62	12.50	0.30	2.12	0.27	1.85	0.00	22.69	69.42	0.00	0.00	73.80
230000	4.63	0.00	7.86	7.96	12.78	0.29	2.12	0.27	1.85	0.00	22.72	69.43	0.00	0.00	73.80
極大值	6.55	25.85	28.29	29.24	19.98	0.48	2.13	0.43	1.85	0.00	23.17	69.45	0.00	0.00	73.82
極小值	4.55	0.00	5.32	1.20	7.13	0.29	2.11	0.27	1.69	0.00	22.59	69.20	0.00	0.00	73.80
平均值	5.58	3.36	10.88	8.69	11.77	0.39	2.12	0.28	1.84	0.00	22.75	69.36	0.00	0.00	73.80
標準差	0.68	5.04	6.23	7.69	4.19	0.06	0	0.03	0.03	0	0.12	0.07	0	0	0.01

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.51	0.26	8.13	8.15	11.19	0.29	2.12	0.27	1.85	0.00	22.74	69.47	0.00	0.00	73.80
010000	4.48	0.26	7.92	7.99	9.45	0.30	2.12	0.27	1.85	0.00	22.72	69.46	0.00	0.00	73.80
020000	4.30	0.26	7.32	7.29	9.58	0.29	2.12	0.27	1.85	0.00	22.72	69.43	0.00	0.00	73.80
030000	4.44	0.00	7.04	7.06	10.20	0.28	2.12	0.27	1.85	0.00	22.77	69.46	0.00	0.00	73.80
040000	4.50	0.20	7.06	7.05	9.19	0.28	2.12	0.27	1.85	0.00	22.75	69.44	0.00	0.00	73.80
050000	4.46	0.29	7.30	7.28	8.00	0.31	2.12	0.27	1.85	0.00	22.73	69.44	0.00	0.00	73.80
060000	4.45	1.12	9.55	8.58	7.12	0.33	2.12	0.27	1.85	0.00	22.75	69.41	0.00	0.00	73.80
070000	4.56	4.16	11.60	7.67	7.59	0.37	2.12	0.27	1.85	0.00	22.75	69.43	0.00	0.00	73.80
080000	6.76	3.97	13.56	9.83	11.22	0.60	2.12	0.27	1.85	0.00	22.70	69.34	0.00	0.00	73.80
090000	7.64	2.30	11.23	9.12	18.47	0.47	2.12	0.27	1.85	0.00	22.69	69.34	0.00	0.00	73.80
100000	6.02	1.06	8.56	7.62	25.46	0.33	2.12	0.27	1.85	0.00	22.70	69.37	0.00	0.00	73.80
110000	5.33	0.48	7.47	7.07	44.15	0.29	2.12	0.27	1.85	0.00	22.74	69.54	0.00	0.00	361.59
120000	5.00	1.70	7.24	5.82	47.25	0.26	2.13	0.27	1.86	0.00	22.80	69.61	0.00	0.00	561.90
130000	5.77	2.04	10.24	8.39	44.52	0.32	0.72	0.36	0.36	0.00	22.82	69.61	0.00	0.00	1000.00
140000	7.98	2.33	16.86	14.87	34.16	0.47	2.00	0.29	1.71	0.00	22.81	69.61	0.00	0.00	769.18
150000	5.63	1.66	9.45	7.94	29.64	0.25	2.47	0.14	2.33	0.00	22.75	69.51	0.00	0.00	71.70
160000	5.01	1.67	8.46	6.93	29.41	0.24	2.47	0.13	2.34	0.00	22.74	69.47	0.00	0.00	47.04
170000	4.89	1.50	8.87	7.52	28.99	0.25	2.47	0.13	2.34	0.00	22.76	69.47	0.00	0.00	49.97
180000	4.53	1.54	9.78	8.40	24.40	0.27	2.47	0.13	2.34	0.00	22.78	69.47	0.00	0.00	57.82
190000	4.55	1.67	11.29	9.84	22.57	0.28	2.47	0.13	2.34	0.00	22.78	69.47	0.00	0.00	72.86
200000	4.50	1.64	8.87	7.36	23.10	0.27	2.47	0.13	2.34	0.00	22.80	69.47	0.00	0.00	79.41
210000	4.43	1.65	9.13	7.61	20.24	0.29	2.47	0.13	2.34	0.00	22.79	69.46	0.00	0.00	77.71
220000	4.28	1.66	8.56	7.04	18.60	0.27	2.47	0.13	2.34	0.00	22.77	69.46	0.00	0.00	75.38
230000	4.22	1.71	7.97	6.39	17.73	0.26	2.47	0.13	2.34	0.00	22.78	69.45	0.00	0.00	72.91
極大值	7.98	4.16	16.86	14.87	47.25	0.60	2.47	0.36	2.34	0.00	22.82	69.61	0.00	0.00	1000.00
極小值	4.22	0.00	7.04	5.82	7.12	0.24	0.72	0.13	0.36	0.00	22.69	69.34	0.00	0.00	47.04
平均值	5.09	1.46	9.31	8.03	21.34	0.32	2.19	0.22	1.97	0.00	22.76	69.47	0.00	0.00	171.22
標準差	1.05	1.07	2.31	1.74	12.29	0.08	0.36	0.07	0.42	0	0.04	0.07	0	0	249.89

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.29	1.70	8.03	6.45	17.13	0.27	2.47	0.13	2.34	0.00	22.76	69.43	0.00	0.00	69.52
010000	4.29	1.77	8.03	6.39	16.10	0.27	2.47	0.13	2.34	0.00	22.75	69.44	0.00	0.00	71.62
020000	4.34	1.67	7.11	5.55	15.81	0.25	2.47	0.13	2.34	0.00	22.75	69.43	0.00	0.00	79.42
030000	4.29	1.70	8.11	6.52	13.16	0.26	2.48	0.13	2.35	0.00	22.78	69.43	0.00	0.00	70.16
040000	4.17	1.73	6.72	5.11	12.59	0.26	2.47	0.13	2.34	0.00	22.81	69.45	0.00	0.00	63.63
050000	4.05	1.74	7.44	5.80	10.86	0.26	2.47	0.13	2.34	0.00	22.79	69.46	0.00	0.00	62.42
060000	4.08	2.58	8.91	6.46	9.61	0.28	2.47	0.13	2.34	0.00	22.77	69.45	0.00	0.00	62.89
070000	4.18	3.26	8.10	4.95	11.91	0.28	2.47	0.13	2.34	0.00	22.80	69.43	0.00	0.00	66.46
080000	4.41	3.49	8.24	4.87	15.44	0.28	2.47	0.13	2.34	0.00	22.81	69.43	0.00	0.00	67.56
090000	4.46	3.13	8.10	5.07	19.11	0.28	2.47	0.13	2.34	0.00	22.84	69.47	0.00	0.00	70.14
100000	4.43	1.97	4.96	3.04	26.33	0.24	2.47	0.13	2.34	0.00	22.84	69.47	0.00	0.00	75.85
110000	4.78	1.45	3.16	1.74	33.52	0.21	2.47	0.13	2.34	0.00	22.83	69.47	0.00	0.00	67.85
120000	4.73	1.58	3.85	2.30	41.77	0.21	2.47	0.13	2.34	0.00	22.81	69.47	0.00	0.00	44.44
130000	4.69	1.42	3.92	2.49	49.98	0.21	2.48	0.13	2.35	0.00	22.83	69.47	0.00	0.00	41.59
140000	4.87	1.44	3.28	1.90	48.36	0.23	2.48	0.13	2.35	0.00	22.82	69.48	0.00	0.00	41.37
150000	4.84	1.42	5.18	3.82	48.88	0.26	2.48	0.13	2.35	0.00	22.81	69.47	0.00	0.00	36.46
160000	6.17	1.69	10.11	8.59	44.42	0.38	2.48	0.13	2.35	0.00	22.81	69.47	0.00	0.00	50.00
170000	5.17	1.43	7.36	6.02	42.36	0.23	2.48	0.13	2.35	0.00	22.83	69.47	0.00	0.00	76.36
180000	4.72	1.43	7.48	6.13	38.40	0.23	2.47	0.13	2.34	0.00	22.80	69.47	0.00	0.00	74.26
190000	4.43	1.43	8.03	6.70	31.21	0.23	2.47	0.13	2.34	0.00	22.80	69.47	0.00	0.00	83.01
200000	4.19	1.46	8.78	7.46	24.31	0.25	2.47	0.13	2.34	0.00	22.78	69.47	0.00	0.00	90.28
210000	4.23	1.48	8.60	7.26	23.34	0.23	2.47	0.13	2.34	0.00	22.77	69.45	0.00	0.00	89.98
220000	4.15	1.54	8.26	6.85	21.15	0.20	2.47	0.13	2.34	0.00	22.78	69.43	0.00	0.00	89.69
230000	4.20	1.62	8.32	6.83	17.64	0.21	2.47	0.13	2.34	0.00	22.77	69.41	0.00	0.00	91.01
極大值	6.17	3.49	10.11	8.59	49.98	0.38	2.48	0.13	2.35	0.00	22.84	69.48	0.00	0.00	91.01
極小值	4.05	1.42	3.16	1.74	9.61	0.20	2.47	0.13	2.34	0.00	22.75	69.41	0.00	0.00	36.46
平均值	4.51	1.84	7.09	5.35	26.39	0.25	2.47	0.13	2.34	0.00	22.80	69.45	0.00	0.00	68.17
標準差	0.46	0.62	1.94	1.88	13.63	0.04	0	0	0	0	0.03	0.02	0	0	16

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.16	1.59	8.29	6.83	15.64	0.21	2.47	0.13	2.34	0.00	22.71	69.19	0.00	0.00	85.68
010000	4.08	1.61	7.78	6.28	13.75	0.21	2.47	0.13	2.34	0.00	22.72	69.19	0.00	0.00	81.38
020000	4.15	1.57	6.83	5.33	13.30	0.20	2.47	0.13	2.34	0.00	22.72	69.19	0.00	0.00	83.71
030000	4.12	1.56	6.18	4.70	12.90	0.19	2.47	0.13	2.34	0.00	22.74	69.19	0.00	0.00	66.51
040000	4.07	1.69	6.41	4.79	11.62	0.19	2.47	0.13	2.34	0.00	22.74	69.19	0.00	0.00	61.20
050000	4.15	1.65	6.59	5.01	9.84	0.19	2.47	0.13	2.34	0.00	22.74	69.19	0.00	0.00	64.37
060000	4.12	2.39	7.75	5.47	8.11	0.21	2.47	0.13	2.34	0.00	22.74	69.19	0.00	0.00	68.81
070000	4.28	4.09	9.29	5.34	8.94	0.25	2.47	0.13	2.34	0.00	22.73	69.19	0.00	0.00	63.76
080000	4.15	3.40	7.84	4.54	13.34	0.28	2.47	0.13	2.34	0.00	22.69	69.19	0.00	0.00	73.85
090000	4.51	2.04	5.34	3.35	22.34	0.27	2.47	0.13	2.34	0.00	22.67	69.16	0.00	0.00	74.70
100000	5.62	1.93	6.06	4.22	33.07	0.33	2.47	0.13	2.34	0.00	22.70	69.08	0.00	0.00	72.24
110000	7.82	2.20	10.78	8.75	43.86	0.49	2.47	0.13	2.34	0.00	22.73	69.13	0.00	0.00	63.51
120000	7.18	1.78	7.46	5.81	47.44	0.33	2.47	0.13	2.34	0.00	22.88	69.44	0.00	0.00	81.90
130000	6.66	1.73	6.92	5.27	47.49	0.29	2.47	0.13	2.34	0.00	22.88	69.47	0.00	0.00	57.28
140000	5.53	1.55	4.01	2.50	46.14	0.20	2.47	0.13	2.34	0.00	22.86	69.47	0.00	0.00	43.21
150000	5.13	1.45	3.14	1.72	49.67	0.20	2.47	0.13	2.34	0.00	22.86	69.47	0.00	0.00	25.15
160000	4.89	1.26	3.18	1.93	50.44	0.20	2.47	0.13	2.34	0.00	22.84	69.47	0.00	0.00	40.13
170000	4.59	1.33	3.88	2.58	46.07	0.18	2.47	0.13	2.34	0.00	22.83	69.47	0.00	0.00	45.56
180000	4.61	1.11	4.04	2.94	42.09	0.20	2.47	0.13	2.34	0.00	22.83	69.47	0.00	0.00	70.92
190000	4.74	1.40	8.52	7.26	35.28	0.21	2.47	0.13	2.34	0.00	22.81	69.47	0.00	0.00	82.16
200000	5.57	1.47	8.41	7.06	31.07	0.25	2.47	0.13	2.34	0.00	22.81	69.47	0.00	0.00	81.51
210000	4.71	1.44	7.72	6.37	25.34	0.24	2.47	0.13	2.34	0.00	22.81	69.47	0.00	0.00	86.20
220000	4.33	1.51	7.37	5.95	20.59	0.23	2.47	0.13	2.34	0.00	22.81	69.47	0.00	0.00	97.59
230000	4.22	1.57	8.00	6.55	15.77	0.24	2.47	0.13	2.34	0.00	22.81	69.43	0.00	0.00	86.37
極大值	7.82	4.09	10.78	8.75	50.44	0.49	2.47	0.13	2.34	0.00	22.88	69.47	0.00	0.00	97.59
極小值	4.07	1.11	3.14	1.72	8.11	0.18	2.47	0.13	2.34	0.00	22.67	69.08	0.00	0.00	25.15
平均值	4.89	1.80	6.74	5.02	27.67	0.24	2.47	0.13	2.34	0.00	22.78	69.32	0.00	0.00	69.07
標準差	1.03	0.67	1.97	1.81	15.52	0.07	0	0	0	0	0.06	0.15	0	0	17.3

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.10	1.62	7.74	6.24	11.92	0.22	2.47	0.13	2.34	0.00	22.70	69.19	0.00	0.00	86.79
010000	4.13	1.63	6.98	5.44	12.70	0.20	2.47	0.13	2.34	0.00	22.69	69.19	0.00	0.00	76.60
020000	4.11	1.50	6.71	5.30	12.20	0.19	2.47	0.13	2.34	0.00	22.67	69.19	0.00	0.00	68.61
030000	4.09	1.57	6.42	4.94	10.50	0.19	2.47	0.13	2.34	0.00	22.68	69.19	0.00	0.00	69.74
040000	3.95	1.76	7.89	6.26	8.56	0.19	2.47	0.13	2.34	0.00	22.67	69.19	0.00	0.00	64.76
050000	3.96	2.13	10.76	8.80	6.92	0.21	2.47	0.13	2.34	0.00	22.65	69.19	0.00	0.00	65.31
060000	4.00	5.00	14.90	10.18	6.61	0.26	2.47	0.13	2.34	0.00	22.67	69.19	0.00	0.00	64.99
070000	4.19	7.18	18.21	11.43	7.84	0.30	2.47	0.13	2.34	0.00	22.65	69.19	0.00	0.00	78.01
080000	4.40	5.13	13.55	8.68	12.21	0.30	2.47	0.13	2.34	0.00	22.60	69.19	0.00	0.00	88.65
090000	4.67	3.32	12.08	8.94	22.25	0.40	2.47	0.13	2.34	0.00	22.59	69.13	0.00	0.00	78.59
100000	5.60	2.26	8.52	6.41	31.68	0.38	2.47	0.13	2.34	0.00	22.59	69.09	0.00	0.00	95.79
110000	7.07	1.97	10.33	8.51	44.76	0.45	2.47	0.13	2.34	0.00	22.60	69.10	0.00	0.00	79.82
120000	8.25	2.38	16.66	14.63	52.67	0.45	2.47	0.13	2.34	0.00	22.74	69.45	0.00	0.00	94.67
130000	7.40	1.52	8.38	6.98	60.45	0.28	2.47	0.13	2.34	0.00	22.77	69.47	0.00	0.00	129.38
140000	6.08	1.47	7.41	6.03	56.79	0.22	2.47	0.13	2.34	0.00	22.74	69.47	0.00	0.00	106.38
150000	6.12	1.86	9.89	8.22	49.66	0.20	2.47	0.13	2.34	0.00	22.74	69.47	0.00	0.00	103.90
160000	5.23	1.70	11.63	10.14	41.28	0.20	2.47	0.13	2.34	0.00	22.73	69.47	0.00	0.00	90.78
170000	5.65	1.60	13.09	11.73	36.68	0.22	2.47	0.13	2.34	0.00	22.73	69.47	0.00	0.00	83.97
180000	5.91	1.60	14.58	13.26	34.41	0.25	2.47	0.13	2.34	0.00	22.70	69.47	0.00	0.00	91.30
190000	5.60	1.66	16.26	14.95	27.94	0.28	2.47	0.13	2.34	0.00	22.66	69.47	0.00	0.00	104.89
200000	5.41	1.56	13.69	12.41	29.81	0.30	2.47	0.13	2.34	0.00	22.61	69.47	0.00	0.00	106.57
210000	4.99	1.66	13.17	11.78	22.13	0.25	2.47	0.13	2.34	0.00	22.63	69.47	0.00	0.00	112.71
220000	4.58	1.60	11.00	9.61	20.92	0.24	2.47	0.13	2.34	0.00	22.62	69.47	0.00	0.00	106.41
230000	4.45	1.79	12.05	10.48	14.01	0.25	2.47	0.13	2.34	0.00	22.62	69.43	0.00	0.00	114.14
極大值	8.25	7.18	18.21	14.95	60.45	0.45	2.47	0.13	2.34	0.00	22.77	69.47	0.00	0.00	129.38
極小值	3.95	1.47	6.42	4.94	6.61	0.19	2.47	0.13	2.34	0.00	22.59	69.09	0.00	0.00	64.76
平均值	5.16	2.31	11.33	9.22	26.45	0.27	2.47	0.13	2.34	0.00	22.67	69.32	0.00	0.00	90.12
標準差	1.19	1.44	3.4	2.95	17.18	0.08	0	0	0	0	0.05	0.15	0	0	17.79

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.38	1.86	13.21	11.60	10.23	0.28	2.48	0.13	2.35	0.00	22.51	69.19	0.00	0.00	108.68
010000	4.32	1.94	12.75	11.04	8.65	0.28	2.48	0.13	2.35	0.00	22.51	69.19	0.00	0.00	102.93
020000	4.30	1.94	11.84	10.14	8.69	0.29	2.48	0.13	2.35	0.00	22.52	69.19	0.00	0.00	104.33
030000	4.25	1.79	9.14	7.53	9.32	0.26	2.48	0.13	2.35	0.00	22.55	69.19	0.00	0.00	88.16
040000	4.24	1.55	6.95	5.51	11.07	0.24	2.48	0.13	2.35	0.00	22.57	69.19	0.00	0.00	84.33
050000	4.16	2.48	9.95	7.62	9.58	0.23	2.48	0.13	2.35	0.00	22.56	69.19	0.00	0.00	66.49
060000	4.25	4.51	15.25	11.03	7.72	0.28	2.48	0.13	2.35	0.00	22.57	69.19	0.00	0.00	62.78
070000	4.30	7.81	19.36	11.98	8.48	0.35	2.47	0.13	2.34	0.00	22.58	69.19	0.00	0.00	68.40
080000	4.32	3.63	9.93	6.46	16.40	0.28	2.47	0.13	2.34	0.00	22.56	69.17	0.00	0.00	75.88
090000	4.38	2.19	6.74	4.65	28.32	0.24	2.47	0.13	2.34	0.00	22.57	69.11	0.00	0.00	71.78
100000	4.52	1.67	4.35	2.71	37.18	0.22	2.48	0.13	2.35	0.00	22.55	69.05	0.00	0.00	71.12
110000	4.49	1.93	4.05	2.12	35.96	0.17	2.48	0.13	2.35	0.00	22.55	69.09	0.00	0.00	62.57
120000	5.21	1.45	2.38	0.90	36.98	0.11	2.48	0.13	2.35	0.00	22.76	69.45	0.00	0.00	40.90
130000	5.47	1.47	3.84	2.43	46.35	0.13	2.48	0.13	2.35	0.00	22.76	69.59	0.00	0.00	27.48
140000	5.99	2.02	11.34	9.54	54.33	0.20	2.48	0.13	2.35	0.00	22.76	69.61	0.00	0.00	36.19
150000	5.58	1.56	6.74	5.28	57.81	0.17	2.48	0.13	2.35	0.00	22.77	69.61	0.00	0.00	78.14
160000	4.80	1.44	4.31	2.93	51.07	0.15	2.49	0.13	2.36	0.00	22.79	69.60	0.00	0.00	57.96
170000	4.51	1.51	5.82	4.38	36.25	0.14	2.49	0.13	2.36	0.00	22.78	69.49	0.00	0.00	47.11
180000	4.31	1.57	6.48	4.99	22.27	0.14	2.48	0.13	2.35	0.00	22.78	69.47	0.00	0.00	39.88
190000	4.65	1.49	10.85	9.56	24.14	0.25	2.48	0.13	2.35	0.00	22.74	69.47	0.00	0.00	37.54
200000	4.66	1.44	9.92	8.66	29.38	0.26	2.48	0.13	2.35	0.00	22.63	69.47	0.00	0.00	63.82
210000	4.51	1.51	12.34	11.04	24.15	0.30	2.48	0.13	2.35	0.00	22.60	69.47	0.00	0.00	58.82
220000	4.43	1.59	11.45	10.04	22.06	0.29	2.48	0.13	2.35	0.00	22.60	69.47	0.00	0.00	61.53
230000	4.42	1.57	9.36	7.94	19.21	0.26	2.48	0.13	2.35	0.00	22.60	69.44	0.00	0.00	75.60
極大值	5.99	7.81	19.36	11.98	57.81	0.35	2.49	0.13	2.36	0.00	22.79	69.61	0.00	0.00	108.68
極小值	4.16	1.44	2.38	0.90	7.72	0.11	2.47	0.13	2.34	0.00	22.51	69.05	0.00	0.00	27.48
平均值	4.60	2.16	9.10	7.09	25.65	0.23	2.48	0.13	2.35	0.00	22.63	69.34	0.00	0.00	66.35
標準差	0.48	1.41	4.09	3.43	15.82	0.06	0	0	0	0	0.1	0.19	0	0	21.77

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.26	1.64	9.55	8.09	14.14	0.24	2.48	0.13	2.35	0.00	22.49	69.19	0.00	0.00	63.06
010000	4.17	1.46	6.87	5.51	13.87	0.20	2.48	0.13	2.35	0.00	22.48	69.19	0.00	0.00	57.31
020000	4.11	1.43	6.10	4.73	15.74	0.16	2.48	0.13	2.35	0.00	22.44	69.19	0.00	0.00	42.58
030000	4.10	1.47	5.30	3.86	14.52	0.16	2.48	0.13	2.35	0.00	22.44	69.19	0.00	0.00	38.05
040000	4.18	1.69	9.10	7.56	11.67	0.20	2.48	0.13	2.35	0.00	22.45	69.19	0.00	0.00	37.15
050000	4.13	1.79	10.64	9.04	9.55	0.21	2.48	0.13	2.35	0.00	22.43	69.19	0.00	0.00	49.79
060000	4.12	5.12	16.58	11.78	8.02	0.26	2.48	0.13	2.35	0.00	22.44	69.19	0.00	0.00	47.32
070000	4.23	6.46	17.21	11.10	8.83	0.31	2.48	0.13	2.35	0.00	22.44	69.19	0.00	0.00	55.05
080000	4.25	3.75	11.50	7.94	15.58	0.26	2.48	0.13	2.35	0.00	22.42	69.19	0.00	0.00	77.61
090000	4.34	2.07	5.11	3.12	26.51	0.19	2.48	0.13	2.35	0.00	22.35	69.07	0.00	0.00	50.66
100000	4.41	1.67	3.13	1.49	29.34	0.16	2.48	0.13	2.35	0.00	22.34	69.05	0.00	0.00	40.69
110000	4.92	1.45	2.87	1.43	35.91	0.16	2.48	0.13	2.35	0.00	22.33	69.08	0.00	0.00	24.78
120000	5.18	1.49	3.37	1.95	40.73	0.14	2.48	0.13	2.35	0.00	22.53	69.45	0.00	0.00	34.49
130000	4.70	1.49	2.65	1.15	37.91	0.08	2.49	0.13	2.36	0.00	22.57	69.59	0.00	0.00	39.00
140000	4.62	1.53	3.02	1.53	42.49	0.08	2.49	0.13	2.36	0.00	22.42	69.61	0.00	0.00	32.54
150000	4.64	1.53	3.46	1.95	45.54	0.10	2.49	0.13	2.36	0.00	22.46	69.61	0.00	0.00	29.47
160000	4.62	1.60	4.78	3.20	44.32	0.11	2.49	0.13	2.36	0.00	22.49	69.60	0.00	0.00	34.68
170000	4.50	1.64	6.34	4.78	38.49	0.14	2.49	0.13	2.36	0.00	22.48	69.50	0.00	0.00	37.20
180000	4.42	1.36	4.46	3.13	37.88	0.14	2.48	0.13	2.35	0.00	22.46	69.47	0.00	0.00	37.57
190000	4.32	1.33	5.18	3.90	33.98	0.17	2.49	0.13	2.36	0.00	22.43	69.47	0.00	0.00	43.52
200000	4.21	1.17	2.95	1.79	34.35	0.14	2.49	0.13	2.36	0.00	22.43	69.47	0.00	0.00	55.30
210000	4.16	1.36	6.72	5.44	25.76	0.15	2.49	0.13	2.36	0.00	22.42	69.47	0.00	0.00	41.33
220000	4.07	1.51	7.77	6.39	20.14	0.15	2.48	0.13	2.35	0.00	22.35	69.47	0.00	0.00	52.73
230000	4.09	1.52	6.21	4.77	17.88	0.13	2.49	0.13	2.36	0.00	22.30	69.43	0.00	0.00	57.71
極大值	5.18	6.46	17.21	11.78	45.54	0.31	2.49	0.13	2.36	0.00	22.57	69.61	0.00	0.00	77.61
極小值	4.07	1.17	2.65	1.15	8.02	0.08	2.48	0.13	2.35	0.00	22.30	69.05	0.00	0.00	24.78
平均值	4.36	1.98	6.70	4.82	25.96	0.17	2.48	0.13	2.35	0.00	22.43	69.34	0.00	0.00	44.98
標準差	0.29	1.28	4.02	3.09	12.71	0.06	0	0	0	0	0.06	0.19	0	0	12.08

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.01	1.49	5.46	4.03	16.37	0.14	2.49	0.13	2.36	0.00	22.20	69.19	0.00	0.00	44.21
010000	3.99	1.43	4.35	3.06	13.12	0.11	2.49	0.13	2.36	0.00	22.22	69.19	0.00	0.00	47.02
020000	4.08	1.47	4.31	2.86	14.68	0.13	2.49	0.13	2.36	0.00	22.23	69.19	0.00	0.00	30.17
030000	3.98	1.71	6.55	4.93	13.30	0.17	2.50	0.13	2.37	0.00	22.23	69.19	0.00	0.00	40.28
040000	4.05	1.79	7.52	5.84	12.27	0.20	2.49	0.13	2.36	0.00	22.18	69.19	0.00	0.00	45.73
050000	3.98	1.88	9.21	7.49	10.11	0.20	2.49	0.13	2.36	0.00	22.22	69.19	0.00	0.00	52.37
060000	3.99	3.26	12.64	9.64	8.92	0.23	2.49	0.13	2.36	0.00	22.22	69.19	0.00	0.00	53.07
070000	4.02	3.96	10.33	6.54	10.41	0.20	2.49	0.13	2.36	0.00	22.18	69.16	0.00	0.00	49.67
080000	3.90	3.12	8.51	5.50	12.81	0.20	2.48	0.13	2.35	0.00	22.17	69.07	0.00	0.00	43.04
090000	4.06	2.81	7.77	5.06	15.22	0.20	2.48	0.13	2.35	0.00	22.21	69.07	0.00	0.00	36.07
100000	4.09	1.88	3.00	1.44	18.40	0.12	2.49	0.13	2.36	0.00	22.20	69.09	0.00	0.00	39.72
110000	3.95	1.72	1.65	0.00	17.43	0.11	2.49	0.13	2.36	0.00	22.12	69.08	0.00	0.00	24.57
120000	4.15	1.70	1.56	0.00	18.43	0.06	2.49	0.13	2.36	0.00	22.27	69.44	0.00	0.00	26.96
130000	4.16	1.80	1.69	0.00	18.72	0.03	2.49	0.13	2.36	0.00	22.40	69.59	0.00	0.00	29.58
140000	4.09	1.78	1.68	0.00	19.14	0.02	2.49	0.13	2.36	0.00	22.47	69.61	0.00	0.00	32.61
150000	4.19	1.66	1.26	0.00	18.30	0.02	2.49	0.13	2.36	0.00	22.47	69.61	0.00	0.00	38.46
160000	4.00	1.85	1.81	0.00	18.01	0.03	2.49	0.13	2.36	0.00	22.48	69.61	0.00	0.00	28.63
170000	4.08	1.46	1.37	0.00	17.72	0.06	2.49	0.13	2.36	0.00	22.46	69.59	0.00	0.00	31.85
180000	4.04	1.29	1.05	0.00	17.09	0.08	2.49	0.13	2.36	0.00	22.44	69.47	0.00	0.00	46.84
190000	3.97	1.35	2.83	1.78	15.21	0.08	2.49	0.13	2.36	0.00	22.44	69.47	0.00	0.00	49.97
200000	4.03	1.46	3.33	1.89	14.38	0.10	2.49	0.13	2.36	0.00	22.43	69.47	0.00	0.00	50.45
210000	3.93	1.49	4.56	3.13	13.01	0.09	2.49	0.13	2.36	0.00	22.42	69.47	0.00	0.00	64.64
220000	4.01	2.08	10.34	8.45	9.78	0.09	2.49	0.13	2.36	0.00	22.42	69.47	0.00	0.00	54.26
230000	3.95	2.46	9.94	7.67	8.67	0.10	2.49	0.13	2.36	0.00	22.42	69.47	0.00	0.00	56.71
極大值	4.19	3.96	12.64	9.64	19.14	0.23	2.50	0.13	2.37	0.00	22.48	69.61	0.00	0.00	64.64
極小值	3.90	1.29	1.05	0.00	8.67	0.02	2.48	0.13	2.35	0.00	22.12	69.07	0.00	0.00	24.57
平均值	4.03	1.95	5.11	3.30	14.65	0.12	2.49	0.13	2.36	0.00	22.31	69.34	0.00	0.00	42.37
標準差	0.07	0.68	3.59	3.14	3.38	0.06	0	0	0	0	0.12	0.2	0	0	10.67

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.97	1.89	6.50	4.69	8.66	0.08	2.49	0.13	2.36	0.00	22.41	69.47	0.00	0.00	42.53
010000	3.90	1.83	5.65	3.87	9.07	0.08	2.49	0.13	2.36	0.00	22.40	69.47	0.00	0.00	33.87
020000	3.96	1.81	5.79	4.06	9.15	0.07	2.49	0.13	2.36	0.00	22.44	69.47	0.00	0.00	43.85
030000	3.98	3.27	10.57	7.50	8.59	0.11	2.49	0.13	2.36	0.00	22.42	69.47	0.00	0.00	42.59
040000	3.99	2.67	8.92	6.36	7.97	0.08	2.49	0.13	2.36	0.00	22.44	69.47	0.00	0.00	38.11
050000	3.94	4.04	11.53	7.72	8.18	0.11	2.49	0.13	2.36	0.00	22.44	69.47	0.00	0.00	33.12
060000	3.90	6.86	12.73	6.10	8.39	0.17	2.49	0.13	2.36	0.00	22.44	69.47	0.00	0.00	33.53
070000	4.11	7.60	11.41	4.02	8.36	0.15	2.48	0.13	2.35	0.00	22.45	69.47	0.00	0.00	43.44
080000	4.07	5.40	8.67	3.39	8.11	0.13	2.48	0.13	2.35	0.00	22.46	69.47	0.00	0.00	41.72
090000	4.36	3.08	5.35	2.33	18.43	0.13	2.38	0.17	2.21	0.00	22.50	69.59	0.00	0.00	48.35
100000	4.51	3.77	4.51	0.94	19.30	0.11	2.14	0.24	1.90	0.00	22.52	69.61	0.00	0.00	38.51
110000	4.47	3.61	3.28	0.00	20.13	0.09	2.04	0.22	1.82	0.00	22.51	69.61	0.00	0.00	20.70
120000	4.24	3.49	2.86	0.00	21.04	0.09	2.02	0.20	1.82	0.00	22.52	69.61	0.00	0.00	21.46
130000	4.26	3.61	4.11	0.68	25.90	0.11	2.04	0.19	1.85	0.00	22.52	69.61	0.00	0.00	31.66
140000	4.28	3.44	5.32	1.90	29.86	0.15	2.07	0.20	1.87	0.00	22.51	69.61	0.00	0.00	35.91
150000	4.23	3.32	4.06	0.86	27.66	0.14	2.04	0.20	1.84	0.00	22.49	69.61	0.00	0.00	50.00
160000	4.16	3.15	3.13	0.00	25.40	0.12	2.01	0.19	1.82	0.00	22.44	69.61	0.00	0.00	50.09
170000	4.16	3.17	3.97	1.07	24.99	0.13	2.01	0.19	1.82	0.00	22.41	69.61	0.00	0.00	47.97
180000	4.17	3.09	3.64	0.82	25.03	0.13	2.02	0.19	1.83	0.00	22.38	69.60	0.00	0.00	57.26
190000	4.19	3.18	5.45	2.34	21.93	0.16	2.05	0.20	1.85	0.00	22.39	69.60	0.00	0.00	60.81
200000	4.15	3.18	5.18	2.03	19.98	0.15	2.06	0.20	1.86	0.00	22.38	69.57	0.00	0.00	62.82
210000	4.02	3.06	3.16	0.77	20.76	0.11	2.06	0.20	1.86	0.00	22.42	69.53	0.00	0.00	62.19
220000	4.07	3.22	4.84	1.96	18.25	0.09	2.10	0.18	1.92	0.00	22.44	69.58	0.00	0.00	31.85
230000	4.12	3.43	7.63	4.30	13.81	0.13	2.29	0.19	2.10	0.00	22.43	69.60	0.00	0.00	33.08
極大值	4.51	7.60	12.73	7.72	29.86	0.17	2.49	0.24	2.36	0.00	22.52	69.61	0.00	0.00	62.82
極小值	3.90	1.81	2.86	0.00	7.97	0.07	2.01	0.13	1.82	0.00	22.38	69.47	0.00	0.00	20.70
平均值	4.13	3.55	6.18	2.82	17.04	0.12	2.24	0.17	2.07	0.00	22.45	69.55	0.00	0.00	41.89
標準差	0.17	1.35	2.95	2.37	7.52	0.03	0.21	0.04	0.25	0	0.05	0.07	0	0	11.58

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.13	3.47	6.59	3.20	13.10	0.12	2.34	0.19	2.15	0.00	22.38	69.51	0.00	0.00	41.33
010000	4.25	3.62	8.55	5.07	9.46	0.13	2.38	0.19	2.19	0.00	22.38	69.50	0.00	0.00	46.68
020000	4.06	3.92	8.52	4.72	7.32	0.10	2.52	0.20	2.32	0.00	22.37	69.53	0.00	0.00	38.07
030000	3.88	3.73	6.36	2.72	6.82	0.03	2.41	0.19	2.22	0.00	22.36	69.48	0.00	0.00	32.08
040000	3.98	4.10	6.88	2.89	6.43	0.02	2.43	0.18	2.25	0.00	22.33	69.47	0.00	0.00	24.67
050000	3.86	4.28	8.18	4.00	7.21	0.05	2.55	0.18	2.37	0.00	22.38	69.47	0.00	0.00	23.99
060000	3.95	9.26	13.62	4.63	7.92	0.11	2.72	0.19	2.53	0.00	22.35	69.47	0.00	0.00	32.08
070000	4.02	11.21	15.76	4.88	7.81	0.18	2.78	0.21	2.57	0.00	22.35	69.47	0.00	0.00	36.01
080000	4.07	5.53	7.63	2.26	9.91	0.16	2.55	0.23	2.32	0.00	22.39	69.47	0.00	0.00	39.16
090000	4.20	3.79	3.99	0.61	17.86	0.11	2.20	0.22	1.98	0.00	22.41	69.59	0.00	0.00	41.89
100000	4.39	3.38	3.13	0.00	23.72	0.09	2.06	0.22	1.84	0.00	22.47	69.61	0.00	0.00	32.07
110000	4.28	3.45	2.91	0.00	25.05	0.08	2.02	0.20	1.82	0.00	22.48	69.61	0.00	0.00	31.29
120000	4.45	3.42	3.68	0.44	31.73	0.10	2.03	0.23	1.80	0.00	22.49	69.61	0.00	0.00	29.95
130000	4.66	3.87	6.52	2.86	32.70	0.17	2.03	0.24	1.79	0.00	22.47	69.61	0.00	0.00	32.39
140000	6.59	5.17	12.60	7.67	29.01	0.36	2.05	0.29	1.76	0.00	22.45	69.61	0.00	0.00	38.50
150000	5.07	4.02	6.91	3.00	28.78	0.14	2.03	0.24	1.79	0.00	22.45	69.61	0.00	0.00	68.20
160000	4.94	3.74	5.67	1.99	26.56	0.11	2.02	0.22	1.80	0.00	22.46	69.61	0.00	0.00	55.19
170000	4.42	3.59	5.77	2.24	24.75	0.12	2.04	0.21	1.83	0.00	22.43	69.61	0.00	0.00	44.95
180000	4.25	3.46	6.15	2.75	22.28	0.15	2.07	0.20	1.87	0.00	22.41	69.53	0.00	0.00	54.58
190000	4.14	3.28	7.30	4.08	18.35	0.16	2.10	0.19	1.91	0.00	22.38	69.47	0.00	0.00	53.37
200000	4.15	3.29	7.02	3.79	17.72	0.16	2.12	0.20	1.92	0.00	22.33	69.47	0.00	0.00	48.68
210000	4.28	3.22	6.29	3.12	17.82	0.15	2.12	0.19	1.93	0.00	22.35	69.47	0.00	0.00	35.13
220000	5.07	3.27	7.34	4.13	17.24	0.15	2.14	0.20	1.94	0.00	22.36	69.47	0.00	0.00	21.50
230000	7.03	3.40	8.41	5.16	17.34	0.16	2.13	0.22	1.91	0.00	22.30	69.45	0.00	0.00	22.70
極大值	7.03	11.21	15.76	7.67	32.70	0.36	2.78	0.29	2.57	0.00	22.49	69.61	0.00	0.00	68.20
極小值	3.86	3.22	2.91	0.00	6.43	0.02	2.02	0.18	1.76	0.00	22.30	69.45	0.00	0.00	21.50
平均值	4.50	4.31	7.32	3.18	17.79	0.13	2.24	0.21	2.03	0.00	22.40	69.53	0.00	0.00	38.52
標準差	0.79	1.93	3.06	1.82	8.65	0.07	0.24	0.02	0.25	0	0.05	0.07	0	0	11.64

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.11	3.46	9.34	6.01	16.75	0.21	2.15	0.22	1.93	0.00	22.07	69.19	0.00	0.00	23.50
010000	4.54	3.33	7.00	3.73	17.30	0.19	2.17	0.20	1.97	0.00	22.05	69.19	0.00	0.00	34.37
020000	4.29	3.41	7.37	4.03	13.49	0.21	2.21	0.20	2.01	0.00	22.04	69.19	0.00	0.00	37.34
030000	4.37	3.38	7.21	3.86	12.84	0.20	2.26	0.21	2.05	0.00	22.02	69.19	0.00	0.00	45.83
040000	4.33	3.44	8.18	4.84	12.82	0.20	2.19	0.22	1.97	0.00	22.02	69.19	0.00	0.00	48.77
050000	4.15	3.42	5.71	2.37	14.76	0.14	2.18	0.21	1.97	0.00	22.02	69.19	0.00	0.00	44.07
060000	4.11	3.52	5.90	2.46	14.32	0.13	2.18	0.21	1.97	0.00	22.05	69.19	0.00	0.00	23.45
070000	4.11	3.89	6.21	2.38	14.85	0.12	2.15	0.21	1.94	0.00	22.03	69.19	0.00	0.00	28.46
080000	4.10	4.12	6.10	2.11	15.57	0.13	2.16	0.20	1.96	0.00	21.99	69.19	0.00	0.00	32.88
090000	4.10	4.06	5.95	2.03	15.90	0.15	2.18	0.20	1.98	0.00	22.00	69.19	0.00	0.00	29.06
100000	4.21	4.03	5.94	2.03	17.05	0.16	2.17	0.20	1.97	0.00	22.00	69.19	0.00	0.00	32.32
110000	4.41	3.87	6.53	2.76	19.99	0.14	2.12	0.22	1.90	0.00	22.03	69.21	0.00	0.00	29.82
120000	4.16	3.85	5.53	1.77	20.77	0.13	2.13	0.20	1.93	0.00	22.13	69.40	0.00	0.00	29.76
130000	4.21	3.52	4.77	1.26	22.86	0.14	2.15	0.20	1.95	0.00	22.14	69.47	0.00	0.00	25.21
140000	4.61	3.39	4.38	0.96	27.08	0.14	2.14	0.21	1.93	0.00	22.15	69.47	0.00	0.00	22.71
150000	5.24	3.35	5.90	2.59	30.59	0.16	2.12	0.21	1.91	0.00	22.17	69.47	0.00	0.00	23.30
160000	4.47	3.33	5.85	2.59	30.77	0.16	2.11	0.21	1.90	0.00	22.16	69.47	0.00	0.00	34.20
170000	4.37	3.34	5.37	2.11	29.87	0.16	2.11	0.22	1.89	0.00	22.18	69.47	0.00	0.00	29.99
180000	4.41	3.30	5.26	2.01	32.26	0.14	2.11	0.23	1.88	0.00	22.20	69.47	0.00	0.00	28.41
190000	4.45	3.31	6.34	3.08	32.11	0.12	2.13	0.21	1.92	0.00	22.20	69.47	0.00	0.00	29.36
200000	4.34	3.27	5.87	2.65	31.61	0.09	2.11	0.20	1.91	0.00	22.18	69.47	0.00	0.00	53.48
210000	4.31	3.38	5.71	2.42	31.38	0.08	2.09	0.19	1.90	0.00	22.21	69.47	0.00	0.00	38.55
220000	4.23	3.44	6.15	2.82	28.55	0.08	2.13	0.20	1.93	0.00	22.23	69.47	0.00	0.00	29.47
230000	4.24	3.33	5.92	2.67	27.56	0.08	2.14	0.20	1.94	0.00	22.18	69.42	0.00	0.00	30.20
極大值	5.24	4.12	9.34	6.01	32.26	0.21	2.26	0.23	2.05	0.00	22.23	69.47	0.00	0.00	53.48
極小值	4.10	3.27	4.38	0.96	12.82	0.08	2.09	0.19	1.88	0.00	21.99	69.19	0.00	0.00	22.71
平均值	4.37	3.53	6.19	2.73	22.13	0.14	2.15	0.21	1.94	0.00	22.10	69.33	0.00	0.00	32.69
標準差	0.29	0.27	1.05	1.11	7.41	0.04	0.04	0.01	0.04	0	0.08	0.14	0	0	8.26

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.17	3.33	6.07	2.83	23.48	0.11	2.22	0.20	2.02	0.00	22.10	69.19	0.00	0.00	26.91
010000	4.34	3.29	6.34	3.10	23.14	0.11	2.25	0.21	2.04	0.00	22.07	69.19	0.00	0.00	33.33
020000	4.24	3.26	6.29	3.09	22.22	0.11	2.25	0.22	2.03	0.00	22.09	69.19	0.00	0.00	30.99
030000	4.30	3.31	7.49	4.27	21.48	0.12	2.25	0.22	2.03	0.00	22.07	69.19	0.00	0.00	29.84
040000	4.36	3.32	7.60	4.40	20.71	0.12	2.25	0.23	2.02	0.00	22.07	69.19	0.00	0.00	35.40
050000	4.24	3.29	6.91	3.65	18.65	0.13	2.31	0.22	2.09	0.00	22.06	69.19	0.00	0.00	38.23
060000	4.24	3.59	8.45	4.97	15.78	0.16	2.45	0.22	2.23	0.00	22.05	69.19	0.00	0.00	39.24
070000	4.39	4.18	10.28	6.25	17.44	0.19	2.41	0.24	2.17	0.00	22.06	69.19	0.00	0.00	43.34
080000	4.38	4.36	11.57	7.44	17.57	0.23	2.32	0.24	2.08	0.00	22.06	69.19	0.00	0.00	40.26
090000	4.54	5.86	15.03	9.47	15.69	0.24	2.33	0.24	2.09	0.00	22.08	69.19	0.00	0.00	46.13
100000	4.75	6.04	15.34	9.62	17.36	0.25	2.33	0.24	2.09	0.00	22.07	69.19	0.00	0.00	62.03
110000	4.73	6.40	18.09	12.05	17.30	0.27	2.29	0.26	2.03	0.00	22.08	69.22	0.00	0.00	61.65
120000	4.90	4.89	11.78	7.09	27.45	0.23	2.23	0.26	1.97	0.00	22.20	69.43	0.00	0.00	67.61
130000	6.07	3.53	9.16	5.78	32.07	0.21	2.18	0.23	1.95	0.00	22.22	69.47	0.00	0.00	50.99
140000	5.25	3.89	11.30	7.64	30.48	0.23	2.16	0.23	1.93	0.00	22.22	69.47	0.00	0.00	46.25
150000	4.89	4.09	15.47	11.70	24.98	0.26	2.19	0.27	1.92	0.00	22.22	69.47	0.00	0.00	56.42
160000	4.75	4.12	20.13	16.44	21.10	0.26	2.19	0.30	1.89	0.00	22.22	69.47	0.00	0.00	76.62
170000	4.93	3.79	25.69	22.45	16.98	0.28	2.20	0.33	1.87	0.00	22.21	69.47	0.00	0.00	78.77
180000	4.74	3.59	21.87	18.75	16.36	0.28	2.25	0.33	1.92	0.00	22.20	69.47	0.00	0.00	86.06
190000	4.56	3.35	13.92	10.81	21.32	0.25	2.23	0.27	1.96	0.00	22.19	69.47	0.00	0.00	78.07
200000	4.41	3.30	10.67	7.52	23.27	0.20	2.21	0.23	1.98	0.00	22.18	69.47	0.00	0.00	66.65
210000	4.27	3.19	8.25	5.18	24.25	0.19	2.23	0.23	2.00	0.00	22.18	69.47	0.00	0.00	60.50
220000	4.24	3.18	5.84	2.74	26.13	0.16	2.22	0.21	2.01	0.00	22.16	69.47	0.00	0.00	56.84
230000	4.23	3.15	5.23	2.13	26.73	0.16	2.18	0.21	1.97	0.00	22.15	69.42	0.00	0.00	40.59
極大值	6.07	6.40	25.69	22.45	32.07	0.28	2.45	0.33	2.23	0.00	22.22	69.47	0.00	0.00	86.06
極小值	4.17	3.15	5.23	2.13	15.69	0.11	2.16	0.20	1.87	0.00	22.05	69.19	0.00	0.00	26.91
平均值	4.58	3.93	11.62	7.89	21.75	0.20	2.26	0.24	2.01	0.00	22.13	69.33	0.00	0.00	52.20
標準差	0.43	0.95	5.56	5.31	4.63	0.06	0.07	0.04	0.09	0	0.07	0.14	0	0	17.29

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.21	3.12	4.96	1.86	23.12	0.17	2.21	0.21	2.00	0.00	22.02	69.19	0.00	0.00	33.18
010000	4.18	3.13	4.92	1.79	22.87	0.18	2.22	0.21	2.01	0.00	22.04	69.19	0.00	0.00	39.76
020000	4.16	3.05	3.16	0.34	26.33	0.16	2.20	0.20	2.00	0.00	22.00	69.19	0.00	0.00	33.08
030000	4.07	3.06	2.78	0.00	28.93	0.15	2.16	0.19	1.97	0.00	21.98	69.19	0.00	0.00	22.58
040000	4.00	3.10	3.08	0.00	27.30	0.15	2.15	0.19	1.96	0.00	21.82	69.19	0.00	0.00	11.50
050000	4.05	3.14	3.40	0.42	28.93	0.14	2.12	0.19	1.93	0.00	21.69	69.19	0.00	0.00	14.14
060000	4.05	3.16	3.95	0.78	26.39	0.15	2.12	0.19	1.93	0.00	21.64	69.19	0.00	0.00	16.27
070000	3.99	3.27	6.99	3.78	23.42	0.18	2.13	0.20	1.93	0.00	21.69	69.19	0.00	0.00	10.72
080000	4.02	3.86	11.17	7.51	19.17	0.23	2.22	0.22	2.00	0.00	21.68	69.19	0.00	0.00	12.28
090000	4.07	5.34	15.29	10.24	15.42	0.27	2.25	0.24	2.01	0.00	21.67	69.19	0.00	0.00	12.82
100000	4.06	4.27	9.07	4.93	23.55	0.16	2.18	0.24	1.94	0.00	21.68	69.19	0.00	0.00	23.22
110000	4.02	5.24	11.33	6.28	25.44	0.14	2.14	0.22	1.92	0.00	21.71	69.21	0.00	0.00	16.59
120000	4.00	3.63	5.65	2.08	31.92	0.08	2.09	0.20	1.89	0.00	21.81	69.41	0.00	0.00	20.68
130000	3.97	3.45	4.37	0.95	35.50	0.03	2.06	0.17	1.89	0.00	21.83	69.47	0.00	0.00	20.08
140000	4.00	3.51	5.06	1.62	34.37	0.04	2.04	0.17	1.87	0.00	21.82	69.46	0.00	0.00	16.12
150000	3.99	3.34	5.75	2.46	32.39	0.09	2.05	0.19	1.86	0.00	21.81	69.47	0.00	0.00	22.30
160000	4.02	3.27	5.08	1.87	34.56	0.06	2.04	0.18	1.86	0.00	21.81	69.47	0.00	0.00	20.66
170000	4.11	3.36	10.98	7.78	25.89	0.13	2.12	0.20	1.92	0.00	21.84	69.47	0.00	0.00	16.86
180000	4.06	3.44	12.67	9.46	21.53	0.14	2.18	0.22	1.96	0.00	21.86	69.46	0.00	0.00	24.73
190000	4.15	3.32	11.84	8.70	19.55	0.15	2.20	0.22	1.98	0.00	21.86	69.46	0.00	0.00	29.56
200000	4.15	3.17	7.08	3.94	24.11	0.12	2.15	0.21	1.94	0.00	21.88	69.46	0.00	0.00	34.24
210000	4.00	3.03	4.35	1.28	29.36	0.09	2.10	0.19	1.91	0.00	21.85	69.46	0.00	0.00	17.19
220000	3.91	3.16	4.46	1.28	27.96	0.08	2.14	0.19	1.95	0.00	21.87	69.45	0.00	0.00	16.55
230000	4.53	3.16	4.50	1.33	27.91	0.08	2.17	0.20	1.97	0.00	21.85	69.43	0.00	0.00	28.01
極大值	4.53	5.34	15.29	10.24	35.50	0.27	2.25	0.24	2.01	0.00	22.04	69.47	0.00	0.00	39.76
極小值	3.91	3.03	2.78	0.00	15.42	0.03	2.04	0.17	1.86	0.00	21.64	69.19	0.00	0.00	10.72
平均值	4.07	3.48	6.75	3.36	26.50	0.13	2.14	0.20	1.94	0.00	21.82	69.32	0.00	0.00	21.38
標準差	0.12	0.62	3.58	3.23	5.09	0.06	0.06	0.02	0.05	0	0.11	0.14	0	0	7.99

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.08	3.19	5.33	2.17	23.86	0.12	2.26	0.20	2.06	0.00	21.76	69.19	0.00	0.00	22.13
010000	4.03	3.11	5.78	2.73	22.41	0.15	2.25	0.23	2.02	0.00	21.78	69.19	0.00	0.00	23.58
020000	3.98	3.05	4.16	1.42	25.34	0.12	2.21	0.22	1.99	0.00	21.85	69.21	0.00	0.00	21.53
030000	3.96	3.02	3.30	0.34	23.79	0.12	2.20	0.20	2.00	0.00	21.85	69.21	0.00	0.00	22.93
040000	3.90	3.07	3.54	0.58	22.94	0.12	2.23	0.19	2.04	0.00	21.85	69.21	0.00	0.00	20.49
050000	3.91	3.14	4.23	1.07	20.01	0.13	2.31	0.20	2.11	0.00	21.85	69.20	0.00	0.00	17.75
060000	3.95	3.41	7.81	4.49	16.09	0.15	2.25	0.20	2.05	0.00	21.83	69.20	0.00	0.00	18.30
070000	4.00	4.47	11.54	7.29	13.90	0.19	2.28	0.20	2.08	0.00	21.72	69.19	0.00	0.00	16.67
080000	4.03	4.88	11.27	6.58	17.68	0.22	2.24	0.20	2.04	0.00	21.69	69.19	0.00	0.00	13.09
090000	4.09	4.39	9.94	5.75	20.73	0.18	2.20	0.20	2.00	0.00	21.68	69.19	0.00	0.00	24.06
100000	4.11	4.01	7.70	3.79	25.16	0.16	2.19	0.21	1.98	0.00	21.78	69.19	0.00	0.00	31.96
110000	4.22	4.03	8.39	4.51	28.75	0.15	2.17	0.22	1.95	0.00	21.82	69.21	0.00	0.00	24.66
120000	4.44	3.68	6.22	2.61	38.99	0.12	2.12	0.22	1.90	0.00	21.95	69.43	0.00	0.00	23.45
130000	4.32	3.44	4.38	0.99	41.66	0.08	2.08	0.21	1.87	0.00	22.00	69.47	0.00	0.00	23.89
140000	5.03	3.48	5.16	1.72	44.64	0.09	2.07	0.21	1.86	0.00	22.02	69.47	0.00	0.00	21.24
150000	4.82	3.44	7.24	3.92	45.62	0.16	2.08	0.24	1.84	0.00	22.00	69.47	0.00	0.00	24.05
160000	4.69	3.32	9.12	5.91	40.62	0.14	2.07	0.24	1.83	0.00	22.00	69.47	0.00	0.00	19.47
170000	4.99	3.34	11.90	8.75	38.43	0.18	2.08	0.25	1.83	0.00	22.00	69.47	0.00	0.00	20.86
180000	5.03	3.36	12.38	9.22	35.56	0.20	2.10	0.27	1.83	0.00	21.99	69.47	0.00	0.00	28.99
190000	4.65	3.40	13.71	10.55	27.42	0.19	2.16	0.27	1.89	0.00	22.00	69.47	0.00	0.00	27.84
200000	4.20	3.45	22.18	19.20	17.22	0.24	2.32	0.27	2.05	0.00	22.00	69.47	0.00	0.00	33.82
210000	4.27	3.31	18.28	15.32	16.46	0.22	2.32	0.27	2.05	0.00	21.97	69.47	0.00	0.00	47.09
220000	4.31	3.39	13.43	10.29	15.27	0.20	2.32	0.25	2.07	0.00	21.96	69.47	0.00	0.00	39.92
230000	4.34	3.46	14.76	11.55	12.43	0.21	2.49	0.25	2.24	0.00	21.95	69.43	0.00	0.00	35.51
極大值	5.03	4.88	22.18	19.20	45.62	0.24	2.49	0.27	2.24	0.00	22.02	69.47	0.00	0.00	47.09
極小值	3.90	3.02	3.30	0.34	12.43	0.08	2.07	0.19	1.83	0.00	21.68	69.19	0.00	0.00	13.09
平均值	4.31	3.54	9.24	5.86	26.46	0.16	2.21	0.23	1.98	0.00	21.89	69.33	0.00	0.00	25.14
標準差	0.37	0.48	4.88	4.9	10.4	0.04	0.1	0.03	0.11	0	0.11	0.14	0	0	7.78

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.25	3.44	15.06	11.89	10.22	0.23	2.60	0.27	2.33	0.00	21.83	69.19	0.00	0.00	45.40
010000	4.07	3.45	11.23	7.95	9.42	0.19	2.64	0.26	2.38	0.00	21.85	69.19	0.00	0.00	50.96
020000	4.07	3.34	8.56	5.36	9.54	0.15	2.51	0.23	2.28	0.00	21.83	69.19	0.00	0.00	35.90
030000	4.02	3.35	8.19	4.93	8.41	0.13	2.46	0.21	2.25	0.00	21.84	69.19	0.00	0.00	22.45
040000	3.98	3.48	8.70	5.37	7.85	0.14	2.50	0.21	2.29	0.00	21.84	69.19	0.00	0.00	22.97
050000	3.96	3.68	9.97	6.45	7.50	0.16	2.53	0.22	2.31	0.00	21.86	69.19	0.00	0.00	20.68
060000	4.03	4.92	12.90	8.22	7.03	0.20	2.57	0.23	2.34	0.00	21.86	69.19	0.00	0.00	21.17
070000	4.03	5.84	13.18	7.57	7.34	0.19	2.55	0.22	2.33	0.00	21.85	69.19	0.00	0.00	31.42
080000	4.17	7.62	17.44	10.16	9.11	0.24	2.37	0.25	2.12	0.00	21.85	69.19	0.00	0.00	26.74
090000	4.47	8.92	18.50	9.97	10.83	0.26	2.34	0.28	2.06	0.00	21.87	69.19	0.00	0.00	35.76
100000	4.67	6.94	15.57	8.93	17.30	0.26	2.33	0.27	2.06	0.00	21.85	69.19	0.00	0.00	43.82
110000	4.99	4.38	10.03	5.83	31.33	0.23	2.22	0.27	1.95	0.00	21.85	69.21	0.00	0.00	47.97
120000	4.94	3.61	6.10	2.60	41.68	0.15	2.14	0.25	1.89	0.00	21.98	69.44	0.00	0.00	46.33
130000	5.05	3.54	5.81	2.29	45.37	0.13	2.09	0.22	1.87	0.00	21.95	69.47	0.00	0.00	28.20
140000	6.68	3.60	11.66	8.23	58.60	0.29	2.10	0.27	1.83	0.00	21.98	69.47	0.00	0.00	18.33
150000	5.89	3.46	9.64	6.33	59.70	0.24	2.11	0.26	1.85	0.00	21.96	69.47	0.00	0.00	58.61
160000	5.43	3.37	9.64	6.38	56.98	0.20	2.10	0.24	1.86	0.00	21.97	69.47	0.00	0.00	56.12
170000	5.14	3.31	8.36	5.16	52.87	0.18	2.10	0.23	1.87	0.00	21.98	69.47	0.00	0.00	39.27
180000	4.80	3.36	10.04	6.84	45.76	0.20	2.12	0.23	1.89	0.00	22.01	69.47	0.00	0.00	40.31
190000	4.43	3.26	5.00	1.76	37.31	0.10	2.12	0.19	1.93	0.00	22.01	69.47	0.00	0.00	40.95
200000	4.11	3.19	3.88	0.73	36.06	0.07	2.09	0.18	1.91	0.00	21.99	69.47	0.00	0.00	22.79
210000	4.10	3.30	4.39	1.95	33.42	0.08	2.11	0.17	1.94	0.00	21.97	69.47	0.00	0.00	14.21
220000	4.20	3.25	9.27	6.12	25.29	0.17	2.26	0.20	2.06	0.00	21.97	69.47	0.00	0.00	13.98
230000	4.25	3.36	12.06	8.93	22.45	0.24	2.37	0.23	2.14	0.00	21.96	69.47	0.00	0.00	40.04
極大值	6.68	8.92	18.50	11.89	59.70	0.29	2.64	0.28	2.38	0.00	22.01	69.47	0.00	0.00	58.61
極小值	3.96	3.19	3.88	0.73	7.03	0.07	2.09	0.17	1.83	0.00	21.83	69.19	0.00	0.00	13.98
平均值	4.57	4.17	10.22	6.25	27.14	0.18	2.31	0.23	2.07	0.00	21.91	69.33	0.00	0.00	34.35
標準差	0.69	1.56	3.89	2.88	18.95	0.06	0.2	0.03	0.19	0	0.07	0.14	0	0	13.13

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.34	3.37	11.88	8.72	21.59	0.27	2.47	0.27	2.20	0.00	22.31	69.47	0.00	0.00	51.33
010000	4.19	3.40	11.68	8.47	17.69	0.25	2.72	0.26	2.46	0.00	21.71	69.47	0.00	0.00	56.00
020000	4.21	3.38	10.64	7.42	16.34	0.21	2.80	0.25	2.55	0.00	21.67	69.47	0.00	0.00	55.69
030000	4.12	3.36	8.75	5.53	15.71	0.18	2.76	0.25	2.51	0.00	21.66	69.47	0.00	0.00	51.80
040000	4.09	3.39	10.79	7.55	13.37	0.17	2.72	0.24	2.48	0.00	21.66	69.47	0.00	0.00	53.08
050000	4.04	3.43	10.72	7.46	11.82	0.17	2.84	0.23	2.61	0.00	21.68	69.47	0.00	0.00	45.20
060000	4.32	5.97	14.73	9.07	8.87	0.19	3.07	0.24	2.83	0.00	21.69	69.47	0.00	0.00	49.62
070000	4.40	6.88	16.35	9.79	10.93	0.27	3.11	0.26	2.85	0.00	21.68	69.46	0.00	0.00	54.56
080000	4.44	5.60	14.53	9.22	16.57	0.23	2.60	0.25	2.35	0.00	21.70	69.47	0.00	0.00	61.33
090000	4.50	4.63	10.78	6.35	25.09	0.20	2.31	0.24	2.07	0.00	21.71	69.47	0.00	0.00	54.81
100000	4.76	4.07	8.22	4.31	37.62	0.18	2.17	0.24	1.93	0.00	21.72	69.47	0.00	0.00	51.96
110000	4.99	3.53	5.57	2.10	47.58	0.14	2.11	0.23	1.88	0.00	21.74	69.47	0.00	0.00	46.95
120000	4.84	3.40	5.39	2.06	51.50	0.13	2.09	0.24	1.85	0.00	21.76	69.47	0.00	0.00	41.71
130000	4.91	3.44	5.42	2.03	57.36	0.12	2.07	0.22	1.85	0.00	21.79	69.47	0.00	0.00	34.27
140000	5.10	3.27	5.74	2.52	64.68	0.17	2.08	0.23	1.85	0.00	21.79	69.49	0.00	0.00	36.06
150000	4.99	3.23	5.75	2.55	64.88	0.16	2.09	0.23	1.86	0.00	21.76	69.47	0.00	0.00	47.57
160000	4.81	3.25	5.67	2.44	63.04	0.15	2.09	0.22	1.87	0.00	21.75	69.47	0.00	0.00	46.70
170000	4.52	3.17	5.47	2.34	56.79	0.14	2.08	0.21	1.87	0.00	21.76	69.47	0.00	0.00	41.89
180000	4.44	3.30	8.03	4.80	45.05	0.12	2.12	0.21	1.91	0.00	21.75	69.47	0.00	0.00	32.57
190000	4.23	3.29	5.23	1.96	44.03	0.08	2.21	0.18	2.03	0.00	21.75	69.47	0.00	0.00	37.94
200000	4.37	3.24	4.70	1.46	43.61	0.08	2.14	0.18	1.96	0.00	21.75	69.47	0.00	0.00	38.16
210000	4.31	3.26	4.76	1.48	42.30	0.07	2.15	0.18	1.97	0.00	21.75	69.47	0.00	0.00	33.27
220000	4.30	3.28	4.64	1.37	43.11	0.05	2.14	0.18	1.96	0.00	21.76	69.47	0.00	0.00	30.00
230000	4.31	3.21	7.34	4.19	39.02	0.09	2.20	0.19	2.01	0.00	21.76	69.47	0.00	0.00	29.36
極大值	5.10	6.88	16.35	9.79	64.88	0.27	3.11	0.27	2.85	0.00	22.31	69.49	0.00	0.00	61.33
極小值	4.04	3.17	4.64	1.37	8.87	0.05	2.07	0.18	1.85	0.00	21.66	69.46	0.00	0.00	29.36
平均值	4.48	3.76	8.45	4.80	35.77	0.16	2.38	0.23	2.15	0.00	21.75	69.47	0.00	0.00	45.08
標準差	0.31	0.99	3.58	2.97	18.94	0.06	0.35	0.03	0.33	0	0.13	0	0	0	9.32

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.28	3.26	7.54	4.34	37.36	0.08	2.23	0.20	2.03	0.00	21.78	69.47	0.00	0.00	36.34
010000	4.17	3.24	8.75	5.62	28.51	0.14	2.33	0.20	2.13	0.00	21.75	69.47	0.00	0.00	34.46
020000	4.17	3.31	13.39	10.31	17.93	0.22	2.67	0.22	2.45	0.00	21.76	69.47	0.00	0.00	38.64
030000	4.20	3.47	12.06	8.81	17.48	0.20	2.88	0.24	2.64	0.00	21.76	69.47	0.00	0.00	49.39
040000	4.13	3.47	10.06	6.75	17.26	0.16	3.12	0.23	2.89	0.00	21.75	69.47	0.00	0.00	59.38
050000	4.00	3.37	9.37	6.13	18.85	0.15	2.96	0.22	2.74	0.00	21.78	69.47	0.00	0.00	54.70
060000	4.08	4.49	15.14	10.95	15.11	0.21	2.85	0.26	2.59	0.00	21.77	69.47	0.00	0.00	50.79
070000	4.37	6.52	19.35	13.22	16.50	0.27	2.82	0.24	2.58	0.00	21.75	69.45	0.00	0.00	53.40
080000	4.72	6.99	19.18	12.58	24.43	0.30	2.58	0.24	2.34	0.00	21.74	69.46	0.00	0.00	54.49
090000	5.12	9.63	22.78	13.66	38.69	0.19	2.27	0.23	2.04	0.00	21.74	69.47	0.00	0.00	51.58
100000	4.85	3.35	4.97	1.68	53.74	0.11	2.12	0.21	1.91	0.00	21.78	69.47	0.00	0.00	49.11
110000	5.97	3.43	5.86	2.46	61.37	0.15	2.10	0.23	1.87	0.00	21.77	69.48	0.00	0.00	42.67
120000	6.50	3.23	6.40	3.22	71.09	0.19	2.10	0.24	1.86	0.00	21.78	69.47	0.00	0.00	48.61
130000	5.94	3.23	6.14	2.98	75.45	0.17	2.09	0.23	1.86	0.00	21.77	69.47	0.00	0.00	53.13
140000	5.47	3.27	6.10	2.89	72.13	0.16	2.09	0.23	1.86	0.00	21.78	69.47	0.00	0.00	58.93
150000	5.30	3.28	6.04	2.79	70.65	0.16	2.09	0.22	1.87	0.00	21.78	69.47	0.00	0.00	57.73
160000	5.23	3.10	6.57	3.50	69.91	0.17	2.09	0.22	1.87	0.00	21.74	69.47	0.00	0.00	54.43
170000	5.09	3.16	7.03	3.93	66.62	0.18	2.10	0.21	1.89	0.00	21.73	69.47	0.00	0.00	60.35
180000	4.96	3.19	8.63	5.55	63.50	0.20	2.12	0.21	1.91	0.00	21.72	69.47	0.00	0.00	59.92
190000	4.84	3.17	7.58	4.51	62.79	0.19	2.13	0.21	1.92	0.00	21.66	69.47	0.00	0.00	66.66
200000	4.54	3.30	9.39	6.20	50.87	0.22	2.20	0.21	1.99	0.00	21.61	69.47	0.00	0.00	64.96
210000	4.39	3.25	10.61	7.50	41.85	0.23	2.32	0.22	2.10	0.00	21.56	69.46	0.00	0.00	76.52
220000	4.17	3.26	8.09	4.93	38.12	0.20	2.47	0.21	2.26	0.00	21.53	69.47	0.00	0.00	79.39
230000	4.04	3.26	6.64	3.42	34.60	0.18	2.58	0.20	2.38	0.00	21.51	69.41	0.00	0.00	62.61
極大值	6.50	9.63	22.78	13.66	75.45	0.30	3.12	0.26	2.89	0.00	21.78	69.48	0.00	0.00	79.39
極小值	4.00	3.10	4.97	1.68	15.11	0.08	2.09	0.20	1.86	0.00	21.51	69.41	0.00	0.00	34.46
平均值	4.77	3.88	9.90	6.16	44.37	0.18	2.39	0.22	2.17	0.00	21.72	69.47	0.00	0.00	54.92
標準差	0.69	1.58	4.8	3.61	21.59	0.05	0.33	0.02	0.33	0	0.08	0.01	0	0	10.99

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.98	3.19	5.93	2.77	31.21	0.17	2.53	0.20	2.33	0.00	21.43	69.19	0.00	0.00	52.05
010000	4.07	3.20	7.80	4.66	29.39	0.22	2.37	0.20	2.17	0.00	21.42	69.19	0.00	0.00	53.02
020000	3.99	3.35	9.10	5.89	22.98	0.26	2.63	0.22	2.41	0.00	21.45	69.19	0.00	0.00	57.84
030000	4.03	3.42	10.03	6.76	18.43	0.27	3.10	0.24	2.86	0.00	21.48	69.19	0.00	0.00	64.33
040000	4.02	3.42	8.08	4.77	21.60	0.22	3.00	0.23	2.77	0.00	21.48	69.19	0.00	0.00	70.78
050000	3.95	3.45	9.38	6.07	20.08	0.22	2.85	0.22	2.63	0.00	21.47	69.19	0.00	0.00	61.05
060000	4.03	3.97	11.33	7.58	17.47	0.26	2.84	0.23	2.61	0.00	21.47	69.19	0.00	0.00	60.79
070000	4.11	4.55	10.99	6.64	19.46	0.28	2.84	0.24	2.60	0.00	21.44	69.19	0.00	0.00	65.78
080000	4.38	4.33	10.06	5.90	27.14	0.27	2.62	0.24	2.38	0.00	21.42	69.18	0.00	0.00	61.61
090000	4.53	3.45	5.31	1.85	47.80	0.19	2.30	0.23	2.07	0.00	21.40	69.11	0.00	0.00	64.08
100000	4.63	3.25	4.39	1.10	54.81	0.18	2.15	0.22	1.93	0.00	21.41	69.05	0.00	0.00	58.28
110000	4.99	3.35	4.62	1.27	59.94	0.18	2.13	0.22	1.91	0.00	21.40	69.10	0.00	0.00	56.65
120000	5.12	3.29	5.76	2.52	66.94	0.17	2.09	0.21	1.88	0.00	21.57	69.45	0.00	0.00	56.05
130000	5.03	3.45	4.97	1.54	62.92	0.11	2.06	0.20	1.86	0.00	21.59	69.47	0.00	0.00	55.38
140000	5.21	3.44	6.31	2.94	63.40	0.11	2.05	0.20	1.85	0.00	21.58	69.47	0.00	0.00	38.33
150000	5.45	3.53	7.68	4.25	60.56	0.13	2.06	0.22	1.84	0.00	21.58	69.47	0.00	0.00	43.78
160000	4.76	3.28	6.25	3.00	61.94	0.09	2.06	0.20	1.86	0.00	21.59	69.47	0.00	0.00	37.78
170000	4.66	3.19	5.80	2.65	61.07	0.11	2.06	0.20	1.86	0.00	21.56	69.47	0.00	0.00	36.22
180000	4.47	3.18	5.61	2.46	57.05	0.14	2.08	0.19	1.89	0.00	21.52	69.47	0.00	0.00	36.85
190000	4.46	3.29	6.09	2.87	51.41	0.18	2.13	0.21	1.92	0.00	21.49	69.47	0.00	0.00	42.92
200000	4.20	3.33	10.11	6.93	37.92	0.20	2.25	0.21	2.04	0.00	21.43	69.46	0.00	0.00	60.52
210000	4.01	3.34	7.72	4.50	39.47	0.16	2.18	0.20	1.98	0.00	21.35	69.47	0.00	0.00	52.34
220000	4.11	3.24	6.05	2.88	39.91	0.14	2.16	0.20	1.96	0.00	21.35	69.46	0.00	0.00	47.09
230000	4.06	3.31	6.85	3.63	36.28	0.15	2.17	0.19	1.98	0.00	21.30	69.42	0.00	0.00	40.31
極大值	5.45	4.55	11.33	7.58	66.94	0.28	3.10	0.24	2.86	0.00	21.59	69.47	0.00	0.00	70.78
極小值	3.95	3.18	4.39	1.10	17.47	0.09	2.05	0.19	1.84	0.00	21.30	69.05	0.00	0.00	36.22
平均值	4.43	3.45	7.34	3.98	42.05	0.18	2.36	0.21	2.15	0.00	21.47	69.31	0.00	0.00	53.08
標準差	0.46	0.35	2.1	1.96	17.37	0.06	0.34	0.02	0.33	0	0.08	0.16	0	0	10.3

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.99	3.31	8.16	4.95	26.11	0.18	2.57	0.19	2.38	0.00	21.21	69.19	0.00	0.00	37.93
010000	4.02	3.23	5.62	2.44	28.51	0.16	2.46	0.19	2.27	0.00	21.20	69.19	0.00	0.00	42.86
020000	4.10	3.36	6.78	3.49	25.90	0.17	2.37	0.20	2.17	0.00	21.22	69.19	0.00	0.00	33.28
030000	4.01	3.48	8.25	4.88	20.19	0.20	2.68	0.21	2.47	0.00	21.20	69.19	0.00	0.00	40.96
040000	3.90	3.33	8.27	5.05	18.08	0.17	2.94	0.21	2.73	0.00	21.23	69.19	0.00	0.00	54.24
050000	4.03	3.49	8.81	5.45	17.19	0.17	2.93	0.21	2.72	0.00	21.23	69.19	0.00	0.00	47.65
060000	4.03	5.27	15.95	11.00	12.86	0.23	2.99	0.22	2.77	0.00	21.20	69.19	0.00	0.00	43.58
070000	4.10	6.86	17.78	11.29	15.27	0.44	2.96	0.28	2.68	0.00	21.19	69.19	0.00	0.00	52.95
080000	4.40	5.84	15.94	10.42	24.37	0.30	2.64	0.28	2.36	0.00	21.21	69.16	0.00	0.00	56.85
090000	4.52	3.65	6.59	3.01	41.68	0.17	2.27	0.23	2.04	0.00	21.20	69.05	0.00	0.00	62.19
100000	4.72	3.48	6.05	2.63	48.23	0.17	2.15	0.23	1.92	0.00	21.18	69.05	0.00	0.00	49.16
110000	5.05	3.58	7.60	4.11	50.71	0.20	2.10	0.24	1.86	0.00	21.22	69.10	0.00	0.00	43.20
120000	5.43	3.54	7.19	3.74	52.68	0.22	2.06	0.22	1.84	0.00	21.34	69.44	0.00	0.00	42.73
130000	5.66	3.56	6.80	3.31	52.71	0.19	2.05	0.23	1.82	0.00	21.38	69.47	0.00	0.00	44.23
140000	5.68	3.70	8.06	4.49	52.10	0.21	2.05	0.26	1.79	0.00	21.37	69.47	0.00	0.00	39.27
150000	6.84	3.86	11.45	7.79	47.26	0.26	2.06	0.29	1.77	0.00	21.42	69.47	0.00	0.00	40.77
160000	5.64	3.67	9.24	5.73	44.07	0.21	2.05	0.27	1.78	0.00	21.45	69.47	0.00	0.00	47.72
170000	4.98	3.49	7.62	4.23	39.42	0.19	2.04	0.23	1.81	0.00	21.44	69.47	0.00	0.00	40.08
180000	4.76	3.44	7.54	4.19	33.07	0.17	2.04	0.21	1.83	0.00	21.45	69.47	0.00	0.00	38.24
190000	4.62	3.26	8.18	5.01	27.81	0.18	2.06	0.23	1.83	0.00	21.45	69.47	0.00	0.00	35.12
200000	4.42	3.36	9.60	6.38	22.26	0.20	2.15	0.23	1.92	0.00	21.45	69.47	0.00	0.00	39.56
210000	4.35	3.32	8.06	4.83	23.87	0.14	2.33	0.19	2.14	0.00	21.45	69.47	0.00	0.00	40.27
220000	4.30	3.24	5.78	2.59	27.72	0.11	2.37	0.17	2.20	0.00	21.42	69.47	0.00	0.00	40.69
230000	4.31	3.39	8.29	4.97	22.32	0.13	2.41	0.21	2.20	0.00	21.42	69.43	0.00	0.00	33.91
極大值	6.84	6.86	17.78	11.29	52.71	0.44	2.99	0.29	2.77	0.00	21.45	69.47	0.00	0.00	62.19
極小值	3.90	3.23	5.62	2.44	12.86	0.11	2.04	0.17	1.77	0.00	21.18	69.05	0.00	0.00	33.28
平均值	4.66	3.78	8.90	5.25	32.27	0.20	2.36	0.23	2.14	0.00	21.31	69.31	0.00	0.00	43.64
標準差	0.73	0.9	3.23	2.51	13.24	0.07	0.34	0.03	0.34	0	0.11	0.16	0	0	7.23

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.37	3.27	6.40	3.16	22.29	0.14	2.27	0.20	2.07	0.00	21.28	69.19	0.00	0.00	35.64
010000	4.25	3.24	6.04	2.84	20.18	0.15	2.23	0.20	2.03	0.00	21.28	69.19	0.00	0.00	31.35
020000	4.20	3.31	5.94	2.65	16.84	0.14	2.44	0.19	2.25	0.00	21.28	69.19	0.00	0.00	35.58
030000	4.22	3.27	5.67	2.42	17.01	0.14	2.41	0.19	2.22	0.00	21.30	69.19	0.00	0.00	32.64
040000	4.13	3.60	9.32	5.84	13.12	0.15	2.37	0.20	2.17	0.00	21.31	69.19	0.00	0.00	34.62
050000	4.13	3.74	12.31	8.74	9.41	0.17	2.82	0.21	2.61	0.00	21.32	69.19	0.00	0.00	36.54
060000	4.23	7.53	19.49	12.34	7.95	0.20	3.06	0.22	2.84	0.00	21.31	69.19	0.00	0.00	41.56
070000	4.28	9.70	21.39	12.15	10.08	0.27	3.00	0.24	2.76	0.00	21.28	69.19	0.00	0.00	46.94
080000	4.49	6.86	17.34	10.83	18.93	0.28	2.62	0.25	2.37	0.00	21.26	69.10	0.00	0.00	57.99
090000	4.47	4.14	7.97	3.94	34.15	0.19	2.27	0.37	1.90	0.00	21.25	69.07	0.00	0.00	47.15
100000	4.45	3.50	3.99	1.11	40.97	0.13	2.13	0.28	1.85	0.00	21.24	69.05	0.00	0.00	35.07
110000	4.40	3.53	3.78	0.42	45.01	0.11	2.06	0.26	1.80	0.00	21.27	69.09	0.00	0.00	28.95
120000	4.34	3.59	3.75	0.40	47.16	0.07	2.03	0.22	1.81	0.00	23.50	69.47	0.00	0.00	26.22
130000	4.43	3.43	3.23	0.00	40.37	0.05	2.02	0.21	1.81	0.00	29.11	69.61	0.00	0.00	23.46
140000	4.35	3.40	3.29	0.00	38.00	0.08	2.02	0.23	1.79	0.00	28.92	69.61	0.00	0.00	20.37
150000	4.45	3.39	3.95	0.76	42.46	0.10	2.03	0.21	1.82	0.00	28.73	69.61	0.00	0.00	26.09
160000	4.52	3.45	6.04	2.63	40.94	0.19	2.04	0.24	1.80	0.00	28.65	69.61	0.00	0.00	34.91
170000	4.55	3.36	7.68	4.36	40.89	0.26	2.05	0.26	1.79	0.00	28.60	69.61	0.00	0.00	31.87
180000	4.54	3.42	12.59	9.37	33.79	0.27	2.08	0.30	1.78	0.00	28.57	69.61	0.00	0.00	42.95
190000	4.68	3.47	15.39	12.18	25.06	0.25	2.19	0.28	1.91	0.00	28.46	69.60	0.00	0.00	52.77
200000	4.49	3.53	14.74	11.47	21.70	0.25	2.29	0.25	2.04	0.00	28.30	69.54	0.00	0.00	63.36
210000	4.33	3.36	8.04	4.76	20.27	0.17	2.45	0.24	2.21	0.00	28.12	69.49	0.00	0.00	63.24
220000	4.48	3.49	8.34	4.98	17.51	0.18	2.61	0.25	2.36	0.00	28.01	69.48	0.00	0.00	71.54
230000	4.55	3.50	10.00	6.63	16.15	0.19	2.59	0.31	2.28	0.00	27.94	69.45	0.00	0.00	97.42
極大值	4.68	9.70	21.39	12.34	47.16	0.28	3.06	0.37	2.84	0.00	29.11	69.61	0.00	0.00	97.42
極小值	4.13	3.24	3.23	0.00	7.95	0.05	2.02	0.19	1.78	0.00	21.24	69.05	0.00	0.00	20.37
平均值	4.39	4.04	9.03	5.17	26.68	0.17	2.34	0.24	2.09	0.00	24.68	69.36	0.00	0.00	42.43
標準差	0.15	1.61	5.32	4.28	12.72	0.07	0.31	0.04	0.32	0	3.62	0.22	0	0	17.84

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.22	3.49	8.80	5.39	14.97	0.20	2.60	0.27	2.33	0.00	27.69	69.21	0.00	0.00	100.66
010000	4.05	3.43	8.34	4.97	13.84	0.22	2.66	0.25	2.41	0.00	27.69	69.19	0.00	0.00	73.63
020000	4.03	3.47	6.63	3.19	15.62	0.21	2.66	0.23	2.43	0.00	27.71	69.20	0.00	0.00	57.47
030000	4.07	3.54	7.86	4.43	14.95	0.18	2.56	0.22	2.34	0.00	27.73	69.24	0.00	0.00	49.84
040000	4.10	3.51	8.75	5.34	13.08	0.18	2.52	0.22	2.30	0.00	27.71	69.23	0.00	0.00	43.62
050000	4.15	4.48	13.30	9.05	9.72	0.22	2.53	0.23	2.30	0.00	27.70	69.22	0.00	0.00	43.67
060000	4.28	7.83	18.39	10.94	7.78	0.27	2.81	0.25	2.56	0.00	27.68	69.24	0.00	0.00	41.38
070000	4.44	9.78	20.12	10.76	9.07	0.34	3.01	0.26	2.75	0.00	27.59	69.19	0.00	0.00	56.16
080000	4.36	6.79	14.26	7.74	16.31	0.27	2.56	0.27	2.29	0.00	27.51	69.17	0.00	0.00	57.54
090000	4.14	3.73	4.41	1.00	21.59	0.17	2.15	0.23	1.92	0.00	27.41	69.12	0.00	0.00	45.25
100000	4.18	3.46	2.77	0.00	21.78	0.16	2.03	0.22	1.81	0.00	27.28	69.05	0.00	0.00	34.85
110000	4.12	3.50	2.65	0.00	23.51	0.16	2.01	0.19	1.82	0.00	27.20	69.13	0.00	0.00	12.78
120000	4.20	3.61	2.89	0.00	23.62	0.11	1.99	0.18	1.81	0.00	27.48	69.54	0.00	0.00	15.53
130000	4.18	3.63	3.07	0.00	25.59	0.07	1.99	0.18	1.81	0.00	27.48	69.61	0.00	0.00	18.30
140000	4.20	3.67	3.61	0.00	27.59	0.06	2.00	0.19	1.81	0.00	27.50	69.61	0.00	0.00	13.43
150000	4.26	3.53	3.18	0.00	28.43	0.07	2.00	0.20	1.80	0.00	27.45	69.61	0.00	0.00	19.31
160000	4.31	3.65	3.63	0.00	27.12	0.07	2.02	0.27	1.75	0.00	27.37	69.61	0.00	0.00	18.05
170000	4.25	3.66	3.87	0.75	24.65	0.08	2.01	0.22	1.79	0.00	27.24	69.61	0.00	0.00	18.68
180000	4.24	3.38	3.74	0.61	23.16	0.10	2.02	0.18	1.84	0.00	27.17	69.61	0.00	0.00	18.47
190000	4.16	3.27	3.70	0.58	21.85	0.11	2.03	0.18	1.85	0.00	27.06	69.59	0.00	0.00	25.19
200000	4.09	3.40	6.93	3.69	17.07	0.12	2.10	0.18	1.92	0.00	26.98	69.49	0.00	0.00	27.12
210000	4.21	3.70	12.44	8.92	11.05	0.15	2.25	0.20	2.05	0.00	27.02	69.47	0.00	0.00	32.85
220000	4.15	3.69	10.13	6.59	9.58	0.12	2.67	0.21	2.46	0.00	27.07	69.47	0.00	0.00	46.11
230000	4.10	3.67	7.83	4.25	8.60	0.09	2.72	0.20	2.52	0.00	27.06	69.44	0.00	0.00	41.60
極大值	4.44	9.78	20.12	10.94	28.43	0.34	3.01	0.27	2.75	0.00	27.73	69.61	0.00	0.00	100.66
極小值	4.03	3.27	2.65	0.00	7.78	0.06	1.99	0.18	1.75	0.00	26.98	69.05	0.00	0.00	12.78
平均值	4.19	4.16	7.55	3.68	17.94	0.16	2.33	0.22	2.11	0.00	27.41	69.37	0.00	0.00	37.98
標準差	0.1	1.61	5.02	3.74	6.74	0.07	0.33	0.03	0.32	0	0.26	0.2	0	0	21.45

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	3.97	3.63	8.21	4.63	8.10	0.10	2.49	0.19	2.30	0.00	26.88	69.19	0.00	0.00	24.84
010000	4.04	4.24	7.64	3.47	7.42	0.08	2.91	0.18	2.73	0.00	26.82	69.19	0.00	0.00	17.04
020000	4.06	5.40	11.80	6.63	6.27	0.09	2.79	0.18	2.61	0.00	26.83	69.19	0.00	0.00	12.54
030000	4.08	6.39	14.29	8.20	5.85	0.13	2.87	0.20	2.67	0.00	26.80	69.19	0.00	0.00	16.19
040000	4.11	5.62	12.58	7.20	6.04	0.12	2.76	0.21	2.55	0.00	26.76	69.19	0.00	0.00	22.82
050000	4.08	5.75	14.89	9.44	6.11	0.17	3.09	0.22	2.87	0.00	26.76	69.19	0.00	0.00	19.52
060000	4.19	13.43	20.32	7.33	5.96	0.18	3.37	0.23	3.14	0.00	26.77	69.19	0.00	0.00	27.13
070000	4.17	7.43	11.54	4.33	8.26	0.15	2.91	0.23	2.68	0.00	26.74	69.19	0.00	0.00	33.04
080000	4.09	4.57	6.95	2.49	16.34	0.16	2.26	0.23	2.03	0.00	26.67	69.09	0.00	0.00	30.32
090000	4.10	3.90	5.21	1.33	24.23	0.20	2.13	0.25	1.88	0.00	26.62	69.05	0.00	0.00	20.55
100000	4.16	3.62	3.93	0.43	25.43	0.19	2.08	0.26	1.82	0.00	26.62	69.05	0.00	0.00	26.89
110000	4.22	3.70	3.85	0.67	24.44	0.17	2.03	0.22	1.81	0.00	26.62	69.10	0.00	0.00	18.86
120000	4.21	3.57	3.03	0.00	23.89	0.11	2.01	0.19	1.82	0.00	26.89	69.52	0.00	0.00	16.87
130000	4.31	3.75	3.43	0.00	24.01	0.07	2.00	0.18	1.82	0.00	26.93	69.61	0.00	0.00	15.52
140000	4.29	3.94	4.32	0.49	22.67	0.07	2.01	0.20	1.81	0.00	26.90	69.61	0.00	0.00	19.55
150000	4.34	4.06	4.63	0.95	22.09	0.07	2.00	0.21	1.79	0.00	26.96	69.61	0.00	0.00	16.69
160000	4.28	4.26	5.81	1.89	20.53	0.10	2.00	0.22	1.78	0.00	26.94	69.61	0.00	0.00	12.85
170000	4.52	4.46	10.51	6.24	18.54	0.27	2.02	0.26	1.76	0.00	26.95	69.61	0.00	0.00	16.89
180000	4.75	4.08	15.34	11.55	14.08	0.23	2.06	0.29	1.77	0.00	26.98	69.61	0.00	0.00	25.29
190000	4.64	4.61	18.66	14.44	8.93	0.21	2.17	0.29	1.88	0.00	26.98	69.59	0.00	0.00	33.57
200000	4.58	4.43	15.90	11.77	8.92	0.21	2.29	0.26	2.03	0.00	26.98	69.51	0.00	0.00	38.83
210000	4.44	4.00	11.41	7.62	8.38	0.19	2.35	0.24	2.11	0.00	27.01	69.47	0.00	0.00	37.74
220000	4.33	3.67	7.61	4.00	9.97	0.14	2.24	0.23	2.01	0.00	27.04	69.48	0.00	0.00	35.64
230000	4.27	3.95	10.89	7.11	8.67	0.16	2.30	0.22	2.08	0.00	26.97	69.48	0.00	0.00	38.82
極大值	4.75	13.43	20.32	14.44	25.43	0.27	3.37	0.29	3.14	0.00	27.04	69.61	0.00	0.00	38.83
極小值	3.97	3.57	3.03	0.00	5.85	0.07	2.00	0.18	1.76	0.00	26.62	69.05	0.00	0.00	12.54
平均值	4.26	4.85	9.70	5.09	13.96	0.15	2.38	0.22	2.16	0.00	26.85	69.36	0.00	0.00	24.08
標準差	0.2	2.07	5.07	4.13	7.54	0.06	0.41	0.03	0.42	0	0.13	0.22	0	0	8.52

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.37	3.87	9.02	5.27	9.03	0.15	2.45	0.21	2.24	0.00	26.62	69.47	0.00	0.00	55.29
010000	4.33	3.97	7.77	3.91	8.78	0.13	2.68	0.21	2.47	0.00	26.48	69.47	0.00	0.00	35.38
020000	4.18	3.65	5.92	2.31	8.65	0.10	2.42	0.19	2.23	0.00	26.44	69.47	0.00	0.00	33.75
030000	4.28	3.80	6.88	3.14	8.77	0.11	2.41	0.20	2.21	0.00	26.41	69.47	0.00	0.00	32.70
040000	4.16	3.67	5.62	2.01	8.77	0.10	2.35	0.19	2.16	0.00	26.42	69.47	0.00	0.00	31.37
050000	4.26	4.43	7.75	3.41	8.77	0.12	2.37	0.20	2.17	0.00	26.35	69.47	0.00	0.00	30.58
060000	4.32	6.01	9.50	3.64	7.84	0.14	2.59	0.20	2.39	0.00	26.35	69.47	0.00	0.00	32.66
070000	4.37	5.91	8.86	3.08	8.88	0.13	2.35	0.21	2.14	0.00	26.31	69.47	0.00	0.00	30.67
080000	4.48	5.47	7.84	2.47	12.15	0.13	2.13	0.20	1.93	0.00	26.27	69.49	0.00	0.00	28.77
090000	4.47	4.31	4.65	0.71	15.53	0.07	2.02	0.18	1.84	0.00	26.30	69.61	0.00	0.00	28.41
100000	4.50	3.88	3.81	0.00	19.21	0.05	2.01	0.21	1.80	0.00	26.29	69.61	0.00	0.00	27.70
110000	4.57	3.67	4.36	0.67	27.47	0.07	2.03	0.22	1.81	0.00	26.32	69.63	0.00	0.00	26.50
120000	5.51	4.36	8.66	4.40	33.77	0.15	2.05	0.38	1.67	0.00	26.30	69.64	0.00	0.00	33.62
130000	6.93	5.07	11.84	7.01	25.99	0.24	2.07	0.40	1.67	0.00	26.29	69.71	0.00	0.00	56.47
140000	4.97	3.79	5.14	1.57	26.84	0.14	2.07	0.27	1.80	0.00	26.33	69.75	0.00	0.00	38.91
150000	4.69	3.84	4.68	1.10	24.92	0.12	2.12	0.27	1.85	0.00	26.37	69.75	0.00	0.00	30.46
160000	4.45	3.71	3.76	0.00	23.23	0.12	2.16	0.26	1.90	0.00	26.39	69.68	0.00	0.00	21.59
170000	4.41	4.00	5.91	2.02	28.73	0.16	2.24	0.25	1.99	0.00	26.39	69.62	0.00	0.00	21.83
180000	4.45	3.45	5.83	2.43	33.36	0.20	2.37	0.25	2.12	0.00	26.37	69.61	0.00	0.00	47.75
190000	4.52	3.29	4.90	1.64	30.46	0.18	2.56	0.30	2.26	0.00	26.39	69.61	0.00	0.00	63.49
200000	4.56	3.47	8.43	5.08	24.65	0.22	2.58	0.32	2.26	0.00	26.36	69.57	0.00	0.00	60.77
210000	4.51	3.54	9.67	6.28	20.18	0.22	2.48	0.30	2.18	0.00	26.28	69.48	0.00	0.00	74.99
220000	4.48	3.64	10.15	6.70	15.94	0.22	2.55	0.32	2.23	0.00	26.23	69.47	0.00	0.00	68.81
230000	4.56	3.83	10.94	7.34	12.23	0.23	2.71	0.32	2.39	0.00	26.22	69.47	0.00	0.00	78.59
極大值	6.93	6.01	11.84	7.34	33.77	0.24	2.71	0.40	2.47	0.00	26.62	69.75	0.00	0.00	78.59
極小值	4.16	3.29	3.76	0.00	7.84	0.05	2.01	0.18	1.67	0.00	26.22	69.47	0.00	0.00	21.59
平均值	4.60	4.11	7.16	3.17	18.51	0.15	2.32	0.25	2.07	0.00	26.35	69.56	0.00	0.00	41.29
標準差	0.57	0.76	2.36	2.19	9.04	0.05	0.23	0.06	0.23	0	0.09	0.1	0	0	17.28

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.50	3.88	12.78	9.12	10.80	0.25	2.97	0.40	2.57	0.00	26.25	69.47	0.00	0.00	78.94
010000	4.60	3.93	13.71	10.06	9.29	0.24	3.15	0.46	2.69	0.00	26.28	69.47	0.00	0.00	79.66
020000	4.62	3.95	14.30	10.61	8.33	0.25	3.17	0.45	2.72	0.00	26.30	69.47	0.00	0.00	80.82
030000	4.76	4.11	16.38	12.59	7.89	0.28	3.13	0.47	2.66	0.00	26.26	69.47	0.00	0.00	84.24
040000	4.63	3.97	13.70	10.02	8.34	0.28	3.38	0.52	2.86	0.00	26.25	69.47	0.00	0.00	71.60
050000	4.59	4.28	14.03	10.04	7.77	0.28	3.49	0.52	2.97	0.00	26.28	69.47	0.00	0.00	63.33
060000	4.75	6.18	15.91	10.06	7.81	0.31	3.42	0.51	2.91	0.00	26.28	69.47	0.00	0.00	63.03
070000	4.97	7.00	14.31	7.62	9.59	0.29	2.81	0.40	2.41	0.00	26.26	69.47	0.00	0.00	71.72
080000	5.12	7.76	15.77	8.33	11.56	0.32	2.54	0.31	2.23	0.00	26.28	69.47	0.00	0.00	76.12
090000	5.44	6.35	14.35	8.28	16.91	0.36	2.50	0.32	2.18	0.00	26.32	69.52	0.00	0.00	79.46
100000	5.85	5.05	14.03	9.25	22.58	0.38	2.50	0.34	2.16	0.00	26.38	69.61	0.00	0.00	84.52
110000	6.42	3.93	9.76	6.00	41.23	0.35	2.44	0.33	2.11	0.00	26.40	69.61	0.00	0.00	87.03
120000	5.95	3.77	7.84	4.17	48.16	0.29	2.36	0.30	2.06	0.00	26.40	69.61	0.00	0.00	78.46
130000	5.48	3.69	7.73	4.15	51.64	0.24	2.27	0.25	2.02	0.00	26.44	69.61	0.00	0.00	68.61
140000	5.19	3.58	5.38	1.87	48.71	0.20	2.29	0.25	2.04	0.00	26.45	69.61	0.00	0.00	69.06
150000	5.22	3.46	4.93	1.51	48.88	0.21	2.33	0.27	2.06	0.00	26.45	69.61	0.00	0.00	49.95
160000	5.12	3.46	5.02	1.59	47.88	0.21	2.39	0.28	2.11	0.00	26.45	69.61	0.00	0.00	49.27
170000	4.85	3.44	4.56	1.13	45.13	0.20	2.36	0.27	2.09	0.00	26.34	69.61	0.00	0.00	48.65
180000	4.83	3.37	5.23	1.88	40.52	0.21	2.59	0.32	2.27	0.00	26.27	69.61	0.00	0.00	44.31
190000	5.29	3.37	7.67	4.42	32.26	0.22	2.83	0.38	2.45	0.00	26.25	69.52	0.00	0.00	45.84
200000	4.95	3.55	11.66	8.33	22.22	0.25	3.09	0.45	2.64	0.00	26.24	69.47	0.00	0.00	50.11
210000	4.93	3.63	12.98	9.57	17.82	0.25	3.33	0.53	2.80	0.00	26.21	69.47	0.00	0.00	64.31
220000	4.90	3.58	12.23	8.89	17.27	0.22	3.35	0.55	2.80	0.00	26.20	69.47	0.00	0.00	53.28
230000	4.58	3.49	9.57	6.18	17.09	0.19	3.38	0.55	2.83	0.00	26.18	69.44	0.00	0.00	46.95
極大值	6.42	7.76	16.38	12.59	51.64	0.38	3.49	0.55	2.97	0.00	26.45	69.61	0.00	0.00	87.03
極小值	4.50	3.37	4.56	1.13	7.77	0.19	2.27	0.25	2.02	0.00	26.18	69.44	0.00	0.00	44.31
平均值	5.06	4.28	10.99	6.90	24.99	0.26	2.84	0.39	2.44	0.00	26.31	69.53	0.00	0.00	66.22
標準差	0.48	1.24	3.98	3.47	16.71	0.05	0.43	0.1	0.33	0	0.08	0.07	0	0	14.33

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.44	3.63	9.16	5.67	16.46	0.17	4.39	0.81	3.58	0.00	29.03	69.31	0.00	0.00	38.32
010000	4.47	3.59	8.17	4.70	16.16	0.16	4.36	0.80	3.56	0.00	30.40	69.33	0.00	0.00	35.72
020000	4.44	3.54	8.19	4.76	14.15	0.16	5.00	1.06	3.94	0.00	30.34	69.33	0.00	0.00	34.01
030000	4.33	3.53	7.73	4.28	13.63	0.16	5.00	1.15	3.85	0.00	30.29	69.33	0.00	0.00	31.53
040000	4.39	3.56	7.50	4.04	14.54	0.16	5.00	1.04	3.96	0.00	30.25	69.33	0.00	0.00	32.43
050000	4.43	3.57	7.84	4.36	13.36	0.17	5.00	1.06	3.94	0.00	30.24	69.33	0.00	0.00	36.95
060000	4.38	3.74	8.14	4.51	12.87	0.17	4.98	1.11	3.87	0.00	30.20	69.33	0.00	0.00	37.69
070000	4.44	4.27	8.79	4.69	14.40	0.17	4.57	0.85	3.72	0.00	30.10	69.33	0.00	0.00	35.20
080000	4.54	4.74	8.66	4.08	15.40	0.20	4.42	0.80	3.62	0.00	30.03	69.29	0.00	0.00	40.55
090000	4.78	4.30	7.26	3.08	20.61	0.21	4.98	0.99	3.99	0.00	30.00	69.20	0.00	0.00	41.59
100000	5.31	3.84	6.28	2.48	30.20	0.25	4.95	1.04	3.91	0.00	29.95	69.19	0.00	0.00	46.91
110000	5.93	3.87	9.15	5.41	43.17	0.35	3.32	0.56	2.76	0.00	29.96	69.20	0.00	0.00	46.67
120000	7.48	4.16	12.12	8.18	46.49	0.35	2.44	0.36	2.08	0.00	30.20	69.56	0.00	0.00	66.12
130000	5.34	3.59	5.03	1.46	45.05	0.18	2.29	0.26	2.03	0.00	30.14	69.61	0.00	0.00	64.35
140000	5.23	3.50	5.39	1.91	44.70	0.20	2.39	0.29	2.10	0.00	30.05	69.61	0.00	0.00	35.92
150000	5.17	3.47	5.54	2.12	41.22	0.18	2.48	0.31	2.17	0.00	29.95	69.61	0.00	0.00	45.41
160000	4.81	3.42	6.43	3.07	34.04	0.18	2.55	0.32	2.23	0.00	29.94	69.61	0.00	0.00	33.00
170000	5.06	3.47	7.31	3.94	29.66	0.19	2.57	0.33	2.24	0.00	29.93	69.61	0.00	0.00	31.30
180000	4.66	3.53	9.79	6.38	26.02	0.23	2.60	0.34	2.26	0.00	29.90	69.61	0.00	0.00	30.35
190000	4.65	3.49	10.75	7.44	21.10	0.25	2.38	0.28	2.10	0.00	29.85	69.61	0.00	0.00	40.35
200000	4.71	3.93	13.11	9.40	18.02	0.24	2.28	0.27	2.01	0.00	29.83	69.60	0.00	0.00	41.99
210000	4.51	3.47	9.27	5.91	17.93	0.20	2.24	0.24	2.00	0.00	29.81	69.50	0.00	0.00	38.36
220000	4.44	3.46	8.46	5.11	17.73	0.19	2.24	0.23	2.01	0.00	29.79	69.49	0.00	0.00	30.58
230000	4.31	3.50	7.97	4.58	16.96	0.17	2.26	0.24	2.02	0.00	29.69	69.46	0.00	0.00	23.89
極大值	7.48	4.74	13.11	9.40	46.49	0.35	5.00	1.15	3.99	0.00	30.40	69.61	0.00	0.00	66.12
極小值	4.31	3.42	5.03	1.46	12.87	0.16	2.24	0.23	2.00	0.00	29.03	69.19	0.00	0.00	23.89
平均值	4.84	3.72	8.25	4.65	24.33	0.20	3.53	0.61	2.91	0.00	29.99	69.43	0.00	0.00	39.13
標準差	0.7	0.34	1.94	1.92	11.82	0.05	1.21	0.35	0.86	0	0.28	0.15	0	0	9.77

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.31	3.50	8.29	4.90	14.65	0.16	2.38	0.26	2.12	0.00	29.49	69.32	0.00	0.00	29.98
010000	4.49	3.50	9.04	5.64	13.67	0.16	2.54	0.32	2.22	0.00	29.44	69.32	0.00	0.00	28.25
020000	4.37	3.51	8.74	5.34	13.03	0.15	3.12	0.46	2.66	0.00	29.45	69.33	0.00	0.00	33.93
030000	4.34	3.55	7.90	4.44	12.14	0.15	3.63	0.59	3.04	0.00	29.46	69.33	0.00	0.00	26.15
040000	4.38	3.60	7.87	4.35	10.64	0.16	4.26	0.73	3.53	0.00	29.47	69.31	0.00	0.00	26.90
050000	4.34	3.71	8.52	4.93	9.35	0.16	4.07	0.67	3.40	0.00	29.41	69.31	0.00	0.00	28.84
060000	4.38	4.36	12.08	7.95	9.60	0.17	3.54	0.57	2.97	0.00	29.40	69.32	0.00	0.00	33.48
070000	4.41	5.85	12.41	6.77	9.43	0.19	4.53	0.85	3.68	0.00	29.38	69.28	0.00	0.00	33.51
080000	4.55	7.32	14.11	7.07	10.07	0.23	4.45	0.80	3.65	0.00	29.32	69.20	0.00	0.00	40.11
090000	5.20	6.05	12.85	7.03	17.88	0.30	4.46	1.15	3.31	0.00	29.26	69.19	0.00	0.00	51.51
100000	6.70	4.71	13.36	8.89	31.95	0.46	4.00	0.85	3.15	0.00	29.23	69.19	0.00	0.00	49.16
110000	7.86	4.09	13.09	9.22	41.21	0.44	4.39	0.93	3.46	0.00	29.24	69.23	0.00	0.00	52.35
120000	7.41	4.04	9.61	5.71	33.96	0.29	2.63	0.42	2.21	0.00	29.50	69.59	0.00	0.00	65.16
130000	5.56	3.96	9.11	5.30	34.30	0.18	2.23	0.29	1.94	0.00	29.65	69.78	0.00	0.00	48.04
140000	5.25	3.67	7.70	4.12	36.96	0.13	2.19	0.26	1.93	0.00	29.45	69.89	0.00	0.00	57.06
150000	5.24	5.32	16.86	11.88	25.49	0.13	2.20	0.28	1.92	0.00	29.31	69.89	0.00	0.00	46.47
160000	5.03	5.03	17.97	13.29	18.31	0.14	2.20	0.30	1.90	0.00	29.26	69.89	0.00	0.00	58.19
170000	4.91	4.03	15.73	12.00	19.59	0.17	2.20	0.29	1.91	0.00	29.27	69.85	0.00	0.00	50.53
180000	4.86	3.78	15.83	12.40	16.96	0.21	2.26	0.29	1.97	0.00	29.13	69.75	0.00	0.00	40.73
190000	4.79	3.55	12.79	9.47	17.75	0.24	2.29	0.27	2.02	0.00	29.08	69.66	0.00	0.00	47.08
200000	4.88	3.69	16.37	12.98	13.82	0.27	2.28	0.30	1.98	0.00	29.07	69.61	0.00	0.00	40.72
210000	4.69	3.66	15.89	12.53	12.17	0.23	2.23	0.30	1.93	0.00	29.02	69.61	0.00	0.00	51.73
220000	4.62	3.67	15.75	12.39	10.23	0.21	2.26	0.29	1.97	0.00	29.03	69.61	0.00	0.00	43.48
230000	4.61	3.74	14.79	11.33	9.74	0.20	2.34	0.32	2.02	0.00	28.99	69.56	0.00	0.00	37.84
極大值	7.86	7.32	17.97	13.29	41.21	0.46	4.53	1.15	3.68	0.00	29.65	69.89	0.00	0.00	65.16
極小值	4.31	3.50	7.70	4.12	9.35	0.13	2.19	0.26	1.90	0.00	28.99	69.19	0.00	0.00	26.15
平均值	5.05	4.25	12.36	8.33	18.45	0.21	3.03	0.49	2.54	0.00	29.30	69.50	0.00	0.00	42.55
標準差	0.96	0.99	3.37	3.26	9.94	0.09	0.93	0.27	0.68	0	0.18	0.25	0	0	10.91

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	2.61	3.14	5.18	1.80	14.87	0.34	2.59	0.39	2.20	28.16	48.18	134.42	24.57	6.64	1000.00
010000	2.52	3.15	5.12	1.72	15.02	0.35	2.59	0.39	2.20	27.87	48.18	134.41	21.40	8.99	1000.00
020000	2.53	3.14	5.17	1.79	14.16	0.33	2.59	0.39	2.20	27.71	48.18	134.46	82.66	4.19	1000.00
030000	2.54	3.09	5.20	1.90	13.55	0.35	2.59	0.39	2.20	27.61	48.18	134.45	77.95	4.57	1000.00
040000	2.65	3.14	5.19	1.82	13.32	0.32	2.59	0.39	2.20	27.47	48.18	134.43	74.04	3.23	1000.00
050000	2.64	3.09	5.15	1.84	11.93	0.30	2.59	0.39	2.20	27.25	48.18	134.44	78.65	0.96	1000.00
060000	2.69	3.15	5.11	1.74	12.41	0.30	2.59	0.39	2.20	27.45	48.17	134.40	69.50	7.59	1000.00
070000	2.66	3.13	5.11	1.78	13.04	0.29	2.59	0.39	2.20	28.24	48.16	134.35	27.82	8.38	1000.00
080000	2.73	3.17	5.09	1.69	16.82	0.30	2.58	0.38	2.20	29.98	48.17	134.37	41.04	7.73	1000.00
090000	2.79	3.11	5.14	1.81	26.01	0.21	2.58	0.38	2.20	31.45	48.17	134.38	50.10	8.77	1000.00
100000	2.79	3.21	5.16	1.74	35.77	0.20	2.59	0.39	2.20	32.64	48.17	134.43	98.12	6.43	1000.00
110000	2.79	3.14	5.17	1.79	38.75	0.21	2.59	0.39	2.20	33.64	48.20	134.57	199.69	4.53	65.10
120000	2.81	3.19	5.18	1.78	62.35	0.30	2.59	0.39	2.20	33.09	48.22	134.72	297.24	11.48	53.42
130000	2.73	3.22	5.19	1.77	61.21	0.30	2.59	0.39	2.20	33.01	48.22	134.72	296.39	13.58	41.84
140000	2.91	3.26	5.19	1.71	55.41	0.26	2.60	0.39	2.21	32.85	48.22	134.71	294.67	12.68	34.02
150000	2.79	3.19	5.20	1.82	48.21	0.22	2.60	0.39	2.21	32.77	48.22	134.70	292.90	10.97	113.98
160000	2.78	3.22	5.20	1.73	39.20	0.20	2.60	0.39	2.21	32.29	48.22	134.70	290.87	9.08	56.79
170000	2.78	3.19	5.20	1.80	34.62	0.23	2.60	0.39	2.21	31.81	48.22	134.69	286.64	7.12	15.05
180000	2.79	3.18	5.24	1.82	30.77	0.23	2.59	0.38	2.21	31.19	48.22	134.69	294.51	4.26	11.16
190000	2.77	3.16	5.18	1.80	18.95	0.25	2.59	0.39	2.20	30.31	48.19	134.46	74.08	0.71	26.99
200000	2.69	3.19	5.20	1.80	16.03	0.32	2.59	0.39	2.20	29.94	48.19	134.45	71.83	0.36	44.98
210000	2.63	3.20	5.13	1.71	17.32	0.33	2.59	0.39	2.20	29.44	48.21	134.63	236.98	0.07	46.03
220000	2.61	3.10	5.14	1.79	15.96	0.31	2.59	0.39	2.20	29.06	48.19	134.52	131.88	2.43	34.40
230000	2.60	3.14	5.13	1.74	18.62	0.29	2.59	0.39	2.20	29.03	48.17	134.41	67.20	5.17	43.15
極大值	2.91	3.26	5.24	1.90	62.35	0.35	2.60	0.39	2.21	33.64	48.22	134.72	297.24	13.58	1000.00
極小值	2.52	3.09	5.09	1.69	11.93	0.20	2.58	0.38	2.20	27.25	48.16	134.35	21.40	0.07	11.16
平均值	2.70	3.16	5.17	1.78	26.85	0.28	2.59	0.39	2.20	30.18	48.19	134.52	145.03	6.25	482.79
標準差	0.1	0.04	0.04	0.05	16.35	0.05	0.01	0	0	2.19	0.02	0.13	108.58	3.88	468.36

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.62	3.12	5.08	1.74	16.98	0.32	2.60	0.40	2.20	28.66	48.17	134.43	98.01	4.02	29.57
010000	2.54	3.12	5.16	1.81	19.57	0.36	2.60	0.40	2.20	28.50	48.16	134.37	24.13	10.76	29.42
020000	2.62	3.15	5.14	1.76	18.91	0.35	2.60	0.40	2.20	28.28	48.17	134.38	34.48	10.66	29.39
030000	2.68	3.21	5.12	1.69	17.64	0.32	2.60	0.39	2.21	28.10	48.17	134.44	107.95	3.83	29.31
040000	2.66	3.12	5.08	1.75	14.96	0.35	2.59	0.39	2.20	27.66	48.19	134.55	201.99	0.95	29.16
050000	2.66	3.13	5.18	1.82	14.55	0.32	2.59	0.39	2.20	27.70	48.16	134.37	24.09	9.38	28.64
060000	2.68	3.09	5.11	1.80	14.73	0.33	2.59	0.39	2.20	27.86	48.17	134.37	43.40	3.87	28.46
070000	2.85	3.13	5.14	1.79	13.69	0.37	2.59	0.39	2.20	28.78	48.17	134.45	122.40	3.95	28.81
080000	2.80	3.10	5.14	1.84	20.22	0.32	2.59	0.39	2.20	30.64	48.17	134.39	54.77	6.07	29.90
090000	2.79	3.07	5.08	1.79	35.01	0.27	2.59	0.39	2.20	31.97	48.17	134.37	37.36	11.94	31.31
100000	2.77	3.08	5.08	1.76	39.79	0.19	2.59	0.39	2.20	33.02	48.17	134.37	29.10	11.99	32.15
110000	2.93	3.14	5.11	1.73	38.03	0.17	2.59	0.38	2.21	34.30	48.19	134.47	72.18	6.29	32.47
120000	2.88	3.18	5.12	1.72	41.43	0.18	2.60	0.39	2.21	34.47	48.21	134.66	246.21	6.60	32.51
130000	2.85	3.18	5.18	1.81	43.23	0.16	2.60	0.39	2.21	34.19	48.22	134.72	288.48	10.15	32.29
140000	2.81	3.18	5.18	1.79	30.99	0.11	2.60	0.39	2.21	34.00	48.22	134.69	273.81	16.64	32.78
150000	2.86	3.17	5.14	1.77	29.21	0.11	2.60	0.39	2.21	33.21	48.22	134.68	275.93	18.34	32.91
160000	2.84	3.26	5.23	1.75	26.46	0.12	2.60	0.39	2.21	32.68	48.22	134.68	271.31	17.23	32.44
170000	2.74	3.20	5.18	1.77	25.97	0.12	2.60	0.39	2.21	32.29	48.22	134.68	278.54	16.35	32.18
180000	2.86	3.21	5.20	1.78	25.09	0.13	2.60	0.39	2.21	32.00	48.21	134.66	274.32	17.56	31.68
190000	2.93	3.16	5.18	1.82	24.93	0.13	2.60	0.39	2.21	31.76	48.21	134.67	269.73	13.98	31.30
200000	2.82	3.17	5.14	1.76	25.66	0.13	2.60	0.39	2.21	31.66	48.22	134.67	271.94	16.55	30.72
210000	2.88	3.19	5.19	1.79	23.56	0.11	2.60	0.40	2.20	31.41	48.22	134.69	275.08	10.88	30.94
220000	2.77	3.14	5.18	1.81	19.63	0.10	2.60	0.39	2.21	31.14	48.21	134.67	255.10	4.04	30.46
230000	2.72	3.13	5.15	1.79	16.85	0.13	2.60	0.39	2.21	30.56	48.20	134.58	173.82	0.32	30.31
極大值	2.93	3.26	5.23	1.84	43.23	0.37	2.60	0.40	2.21	34.47	48.22	134.72	288.48	18.34	32.91
極小值	2.54	3.07	5.08	1.69	13.69	0.10	2.59	0.38	2.20	27.66	48.16	134.37	24.09	0.32	28.46
平均值	2.77	3.15	5.15	1.78	24.88	0.22	2.60	0.39	2.21	31.04	48.19	134.54	166.84	9.68	30.80
標準差	0.11	0.05	0.04	0.04	9.08	0.1	0	0	0.01	2.32	0.02	0.14	106.88	5.63	1.47

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	2.71	3.10	5.13	1.81	17.10	0.13	2.60	0.39	2.21	30.66	48.22	134.70	289.77	3.24	1000.00
010000	2.71	3.15	5.16	1.77	16.37	0.11	2.60	0.39	2.21	30.23	48.20	134.60	186.84	1.61	1000.00
020000	2.70	3.12	5.12	1.78	13.58	0.13	2.60	0.39	2.21	29.47	48.19	134.51	96.75	3.56	1000.00
030000	2.73	3.06	5.07	1.78	13.08	0.13	2.60	0.39	2.21	29.24	48.18	134.45	51.14	5.37	1000.00
040000	2.70	3.08	5.08	1.79	12.75	0.13	2.60	0.39	2.21	29.04	48.19	134.49	104.66	2.03	1000.00
050000	2.71	3.17	5.19	1.81	12.99	0.14	2.60	0.39	2.21	28.80	48.19	134.51	115.87	3.36	1000.00
060000	2.86	3.10	5.14	1.82	11.15	0.17	2.60	0.39	2.21	28.78	48.18	134.46	68.87	4.14	1000.00
070000	2.93	3.11	5.15	1.78	11.68	0.20	2.60	0.39	2.21	29.55	48.18	134.43	58.85	4.56	1000.00
080000	2.88	3.17	5.15	1.75	12.99	0.21	2.60	0.39	2.21	30.98	48.18	134.46	79.32	3.08	1000.00
090000	2.86	3.06	5.14	1.87	17.92	0.20	2.60	0.39	2.21	32.06	48.19	134.48	84.71	3.24	1000.00
100000	2.83	3.08	5.11	1.77	18.61	0.14	2.60	0.40	2.20	33.76	48.21	134.65	244.39	6.70	1000.00
110000	2.78	3.10	5.12	1.76	18.11	0.05	2.60	0.40	2.20	33.74	25.67	76.33	269.11	13.12	122.93
120000	2.76	3.20	5.22	1.82	17.61	0.09	2.60	0.39	2.21	33.31	24.00	72.00	266.19	17.64	55.49
130000	2.72	3.22	5.18	1.75	24.53	0.10	2.60	0.39	2.21	32.81	24.00	72.00	279.77	18.08	83.94
140000	2.61	3.27	5.18	1.71	22.42	0.13	2.60	0.39	2.21	32.68	24.00	72.00	274.33	17.10	64.13
150000	2.55	3.17	5.17	1.81	24.47	0.12	2.60	0.39	2.21	32.67	24.00	72.00	271.56	16.99	52.62
160000	2.58	3.15	5.16	1.81	25.82	0.14	2.60	0.39	2.21	32.45	24.00	72.00	264.96	15.87	39.20
170000	2.57	3.22	5.17	1.73	22.97	0.14	2.60	0.39	2.21	32.09	24.00	72.00	269.21	13.54	29.86
180000	2.50	3.15	5.17	1.81	22.53	0.14	2.60	0.39	2.21	31.64	24.00	72.00	276.11	10.79	28.21
190000	2.29	3.25	5.19	1.72	20.64	0.14	2.60	0.39	2.21	31.46	24.00	72.00	290.91	5.81	24.71
200000	2.36	3.14	5.11	1.75	16.28	0.17	2.60	0.39	2.21	31.14	24.00	72.00	256.66	0.61	24.21
210000	2.36	3.17	5.15	1.79	15.76	0.17	2.60	0.39	2.21	31.09	24.00	72.00	303.48	0.22	24.44
220000	2.21	3.14	5.15	1.76	13.53	0.16	2.60	0.39	2.21	30.93	24.00	72.00	172.31	0.10	25.15
230000	2.23	3.14	5.09	1.73	11.37	0.18	2.60	0.39	2.21	30.60	24.00	72.00	41.96	2.61	23.78
極大值	2.93	3.27	5.22	1.87	25.82	0.21	2.60	0.40	2.21	33.76	48.22	134.70	303.48	18.08	1000.00
極小值	2.21	3.06	5.07	1.71	11.15	0.05	2.60	0.39	2.20	28.78	24.00	72.00	41.96	0.10	23.78
平均值	2.63	3.15	5.15	1.78	17.26	0.14	2.60	0.39	2.21	31.22	35.16	100.84	192.41	7.22	483.28
標準差	0.21	0.06	0.04	0.04	4.61	0.04	0	0	0	1.55	12.25	31.66	95.93	6.27	486.02

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	2.20	3.14	5.12	1.75	11.56	0.17	2.60	0.39	2.21	30.42	24.00	72.00	38.08	9.02	23.68
010000	2.19	3.13	5.11	1.74	11.94	0.19	2.60	0.39	2.21	30.37	46.49	130.12	49.54	8.89	21.34
020000	2.08	3.09	5.07	1.74	11.34	0.19	2.60	0.39	2.21	30.29	24.88	74.27	37.63	9.06	25.93
030000	2.12	3.14	5.20	1.80	11.04	0.20	2.60	0.39	2.21	30.18	24.00	72.00	41.29	10.78	22.68
040000	2.05	3.10	5.15	1.81	10.85	0.20	2.60	0.39	2.21	30.04	24.00	72.00	45.33	6.47	22.60
050000	2.07	3.09	5.11	1.79	10.93	0.18	2.60	0.39	2.21	29.65	24.00	72.00	237.20	0.72	13.80
060000	2.12	3.06	5.00	1.71	10.55	0.22	2.60	0.39	2.21	29.60	24.00	72.00	292.06	4.42	17.88
070000	2.15	3.08	5.13	1.80	11.97	0.17	2.60	0.39	2.21	30.67	47.35	132.48	286.52	7.09	18.40
080000	2.23	3.11	5.11	1.76	14.38	0.14	2.60	0.39	2.21	32.32	48.21	134.68	266.23	10.44	23.74
090000	2.12	3.11	5.13	1.74	16.27	0.12	2.59	0.38	2.21	32.73	48.21	134.70	280.58	13.31	34.76
100000	2.21	3.05	5.05	1.74	18.11	0.07	2.59	0.39	2.20	32.91	48.22	134.76	295.93	12.30	51.01
110000	2.31	3.05	5.15	1.80	21.85	0.20	2.60	0.39	2.21	33.17	48.23	134.80	295.11	10.80	52.84
120000	2.26	3.19	5.15	1.74	22.42	0.39	2.60	0.39	2.21	33.90	48.22	134.77	286.54	12.20	47.94
130000	2.21	3.24	5.18	1.77	23.67	0.40	2.61	0.39	2.22	33.55	48.22	134.72	273.65	21.59	47.33
140000	2.14	3.20	5.26	1.88	23.81	0.43	2.61	0.39	2.22	33.41	48.21	134.71	273.68	23.13	28.62
150000	2.20	3.19	5.24	1.86	22.64	0.44	2.61	0.39	2.22	33.18	48.22	134.71	281.27	23.52	30.82
160000	2.17	3.22	5.19	1.77	22.94	0.45	2.61	0.39	2.22	32.82	48.21	134.69	283.10	22.81	25.34
170000	2.07	3.16	5.18	1.83	22.79	0.46	2.61	0.39	2.22	32.27	48.21	134.69	281.40	24.28	23.92
180000	2.16	3.13	5.11	1.77	21.82	0.46	2.60	0.39	2.21	32.05	48.21	134.69	295.27	15.92	27.95
190000	2.25	3.17	5.11	1.73	23.19	0.48	2.60	0.39	2.21	31.05	48.19	134.56	135.95	17.63	26.81
200000	2.13	3.23	5.19	1.75	24.60	0.52	2.60	0.39	2.21	29.35	48.17	134.44	43.04	15.73	20.69
210000	2.09	3.16	5.18	1.79	19.12	0.50	2.60	0.39	2.21	29.64	48.18	134.44	40.13	12.00	21.56
220000	1.94	3.11	5.10	1.77	17.13	0.49	2.60	0.39	2.21	29.90	48.17	134.44	40.06	9.84	20.58
230000	2.02	3.16	5.13	1.76	15.03	0.49	2.60	0.39	2.21	30.01	48.17	134.45	56.67	6.63	23.75
極大值	2.31	3.24	5.26	1.88	24.60	0.52	2.61	0.39	2.22	33.90	48.23	134.80	295.93	24.28	52.84
極小值	1.94	3.05	5.00	1.71	10.55	0.07	2.59	0.38	2.20	29.35	24.00	72.00	37.63	0.72	13.80
平均值	2.15	3.14	5.14	1.78	17.50	0.32	2.60	0.39	2.21	31.40	42.08	118.80	185.68	12.86	28.08
標準差	0.08	0.06	0.06	0.04	5.27	0.15	0.01	0	0	1.54	10.59	27.4	116.82	6.48	10.84

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	1.96	3.17	5.16	1.78	13.95	0.51	2.60	0.39	2.21	29.96	48.17	134.42	43.79	7.44	88.50
010000	1.97	3.07	5.08	1.79	13.55	0.50	2.60	0.39	2.21	29.99	48.17	134.40	30.19	8.74	933.93
020000	1.91	3.13	5.13	1.75	13.91	0.49	2.60	0.39	2.21	29.87	48.17	134.41	36.45	8.75	25.45
030000	1.85	3.08	5.09	1.81	11.45	0.48	2.60	0.39	2.21	29.29	48.19	134.56	202.02	0.27	26.30
040000	1.85	3.10	5.11	1.78	11.11	0.48	2.60	0.39	2.21	29.00	48.18	134.46	104.88	1.53	27.62
050000	1.90	3.07	5.14	1.86	10.90	0.60	2.60	0.39	2.21	29.16	48.17	134.42	46.35	7.43	24.01
060000	1.95	3.21	5.12	1.70	10.71	0.51	2.60	0.40	2.20	29.33	48.17	134.42	51.25	6.04	24.74
070000	1.84	3.09	5.06	1.76	11.18	0.56	2.59	0.39	2.20	30.31	48.17	134.41	53.99	6.91	31.45
080000	1.97	3.10	5.14	1.80	11.86	0.54	2.59	0.38	2.21	31.72	48.17	134.40	60.93	6.83	26.80
090000	2.11	3.16	5.13	1.74	15.22	0.50	2.60	0.39	2.21	33.61	48.19	134.52	160.20	3.25	28.22
100000	2.07	3.15	5.13	1.74	20.94	0.53	2.59	0.39	2.20	34.07	48.21	134.68	277.58	8.03	29.17
110000	1.97	3.09	5.13	1.75	37.10	0.54	2.60	0.40	2.20	33.28	48.23	134.81	290.55	16.41	26.67
120000	2.08	3.14	5.17	1.84	45.97	0.64	2.60	0.39	2.21	32.95	48.22	134.74	296.88	14.11	29.90
130000	2.05	3.24	5.23	1.78	57.68	0.62	2.60	0.39	2.21	33.21	48.21	134.69	284.77	14.77	27.69
140000	2.01	3.20	5.25	1.83	51.83	0.57	2.60	0.39	2.21	33.31	48.21	134.68	293.34	13.85	28.67
150000	2.01	3.27	5.23	1.77	53.79	0.58	2.60	0.39	2.21	32.71	48.21	134.69	300.72	14.31	29.60
160000	2.04	3.21	5.22	1.81	47.02	0.57	2.60	0.39	2.21	32.33	48.22	134.72	292.75	13.45	29.22
170000	2.06	3.11	5.17	1.86	44.94	0.56	2.60	0.39	2.21	31.72	48.22	134.72	300.25	12.18	24.37
180000	1.97	3.16	5.20	1.84	39.74	0.57	2.60	0.39	2.21	31.13	48.22	134.72	302.41	9.97	22.80
190000	1.96	3.18	5.20	1.81	31.09	0.59	2.60	0.39	2.21	31.02	48.22	134.70	289.37	5.94	10.49
200000	2.03	3.12	5.12	1.79	21.39	0.65	2.60	0.39	2.21	30.26	48.18	134.44	70.94	7.30	10.36
210000	1.96	3.14	5.15	1.78	18.00	0.66	2.60	0.40	2.20	29.62	48.17	134.42	47.63	7.37	11.00
220000	1.93	3.10	5.09	1.78	14.00	0.66	2.59	0.38	2.21	29.51	48.17	134.41	25.45	8.45	7.57
230000	1.93	3.16	5.18	1.78	13.52	0.67	2.59	0.38	2.21	29.35	48.17	134.41	30.10	10.24	10.24
極大值	2.11	3.27	5.25	1.86	57.68	0.67	2.60	0.40	2.21	34.07	48.23	134.81	302.41	16.41	933.93
極小值	1.84	3.07	5.06	1.70	10.71	0.48	2.59	0.38	2.20	29.00	48.17	134.40	25.45	0.27	7.57
平均值	1.97	3.14	5.15	1.79	25.87	0.57	2.60	0.39	2.21	31.11	48.19	134.55	162.20	8.90	63.95
標準差	0.07	0.05	0.05	0.04	16.51	0.06	0	0.01	0	1.68	0.02	0.15	119.55	4.18	185.93

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	1.92	3.14	5.18	1.82	13.62	0.64	2.59	0.39	2.20	29.29	48.18	134.46	80.34	5.05	57.25
010000	1.79	3.15	5.17	1.79	13.15	0.63	2.59	0.39	2.20	29.31	48.17	134.43	64.10	6.70	36.45
020000	1.80	3.15	5.13	1.76	12.11	0.64	2.59	0.39	2.20	29.03	48.17	134.42	54.17	6.99	34.24
030000	1.91	3.15	5.17	1.78	11.88	0.61	2.59	0.39	2.20	28.61	48.17	134.40	53.08	7.70	62.90
040000	2.00	3.22	5.14	1.71	12.60	0.60	2.59	0.39	2.20	28.45	48.17	134.41	43.12	8.33	63.18
050000	1.94	3.04	5.07	1.83	12.82	0.64	2.59	0.39	2.20	28.26	48.17	134.38	36.87	8.77	62.39
060000	1.91	3.19	5.20	1.76	12.62	0.62	2.59	0.39	2.20	28.29	48.17	134.40	67.66	7.97	60.21
070000	1.94	3.15	5.20	1.83	12.93	0.60	2.59	0.39	2.20	28.10	48.17	134.39	36.47	13.13	59.96
080000	2.05	3.14	5.14	1.78	12.23	0.61	2.59	0.39	2.20	28.59	48.17	134.38	35.64	7.93	60.70
090000	1.94	3.08	5.12	1.81	12.16	0.64	2.59	0.39	2.20	29.74	48.17	134.42	75.05	7.67	60.69
100000	1.89	3.13	5.17	1.83	15.02	0.63	2.59	0.39	2.20	30.42	48.17	134.43	94.12	7.56	57.78
110000	1.93	3.17	5.17	1.79	22.08	0.62	2.59	0.39	2.20	30.91	48.18	134.43	66.12	9.09	51.51
120000	1.98	3.14	5.18	1.82	24.68	0.60	2.59	0.39	2.20	29.68	48.18	134.43	40.38	15.92	46.60
130000	2.05	3.20	5.23	1.81	25.85	0.57	2.59	0.39	2.20	29.47	48.18	134.45	79.04	17.98	39.27
140000	1.97	3.22	5.18	1.75	17.75	0.59	2.59	0.39	2.20	28.46	48.18	134.41	50.23	9.91	36.53
150000	1.86	3.26	5.18	1.72	14.76	0.62	2.59	0.39	2.20	28.63	48.19	134.46	104.49	7.80	36.18
160000	1.83	3.16	5.13	1.77	17.26	0.62	2.59	0.39	2.20	27.90	48.18	134.41	48.73	10.35	39.45
170000	1.97	3.22	5.22	1.78	16.43	0.63	2.59	0.39	2.20	26.98	48.18	134.39	37.17	9.10	36.86
180000	1.92	3.22	5.19	1.75	14.81	0.63	2.59	0.39	2.20	26.77	48.18	134.42	68.58	6.12	34.93
190000	1.87	3.19	5.20	1.79	13.64	0.65	2.59	0.39	2.20	26.73	48.19	134.51	182.87	3.63	28.61
200000	1.87	3.23	5.25	1.79	14.53	0.65	2.58	0.38	2.20	26.84	48.16	134.36	53.34	9.25	28.62
210000	1.95	3.18	5.19	1.81	17.09	0.59	2.58	0.39	2.19	26.33	48.16	134.36	36.91	12.22	29.72
220000	1.95	3.18	5.14	1.73	17.03	0.55	2.58	0.39	2.19	26.16	48.16	134.37	43.32	8.79	20.91
230000	1.88	3.10	5.11	1.78	16.86	0.55	2.58	0.39	2.19	26.12	48.17	134.39	59.97	6.36	20.62
極大值	2.05	3.26	5.25	1.83	25.85	0.65	2.59	0.39	2.20	30.91	48.19	134.51	182.87	17.98	63.18
極小值	1.79	3.04	5.07	1.71	11.88	0.55	2.58	0.38	2.19	26.12	48.16	134.36	35.64	3.63	20.62
平均值	1.92	3.17	5.17	1.78	15.58	0.61	2.59	0.39	2.20	28.29	48.17	134.41	62.99	8.93	44.40
標準差	0.07	0.05	0.04	0.03	3.86	0.03	0	0	0	1.35	0.01	0.03	31.79	3.21	14.39

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	1.79	3.09	5.16	1.84	15.77	0.55	2.58	0.38	2.20	26.19	48.16	134.37	39.80	6.84	22.43
010000	1.80	3.17	5.19	1.79	14.88	0.54	2.58	0.38	2.20	26.30	48.17	134.42	85.22	4.93	27.99
020000	1.85	3.09	5.16	1.85	14.56	0.54	2.58	0.38	2.20	26.39	48.17	134.41	82.58	5.46	26.69
030000	1.83	3.12	5.10	1.77	14.72	0.54	2.58	0.38	2.20	26.38	48.16	134.36	25.10	9.75	25.78
040000	1.77	3.17	5.17	1.78	13.93	0.53	2.58	0.38	2.20	26.39	48.16	134.37	45.20	8.68	16.48
050000	1.77	3.12	5.16	1.81	12.97	0.55	2.58	0.38	2.20	26.63	48.17	134.39	58.41	4.64	16.22
060000	1.81	3.16	5.16	1.78	12.27	0.56	2.58	0.39	2.19	26.85	48.17	134.38	60.12	3.18	20.90
070000	1.79	3.08	5.13	1.83	11.54	0.61	2.58	0.39	2.19	27.62	48.18	134.49	163.25	2.95	28.02
080000	1.84	3.15	5.15	1.78	13.28	0.75	2.58	0.39	2.19	28.79	48.19	134.56	217.93	1.82	37.11
090000	1.84	3.13	5.18	1.83	18.40	0.76	2.58	0.39	2.19	29.65	48.20	134.62	271.50	6.53	30.06
100000	1.81	3.13	5.17	1.82	23.75	0.57	2.58	0.38	2.20	29.80	48.20	134.65	290.00	12.21	36.76
110000	1.88	3.12	5.17	1.83	35.12	0.56	2.58	0.38	2.20	29.95	48.21	134.68	278.95	11.37	36.55
120000	1.86	3.20	5.20	1.78	34.48	0.60	2.59	0.39	2.20	29.87	48.21	134.68	270.70	9.32	35.94
130000	1.95	3.22	5.20	1.77	35.01	0.74	2.59	0.39	2.20	29.06	48.22	134.70	301.93	15.14	36.44
140000	1.78	3.23	5.20	1.75	28.16	0.88	2.59	0.39	2.20	29.06	48.21	134.66	283.86	9.29	32.19
150000	1.87	3.20	5.23	1.82	24.88	0.69	2.59	0.39	2.20	29.01	48.19	134.61	262.63	3.66	32.99
160000	1.89	3.24	5.20	1.75	29.18	0.60	2.59	0.39	2.20	28.86	48.20	134.61	258.96	2.47	30.56
170000	1.75	3.23	5.21	1.77	27.40	0.65	2.59	0.39	2.20	28.84	48.18	134.45	115.20	2.46	28.52
180000	1.88	3.27	5.17	1.66	23.06	0.64	2.58	0.38	2.20	28.58	48.17	134.39	53.67	4.22	23.45
190000	1.75	3.22	5.22	1.78	25.93	0.64	2.58	0.38	2.20	27.98	48.16	134.37	49.22	10.25	21.95
200000	1.83	3.25	5.24	1.81	28.44	0.63	2.58	0.39	2.19	27.58	48.16	134.36	51.16	9.80	21.95
210000	1.76	3.25	5.14	1.70	25.14	0.63	2.58	0.39	2.19	27.60	48.16	134.36	40.28	8.73	23.79
220000	1.73	3.18	5.20	1.79	23.56	0.60	2.58	0.39	2.19	27.37	48.16	134.36	41.48	7.03	30.33
230000	1.71	3.13	5.17	1.82	22.74	0.60	2.58	0.39	2.19	27.28	48.16	134.38	59.31	7.32	30.47
極大值	1.95	3.27	5.24	1.85	35.12	0.88	2.59	0.39	2.20	29.95	48.22	134.70	301.93	15.14	37.11
極小值	1.71	3.08	5.10	1.66	11.54	0.53	2.58	0.38	2.19	26.19	48.16	134.36	25.10	1.82	16.22
平均值	1.81	3.17	5.18	1.79	22.05	0.62	2.58	0.39	2.20	28.00	48.18	134.48	141.94	7.00	28.07
標準差	0.06	0.06	0.03	0.04	7.62	0.09	0	0.01	0	1.28	0.02	0.13	106.47	3.52	6.27

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	1.56	3.10	5.12	1.81	21.43	0.60	2.58	0.39	2.19	27.30	48.16	134.35	28.35	8.20	32.92
010000	1.62	3.13	5.18	1.83	21.03	0.61	2.58	0.38	2.20	26.95	48.16	134.37	50.91	11.66	26.26
020000	1.66	3.15	5.14	1.77	21.98	0.59	2.58	0.38	2.20	26.45	48.16	134.36	29.10	12.79	32.33
030000	1.70	3.18	5.20	1.81	19.05	0.60	2.58	0.38	2.20	26.17	48.16	134.36	41.73	9.59	31.94
040000	1.71	3.13	5.10	1.75	18.21	0.61	2.58	0.38	2.20	26.07	48.16	134.35	31.59	10.02	29.10
050000	1.66	3.13	5.20	1.87	16.57	0.62	2.58	0.38	2.20	25.89	48.16	134.36	37.06	7.73	28.88
060000	1.66	3.15	5.14	1.77	13.15	0.62	2.58	0.39	2.19	25.85	48.18	134.47	149.74	2.38	27.27
070000	1.63	3.17	5.13	1.74	15.00	0.64	2.58	0.39	2.19	26.67	48.17	134.38	73.17	5.36	25.71
080000	1.68	3.17	5.16	1.78	18.46	0.61	2.58	0.39	2.19	27.80	48.17	134.38	46.74	7.76	37.21
090000	1.66	3.12	5.14	1.80	21.44	0.61	2.58	0.39	2.19	29.31	48.17	134.39	78.80	5.87	40.00
100000	1.67	3.16	5.15	1.79	28.12	0.58	2.58	0.39	2.19	30.66	48.17	134.42	103.69	6.22	49.57
110000	1.67	3.13	5.15	1.81	34.96	0.57	2.58	0.39	2.19	31.81	48.20	134.63	248.75	4.18	58.63
120000	1.68	3.19	5.18	1.78	43.41	0.61	2.58	0.38	2.20	31.85	48.21	134.68	281.82	12.44	55.89
130000	1.60	3.23	5.20	1.77	53.17	0.62	2.59	0.39	2.20	31.60	48.22	134.69	289.82	14.78	51.41
140000	1.68	3.23	5.23	1.77	53.36	0.63	2.59	0.39	2.20	31.58	48.22	134.70	295.83	14.68	43.33
150000	1.63	3.17	5.17	1.79	58.94	0.65	2.59	0.39	2.20	31.16	48.22	134.69	291.96	16.37	35.49
160000	1.61	3.20	5.25	1.85	45.93	0.79	2.59	0.39	2.20	30.53	48.19	134.54	186.95	7.82	34.16
170000	1.58	3.22	5.17	1.75	42.75	0.65	2.58	0.38	2.20	29.85	48.17	134.39	35.27	10.01	34.39
180000	1.65	3.21	5.19	1.76	37.95	0.62	2.58	0.38	2.20	29.63	48.16	134.38	39.69	9.51	31.82
190000	1.61	3.24	5.25	1.80	33.17	0.61	2.58	0.38	2.20	28.80	48.16	134.36	49.96	8.25	33.00
200000	1.60	3.22	5.18	1.77	29.50	0.62	2.58	0.39	2.19	28.33	48.16	134.35	45.17	8.42	33.33
210000	1.54	3.17	5.17	1.80	26.32	0.61	2.58	0.39	2.19	27.82	48.16	134.35	48.29	7.33	33.02
220000	1.52	3.20	5.15	1.73	26.46	0.57	2.58	0.39	2.19	27.53	48.17	134.37	48.05	7.57	28.83
230000	1.43	3.13	5.14	1.82	24.63	0.57	2.58	0.39	2.19	27.21	48.16	134.37	28.94	9.92	27.76
極大值	1.71	3.24	5.25	1.87	58.94	0.79	2.59	0.39	2.20	31.85	48.22	134.70	295.83	16.37	58.63
極小值	1.43	3.10	5.10	1.73	13.15	0.57	2.58	0.38	2.19	25.85	48.16	134.35	28.35	2.38	25.71
平均值	1.63	3.17	5.17	1.79	30.21	0.62	2.58	0.39	2.20	28.62	48.18	134.45	106.72	9.12	35.93
標準差	0.06	0.04	0.04	0.03	13.26	0.04	0	0	0.01	2.09	0.02	0.13	99.51	3.4	9.29

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	1.57	3.12	5.11	1.77	21.68	0.57	2.58	0.39	2.19	26.83	48.16	134.36	50.19	8.73	23.86
010000	1.48	3.12	5.17	1.83	21.65	0.56	2.58	0.39	2.19	26.50	48.16	134.35	33.03	8.75	33.60
020000	1.50	3.13	5.10	1.77	19.18	0.55	2.58	0.39	2.19	26.27	48.17	134.37	66.46	3.44	20.21
030000	1.54	3.13	5.14	1.78	19.91	0.53	2.58	0.39	2.19	26.23	48.17	134.38	61.08	4.66	14.74
040000	1.43	3.14	5.12	1.77	17.65	0.54	2.58	0.39	2.19	26.12	48.16	134.34	43.55	6.92	11.53
050000	1.49	3.15	5.17	1.83	15.83	0.55	2.58	0.39	2.19	25.96	48.16	134.34	35.62	7.72	18.62
060000	1.42	3.11	5.17	1.84	14.73	0.57	2.58	0.39	2.19	25.88	48.16	134.34	34.81	7.47	30.23
070000	1.53	3.10	5.17	1.87	14.87	0.59	2.58	0.39	2.19	26.88	48.16	134.34	37.38	7.82	22.66
080000	1.38	3.15	5.16	1.79	17.59	0.62	2.58	0.39	2.19	28.81	48.17	134.39	74.80	5.49	19.94
090000	1.51	3.17	5.18	1.79	26.32	0.61	2.57	0.38	2.19	30.44	48.17	134.43	122.67	4.39	17.82
100000	1.49	3.10	5.13	1.81	37.40	0.69	2.58	0.39	2.19	31.58	48.18	134.48	125.25	5.31	35.97
110000	1.38	3.19	5.22	1.80	47.23	0.81	2.58	0.39	2.19	31.98	48.21	134.67	272.04	10.93	42.67
120000	1.55	3.16	5.16	1.82	52.42	0.69	2.58	0.39	2.19	31.95	48.22	134.69	289.17	13.53	54.88
130000	1.56	3.23	5.25	1.84	53.12	0.66	2.58	0.39	2.19	32.05	48.22	134.70	296.07	16.31	25.73
140000	1.41	3.24	5.23	1.78	47.80	0.61	2.58	0.38	2.20	31.59	48.22	134.70	294.24	16.23	27.85
150000	1.43	3.21	5.24	1.82	41.08	0.61	2.58	0.39	2.19	31.44	48.22	134.68	286.01	15.31	16.93
160000	1.42	3.21	5.18	1.76	51.06	0.61	2.58	0.39	2.19	31.14	48.21	134.67	286.85	14.11	16.05
170000	1.44	3.23	5.22	1.81	46.65	0.58	2.58	0.39	2.19	30.30	48.22	134.69	300.30	13.19	16.48
180000	1.33	3.18	5.19	1.80	43.62	0.61	2.58	0.39	2.19	30.02	48.22	134.68	300.20	8.86	13.73
190000	1.30	3.21	5.14	1.73	37.24	0.61	2.58	0.39	2.19	29.89	48.21	134.66	279.77	5.36	17.94
200000	1.29	3.22	5.21	1.75	30.13	0.68	2.58	0.39	2.19	29.59	48.19	134.49	100.55	5.55	18.15
210000	1.37	3.11	5.14	1.84	28.54	0.64	2.57	0.38	2.19	28.69	48.18	134.42	32.48	8.24	14.58
220000	1.22	3.16	5.13	1.72	27.09	0.60	2.57	0.38	2.19	28.30	48.18	134.45	25.66	7.62	12.46
230000	1.21	3.14	5.14	1.77	22.65	0.60	2.57	0.38	2.19	27.96	48.18	134.43	41.31	7.16	14.34
極大值	1.57	3.24	5.25	1.87	53.12	0.81	2.58	0.39	2.20	32.05	48.22	134.70	300.30	16.31	54.88
極小值	1.21	3.10	5.10	1.72	14.73	0.53	2.57	0.38	2.19	25.88	48.16	134.34	25.66	3.44	11.53
平均值	1.43	3.16	5.17	1.80	31.48	0.61	2.58	0.39	2.19	29.02	48.19	134.50	145.40	8.88	22.54
標準差	0.1	0.05	0.04	0.04	13.42	0.06	0	0	0	2.25	0.02	0.15	116.95	3.91	10.52

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	1.21	3.15	5.18	1.82	19.77	0.59	2.57	0.38	2.19	27.67	48.18	134.42	32.31	4.19	37.20
010000	1.15	3.13	5.11	1.74	19.14	0.57	2.58	0.39	2.19	27.42	48.18	134.43	45.29	4.11	36.27
020000	1.18	3.14	5.19	1.83	19.24	0.56	2.58	0.39	2.19	27.39	48.18	134.43	44.50	3.73	33.40
030000	1.21	3.13	5.17	1.81	16.31	0.55	2.58	0.39	2.19	27.12	48.18	134.43	61.84	1.23	30.50
040000	1.09	3.13	5.11	1.77	15.48	0.56	2.58	0.39	2.19	27.27	48.17	134.41	25.98	5.81	27.84
050000	1.22	3.18	5.17	1.77	13.24	0.57	2.58	0.39	2.19	27.19	48.18	134.45	80.58	4.34	26.59
060000	1.23	3.16	5.16	1.77	12.35	0.58	2.58	0.39	2.19	27.15	48.17	134.40	27.99	8.33	22.99
070000	1.24	3.12	5.11	1.79	13.48	0.65	2.58	0.39	2.19	27.89	48.18	134.41	35.99	10.04	23.48
080000	1.30	3.16	5.15	1.76	17.99	0.66	2.58	0.39	2.19	29.05	48.18	134.41	43.75	10.20	28.26
090000	1.21	3.12	5.16	1.83	26.61	0.72	2.58	0.39	2.19	30.46	48.18	134.41	65.61	8.34	36.46
100000	1.15	3.11	5.15	1.82	36.46	0.75	2.58	0.39	2.19	31.88	48.20	134.61	186.50	3.95	49.06
110000	1.33	3.16	5.24	1.85	45.33	0.81	2.58	0.39	2.19	32.46	48.21	134.66	259.89	6.59	60.74
120000	1.26	3.22	5.24	1.82	52.93	0.86	2.58	0.39	2.19	32.46	48.21	134.62	227.29	10.17	65.79
130000	1.25	3.22	5.20	1.77	57.35	0.72	2.58	0.39	2.19	32.29	48.19	134.49	107.56	6.72	65.33
140000	1.31	3.20	5.17	1.79	52.67	0.66	2.58	0.38	2.20	32.35	48.19	134.48	109.27	6.17	69.74
150000	1.23	3.19	5.22	1.83	47.16	0.64	2.58	0.38	2.20	31.98	48.19	134.49	124.60	4.58	69.19
160000	1.31	3.26	5.22	1.76	38.92	0.65	2.58	0.38	2.20	31.51	48.19	134.50	134.40	5.61	68.30
170000	1.25	3.22	5.22	1.80	33.75	0.69	2.58	0.38	2.20	31.14	48.19	134.47	118.84	1.92	60.28
180000	1.25	3.13	5.19	1.85	27.74	0.69	2.58	0.39	2.19	30.78	48.19	134.48	135.55	0.10	50.52
190000	1.24	3.22	5.19	1.75	22.54	0.71	2.58	0.39	2.19	30.41	48.17	134.40	80.47	0.86	47.22
200000	1.30	3.24	5.24	1.81	19.76	0.74	2.58	0.39	2.19	30.09	48.18	134.41	66.06	2.66	45.59
210000	1.23	3.18	5.23	1.84	20.00	0.69	2.58	0.39	2.19	29.38	48.18	134.43	86.98	2.71	43.73
220000	1.19	3.18	5.23	1.83	21.21	0.65	2.58	0.39	2.19	29.01	48.18	134.42	75.59	3.00	47.00
230000	1.16	3.16	5.17	1.78	18.61	0.66	2.58	0.39	2.19	28.65	48.18	134.40	37.14	8.14	43.04
極大值	1.33	3.26	5.24	1.85	57.35	0.86	2.58	0.39	2.20	32.46	48.21	134.66	259.89	10.20	69.74
極小值	1.09	3.11	5.11	1.74	12.35	0.55	2.57	0.38	2.19	27.12	48.17	134.40	25.98	0.10	22.99
平均值	1.23	3.17	5.18	1.80	27.84	0.66	2.58	0.39	2.19	29.71	48.18	134.46	92.25	5.15	45.36
標準差	0.06	0.04	0.04	0.03	14.1	0.08	0	0	0	2	0.01	0.07	62.28	2.97	15.52

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	1.11	3.18	5.18	1.77	15.49	0.66	2.58	0.38	2.20	28.36	48.19	134.54	186.64	1.31	25.14
010000	1.13	3.20	5.21	1.79	15.73	0.67	2.58	0.38	2.20	28.36	48.18	134.41	42.10	7.70	23.78
020000	1.14	3.13	5.16	1.82	15.68	0.68	2.59	0.39	2.20	28.24	48.17	134.41	35.86	8.80	28.17
030000	1.09	3.15	5.15	1.79	14.58	0.67	2.59	0.39	2.20	27.97	48.18	134.41	39.17	6.17	23.94
040000	1.01	3.13	5.19	1.81	16.15	0.64	2.59	0.39	2.20	27.83	48.18	134.46	121.44	1.92	26.82
050000	1.12	3.10	5.17	1.85	17.16	0.62	2.59	0.39	2.20	27.90	48.16	134.35	42.69	6.31	24.24
060000	1.16	3.12	5.20	1.85	12.89	0.65	2.59	0.39	2.20	27.79	48.17	134.39	31.84	9.36	22.91
070000	1.20	3.13	5.13	1.79	13.30	0.71	2.58	0.38	2.20	28.76	48.17	134.40	42.37	6.50	21.89
080000	1.13	3.14	5.16	1.81	19.20	0.68	2.58	0.38	2.20	30.49	48.18	134.43	66.11	10.80	21.86
090000	1.18	3.19	5.15	1.74	32.94	0.62	2.58	0.38	2.20	31.79	48.18	134.44	24.59	11.18	29.97
100000	1.13	3.11	5.12	1.81	42.14	0.59	2.58	0.38	2.20	32.82	48.18	134.43	75.01	10.03	41.59
110000	1.19	3.16	5.14	1.76	34.89	0.54	2.58	0.38	2.20	34.22	48.20	134.62	216.82	5.28	47.47
120000	1.23	3.21	5.21	1.78	36.97	0.53	2.59	0.39	2.20	34.52	48.19	134.51	102.85	6.48	48.84
130000	1.28	3.21	5.20	1.77	52.41	0.57	2.59	0.39	2.20	34.49	48.22	134.69	286.34	11.60	50.15
140000	1.21	3.19	5.14	1.72	56.70	0.64	2.59	0.39	2.20	34.16	48.22	134.70	293.25	14.76	51.61
150000	1.41	3.19	5.20	1.78	65.74	0.62	2.59	0.38	2.21	33.29	48.22	134.68	280.47	15.16	52.72
160000	1.40	3.25	5.18	1.73	59.40	0.60	2.59	0.38	2.21	32.50	48.20	134.64	274.58	13.59	43.18
170000	1.38	3.23	5.23	1.78	41.59	0.60	2.59	0.38	2.21	32.34	48.21	134.67	308.99	8.53	31.40
180000	1.39	3.16	5.17	1.80	24.02	0.56	2.59	0.39	2.20	31.87	48.19	134.58	216.75	4.54	35.88
190000	1.41	3.22	5.23	1.79	28.61	0.73	2.59	0.39	2.20	30.90	48.17	134.42	69.65	13.99	42.14
200000	1.37	3.23	5.24	1.82	35.88	0.70	2.59	0.39	2.20	30.77	48.17	134.42	56.15	14.21	41.32
210000	1.37	3.18	5.17	1.78	28.44	0.70	2.59	0.39	2.20	30.53	48.18	134.42	37.77	7.11	40.88
220000	1.26	3.16	5.15	1.75	24.71	0.71	2.59	0.39	2.20	30.09	48.20	134.60	210.40	0.91	37.83
230000	1.19	3.13	5.13	1.78	21.93	0.73	2.59	0.39	2.20	29.57	48.21	134.66	262.30	0.07	41.42
極大值	1.41	3.25	5.24	1.85	65.74	0.73	2.59	0.39	2.21	34.52	48.22	134.70	308.99	15.16	52.72
極小值	1.01	3.10	5.12	1.72	12.89	0.53	2.58	0.38	2.20	27.79	48.16	134.35	24.59	0.07	21.86
平均值	1.23	3.17	5.18	1.79	30.27	0.64	2.59	0.39	2.20	30.82	48.19	134.51	138.51	8.18	35.63
標準差	0.12	0.04	0.03	0.03	15.86	0.06	0	0.01	0	2.35	0.02	0.12	105	4.5	10.52

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	1.20	3.05	5.12	1.83	16.22	0.71	2.59	0.39	2.20	29.26	48.18	134.45	69.16	0.61	15.19
010000	1.18	3.09	5.11	1.79	16.33	0.64	2.59	0.39	2.20	29.20	48.17	134.41	40.86	2.03	15.86
020000	1.19	3.09	5.12	1.79	17.72	0.59	2.59	0.39	2.20	29.15	48.18	134.41	32.13	4.23	15.85
030000	1.13	3.11	5.11	1.74	19.06	0.58	2.59	0.39	2.20	29.06	48.17	134.40	45.03	5.99	14.59
040000	1.18	3.15	5.14	1.75	16.67	0.62	2.59	0.39	2.20	28.92	48.18	134.41	49.22	7.80	11.23
050000	1.19	3.17	5.14	1.75	16.60	0.63	2.59	0.39	2.20	28.91	48.18	134.43	63.47	4.72	9.15
060000	1.29	3.17	5.18	1.77	13.74	0.64	2.59	0.39	2.20	28.83	48.18	134.41	54.46	2.92	11.05
070000	1.34	3.17	5.15	1.75	13.66	0.69	2.59	0.39	2.20	29.53	48.18	134.42	73.78	3.26	11.67
080000	1.21	3.16	5.17	1.78	19.35	0.68	2.59	0.39	2.20	31.60	48.20	134.58	202.70	0.68	12.87
090000	1.22	3.11	5.12	1.80	29.10	0.59	2.59	0.39	2.20	32.89	48.20	134.60	210.60	3.12	17.39
100000	1.28	3.10	5.08	1.76	32.94	0.53	2.59	0.39	2.20	33.57	48.18	134.46	86.15	4.99	21.79
110000	1.35	3.17	5.20	1.78	37.86	0.50	2.59	0.39	2.20	34.05	48.21	134.62	190.21	5.68	30.53
120000	1.36	3.16	5.17	1.79	44.46	0.55	2.59	0.39	2.20	34.56	48.22	134.70	276.19	8.05	36.69
130000	1.37	3.16	5.19	1.81	43.57	0.54	2.60	0.39	2.21	34.11	48.22	134.70	292.19	11.45	44.05
140000	1.45	3.20	5.14	1.71	44.98	0.55	2.60	0.39	2.21	34.06	48.22	134.69	286.41	10.82	48.94
150000	1.40	3.25	5.19	1.73	49.55	0.57	2.60	0.39	2.21	33.75	48.22	134.69	290.99	12.51	58.55
160000	1.41	3.20	5.21	1.80	46.95	0.60	2.60	0.39	2.21	32.67	48.22	134.69	302.35	10.45	54.94
170000	1.37	3.25	5.25	1.77	35.58	0.62	2.60	0.39	2.21	32.25	48.22	134.69	293.49	8.51	49.99
180000	1.38	3.24	5.20	1.76	37.26	0.59	2.60	0.39	2.21	31.84	48.21	134.66	279.37	5.06	40.21
190000	1.27	3.22	5.20	1.76	34.83	0.61	2.59	0.38	2.21	31.79	48.22	134.69	301.48	4.75	38.19
200000	1.30	3.20	5.24	1.83	34.78	0.62	2.59	0.39	2.20	31.75	48.21	134.64	250.69	3.07	33.95
210000	1.27	3.12	5.23	1.87	26.90	0.58	2.59	0.39	2.20	31.30	48.19	134.54	137.35	0.81	30.76
220000	1.25	3.14	5.16	1.80	25.78	0.58	2.59	0.39	2.20	31.20	48.19	134.53	115.64	3.35	25.32
230000	1.19	3.15	5.16	1.78	22.69	0.58	2.59	0.39	2.20	30.97	48.20	134.55	165.98	0.70	21.18
極大值	1.45	3.25	5.25	1.87	49.55	0.71	2.60	0.39	2.21	34.56	48.22	134.70	302.35	12.51	58.55
極小值	1.13	3.05	5.08	1.71	13.66	0.50	2.59	0.38	2.20	28.83	48.17	134.40	32.13	0.61	9.15
平均值	1.28	3.16	5.17	1.78	29.02	0.60	2.59	0.39	2.20	31.47	48.20	134.56	171.25	5.23	27.91
標準差	0.09	0.05	0.04	0.04	11.79	0.05	0	0	0	1.97	0.02	0.12	103.65	3.56	15.44

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	1.14	3.15	5.12	1.72	23.02	0.55	2.60	0.40	2.20	30.97	48.22	134.70	298.02	1.50	24.79
010000	1.16	3.15	5.14	1.77	20.47	0.49	2.60	0.39	2.21	31.23	48.21	134.61	210.19	4.63	20.00
020000	1.20	3.09	5.11	1.80	20.84	0.55	2.60	0.39	2.21	30.64	48.18	134.46	77.12	4.10	17.41
030000	1.10	3.16	5.17	1.80	19.56	0.58	2.60	0.39	2.21	30.54	48.18	134.46	79.82	5.44	12.83
040000	1.22	3.21	5.13	1.69	18.11	0.61	2.60	0.39	2.21	30.51	48.18	134.45	73.36	7.94	9.75
050000	1.22	3.11	5.19	1.82	16.18	0.62	2.60	0.40	2.20	30.49	48.18	134.41	36.25	6.55	10.20
060000	1.30	3.11	5.15	1.81	16.16	0.61	2.59	0.39	2.20	30.68	48.18	134.41	36.53	8.46	11.03
070000	1.31	3.11	5.13	1.78	16.34	0.62	2.59	0.39	2.20	31.55	48.18	134.41	44.45	9.43	12.73
080000	1.40	3.14	5.19	1.82	17.14	0.63	2.59	0.39	2.20	32.49	48.18	134.45	86.19	6.24	18.34
090000	1.35	3.16	5.24	1.85	20.27	0.60	2.59	0.39	2.20	33.30	48.20	134.55	188.61	1.46	34.18
100000	1.35	3.10	5.09	1.75	22.19	0.52	2.59	0.39	2.20	33.80	48.21	134.67	269.60	9.93	52.95
110000	1.34	3.14	5.19	1.77	22.97	0.41	2.59	0.39	2.20	33.92	48.23	134.75	270.23	13.92	65.17
120000	1.40	3.19	5.17	1.77	27.85	0.45	2.59	0.38	2.21	34.09	48.22	134.70	263.77	14.56	62.53
130000	1.43	3.17	5.18	1.78	27.21	0.46	2.60	0.39	2.21	33.96	48.22	134.69	277.49	16.73	60.89
140000	1.43	3.21	5.19	1.81	24.45	0.48	2.60	0.39	2.21	33.88	48.22	134.69	282.33	13.44	54.55
150000	1.35	3.15	5.14	1.76	24.47	0.48	2.60	0.39	2.21	33.73	48.22	134.68	279.35	13.09	47.10
160000	1.38	3.22	5.25	1.79	22.13	0.50	2.60	0.39	2.21	33.04	48.22	134.68	288.02	10.42	55.52
170000	1.44	3.18	5.16	1.76	20.69	0.53	2.60	0.39	2.21	32.52	48.21	134.67	268.30	3.94	51.57
180000	1.44	3.14	5.17	1.82	18.18	0.53	2.60	0.39	2.21	32.13	48.21	134.65	255.45	0.19	48.12
190000	1.55	3.16	5.18	1.79	19.16	0.54	2.60	0.39	2.21	32.07	48.21	134.65	271.57	0.07	44.96
200000	1.42	3.27	5.20	1.70	17.56	0.56	2.59	0.38	2.21	31.97	48.21	134.68	292.94	0.36	38.97
210000	1.40	3.18	5.18	1.80	19.29	0.51	2.59	0.39	2.20	31.92	48.22	134.70	292.98	2.82	37.14
220000	1.34	3.12	5.14	1.77	15.63	0.51	2.59	0.39	2.20	31.74	48.20	134.62	199.60	0.16	33.10
230000	1.41	3.11	5.10	1.76	11.74	0.53	2.59	0.39	2.20	31.36	48.18	134.44	35.04	1.97	26.63
極大值	1.55	3.27	5.25	1.85	27.85	0.63	2.60	0.40	2.21	34.09	48.23	134.75	298.02	16.73	65.17
極小值	1.10	3.09	5.09	1.69	11.74	0.41	2.59	0.38	2.20	30.49	48.18	134.41	35.04	0.07	9.75
平均值	1.34	3.16	5.16	1.78	20.07	0.54	2.60	0.39	2.21	32.19	48.20	134.59	194.88	6.56	35.44
標準差	0.11	0.04	0.04	0.04	3.81	0.06	0.01	0	0.01	1.26	0.02	0.12	102.89	5.19	18.62

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	1.22	3.15	5.14	1.76	13.47	0.51	2.60	0.39	2.21	31.19	48.18	134.46	59.74	4.81	30.97
010000	1.31	3.10	5.10	1.79	13.84	0.51	2.60	0.40	2.20	31.18	48.18	134.45	42.25	7.09	26.70
020000	1.47	3.12	5.16	1.82	13.37	0.52	2.60	0.40	2.20	31.09	48.18	134.44	38.57	9.12	31.54
030000	1.43	3.04	5.10	1.82	10.78	0.54	2.60	0.40	2.20	30.86	48.18	134.44	54.05	8.03	53.51
040000	1.40	3.10	5.14	1.79	11.54	0.51	2.60	0.40	2.20	30.83	48.18	134.44	50.66	8.63	47.00
050000	1.44	3.16	5.10	1.73	10.62	0.52	2.60	0.40	2.20	30.64	48.19	134.49	125.98	4.14	43.02
060000	1.37	3.06	5.17	1.85	11.08	0.54	2.59	0.39	2.20	30.74	48.20	134.60	219.00	2.72	41.80
070000	1.59	3.14	5.15	1.79	10.82	0.58	2.59	0.39	2.20	31.08	48.17	134.40	49.72	3.49	43.13
080000	1.98	3.15	5.16	1.75	15.31	0.57	2.53	0.36	2.17	32.54	48.19	134.46	108.70	3.62	41.06
090000	4.30	3.04	5.12	1.81	18.31	0.54	2.69	0.33	2.36	34.09	48.23	134.76	271.10	4.80	48.24
100000	4.42	3.01	5.07	1.74	20.19	0.45	2.37	0.27	2.10	33.92	25.25	75.25	290.19	9.00	40.34
110000	4.43	3.06	5.15	1.78	19.45	0.35	2.26	0.24	2.02	34.15	46.92	131.38	273.08	12.04	43.41
120000	4.59	3.25	5.18	1.72	24.61	0.42	2.22	0.20	2.02	33.77	48.22	134.78	279.93	16.21	45.59
130000	4.47	3.23	5.18	1.76	26.19	0.52	2.25	0.20	2.05	33.04	48.22	134.72	292.12	13.25	36.25
140000	4.41	3.13	5.15	1.83	28.79	0.58	2.27	0.21	2.06	32.73	48.21	134.68	273.42	8.35	38.65
150000	4.36	3.24	5.25	1.86	25.96	0.56	2.23	0.20	2.03	32.79	48.20	134.67	278.10	9.15	35.66
160000	4.40	3.22	5.26	1.83	23.77	0.57	2.18	0.20	1.98	32.72	48.20	134.64	258.84	5.76	39.23
170000	4.43	3.18	5.17	1.79	25.61	0.62	2.24	0.22	2.02	32.24	48.20	134.64	270.14	5.52	41.90
180000	4.36	3.25	5.23	1.78	26.89	0.59	2.26	0.29	1.97	31.74	48.20	134.65	281.16	3.73	37.20
190000	4.36	3.19	5.16	1.77	23.92	0.61	2.32	0.27	2.05	31.58	48.20	134.65	268.55	0.77	34.39
200000	4.41	3.17	5.20	1.80	23.91	0.62	2.29	0.22	2.07	31.56	48.22	134.73	309.59	1.50	34.70
210000	4.36	3.21	5.16	1.72	25.93	0.55	2.24	0.19	2.05	31.55	48.22	134.71	304.47	4.92	35.49
220000	4.20	3.13	5.15	1.78	22.25	0.55	2.35	0.20	2.15	31.25	48.18	134.47	41.82	5.51	37.48
230000	4.28	3.14	5.12	1.74	19.96	0.57	2.58	0.19	2.39	31.21	48.19	134.55	104.58	2.45	35.04
極大值	4.59	3.25	5.26	1.86	28.79	0.62	2.69	0.40	2.39	34.15	48.23	134.78	309.59	16.21	53.51
極小值	1.22	3.01	5.07	1.72	10.62	0.35	2.18	0.19	1.97	30.64	25.25	75.25	38.57	0.77	26.70
平均值	3.29	3.14	5.16	1.78	19.44	0.54	2.42	0.29	2.13	32.02	47.19	131.98	189.41	6.44	39.26
標準差	1.45	0.07	0.05	0.04	6.21	0.06	0.17	0.09	0.11	1.14	4.68	12.1	108.33	3.79	6.04

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	4.22	3.10	5.11	1.77	16.59	0.59	3.02	0.19	2.83	31.11	48.19	134.50	31.47	5.72	24.79
010000	4.16	3.17	5.15	1.74	13.13	0.59	2.84	0.20	2.64	30.94	48.21	134.62	193.83	1.00	20.00
020000	4.32	3.15	5.19	1.83	11.44	0.59	3.03	0.20	2.83	30.67	48.20	134.61	170.10	0.39	17.41
030000	4.30	3.11	5.16	1.82	11.30	0.53	2.66	0.18	2.48	30.29	48.19	134.53	115.28	2.42	12.83
040000	4.24	3.10	5.16	1.81	10.87	0.49	2.61	0.18	2.43	30.14	48.19	134.47	77.43	2.32	9.75
050000	4.26	3.12	5.16	1.81	10.26	0.52	2.91	0.18	2.73	30.11	48.19	134.47	57.69	0.07	10.20
060000	4.24	3.09	5.10	1.79	10.87	0.57	2.91	0.21	2.70	30.20	48.20	134.58	173.17	0.15	11.03
070000	4.27	3.14	5.13	1.76	11.37	0.58	3.01	0.22	2.79	31.52	48.19	134.47	58.14	5.45	12.73
080000	4.23	3.14	5.15	1.78	15.67	0.56	2.78	0.22	2.56	32.69	48.19	134.47	82.72	4.35	18.34
090000	4.31	3.12	5.15	1.78	23.08	0.53	2.38	0.22	2.16	33.95	48.20	134.60	218.64	3.77	34.18
100000	4.30	3.03	5.02	1.73	24.88	0.49	2.21	0.21	2.00	34.37	48.22	134.75	286.31	8.45	52.95
110000	4.23	3.04	5.12	1.81	24.64	0.39	2.14	0.21	1.93	34.24	48.23	134.78	289.74	11.77	65.17
120000	4.37	3.20	5.20	1.78	41.29	0.51	2.32	0.27	2.05	33.98	48.22	134.75	288.77	13.28	62.53
130000	4.56	3.22	5.20	1.77	40.81	0.60	2.27	0.24	2.03	33.90	48.21	134.71	301.19	15.40	60.89
140000	4.41	3.23	5.19	1.74	34.92	0.90	2.34	0.27	2.07	34.31	48.21	134.68	284.51	12.11	54.55
150000	4.51	3.17	5.20	1.83	30.81	0.60	2.35	0.24	2.11	34.09	48.19	134.56	191.71	8.05	47.10
160000	4.61	3.17	5.17	1.81	27.50	0.56	2.34	0.22	2.12	33.30	48.18	134.48	125.70	7.55	55.52
170000	4.48	3.21	5.17	1.76	28.07	0.57	2.32	0.23	2.09	32.86	48.17	134.42	72.68	5.31	51.57
180000	4.51	3.17	5.17	1.82	25.31	0.58	2.25	0.21	2.04	32.05	48.17	134.42	76.68	6.59	48.12
190000	4.49	3.19	5.25	1.87	24.19	0.61	2.29	0.21	2.08	31.48	48.17	134.42	59.32	10.70	44.96
200000	4.42	3.17	5.14	1.76	24.01	0.59	2.27	0.20	2.07	31.02	48.17	134.41	48.38	9.51	38.97
210000	4.47	3.14	5.17	1.83	21.40	0.58	2.32	0.20	2.12	30.60	48.18	134.46	118.39	3.54	37.14
220000	4.33	3.10	5.13	1.81	20.83	0.59	2.43	0.21	2.22	30.32	48.18	134.48	138.39	4.14	33.10
230000	4.35	3.15	5.17	1.78	20.28	0.61	2.45	0.24	2.21	30.15	48.18	134.46	95.66	5.54	26.63
極大值	4.61	3.23	5.25	1.87	41.29	0.90	3.03	0.27	2.83	34.37	48.23	134.78	301.19	15.40	65.17
極小值	4.16	3.03	5.02	1.73	10.26	0.39	2.14	0.18	1.93	30.11	48.17	134.41	31.47	0.07	9.75
平均值	4.36	3.14	5.16	1.79	21.81	0.57	2.52	0.22	2.30	32.01	48.19	134.55	148.16	6.15	35.44
標準差	0.12	0.05	0.04	0.03	9.21	0.09	0.29	0.02	0.31	1.63	0.02	0.12	89.48	4.32	18.62

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	4.42	3.12	5.15	1.77	22.02	0.64	2.40	0.22	2.18	29.59	48.17	134.44	79.49	12.43	29.56
010000	4.21	3.15	5.20	1.80	24.21	0.62	2.39	0.20	2.19	28.76	48.17	134.43	52.49	17.77	29.13
020000	4.23	3.09	5.08	1.76	19.01	0.63	2.46	0.20	2.26	28.54	48.17	134.44	75.37	9.81	28.67
030000	4.26	3.08	5.14	1.84	17.66	0.62	2.44	0.22	2.22	28.53	48.18	134.50	143.92	7.24	28.53
040000	4.40	3.18	5.13	1.73	17.62	0.63	2.38	0.22	2.16	27.67	48.17	134.43	58.64	8.76	27.90
050000	4.31	3.12	5.15	1.80	19.79	0.57	2.37	0.21	2.16	27.30	48.17	134.41	46.68	7.08	27.50
060000	4.28	3.17	5.21	1.80	18.37	0.56	2.38	0.22	2.16	27.05	48.17	134.43	71.98	6.71	27.36
070000	4.35	3.16	5.14	1.76	19.35	0.57	2.36	0.23	2.13	26.78	48.17	134.43	87.16	9.04	27.95
080000	4.20	3.10	5.20	1.95	20.05	0.55	2.32	0.21	2.11	26.81	48.17	134.41	33.46	13.54	29.20
090000	4.20	3.10	5.20	1.95	20.05	0.55	2.32	0.21	2.11	26.81	48.17	134.41	33.46	13.54	1000.00
100000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
110000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
120000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
130000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
140000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
150000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
160000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
170000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
180000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
190000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
200000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
210000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
220000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
230000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
極大值	4.42	3.18	5.21	1.95	24.21	0.64	2.46	0.23	2.26	29.59	48.18	134.50	143.92	17.77	1000.00
極小值	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
平均值	1.79	1.30	2.15	0.76	8.26	0.25	0.99	0.09	0.90	11.58	20.07	56.01	28.44	4.41	52.33
標準差	2.16	1.57	2.6	0.92	10.06	0.3	1.2	0.11	1.09	14.01	24.26	67.7	39.94	5.79	202.33

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
010000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
020000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
030000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
040000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
050000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
060000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
070000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
080000	5.46	3.15	5.17	1.79	21.95	0.64	2.56	0.25	2.31	26.34	48.18	134.50	56.33	9.22	1000.00
090000	5.38	3.12	5.10	1.77	19.24	0.63	2.60	0.24	2.36	26.74	48.19	134.50	73.08	8.56	1000.00
100000	5.29	3.21	5.14	1.71	18.18	0.64	2.52	0.25	2.27	27.33	48.19	134.49	50.15	7.57	1000.00
110000	5.22	3.20	5.20	1.79	18.01	0.64	2.51	0.27	2.24	27.44	25.23	75.18	70.55	6.45	98.52
120000	5.17	3.22	5.18	1.75	23.45	0.63	2.56	0.27	2.29	28.98	24.00	72.00	145.81	3.38	55.51
130000	5.12	3.20	5.24	1.82	29.18	0.60	2.50	0.24	2.26	28.16	24.00	72.00	67.91	8.14	41.21
140000	5.06	3.17	5.17	1.80	27.22	0.61	2.50	0.24	2.26	28.13	24.00	72.00	80.75	6.26	34.51
150000	4.99	3.20	5.18	1.78	21.63	0.62	2.51	0.29	2.22	27.88	24.00	72.00	78.52	5.67	50.99
160000	5.06	3.20	5.16	1.78	20.05	0.63	2.57	0.32	2.25	27.26	24.00	72.00	67.60	4.44	64.02
170000	5.06	3.21	5.18	1.76	18.56	0.66	2.65	0.39	2.26	26.86	24.00	72.00	48.91	8.36	63.47
180000	5.00	3.21	5.18	1.77	18.41	0.65	2.72	0.34	2.38	26.47	24.00	72.00	31.83	8.29	63.88
190000	4.96	3.19	5.25	1.84	22.39	0.61	2.61	0.26	2.35	26.57	24.00	72.00	74.67	10.27	57.42
200000	4.97	3.22	5.17	1.74	23.21	0.58	2.59	0.23	2.36	26.43	24.00	72.00	43.96	10.09	54.26
210000	4.95	3.16	5.18	1.80	25.16	0.56	2.64	0.23	2.41	26.27	24.00	72.00	65.01	10.97	47.20
220000	4.78	3.11	5.11	1.79	29.75	0.54	2.55	0.19	2.36	26.17	24.00	72.00	78.18	11.01	37.52
230000	4.72	3.08	5.11	1.84	31.47	0.53	2.45	0.20	2.25	26.12	24.00	72.00	41.77	10.39	29.32
極大值	5.46	3.22	5.25	1.84	31.47	0.66	2.72	0.39	2.41	28.98	48.19	134.50	145.81	11.01	1000.00
極小值	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
平均值	3.38	2.12	3.45	1.19	15.33	0.41	1.71	0.18	1.53	18.05	19.07	55.94	44.79	5.38	154.08
標準差	2.45	1.53	2.49	0.86	11.63	0.3	1.24	0.13	1.11	13.05	15.86	45.21	38.44	4.31	327.8

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.75	3.12	5.13	1.80	27.62	0.53	2.48	0.20	2.28	26.14	24.00	72.00	53.26	6.28	26.34
010000	4.77	3.12	5.20	1.84	27.80	0.53	2.46	0.20	2.26	25.96	46.96	131.38	47.14	9.77	950.49
020000	4.61	3.15	5.18	1.82	31.22	0.52	2.44	0.18	2.26	25.91	25.30	75.35	75.10	11.51	72.80
030000	4.59	3.15	5.15	1.76	36.02	0.51	2.31	0.16	2.15	25.83	24.00	72.00	39.65	11.75	18.23
040000	4.50	3.13	5.13	1.77	31.72	0.52	2.32	0.18	2.14	25.68	24.00	72.00	71.52	7.43	5.86
050000	4.51	3.15	5.13	1.78	35.06	0.50	2.30	0.18	2.12	25.55	24.00	72.00	82.56	12.38	8.67
060000	4.55	3.15	5.13	1.75	30.26	0.51	2.39	0.18	2.21	25.17	24.00	72.00	70.36	11.35	7.00
070000	4.52	3.10	5.06	1.75	27.58	0.53	2.46	0.19	2.27	25.17	24.00	72.00	54.90	8.21	5.76
080000	4.51	3.14	5.17	1.83	20.10	0.58	2.51	0.22	2.29	25.44	24.00	72.00	50.41	9.44	8.46
090000	4.54	3.15	5.14	1.78	20.05	0.60	2.39	0.23	2.16	25.72	24.00	72.00	71.68	9.16	15.32
100000	4.39	3.13	5.13	1.77	25.60	0.53	2.36	0.23	2.13	26.08	24.00	72.00	121.50	9.12	15.24
110000	4.41	3.23	5.22	1.78	28.32	0.48	2.44	0.30	2.14	25.87	24.00	72.00	75.81	9.72	10.37
120000	4.41	3.18	5.20	1.82	36.10	0.46	2.33	0.19	2.14	25.79	24.00	72.00	102.57	15.05	7.50
130000	4.49	3.16	5.18	1.80	40.56	0.45	2.27	0.17	2.10	25.64	24.00	72.00	117.34	18.75	11.08
140000	4.42	3.18	5.18	1.78	38.13	0.42	2.27	0.18	2.09	25.87	24.00	72.00	69.58	15.17	20.58
150000	4.37	3.27	5.21	1.72	37.73	0.45	2.22	0.18	2.04	26.04	24.00	72.00	27.99	16.72	15.80
160000	4.50	3.18	5.17	1.77	38.74	0.46	2.23	0.18	2.05	26.17	24.00	72.00	34.24	14.21	12.68
170000	4.47	3.19	5.20	1.81	27.16	0.52	2.42	0.22	2.20	26.06	24.00	72.00	61.85	6.33	12.09
180000	4.46	3.23	5.20	1.76	23.26	0.51	2.49	0.22	2.27	25.97	24.00	72.00	52.14	5.91	21.51
190000	4.36	3.21	5.21	1.79	20.67	0.52	2.50	0.22	2.28	25.96	24.00	72.00	39.50	6.19	21.34
200000	4.39	3.16	5.15	1.79	21.87	0.51	2.43	0.21	2.22	25.65	24.00	72.00	76.93	1.68	27.60
210000	4.39	3.17	5.15	1.78	28.83	0.46	2.34	0.19	2.15	25.42	24.00	72.00	31.04	2.33	21.45
220000	4.19	3.16	5.18	1.81	30.98	0.47	2.29	0.17	2.12	25.50	24.00	72.00	63.12	2.62	16.28
230000	4.14	3.13	5.17	1.83	30.93	0.48	2.29	0.19	2.10	25.62	24.00	72.00	39.05	5.81	14.12
極大值	4.77	3.27	5.22	1.84	40.56	0.60	2.51	0.30	2.29	26.17	46.96	131.38	121.50	18.75	950.49
極小值	4.14	3.10	5.06	1.72	20.05	0.42	2.22	0.16	2.04	25.17	24.00	72.00	27.99	1.68	5.76
平均值	4.47	3.16	5.17	1.79	29.85	0.50	2.37	0.20	2.17	25.76	25.01	74.61	63.72	9.45	56.11
標準差	0.14	0.04	0.04	0.03	6.12	0.04	0.09	0.03	0.08	0.28	4.68	12.11	25.11	4.51	190.97

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.21	3.15	5.14	1.79	28.87	0.50	2.53	0.20	2.33	25.23	24.00	72.00	20.56	10.35	20.38
010000	4.17	3.17	5.18	1.80	26.69	0.50	2.46	0.21	2.25	24.97	46.86	131.07	39.33	4.19	946.58
020000	4.22	3.17	5.18	1.80	27.32	0.50	2.40	0.19	2.21	24.94	25.27	75.29	42.82	3.17	67.58
030000	4.02	3.15	5.12	1.75	32.11	0.47	2.30	0.17	2.13	25.29	24.00	72.00	25.17	10.81	12.42
040000	4.09	3.15	5.21	1.81	27.60	0.49	2.44	0.17	2.27	25.30	24.00	72.00	76.13	8.50	7.58
050000	4.10	3.14	5.15	1.81	23.53	0.50	2.38	0.18	2.20	25.31	24.00	72.00	56.47	5.31	9.78
060000	4.03	3.10	5.15	1.82	21.19	0.51	2.43	0.18	2.25	25.43	24.00	72.00	26.38	5.72	9.43
070000	4.00	3.16	5.20	1.81	20.66	0.53	2.69	0.19	2.50	25.69	24.00	72.00	76.95	9.39	7.51
080000	4.09	3.15	5.14	1.79	22.16	0.55	2.51	0.19	2.32	26.48	24.00	72.00	59.65	9.14	6.93
090000	4.03	3.14	5.13	1.78	24.81	0.53	2.47	0.19	2.28	27.01	24.00	72.00	41.88	6.04	10.88
100000	3.94	3.12	5.15	1.82	28.13	0.52	2.47	0.21	2.26	27.42	24.00	72.00	42.00	5.72	16.68
110000	4.05	3.18	5.18	1.77	28.39	0.51	2.37	0.20	2.17	28.25	24.00	72.00	111.99	2.74	11.59
120000	4.01	3.25	5.24	1.79	35.63	0.50	2.40	0.23	2.17	29.36	24.00	72.00	167.31	3.62	13.64
130000	4.06	3.23	5.26	1.83	37.35	0.48	2.41	0.22	2.19	29.81	24.00	72.00	117.54	3.52	12.14
140000	4.01	3.19	5.18	1.77	41.79	0.50	2.40	0.24	2.16	29.51	24.00	72.00	177.54	5.84	15.52
150000	4.01	3.26	5.28	1.83	43.02	0.53	2.22	0.22	2.00	28.54	24.00	72.00	294.53	7.17	26.78
160000	3.94	3.21	5.18	1.77	38.76	0.51	2.26	0.23	2.03	28.52	24.00	72.00	296.83	3.50	20.10
170000	4.06	3.27	5.20	1.72	31.03	0.56	2.36	0.26	2.10	28.27	24.00	72.00	259.04	0.07	17.07
180000	4.03	3.16	5.21	1.86	28.33	0.53	2.40	0.28	2.12	28.19	24.00	72.00	314.54	2.22	20.19
190000	4.00	3.19	5.20	1.81	22.84	0.55	2.53	0.29	2.24	27.81	24.00	72.00	85.67	1.55	57.79
200000	3.99	3.25	5.26	1.81	18.95	0.62	2.77	0.34	2.43	27.64	24.00	72.00	43.83	5.14	30.52
210000	3.99	3.13	5.14	1.80	14.83	0.72	3.05	0.42	2.63	27.42	24.00	72.00	30.73	6.32	58.37
220000	3.99	3.15	5.12	1.76	18.09	0.59	2.82	0.27	2.55	27.11	24.00	72.00	70.09	6.75	59.54
230000	3.83	3.17	5.18	1.80	15.82	0.59	3.31	0.25	3.06	26.90	24.00	72.00	45.22	8.36	25.21
極大值	4.22	3.27	5.28	1.86	43.02	0.72	3.31	0.42	3.06	29.81	46.86	131.07	314.54	10.81	946.58
極小值	3.83	3.10	5.12	1.72	14.83	0.47	2.22	0.17	2.00	24.94	24.00	72.00	20.56	0.07	6.93
平均值	4.04	3.18	5.18	1.80	27.41	0.53	2.52	0.23	2.29	27.10	25.01	74.60	105.09	5.63	61.84
標準差	0.08	0.05	0.04	0.03	7.78	0.05	0.25	0.06	0.22	1.54	4.66	12.05	94.63	2.83	189.33

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.86	3.14	5.18	1.82	14.55	0.61	3.33	0.27	3.06	26.80	24.00	72.00	47.79	7.91	38.81
010000	3.86	3.14	5.18	1.84	13.82	0.58	3.23	0.26	2.97	26.72	46.94	131.32	24.06	6.70	950.33
020000	3.81	3.14	5.15	1.81	14.44	0.51	2.80	0.22	2.58	26.62	25.23	75.18	29.10	6.01	78.29
030000	3.68	3.18	5.19	1.80	14.33	0.48	2.87	0.20	2.67	26.58	24.00	72.00	47.00	5.67	18.07
040000	3.81	3.18	5.14	1.76	14.16	0.49	2.74	0.20	2.54	26.52	24.00	72.00	23.00	6.23	16.55
050000	3.68	3.17	5.21	1.85	14.06	0.50	3.07	0.20	2.87	26.50	24.00	72.00	31.73	5.98	13.47
060000	3.59	3.12	5.10	1.78	14.10	0.49	2.97	0.20	2.77	26.54	24.00	72.00	33.36	4.67	14.45
070000	3.73	3.14	5.13	1.77	13.61	0.52	2.68	0.22	2.46	26.63	24.00	72.00	41.44	4.41	18.19
080000	3.72	3.12	5.15	1.83	12.51	0.58	2.64	0.30	2.34	27.05	24.00	72.00	54.46	5.07	20.28
090000	3.75	3.20	5.22	1.79	14.66	0.60	2.61	0.26	2.35	27.73	24.00	72.00	36.69	7.65	30.73
100000	3.68	3.17	5.18	1.77	19.05	0.61	2.62	0.27	2.35	29.06	24.00	72.00	104.15	5.48	54.79
110000	3.77	3.18	5.21	1.82	32.13	0.58	2.47	0.27	2.20	30.17	24.00	72.00	97.77	6.39	39.64
120000	3.70	3.21	5.23	1.83	40.48	0.52	2.43	0.26	2.17	30.82	24.00	72.00	182.34	4.31	34.07
130000	3.72	3.19	5.22	1.82	44.71	0.53	2.35	0.25	2.10	30.41	24.00	72.00	146.08	7.25	24.50
140000	3.73	3.22	5.20	1.80	57.76	0.65	2.33	0.29	2.04	30.04	24.00	72.00	299.07	12.39	50.64
150000	3.76	3.22	5.18	1.77	61.38	0.59	2.33	0.23	2.10	29.73	24.00	72.00	305.64	10.66	61.43
160000	3.74	3.24	5.18	1.74	52.35	0.60	2.42	0.30	2.12	29.55	24.00	72.00	287.77	9.21	50.41
170000	3.69	3.26	5.25	1.79	49.66	0.55	2.32	0.21	2.11	28.95	24.00	72.00	291.33	5.72	52.47
180000	3.70	3.24	5.23	1.79	46.10	0.54	2.35	0.24	2.11	28.43	24.00	72.00	276.69	4.07	33.12
190000	3.66	3.27	5.20	1.71	36.91	0.50	2.35	0.22	2.13	28.16	24.00	72.00	232.34	3.37	44.85
200000	3.70	3.21	5.17	1.76	35.19	0.47	2.30	0.19	2.11	27.93	24.00	72.00	262.30	2.40	20.28
210000	3.66	3.21	5.21	1.78	32.92	0.46	2.17	0.18	1.99	27.61	24.00	72.00	126.61	3.17	10.09
220000	3.57	3.16	5.18	1.79	30.41	0.52	2.20	0.20	2.00	27.10	24.00	72.00	40.88	7.37	14.52
230000	3.53	3.12	5.16	1.82	25.71	0.59	2.79	0.24	2.55	26.59	24.00	72.00	46.21	6.00	28.92
極大值	3.86	3.27	5.25	1.85	61.38	0.65	3.33	0.30	3.06	30.82	46.94	131.32	305.64	12.39	950.33
極小值	3.53	3.12	5.10	1.71	12.51	0.46	2.17	0.18	1.99	26.50	24.00	72.00	23.00	2.40	10.09
平均值	3.71	3.18	5.19	1.79	29.38	0.54	2.60	0.24	2.36	28.01	25.01	74.60	127.83	6.17	71.62
標準差	0.08	0.04	0.04	0.03	16.15	0.05	0.32	0.04	0.32	1.47	4.68	12.1	107.78	2.31	188.01

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.55	3.17	5.21	1.82	25.93	0.62	2.84	0.25	2.59	26.73	24.00	72.00	38.98	6.20	36.85
010000	3.46	3.13	5.13	1.80	22.90	0.61	3.28	0.25	3.03	26.28	46.97	131.43	79.33	8.06	951.05
020000	3.49	3.17	5.15	1.77	21.61	0.58	3.11	0.25	2.86	25.87	25.27	75.29	78.39	6.55	89.56
030000	3.44	3.12	5.18	1.85	20.92	0.54	3.09	0.23	2.86	25.90	24.00	72.00	45.44	6.89	37.77
040000	3.43	3.16	5.18	1.82	19.32	0.53	3.00	0.22	2.78	25.79	24.00	72.00	132.37	4.69	34.89
050000	3.43	3.13	5.17	1.83	16.75	0.53	3.10	0.24	2.86	25.89	24.00	72.00	82.89	3.63	34.55
060000	3.49	3.12	5.12	1.78	15.83	0.57	3.04	0.27	2.77	25.85	24.00	72.00	41.24	6.26	33.18
070000	3.47	3.15	5.13	1.79	17.29	0.60	2.87	0.25	2.62	26.64	24.00	72.00	41.41	7.33	34.46
080000	3.41	3.15	5.14	1.77	20.63	0.60	2.76	0.25	2.51	27.51	24.00	72.00	33.55	7.47	38.07
090000	3.45	3.07	5.07	1.80	20.12	0.59	2.57	0.24	2.33	28.62	24.00	72.00	63.57	7.00	37.50
100000	3.49	3.12	5.15	1.82	37.81	0.55	2.43	0.23	2.20	30.44	24.00	72.00	139.15	5.26	42.34
110000	3.50	3.16	5.12	1.75	45.38	0.49	2.40	0.25	2.15	31.14	24.00	72.00	254.81	4.71	33.51
120000	3.47	3.18	5.23	1.84	49.47	0.50	2.35	0.25	2.10	31.32	24.00	72.00	260.94	6.35	44.48
130000	3.37	3.23	5.23	1.83	60.38	0.50	2.22	0.22	2.00	31.03	24.00	72.00	298.84	12.76	32.21
140000	3.49	3.17	5.21	1.85	68.25	0.53	2.29	0.21	2.08	30.96	24.00	72.00	301.67	14.34	67.28
150000	3.42	3.22	5.24	1.79	69.18	0.52	2.31	0.20	2.11	30.64	24.00	72.00	300.94	13.92	128.21
160000	3.39	3.20	5.18	1.79	63.21	0.50	2.38	0.27	2.11	30.31	24.00	72.00	289.95	12.07	46.02
170000	3.32	3.20	5.25	1.85	57.20	0.50	2.32	0.23	2.09	29.68	24.00	72.00	293.43	8.55	52.29
180000	3.54	3.18	5.25	1.88	48.45	0.46	2.32	0.21	2.11	28.60	24.00	72.00	269.17	3.72	27.41
190000	3.47	3.16	5.15	1.82	40.47	0.45	2.39	0.23	2.16	27.96	24.00	72.00	249.72	0.80	37.10
200000	3.47	3.21	5.23	1.85	39.10	0.44	2.09	0.20	1.89	27.93	24.00	72.00	149.16	0.73	26.38
210000	3.35	3.20	5.26	1.84	37.74	0.43	2.18	0.19	1.99	27.50	24.00	72.00	177.05	0.96	21.11
220000	3.41	3.17	5.17	1.82	42.70	0.41	2.27	0.18	2.09	27.25	24.00	72.00	128.11	3.49	22.69
230000	3.38	3.17	5.17	1.78	41.19	0.44	2.38	0.18	2.20	26.89	24.00	72.00	181.38	4.04	26.50
極大值	3.55	3.23	5.26	1.88	69.18	0.62	3.28	0.27	3.03	31.32	46.97	131.43	301.67	14.34	951.05
極小值	3.32	3.07	5.07	1.75	15.83	0.41	2.09	0.18	1.89	25.79	24.00	72.00	33.55	0.73	21.11
平均值	3.45	3.16	5.18	1.81	37.58	0.52	2.58	0.23	2.35	28.20	25.01	74.61	163.81	6.49	80.64
標準差	0.06	0.04	0.05	0.03	17.44	0.06	0.36	0.03	0.35	1.99	4.68	12.12	101.32	3.79	186.85

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.26	3.17	5.17	1.81	42.13	0.44	2.38	0.18	2.20	26.88	24.00	72.00	173.16	4.11	22.05
010000	3.30	3.14	5.17	1.80	34.89	0.50	2.76	0.20	2.56	26.56	46.96	131.36	20.18	9.27	950.26
020000	3.34	3.12	5.11	1.78	27.47	0.55	3.16	0.23	2.93	26.32	25.27	75.29	33.17	9.84	83.51
030000	3.32	3.16	5.21	1.84	24.18	0.54	3.45	0.23	3.22	25.79	24.00	72.00	41.61	7.59	32.80
040000	3.29	3.10	5.09	1.78	26.91	0.49	3.21	0.21	3.00	25.75	24.00	72.00	45.89	7.13	40.32
050000	3.31	3.13	5.20	1.85	27.66	0.49	2.77	0.20	2.57	25.79	24.00	72.00	35.58	8.98	36.05
060000	3.32	3.13	5.15	1.81	24.27	0.50	3.53	0.21	3.32	25.71	24.00	72.00	38.32	9.72	31.83
070000	3.23	3.18	5.16	1.78	21.22	0.55	3.32	0.22	3.10	26.64	24.00	72.00	29.49	8.26	37.94
080000	3.23	3.17	5.17	1.79	27.05	0.60	2.79	0.22	2.57	28.68	24.00	72.00	42.29	7.16	42.75
090000	3.25	3.17	5.19	1.81	43.43	0.53	2.47	0.22	2.25	30.19	24.00	72.00	75.93	7.45	42.45
100000	3.19	3.13	5.13	1.80	52.97	0.46	2.30	0.20	2.10	31.29	24.00	72.00	121.47	6.33	38.90
110000	3.27	3.18	5.19	1.81	61.40	0.49	2.34	0.24	2.10	31.70	24.00	72.00	235.10	7.58	76.51
120000	3.17	3.19	5.14	1.77	74.38	0.55	2.36	0.24	2.12	31.25	24.00	72.00	298.38	13.57	55.09
130000	3.24	3.22	5.25	1.84	79.89	0.55	2.29	0.21	2.08	31.21	24.00	72.00	299.79	12.62	55.72
140000	3.25	3.21	5.16	1.76	76.74	0.54	2.28	0.22	2.06	31.18	24.00	72.00	289.77	13.69	59.79
150000	3.18	3.22	5.15	1.73	75.44	0.52	2.19	0.21	1.98	31.00	24.00	72.00	294.25	12.08	49.38
160000	3.21	3.24	5.15	1.72	73.37	0.52	2.24	0.21	2.03	30.47	24.00	72.00	293.63	11.37	51.74
170000	3.29	3.20	5.21	1.80	69.16	0.53	2.28	0.21	2.07	29.88	24.00	72.00	299.24	8.60	45.94
180000	3.26	3.25	5.25	1.80	59.14	0.54	2.32	0.22	2.10	29.34	24.00	72.00	281.81	4.54	49.85
190000	3.17	3.21	5.21	1.81	49.78	0.56	2.20	0.22	1.98	29.17	24.00	72.00	278.82	1.37	52.95
200000	3.18	3.24	5.26	1.81	43.14	0.55	2.49	0.22	2.27	28.92	24.00	72.00	23.87	1.93	46.49
210000	3.10	3.18	5.17	1.81	39.41	0.55	2.62	0.23	2.39	28.47	24.00	72.00	79.24	2.21	54.69
220000	3.06	3.17	5.18	1.77	38.33	0.56	2.69	0.21	2.48	27.87	24.00	72.00	39.85	3.28	53.52
230000	2.98	3.10	5.14	1.82	38.54	0.54	2.75	0.20	2.55	27.45	24.00	72.00	25.55	7.54	47.69
極大值	3.34	3.25	5.26	1.85	79.89	0.60	3.53	0.24	3.32	31.70	46.96	131.36	299.79	13.69	950.26
極小值	2.98	3.10	5.09	1.72	21.22	0.44	2.19	0.18	1.98	25.71	24.00	72.00	20.18	1.37	22.05
平均值	3.22	3.18	5.18	1.80	47.12	0.53	2.63	0.22	2.42	28.65	25.01	74.61	141.52	7.76	85.76
標準差	0.09	0.04	0.04	0.03	19.53	0.04	0.42	0.01	0.42	2.11	4.68	12.11	119.3	3.55	184.62

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.03	3.19	5.16	1.76	41.64	0.51	2.45	0.19	2.26	27.13	24.00	72.00	36.59	9.27	42.47
010000	2.89	3.18	5.19	1.81	33.66	0.57	2.77	0.21	2.56	26.77	46.93	131.27	21.44	11.68	950.46
020000	2.91	3.14	5.16	1.82	25.47	0.64	3.46	0.25	3.21	26.51	24.86	74.23	37.62	9.37	81.36
030000	2.96	3.19	5.13	1.72	27.28	0.56	3.61	0.22	3.39	26.21	24.00	72.00	26.09	10.98	55.07
040000	2.93	3.12	5.16	1.82	28.63	0.53	2.59	0.19	2.40	26.16	24.00	72.00	35.65	10.10	50.56
050000	2.94	3.16	5.25	1.89	28.19	0.53	3.00	0.21	2.79	26.07	24.00	72.00	43.44	9.15	46.74
060000	2.99	3.15	5.14	1.76	24.53	0.53	3.00	0.21	2.79	26.16	24.00	72.00	36.19	6.61	44.24
070000	2.98	3.12	5.14	1.79	23.41	0.58	3.24	0.22	3.02	27.38	24.00	72.00	38.44	5.58	44.39
080000	2.97	3.18	5.20	1.81	30.25	0.58	2.78	0.23	2.55	29.13	24.00	72.00	57.39	6.24	43.93
090000	2.94	3.15	5.23	1.86	49.26	0.52	2.43	0.20	2.23	30.47	24.00	72.00	45.57	10.78	49.31
100000	2.95	3.15	5.14	1.76	56.88	0.50	2.29	0.21	2.08	31.60	24.00	72.00	132.46	7.04	41.19
110000	2.96	3.12	5.14	1.79	59.71	0.48	2.28	0.22	2.06	32.31	24.00	72.00	176.22	7.25	47.25
120000	2.94	3.22	5.22	1.81	71.94	0.52	1.97	0.19	1.78	31.69	24.00	72.00	296.35	16.21	45.51
130000	2.97	3.21	5.23	1.83	69.32	0.50	2.24	0.19	2.05	31.69	24.00	72.00	294.87	18.97	45.88
140000	3.00	3.20	5.19	1.82	68.95	0.52	2.26	0.21	2.05	31.87	24.00	72.00	298.23	16.77	53.93
150000	2.99	3.25	5.27	1.80	65.28	0.53	2.23	0.22	2.01	31.76	24.00	72.00	291.96	14.07	35.53
160000	2.89	3.19	5.19	1.78	64.23	0.49	2.21	0.19	2.02	31.09	24.00	72.00	293.88	12.41	47.13
170000	2.94	3.16	5.12	1.73	61.98	0.47	2.23	0.17	2.06	30.35	24.00	72.00	291.16	7.33	32.17
180000	2.99	3.21	5.20	1.80	55.80	0.47	2.21	0.19	2.02	29.58	24.00	72.00	283.19	4.78	31.39
190000	2.90	3.24	5.22	1.78	47.11	0.48	1.93	0.18	1.75	29.34	24.00	72.00	164.74	1.73	36.51
200000	2.90	3.22	5.19	1.74	32.18	0.52	2.53	0.21	2.32	28.53	24.00	72.00	79.66	2.06	35.10
210000	2.90	3.18	5.18	1.80	32.35	0.51	2.72	0.20	2.52	28.05	24.00	72.00	56.31	2.83	37.37
220000	2.85	3.14	5.26	1.88	40.98	0.49	2.47	0.18	2.29	27.86	24.00	72.00	141.01	1.96	37.51
230000	2.82	3.14	5.20	1.85	35.61	0.50	2.50	0.19	2.31	27.55	24.00	72.00	106.33	3.31	29.64
極大值	3.03	3.25	5.27	1.89	71.94	0.64	3.61	0.25	3.39	32.31	46.93	131.27	298.23	18.97	950.46
極小值	2.82	3.12	5.12	1.72	23.41	0.47	1.93	0.17	1.75	26.07	24.00	72.00	21.44	1.73	29.64
平均值	2.94	3.18	5.19	1.80	44.78	0.52	2.56	0.20	2.36	28.97	24.99	74.56	136.87	8.60	81.86
標準差	0.05	0.04	0.04	0.04	16.65	0.04	0.44	0.02	0.43	2.2	4.68	12.09	110.8	4.82	185.31

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	2.81	3.14	5.17	1.80	38.17	0.50	2.42	0.18	2.24	27.35	24.00	72.00	34.57	8.16	32.14
010000	2.77	3.15	5.14	1.78	34.58	0.49	2.40	0.19	2.21	27.17	46.92	131.29	116.90	4.98	949.07
020000	2.81	3.20	5.14	1.73	30.61	0.52	2.74	0.19	2.55	26.86	25.23	75.18	33.45	8.67	75.06
030000	2.74	3.16	5.13	1.72	25.93	0.55	2.94	0.20	2.74	26.61	24.00	72.00	32.25	10.10	32.92
040000	2.79	3.10	5.14	1.82	25.12	0.52	2.68	0.19	2.49	26.44	24.00	72.00	65.24	9.53	41.07
050000	2.71	3.19	5.17	1.78	23.13	0.50	2.91	0.19	2.72	26.23	24.00	72.00	28.18	7.47	38.67
060000	2.81	3.12	5.14	1.80	20.28	0.50	3.27	0.20	3.07	26.36	24.00	72.00	31.41	8.32	38.50
070000	2.84	3.15	5.13	1.76	20.52	0.55	3.11	0.22	2.89	27.61	24.00	72.00	42.25	6.46	38.01
080000	2.80	3.12	5.15	1.81	28.45	0.54	2.63	0.22	2.41	29.53	24.00	72.00	59.81	6.13	46.60
090000	2.89	3.11	5.15	1.83	45.87	0.49	2.42	0.20	2.22	30.86	24.00	72.00	51.96	10.51	46.83
100000	2.83	3.12	5.12	1.78	51.26	0.49	2.31	0.22	2.09	32.03	24.00	72.00	63.87	7.32	37.50
110000	2.84	3.15	5.13	1.78	52.22	0.47	2.32	0.26	2.06	32.16	24.00	72.00	286.29	10.87	42.12
120000	2.85	3.22	5.20	1.78	58.14	0.55	2.29	0.25	2.04	32.32	24.00	72.00	296.52	13.53	42.19
130000	2.82	3.26	5.26	1.81	58.43	0.57	2.24	0.23	2.01	32.11	24.00	72.00	297.91	18.11	45.42
140000	2.85	3.19	5.22	1.80	57.89	0.58	2.28	0.24	2.04	32.00	24.00	72.00	300.26	16.12	85.90
150000	2.83	3.22	5.19	1.75	52.42	0.67	2.37	0.28	2.09	31.95	24.00	72.00	299.23	13.33	53.18
160000	2.77	3.23	5.21	1.80	45.37	0.58	2.32	0.25	2.07	31.42	24.00	72.00	295.70	12.41	47.97
170000	2.74	3.26	5.23	1.75	38.04	0.60	2.29	0.23	2.06	30.76	24.00	72.00	290.68	8.36	31.67
180000	2.79	3.25	5.15	1.70	28.52	0.55	2.08	0.22	1.86	30.10	24.00	72.00	288.50	4.80	27.66
190000	2.78	3.18	5.15	1.77	18.33	0.56	2.03	0.25	1.78	29.33	24.00	72.00	185.29	0.57	29.31
200000	2.78	3.16	5.16	1.79	15.18	0.57	2.40	0.28	2.12	29.02	24.00	72.00	93.77	0.07	36.37
210000	2.73	3.15	5.18	1.81	23.00	0.51	2.52	0.24	2.28	29.01	24.00	72.00	275.63	0.85	36.04
220000	2.67	3.12	5.10	1.77	30.35	0.47	2.47	0.19	2.28	28.70	24.00	72.00	259.40	0.50	33.67
230000	2.63	3.11	5.09	1.77	26.30	0.48	2.51	0.19	2.32	28.18	24.00	72.00	117.18	1.25	28.47
極大值	2.89	3.26	5.26	1.83	58.43	0.67	3.27	0.28	3.07	32.32	46.92	131.29	300.26	18.11	949.07
極小值	2.63	3.10	5.09	1.70	15.18	0.47	2.03	0.18	1.78	26.23	24.00	72.00	28.18	0.07	27.66
平均值	2.79	3.17	5.16	1.78	35.34	0.53	2.50	0.22	2.28	29.34	25.01	74.60	160.26	7.85	79.85
標準差	0.06	0.05	0.04	0.03	13.95	0.05	0.31	0.03	0.32	2.18	4.67	12.09	116.55	4.96	185.64

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.75	3.13	5.20	1.84	26.54	0.49	2.34	0.19	2.15	28.05	24.00	72.00	217.52	0.63	24.23
010000	2.68	3.07	5.10	1.82	25.06	0.49	2.47	0.19	2.28	27.93	46.86	131.10	49.00	7.20	946.76
020000	2.72	3.15	5.10	1.73	25.00	0.48	2.46	0.18	2.28	27.71	24.86	74.23	35.47	7.55	56.54
030000	2.70	3.13	5.15	1.80	20.70	0.49	2.60	0.20	2.40	27.49	24.00	72.00	43.64	7.18	25.37
040000	2.73	3.15	5.15	1.80	18.43	0.49	3.14	0.20	2.94	27.30	24.00	72.00	30.87	10.11	26.41
050000	2.74	3.18	5.15	1.77	15.96	0.51	3.55	0.21	3.34	27.12	24.00	72.00	65.38	10.21	25.57
060000	2.71	3.18	5.19	1.79	14.93	0.57	3.37	0.22	3.15	27.35	24.00	72.00	55.86	6.96	32.90
070000	2.68	3.10	5.05	1.74	15.48	0.58	3.08	0.23	2.85	28.47	24.00	72.00	38.30	7.08	36.60
080000	2.68	3.08	5.10	1.79	20.10	0.59	2.77	0.23	2.54	30.49	24.00	72.00	79.02	4.67	34.43
090000	2.75	3.13	5.12	1.77	33.33	0.49	2.26	0.21	2.05	32.35	24.00	72.00	251.73	3.27	45.69
100000	2.72	3.19	5.12	1.72	42.79	0.44	2.05	0.20	1.85	33.32	24.00	72.00	260.21	4.73	30.74
110000	2.78	3.13	5.16	1.80	44.46	0.42	2.28	0.24	2.04	33.73	24.00	72.00	280.45	8.25	25.48
120000	2.87	3.19	5.18	1.78	46.85	0.42	2.26	0.23	2.03	33.50	24.00	72.00	288.35	12.48	41.07
130000	2.94	3.20	5.23	1.84	44.89	0.44	2.23	0.21	2.02	33.29	24.00	72.00	294.61	12.29	23.84
140000	2.86	3.16	5.13	1.78	42.79	0.48	1.89	0.20	1.69	32.95	24.00	72.00	295.90	13.10	36.06
150000	2.91	3.19	5.16	1.76	44.87	0.51	2.17	0.19	1.98	32.54	24.00	72.00	298.75	11.59	37.67
160000	2.88	3.21	5.12	1.72	42.64	0.60	2.22	0.24	1.98	32.22	24.00	72.00	295.45	9.59	27.27
170000	2.87	3.18	5.15	1.77	37.75	0.65	2.18	0.24	1.94	31.38	24.00	72.00	285.95	7.82	32.75
180000	2.83	3.18	5.15	1.75	27.56	0.63	2.32	0.26	2.06	30.56	24.00	72.00	215.63	2.26	34.44
190000	2.81	3.11	5.07	1.75	16.13	0.62	2.54	0.29	2.25	29.77	24.00	72.00	101.73	0.82	35.26
200000	2.86	3.15	5.12	1.75	16.97	0.62	2.66	0.29	2.37	29.76	24.00	72.00	136.40	1.95	46.22
210000	2.88	3.11	5.14	1.82	18.56	0.60	2.71	0.27	2.44	29.27	24.00	72.00	150.31	0.42	45.39
220000	2.68	3.06	5.12	1.84	21.28	0.56	2.55	0.25	2.30	29.15	24.00	72.00	158.46	0.19	56.50
230000	2.72	3.13	5.09	1.74	20.13	0.57	2.84	0.32	2.52	29.03	24.00	72.00	254.42	0.08	73.10
極大值	2.94	3.21	5.23	1.84	46.85	0.65	3.55	0.32	3.34	33.73	46.86	131.10	298.75	13.10	946.76
極小值	2.68	3.06	5.05	1.72	14.93	0.42	1.89	0.18	1.69	27.12	24.00	72.00	30.87	0.08	23.84
平均值	2.78	3.15	5.14	1.78	28.47	0.53	2.54	0.23	2.31	30.20	24.99	74.56	174.31	6.27	75.01
標準差	0.08	0.04	0.04	0.04	11.66	0.07	0.42	0.04	0.41	2.3	4.66	12.05	104.91	4.28	186.07

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	2.75	3.06	5.12	1.83	18.61	0.54	2.77	0.27	2.50	28.79	24.00	72.00	84.88	1.91	89.24
010000	2.74	3.16	5.14	1.77	19.95	0.55	2.69	0.24	2.45	28.65	46.91	131.25	59.73	5.45	952.11
020000	2.67	3.16	5.14	1.76	21.80	0.55	2.58	0.22	2.36	28.47	25.21	75.12	50.76	4.41	91.42
030000	2.68	3.11	5.17	1.82	21.34	0.54	2.30	0.21	2.09	28.53	24.00	72.00	36.01	7.45	33.81
040000	2.66	3.06	5.09	1.80	16.17	0.56	2.57	0.23	2.34	28.26	24.00	72.00	74.31	5.95	33.50
050000	2.64	3.10	5.14	1.81	14.58	0.57	2.98	0.24	2.74	28.06	24.00	72.00	89.33	4.76	37.74
060000	2.76	3.03	5.04	1.77	12.79	0.62	4.12	0.26	3.86	28.32	24.00	72.00	28.23	7.39	35.91
070000	2.78	3.13	5.15	1.76	13.99	0.66	3.74	0.27	3.47	29.65	24.00	72.00	33.56	6.16	45.55
080000	2.78	3.20	5.13	1.70	18.00	0.63	2.92	0.27	2.65	32.08	24.00	72.00	166.83	2.73	43.05
090000	2.80	3.12	5.10	1.74	26.03	0.48	2.14	0.20	1.94	33.41	24.00	72.00	251.97	6.30	42.18
100000	2.85	3.03	5.06	1.76	23.41	0.40	2.24	0.19	2.05	33.93	24.00	72.00	269.66	9.11	41.51
110000	2.99	3.05	5.06	1.74	22.99	0.31	2.25	0.20	2.05	34.03	24.00	72.00	279.95	12.49	37.74
120000	3.02	3.18	5.15	1.78	28.39	0.36	2.19	0.19	2.00	34.11	24.00	72.00	282.80	12.39	66.82
130000	3.12	3.20	5.17	1.78	29.05	0.42	2.19	0.19	2.00	34.01	24.00	72.00	288.33	12.87	28.93
140000	3.17	3.15	5.15	1.79	31.59	0.43	2.17	0.18	1.99	33.85	24.00	72.00	286.77	11.71	89.51
150000	3.03	3.18	5.15	1.75	30.74	0.43	2.16	0.18	1.98	33.67	24.00	72.00	283.87	7.71	53.82
160000	3.04	3.15	5.12	1.77	29.58	0.45	2.18	0.19	1.99	33.13	24.00	72.00	263.56	8.81	21.76
170000	3.14	3.17	5.18	1.80	29.16	0.45	2.12	0.18	1.94	32.39	24.00	72.00	282.23	8.47	18.95
180000	3.12	3.14	5.13	1.79	28.04	0.48	1.97	0.18	1.79	31.70	24.00	72.00	301.55	6.82	20.96
190000	3.07	3.15	5.20	1.84	26.61	0.46	2.04	0.17	1.87	31.53	24.00	72.00	300.70	4.89	21.57
200000	3.19	3.21	5.19	1.79	20.21	0.48	2.24	0.19	2.05	31.01	24.00	72.00	207.54	0.67	16.25
210000	2.99	3.15	5.14	1.77	14.81	0.49	2.55	0.20	2.35	30.53	24.00	72.00	75.74	1.61	13.40
220000	3.06	3.14	5.13	1.74	12.52	0.51	2.96	0.20	2.76	30.30	24.00	72.00	75.80	2.40	29.41
230000	2.94	3.11	5.15	1.81	12.98	0.49	3.08	0.20	2.88	30.03	24.00	72.00	140.67	0.88	53.59
極大值	3.19	3.21	5.20	1.84	31.59	0.66	4.12	0.27	3.86	34.11	46.91	131.25	301.55	12.87	952.11
極小值	2.64	3.03	5.04	1.70	12.52	0.31	1.97	0.17	1.79	28.06	24.00	72.00	28.23	0.67	13.40
平均值	2.92	3.13	5.13	1.78	21.81	0.49	2.55	0.21	2.34	31.18	25.00	74.60	175.62	6.39	79.95
標準差	0.18	0.05	0.04	0.03	6.39	0.08	0.54	0.03	0.52	2.23	4.67	12.08	106.94	3.67	187.13

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	2.92	3.11	5.16	1.82	13.35	0.46	2.69	0.20	2.49	29.83	24.00	72.00	225.78	0.07	22.52
010000	3.03	3.09	5.16	1.83	12.91	0.44	2.92	0.18	2.74	29.55	46.98	131.52	191.17	0.08	950.22
020000	3.14	3.09	5.09	1.76	11.93	0.44	2.96	0.18	2.78	29.44	25.21	75.13	43.93	5.79	63.04
030000	3.04	3.16	5.13	1.73	10.56	0.48	3.32	0.19	3.13	29.37	24.00	72.00	55.49	7.09	10.96
040000	3.08	3.08	5.13	1.80	10.97	0.48	3.12	0.20	2.92	29.25	24.00	72.00	138.12	3.75	15.91
050000	2.99	3.11	5.13	1.76	10.56	0.52	3.76	0.23	3.53	29.21	24.00	72.00	62.24	3.98	19.66
060000	3.09	3.07	5.05	1.75	10.84	0.55	3.93	0.24	3.69	29.43	24.00	72.00	49.19	5.83	18.48
070000	3.11	3.13	5.12	1.78	12.13	0.53	3.07	0.23	2.84	31.15	24.00	72.00	56.37	5.55	27.00
080000	3.17	3.03	5.07	1.77	17.37	0.48	2.31	0.24	2.07	33.86	24.00	72.00	154.24	1.44	26.27
090000	3.15	3.08	5.10	1.79	27.16	0.47	2.40	0.25	2.15	34.45	24.00	72.00	276.95	4.14	36.92
100000	3.19	3.01	5.06	1.74	26.72	0.41	2.34	0.26	2.08	34.88	24.00	72.00	280.01	6.14	25.69
110000	3.37	3.03	5.04	1.72	28.96	0.29	2.38	0.31	2.07	34.61	24.00	72.00	293.64	10.47	22.04
120000	3.41	3.11	5.11	1.76	29.37	0.35	2.24	0.23	2.01	34.51	24.00	72.00	288.34	12.56	39.69
130000	3.39	3.19	5.19	1.78	28.77	0.41	2.18	0.20	1.98	34.12	24.00	72.00	300.03	12.72	12.62
140000	3.40	3.13	5.10	1.76	27.52	0.43	2.21	0.22	1.99	33.90	24.00	72.00	299.37	13.18	24.67
150000	3.38	3.23	5.13	1.69	26.78	0.44	2.07	0.23	1.84	33.86	24.00	72.00	289.00	11.43	34.96
160000	3.39	3.18	5.16	1.77	25.22	0.48	1.84	0.19	1.65	33.33	24.00	72.00	292.87	10.85	13.71
170000	3.43	3.18	5.14	1.74	21.81	0.58	2.17	0.25	1.92	32.69	24.00	72.00	284.50	7.66	18.28
180000	3.32	3.13	5.15	1.80	14.80	0.59	2.34	0.31	2.03	32.06	24.00	72.00	203.65	2.69	23.25
190000	3.43	3.19	5.17	1.74	13.36	0.59	2.40	0.30	2.10	31.73	24.00	72.00	127.13	3.57	36.28
200000	3.41	3.15	5.15	1.79	12.75	0.58	2.58	0.28	2.30	31.31	24.00	72.00	66.29	5.55	22.38
210000	3.24	3.20	5.12	1.69	13.21	0.56	2.81	0.25	2.56	30.99	24.00	72.00	43.41	7.44	29.44
220000	3.30	3.06	5.11	1.82	15.47	0.52	2.56	0.22	2.34	30.73	24.00	72.00	54.40	12.39	29.17
230000	3.16	3.13	5.12	1.75	14.57	0.51	2.82	0.21	2.61	30.54	24.00	72.00	43.55	12.86	20.55
極大值	3.43	3.23	5.19	1.83	29.37	0.59	3.93	0.31	3.69	34.88	46.98	131.52	300.03	13.18	950.22
極小值	2.92	3.01	5.04	1.69	10.56	0.29	1.84	0.18	1.65	29.21	24.00	72.00	43.41	0.07	10.96
平均值	3.23	3.12	5.12	1.76	18.21	0.48	2.64	0.23	2.41	31.87	25.01	74.61	171.65	6.97	64.32
標準差	0.16	0.06	0.04	0.04	7.19	0.08	0.52	0.04	0.53	2.05	4.69	12.14	106.49	4.2	189.02

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.29	3.11	5.08	1.73	13.99	0.51	2.81	0.20	2.61	30.34	24.00	72.00	32.71	12.15	27.98
010000	3.24	3.11	5.11	1.76	14.16	0.51	2.70	0.20	2.50	30.51	46.97	131.40	31.93	13.79	950.60
020000	3.20	3.12	5.12	1.76	15.04	0.47	2.47	0.18	2.29	30.32	24.88	74.28	41.12	13.10	58.05
030000	3.17	3.08	5.05	1.72	14.10	0.48	2.48	0.18	2.30	30.11	24.00	72.00	27.54	11.43	21.36
040000	3.26	3.07	5.15	1.82	13.82	0.50	2.55	0.19	2.36	30.06	24.00	72.00	57.69	11.51	21.03
050000	3.28	3.09	5.09	1.75	13.89	0.48	2.56	0.19	2.37	30.03	24.00	72.00	69.36	10.19	17.72
060000	3.27	3.08	5.08	1.80	13.26	0.50	2.61	0.20	2.41	30.41	24.00	72.00	49.75	10.45	16.94
070000	3.27	3.10	5.05	1.73	15.19	0.52	2.50	0.21	2.29	31.69	24.00	72.00	32.39	12.46	25.13
080000	3.33	3.11	5.11	1.75	17.75	0.48	2.34	0.20	2.14	32.72	24.00	72.00	35.02	15.51	22.18
090000	3.38	3.10	5.11	1.76	20.42	0.42	2.21	0.17	2.04	33.86	24.00	72.00	65.90	14.65	28.06
100000	3.38	3.06	5.15	1.82	21.57	0.43	2.03	0.18	1.85	34.90	24.00	72.00	101.18	9.77	39.27
110000	3.38	2.99	5.04	1.78	26.07	0.36	2.30	0.24	2.06	35.47	24.00	72.00	110.23	8.65	40.86
120000	3.45	3.15	5.16	1.78	35.85	0.45	2.35	0.28	2.07	35.37	24.00	72.00	225.36	6.48	23.48
130000	3.46	3.20	5.19	1.81	32.24	0.60	2.13	0.29	1.84	34.62	24.00	72.00	294.68	14.02	50.22
140000	3.51	3.15	5.17	1.81	26.44	0.48	2.09	0.24	1.85	34.40	24.00	72.00	281.95	10.43	57.70
150000	3.51	3.14	5.12	1.78	26.78	0.46	2.03	0.20	1.83	34.16	24.00	72.00	286.77	10.90	39.88
160000	3.49	3.16	5.14	1.78	27.51	0.47	2.16	0.18	1.98	32.98	24.00	72.00	274.63	13.44	32.53
170000	3.44	3.19	5.18	1.78	36.97	0.49	2.18	0.18	2.00	31.97	24.00	72.00	296.50	10.88	51.38
180000	3.54	3.22	5.17	1.74	40.19	0.50	2.19	0.18	2.01	31.43	24.00	72.00	296.62	8.43	43.86
190000	3.53	3.18	5.19	1.82	33.59	0.50	2.20	0.19	2.01	31.31	24.00	72.00	281.38	6.16	48.81
200000	3.46	3.21	5.21	1.78	28.08	0.54	2.23	0.22	2.01	30.81	24.00	72.00	65.03	7.91	43.71
210000	3.41	3.19	5.22	1.80	23.44	0.54	2.34	0.24	2.10	30.19	24.00	72.00	69.88	7.14	49.01
220000	3.40	3.18	5.22	1.82	20.43	0.55	2.41	0.23	2.18	29.76	24.00	72.00	40.26	7.81	50.40
230000	3.34	3.17	5.19	1.81	18.23	0.56	2.33	0.23	2.10	29.59	24.00	72.00	93.43	4.07	55.06
極大值	3.54	3.22	5.22	1.82	40.19	0.60	2.81	0.29	2.61	35.47	46.97	131.40	296.62	15.51	950.60
極小值	3.17	2.99	5.04	1.72	13.26	0.36	2.03	0.17	1.83	29.59	24.00	72.00	27.54	4.07	16.94
平均值	3.37	3.13	5.14	1.78	22.88	0.49	2.34	0.21	2.13	31.96	24.99	74.57	131.72	10.47	75.63
標準差	0.11	0.06	0.05	0.03	8.41	0.05	0.21	0.03	0.22	2	4.68	12.11	109.75	2.95	186.85

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.29	3.13	5.14	1.78	15.66	0.58	2.52	0.27	2.25	29.51	24.00	72.00	59.66	5.11	59.50
010000	3.30	3.08	5.13	1.81	14.12	0.58	2.73	0.27	2.46	29.10	46.96	131.38	61.10	4.60	952.19
020000	3.31	3.13	5.18	1.82	13.18	0.58	2.68	0.28	2.40	28.90	25.23	75.19	80.08	4.26	109.64
030000	3.29	3.14	5.12	1.75	12.90	0.61	2.65	0.30	2.35	28.52	24.00	72.00	55.88	7.75	58.21
040000	3.30	3.08	5.12	1.81	12.87	0.72	2.54	0.39	2.15	28.55	24.00	72.00	74.20	3.71	49.76
050000	3.32	3.09	5.10	1.80	12.10	0.66	2.78	0.31	2.47	28.53	24.00	72.00	87.14	1.85	52.44
060000	3.24	3.16	5.17	1.77	11.94	0.63	3.04	0.30	2.74	28.65	24.00	72.00	62.44	5.29	47.49
070000	3.38	3.07	5.04	1.75	13.62	0.62	2.57	0.29	2.28	29.18	24.00	72.00	35.64	9.54	48.51
080000	3.29	3.05	5.08	1.83	16.21	0.63	2.63	0.29	2.34	29.93	24.00	72.00	35.71	11.33	53.55
090000	3.31	3.17	5.16	1.75	19.92	0.65	2.50	0.28	2.22	30.78	24.00	72.00	53.22	10.88	52.18
100000	3.31	3.16	5.15	1.77	26.17	0.69	2.05	0.26	1.79	31.33	24.00	72.00	139.57	4.28	55.19
110000	3.31	3.16	5.17	1.79	41.99	0.67	2.32	0.27	2.05	32.26	24.00	72.00	271.48	8.43	63.16
120000	3.40	3.24	5.19	1.76	52.28	0.61	2.36	0.24	2.12	32.29	24.00	72.00	291.30	13.15	59.91
130000	3.39	3.20	5.21	1.81	59.05	0.60	2.34	0.21	2.13	31.49	24.00	72.00	297.75	14.74	63.68
140000	3.35	3.22	5.13	1.69	53.09	0.56	2.28	0.19	2.09	31.55	24.00	72.00	288.54	11.57	56.72
150000	3.34	3.18	5.19	1.80	52.42	0.55	2.11	0.19	1.92	31.75	24.00	72.00	283.93	9.82	39.98
160000	3.29	3.22	5.26	1.82	55.05	0.56	2.26	0.19	2.07	31.10	24.00	72.00	278.27	11.54	41.33
170000	3.37	3.21	5.19	1.75	50.94	0.54	2.22	0.17	2.05	30.71	24.00	72.00	283.85	10.36	38.11
180000	3.31	3.23	5.19	1.73	46.65	0.53	2.23	0.18	2.05	30.50	24.00	72.00	286.01	7.93	38.38
190000	3.25	3.18	5.20	1.79	32.45	0.55	2.27	0.22	2.05	30.26	24.00	72.00	202.15	4.62	32.15
200000	3.34	3.20	5.22	1.76	23.24	0.60	2.31	0.25	2.06	29.26	24.00	72.00	54.01	6.94	42.03
210000	3.31	3.19	5.17	1.78	20.05	0.60	2.48	0.28	2.20	28.69	24.00	72.00	76.37	6.94	50.76
220000	3.35	3.14	5.09	1.74	22.69	0.58	2.48	0.26	2.22	28.16	24.00	72.00	45.39	14.67	40.49
230000	3.26	3.07	5.12	1.81	21.94	0.54	2.42	0.23	2.19	27.78	24.00	72.00	56.84	9.71	39.90
極大值	3.40	3.24	5.26	1.83	59.05	0.72	3.04	0.39	2.74	32.29	46.96	131.38	297.75	14.74	952.19
極小值	3.24	3.05	5.04	1.69	11.94	0.53	2.05	0.17	1.79	27.78	24.00	72.00	35.64	1.85	32.15
平均值	3.32	3.15	5.16	1.78	29.19	0.60	2.45	0.26	2.19	29.95	25.01	74.61	144.19	8.29	89.39
標準差	0.04	0.06	0.05	0.03	17.02	0.05	0.23	0.05	0.2	1.39	4.68	12.11	107.44	3.6	184.39

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.31	3.06	5.04	1.76	20.64	0.53	2.31	0.23	2.08	27.38	24.00	72.00	61.48	7.71	32.26
010000	3.18	3.12	5.18	1.84	21.12	0.53	2.30	0.21	2.09	27.22	46.87	131.14	31.88	8.09	947.20
020000	3.30	3.10	5.08	1.74	20.14	0.52	2.44	0.22	2.22	27.35	24.85	74.19	44.51	6.64	58.65
030000	3.30	3.13	5.17	1.82	19.84	0.52	2.46	0.22	2.24	27.40	24.00	72.00	51.04	8.52	19.39
040000	3.20	3.14	5.12	1.76	20.03	0.52	2.48	0.22	2.26	27.33	24.00	72.00	37.05	8.22	23.71
050000	3.30	3.12	5.13	1.78	19.01	0.64	2.39	0.35	2.04	27.24	24.00	72.00	58.17	7.07	20.48
060000	3.27	3.15	5.16	1.79	18.63	0.53	2.45	0.23	2.22	27.34	24.00	72.00	58.65	7.32	25.88
070000	3.26	3.11	5.14	1.82	19.42	0.53	2.46	0.22	2.24	27.41	24.00	72.00	35.01	9.03	25.72
080000	3.31	3.13	5.18	1.81	20.02	0.56	2.48	0.23	2.25	28.34	24.00	72.00	40.76	9.83	25.45
090000	3.31	3.15	5.18	1.81	24.23	0.56	2.50	0.23	2.27	29.62	24.00	72.00	55.56	8.61	29.01
100000	3.23	3.12	5.09	1.75	34.68	0.58	2.41	0.23	2.18	31.44	24.00	72.00	218.39	4.73	36.77
110000	3.32	3.14	5.19	1.83	51.90	0.67	2.44	0.26	2.18	31.49	24.00	72.00	294.27	10.84	33.45
120000	3.36	3.25	5.28	1.81	51.10	0.69	2.35	0.26	2.09	31.80	24.00	72.00	296.33	12.07	52.81
130000	3.39	3.22	5.17	1.76	51.79	0.54	2.12	0.18	1.94	31.64	24.00	72.00	289.64	15.99	49.71
140000	3.31	3.20	5.31	1.90	49.98	0.57	2.19	0.20	1.99	31.36	24.00	72.00	279.40	12.29	35.51
150000	3.32	3.22	5.19	1.76	45.12	0.55	2.22	0.19	2.03	30.84	24.00	72.00	289.60	8.62	32.91
160000	3.18	3.19	5.18	1.80	33.40	0.55	2.26	0.21	2.05	30.47	24.00	72.00	91.55	5.62	27.50
170000	3.28	3.26	5.23	1.75	29.66	0.55	2.34	0.23	2.11	30.09	24.00	72.00	144.46	3.03	20.66
180000	3.22	3.18	5.20	1.82	26.27	0.58	2.37	0.24	2.13	29.23	24.00	72.00	87.36	6.13	20.11
190000	3.20	3.18	5.20	1.80	23.07	0.59	2.28	0.24	2.04	28.53	24.00	72.00	93.12	5.90	32.33
200000	3.20	3.19	5.20	1.81	22.12	0.61	2.46	0.27	2.19	28.01	24.00	72.00	36.20	12.08	28.83
210000	3.20	3.15	5.14	1.79	22.84	0.56	2.41	0.22	2.19	27.61	24.00	72.00	42.28	11.02	25.85
220000	3.16	3.09	5.15	1.85	22.63	0.54	2.41	0.21	2.20	27.48	24.00	72.00	42.76	8.83	24.27
230000	3.13	3.17	5.21	1.85	20.88	0.54	2.39	0.21	2.18	27.36	24.00	72.00	39.57	7.30	20.05
極大值	3.39	3.26	5.31	1.90	51.90	0.69	2.50	0.35	2.27	31.80	46.87	131.14	296.33	15.99	947.20
極小值	3.13	3.06	5.04	1.74	18.63	0.52	2.12	0.18	1.94	27.22	24.00	72.00	31.88	3.03	19.39
平均值	3.26	3.16	5.17	1.80	28.69	0.56	2.37	0.23	2.14	28.92	24.99	74.56	113.29	8.56	68.69
標準差	0.07	0.05	0.06	0.04	11.97	0.05	0.1	0.03	0.09	1.75	4.66	12.06	101.18	2.83	187.41

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	3.06	3.10	5.14	1.82	19.70	0.54	2.17	0.21	1.96	27.25	24.00	72.00	72.45	4.41	17.27
010000	3.09	3.19	5.17	1.76	18.26	0.54	2.38	0.23	2.15	27.11	46.98	131.44	63.06	7.38	950.86
020000	3.15	3.17	5.19	1.79	17.41	0.53	2.61	0.23	2.38	26.87	24.42	73.10	47.78	6.95	32.25
030000	3.25	3.13	5.16	1.79	17.51	0.53	2.20	0.20	2.00	26.83	24.00	72.00	59.30	5.59	20.70
040000	3.21	3.14	5.16	1.79	16.42	0.54	2.19	0.21	1.98	26.98	24.00	72.00	95.26	4.05	17.33
050000	3.32	3.13	5.15	1.78	14.97	0.55	2.48	0.24	2.24	26.98	24.00	72.00	57.17	7.10	22.69
060000	3.17	3.16	5.16	1.78	15.27	0.54	2.39	0.24	2.15	26.63	24.00	72.00	36.18	9.97	22.52
070000	3.22	3.12	5.14	1.81	14.52	0.56	2.38	0.23	2.15	27.20	24.00	72.00	77.83	3.23	27.36
080000	3.18	3.16	5.22	1.83	15.11	0.59	2.38	0.23	2.15	28.39	24.00	72.00	79.99	4.65	26.94
090000	3.16	3.10	5.12	1.78	20.39	0.66	2.59	0.26	2.33	30.09	24.00	72.00	267.36	5.11	34.58
100000	3.19	3.13	5.11	1.75	34.43	0.85	2.48	0.29	2.19	30.91	24.00	72.00	254.59	6.73	83.00
110000	3.21	3.06	5.08	1.81	40.41	0.84	2.48	0.33	2.15	31.17	24.00	72.00	76.33	8.34	68.73
120000	3.23	3.18	5.22	1.84	38.85	0.71	2.29	0.26	2.03	31.22	24.00	72.00	46.82	10.98	48.54
130000	3.11	3.20	5.23	1.81	39.74	0.60	2.41	0.25	2.16	31.03	24.00	72.00	37.98	12.16	48.74
140000	3.18	3.20	5.20	1.78	39.35	0.59	2.40	0.24	2.16	31.23	24.00	72.00	65.09	9.75	50.80
150000	3.16	3.21	5.21	1.80	29.53	0.60	2.46	0.29	2.17	30.61	24.00	72.00	52.79	11.63	43.30
160000	3.18	3.13	5.22	1.88	22.14	0.62	2.26	0.29	1.97	30.15	24.00	72.00	42.65	9.56	48.32
170000	3.20	3.18	5.12	1.74	22.65	0.63	2.36	0.29	2.07	29.76	24.00	72.00	44.08	10.09	40.87
180000	3.12	3.20	5.26	1.83	18.19	0.60	2.42	0.27	2.15	29.57	24.00	72.00	47.93	8.17	34.93
190000	3.14	3.24	5.21	1.76	20.61	0.59	2.47	0.27	2.20	29.30	24.00	72.00	66.74	7.36	25.31
200000	3.18	3.23	5.23	1.79	17.70	0.62	2.12	0.28	1.84	28.71	24.00	72.00	60.23	9.84	29.18
210000	3.21	3.23	5.18	1.73	17.00	0.60	2.41	0.29	2.12	28.14	24.00	72.00	36.20	12.34	34.97
220000	3.16	3.15	5.21	1.82	15.47	0.59	2.49	0.28	2.21	27.88	24.00	72.00	47.67	9.95	27.85
230000	3.12	3.12	5.16	1.81	15.08	0.58	2.46	0.28	2.18	27.75	24.00	72.00	32.79	10.17	24.65
極大值	3.32	3.24	5.26	1.88	40.41	0.85	2.61	0.33	2.38	31.23	46.98	131.44	267.36	12.34	950.86
極小值	3.06	3.06	5.08	1.73	14.52	0.53	2.12	0.20	1.84	26.63	24.00	72.00	32.79	3.23	17.27
平均值	3.18	3.16	5.18	1.80	22.53	0.61	2.39	0.26	2.13	28.82	24.98	74.52	73.68	8.15	74.24
標準差	0.06	0.05	0.05	0.03	9.06	0.08	0.13	0.03	0.12	1.68	4.69	12.13	59.87	2.67	187.4