

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.06	2.29	3.63	1.31	12.98	0.32	2.27	0.04	2.23	0.00	26.04	74.00	0.00	0.00	43.49
010000	0.05	2.28	3.67	1.39	12.00	0.32	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	42.10
020000	0.05	2.21	3.37	1.17	14.34	0.32	2.25	0.04	2.21	0.00	26.04	74.00	0.00	0.00	40.56
030000	0.06	2.35	3.86	1.49	12.08	0.32	2.23	0.00	2.23	0.00	26.04	74.00	0.00	0.00	41.74
040000	0.07	2.22	3.84	1.63	14.16	0.32	2.24	0.04	2.20	0.00	26.04	74.00	0.00	0.00	41.66
050000	0.06	2.39	3.94	1.57	14.28	0.32	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	40.92
060000	0.06	2.30	3.72	1.41	15.28	0.32	2.31	0.17	2.14	0.00	26.04	74.00	0.00	0.00	42.93
070000	0.06	2.40	3.86	1.45	13.94	0.32	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	39.72
080000	0.05	2.40	3.95	1.54	15.82	0.32	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	42.59
090000	0.05	2.40	4.15	1.74	17.35	0.32	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	39.89
100000	0.04	2.47	4.75	2.27	17.32	0.32	2.17	0.05	2.12	0.00	26.04	74.00	0.00	0.00	41.47
110000	0.05	2.48	4.79	2.30	16.95	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	40.58
120000	0.05	2.44	3.60	1.18	17.10	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	41.82
130000	0.06	2.48	3.99	1.48	16.94	0.32	2.25	0.12	2.13	0.00	26.04	74.00	0.00	0.00	41.96
140000	0.05	2.47	3.84	1.34	17.35	0.32	2.19	0.06	2.13	0.00	26.04	74.00	0.00	0.00	39.10
150000	0.05	2.52	4.07	1.54	17.72	0.32	2.19	0.05	2.14	0.00	26.04	74.00	0.00	0.00	40.37
160000	0.04	2.65	6.77	4.11	16.52	0.32	2.24	0.07	2.17	0.00	26.04	74.00	0.00	0.00	42.20
170000	0.05	2.35	5.38	3.01	16.13	0.32	2.29	0.09	2.20	0.00	26.04	74.00	0.00	0.00	41.77
180000	0.05	2.49	4.66	2.18	16.28	0.32	2.23	0.05	2.18	0.00	26.04	74.00	0.00	0.00	41.91
190000	0.05	2.41	3.78	1.39	16.88	0.32	2.22	0.05	2.17	0.00	26.04	74.00	0.00	0.00	42.52
200000	0.05	2.29	3.96	1.65	16.84	0.32	2.23	0.04	2.19	0.00	26.04	74.00	0.00	0.00	42.16
210000	0.06	2.32	3.73	1.40	15.71	0.32	2.36	0.02	2.34	0.00	26.04	74.00	0.00	0.00	43.75
220000	0.05	2.32	3.61	1.28	15.62	0.32	2.31	0.03	2.28	0.00	26.04	74.00	0.00	0.00	42.33
230000	0.05	2.31	4.07	1.75	13.43	0.32	2.30	-0.09	2.39	0.00	26.04	74.00	0.00	0.00	42.41
極大值	0.07	2.65	6.77	4.11	17.72	0.32	2.36	0.17	2.39	0.00	26.04	74.00	0.00	0.00	43.75
極小值	0.04	2.21	3.37	1.17	12.00	0.32	2.16	-0.09	2.12	0.00	26.04	74.00	0.00	0.00	39.10
平均值	0.05	2.38	4.12	1.73	15.54	0.32	2.23	0.05	2.19	0.00	26.04	74.00	0.00	0.00	41.66
標準差	0.01	0.1	0.73	0.66	1.74	0	0.05	0.04	0.07	0	0	0	0	0	1.16

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.05	2.30	3.45	1.15	14.90	0.32	2.28	0.04	2.24	0.00	26.04	74.00	0.00	0.00	42.52
010000	0.04	2.32	3.36	1.05	15.61	0.32	2.38	0.14	2.24	0.00	26.04	74.00	0.00	0.00	46.94
020000	0.07	2.30	3.11	0.83	15.99	0.32	2.24	0.03	2.21	0.00	26.04	74.00	0.00	0.00	41.72
030000	0.06	2.32	3.12	0.81	15.45	0.32	2.21	0.03	2.18	0.00	26.04	74.00	0.00	0.00	43.01
040000	0.06	2.39	3.27	0.92	15.54	0.32	2.27	0.02	2.25	0.00	26.04	74.00	0.00	0.00	42.94
050000	0.06	2.34	3.33	0.99	18.14	0.32	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	40.88
060000	0.05	2.34	3.85	1.50	17.00	0.32	2.16	0.04	2.12	0.00	26.04	74.00	0.00	0.00	39.37
070000	0.05	2.32	3.52	1.20	16.60	0.32	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	40.26
080000	0.05	2.40	5.23	2.80	15.33	0.32	2.19	0.05	2.14	0.00	26.04	74.00	0.00	0.00	41.34
090000	0.05	2.56	5.76	3.21	15.35	0.32	2.19	0.05	2.14	0.00	26.04	74.00	0.00	0.00	41.99
100000	0.06	2.53	5.31	2.80	14.34	0.32	2.21	0.05	2.16	0.00	26.04	74.00	0.00	0.00	41.62
110000	0.05	2.56	5.44	2.88	15.08	0.32	2.24	0.07	2.17	0.00	26.04	74.00	0.00	0.00	41.86
120000	0.05	2.58	4.86	2.26	16.49	0.32	2.22	0.06	2.16	0.00	26.04	74.00	0.00	0.00	42.12
130000	0.05	2.63	6.33	3.69	15.35	0.32	2.21	0.06	2.15	0.00	26.04	74.00	0.00	0.00	40.46
140000	0.05	2.62	7.32	4.68	13.06	0.32	2.37	0.24	2.13	0.00	26.04	74.00	0.00	0.00	45.15
150000	0.05	2.80	7.78	4.97	13.26	0.32	2.20	0.04	2.16	0.00	26.04	74.00	0.00	0.00	41.18
160000	0.06	2.58	5.88	3.30	14.92	0.32	2.22	0.08	2.14	0.00	26.04	74.00	0.00	0.00	42.04
170000	0.05	2.49	5.46	2.97	14.35	0.32	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	40.61
180000	0.05	2.41	5.03	2.58	13.30	0.32	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	42.03
190000	0.05	2.45	3.95	1.50	14.18	0.32	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	40.92
200000	0.05	2.31	3.93	1.59	12.73	0.32	2.23	0.05	2.18	0.00	26.04	74.00	0.00	0.00	40.01
210000	0.05	2.39	4.15	1.73	10.39	0.32	2.28	0.04	2.24	0.00	26.04	74.00	0.00	0.00	44.38
220000	0.05	2.36	4.83	2.46	8.80	0.32	2.32	0.04	2.28	0.00	26.04	74.00	0.00	0.00	43.18
230000	0.06	2.43	5.66	3.20	7.41	0.32	2.40	0.04	2.36	0.00	26.04	74.00	0.00	0.00	46.01
極大值	0.07	2.80	7.78	4.97	18.14	0.32	2.40	0.24	2.36	0.00	26.04	74.00	0.00	0.00	46.94
極小值	0.04	2.30	3.11	0.81	7.41	0.32	2.16	0.02	2.12	0.00	26.04	74.00	0.00	0.00	39.37
平均值	0.05	2.45	4.75	2.29	14.32	0.32	2.24	0.06	2.18	0.00	26.04	74.00	0.00	0.00	42.19
標準差	0.01	0.13	1.32	1.2	2.5	0	0.07	0.05	0.06	0	0	0	0	0	1.87

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.05	2.34	4.26	1.90	10.88	0.32	2.29	0.04	2.25	0.00	26.04	74.00	0.00	0.00	45.65
010000	0.05	2.36	3.80	1.44	11.36	0.32	2.20	0.04	2.16	0.00	26.04	74.00	0.00	0.00	43.35
020000	0.06	2.29	3.36	1.08	12.49	0.32	2.17	0.05	2.12	0.00	26.04	74.00	0.00	0.00	40.92
030000	0.05	2.36	3.17	0.85	13.85	0.32	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	39.56
040000	0.05	2.41	3.13	0.75	14.99	0.32	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	40.15
050000	0.05	2.40	3.43	1.03	14.62	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	41.84
060000	0.06	2.36	3.45	1.09	14.17	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	42.05
070000	0.05	2.45	4.48	2.02	12.17	0.32	2.20	0.05	2.15	0.00	26.04	74.00	0.00	0.00	41.50
080000	0.05	2.45	3.94	1.50	12.41	0.32	2.20	0.05	2.15	0.00	26.04	74.00	0.00	0.00	41.82
090000	0.05	2.55	4.02	1.47	13.74	0.32	2.27	0.14	2.13	0.00	26.04	74.00	0.00	0.00	41.59
100000	0.05	2.37	3.64	1.27	14.41	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	39.01
110000	0.05	2.45	3.70	1.26	14.60	0.32	2.18	0.04	2.14	0.00	26.04	74.00	0.00	0.00	41.85
120000	0.05	2.44	3.92	1.48	13.01	0.32	2.21	0.05	2.16	0.00	26.04	74.00	0.00	0.00	40.70
130000	0.06	2.57	4.37	1.79	12.81	0.32	2.22	0.05	2.17	0.00	26.04	74.00	0.00	0.00	40.64
140000	0.05	2.51	4.01	1.51	13.40	0.32	2.18	0.05	2.13	0.00	26.04	74.00	0.00	0.00	43.12
150000	0.06	2.43	3.66	1.23	13.62	0.32	2.17	0.04	2.13	0.00	26.04	74.00	0.00	0.00	40.51
160000	0.06	2.61	5.16	2.54	12.61	0.32	2.20	0.06	2.14	0.00	26.04	74.00	0.00	0.00	42.53
170000	0.05	2.42	4.69	2.28	12.94	0.32	2.20	0.06	2.14	0.00	26.04	74.00	0.00	0.00	41.04
180000	0.05	2.37	5.73	3.35	13.69	0.32	2.22	0.07	2.15	0.00	26.04	74.00	0.00	0.00	40.54
190000	0.05	2.38	7.83	5.47	12.25	0.32	2.34	0.06	2.28	0.00	26.04	74.00	0.00	0.00	42.79
200000	0.05	2.46	6.49	4.04	11.49	0.32	2.38	0.08	2.30	0.00	26.04	74.00	0.00	0.00	44.79
210000	0.06	2.61	6.82	4.22	11.72	0.32	2.55	0.07	2.48	0.00	26.04	74.00	0.00	0.00	48.90
220000	0.05	2.44	8.14	5.74	9.36	0.32	2.69	0.09	2.60	0.00	26.04	74.00	0.00	0.00	51.47
230000	0.06	2.45	8.23	5.78	6.50	0.32	2.85	0.10	2.75	0.00	26.04	74.00	0.00	0.00	53.10
極大值	0.06	2.61	8.23	5.78	14.99	0.32	2.85	0.14	2.75	0.00	26.04	74.00	0.00	0.00	53.10
極小值	0.05	2.29	3.13	0.75	6.50	0.32	2.17	0.04	2.12	0.00	26.04	74.00	0.00	0.00	39.01
平均值	0.05	2.44	4.73	2.30	12.63	0.32	2.27	0.06	2.22	0.00	26.04	74.00	0.00	0.00	42.89
標準差	0	0.08	1.61	1.59	1.87	0	0.18	0.02	0.16	0	0	0	0	0	3.58

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.06	2.42	7.90	5.51	6.04	0.32	3.01	0.10	2.91	0.00	26.04	74.00	0.00	0.00	55.52
010000	0.04	2.40	6.68	4.27	8.94	0.32	2.82	0.09	2.73	0.00	26.04	74.00	0.00	0.00	55.35
020000	0.06	2.41	4.13	1.70	13.37	0.32	2.51	0.06	2.45	0.00	26.04	74.00	0.00	0.00	45.91
030000	0.06	2.35	3.69	1.33	15.69	0.32	2.34	0.03	2.31	0.00	26.04	74.00	0.00	0.00	44.35
040000	0.07	2.23	3.98	1.70	12.36	0.32	2.30	0.03	2.27	0.00	26.04	74.00	0.00	0.00	42.77
050000	0.06	2.39	4.19	1.78	12.65	0.32	2.34	0.04	2.30	0.00	26.04	74.00	0.00	0.00	43.76
060000	0.05	2.51	5.11	2.60	13.35	0.32	2.29	0.04	2.25	0.00	26.04	74.00	0.00	0.00	42.33
070000	0.05	2.92	6.92	3.97	9.73	0.32	2.35	0.05	2.30	0.00	26.04	74.00	0.00	0.00	44.54
080000	0.05	3.01	5.76	2.73	9.13	0.32	2.43	0.10	2.33	0.00	26.04	74.00	0.00	0.00	46.75
090000	0.05	2.79	4.40	1.61	9.48	0.32	2.12	0.05	2.07	0.00	26.04	74.00	0.00	0.00	39.19
100000	0.06	2.63	3.65	1.04	10.99	0.32	2.13	0.06	2.07	0.00	26.04	74.00	0.00	0.00	40.85
110000	0.05	2.50	3.30	0.82	12.17	0.32	2.14	0.07	2.07	0.00	26.04	74.00	0.00	0.00	40.66
120000	0.05	2.46	3.42	0.97	13.02	0.32	2.14	0.06	2.08	0.00	26.04	74.00	0.00	0.00	40.78
130000	0.06	2.56	3.74	1.17	12.99	0.32	2.14	0.04	2.10	0.00	26.04	74.00	0.00	0.00	39.83
140000	0.05	2.57	3.68	1.10	12.89	0.32	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	41.38
150000	0.05	2.58	4.17	1.58	12.13	0.32	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	40.61
160000	0.05	2.86	5.30	2.43	11.72	0.32	2.17	0.06	2.11	0.00	26.04	74.00	0.00	0.00	41.64
170000	0.05	2.49	4.12	1.64	12.44	0.32	2.15	0.04	2.11	0.00	26.04	74.00	0.00	0.00	40.78
180000	0.06	2.49	8.70	6.21	20.62	0.32	2.28	0.08	2.20	0.00	26.04	74.00	0.00	0.00	41.64
190000	0.05	2.46	5.84	3.41	16.76	0.32	2.24	0.04	2.20	0.00	26.04	74.00	0.00	0.00	42.17
200000	0.05	2.43	5.60	3.21	11.25	0.32	2.31	0.04	2.27	0.00	26.04	74.00	0.00	0.00	42.00
210000	0.06	2.59	6.03	3.47	8.80	0.32	2.58	0.03	2.55	0.00	26.04	74.00	0.00	0.00	49.34
220000	0.05	2.46	6.55	4.10	9.22	0.32	2.70	0.05	2.65	0.00	26.04	74.00	0.00	0.00	52.51
230000	0.06	2.58	6.78	4.22	5.89	0.32	2.87	0.06	2.81	0.00	26.04	74.00	0.00	0.00	54.95
極大值	0.07	3.01	8.70	6.21	20.62	0.32	3.01	0.10	2.91	0.00	26.04	74.00	0.00	0.00	55.52
極小值	0.04	2.23	3.30	0.82	5.89	0.32	2.12	0.03	2.07	0.00	26.04	74.00	0.00	0.00	39.19
平均值	0.05	2.55	5.15	2.61	11.73	0.32	2.36	0.06	2.31	0.00	26.04	74.00	0.00	0.00	44.57
標準差	0.01	0.19	1.52	1.51	3.22	0	0.26	0.02	0.25	0	0	0	0	0	5.15

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.07	2.56	6.99	4.43	4.44	0.32	2.84	0.05	2.79	0.00	26.04	74.00	0.00	0.00	52.29
010000	0.06	2.52	4.88	2.35	7.08	0.32	2.68	0.04	2.64	0.00	26.04	74.00	0.00	0.00	49.86
020000	0.07	2.41	4.28	1.85	6.88	0.32	2.87	0.01	2.86	0.00	26.04	74.00	0.00	0.00	54.23
030000	0.06	2.42	4.59	2.15	5.56	0.32	2.80	0.01	2.79	0.00	26.04	74.00	0.00	0.00	52.37
040000	0.07	2.48	5.17	2.71	5.51	0.32	2.64	0.04	2.60	0.00	26.04	74.00	0.00	0.00	50.39
050000	0.06	2.47	4.87	2.43	5.99	0.32	2.49	0.03	2.46	0.00	26.04	74.00	0.00	0.00	48.74
060000	0.06	3.05	7.00	3.93	6.78	0.32	2.55	0.05	2.50	0.00	26.04	74.00	0.00	0.00	46.89
070000	0.06	3.20	6.35	3.13	9.87	0.32	2.50	0.06	2.44	0.00	26.04	74.00	0.00	0.00	45.41
080000	0.05	2.54	3.77	1.22	13.28	0.32	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	42.94
090000	0.06	2.56	3.67	1.10	13.19	0.32	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.51
100000	0.06	2.50	3.42	0.90	12.60	0.32	2.16	0.08	2.08	0.00	26.04	74.00	0.00	0.00	39.75
110000	0.06	2.48	3.39	0.92	12.63	0.32	2.17	0.08	2.09	0.00	26.04	74.00	0.00	0.00	39.05
120000	0.06	2.47	3.44	0.98	13.24	0.32	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	40.82
130000	0.06	2.56	3.31	0.75	12.83	0.32	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	40.65
140000	0.06	2.53	3.37	0.83	13.00	0.32	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	41.64
150000	0.06	2.49	3.31	0.83	13.94	0.32	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	40.44
160000	0.06	2.52	3.46	0.95	14.42	0.32	2.17	0.06	2.11	0.00	26.04	74.00	0.00	0.00	39.93
170000	0.06	2.46	3.54	1.09	13.98	0.32	2.14	0.06	2.08	0.00	26.04	74.00	0.00	0.00	39.37
180000	0.06	2.52	3.68	1.17	11.87	0.32	2.14	0.05	2.09	0.00	26.04	74.00	0.00	0.00	37.96
190000	0.08	2.48	4.28	1.80	10.83	0.32	2.21	0.04	2.17	0.00	26.04	74.00	0.00	0.00	41.28
200000	0.07	2.44	4.76	2.35	9.52	0.32	2.23	0.05	2.18	0.00	26.04	74.00	0.00	0.00	42.78
210000	0.08	2.39	4.33	1.94	8.48	0.32	2.28	0.06	2.22	0.00	26.04	74.00	0.00	0.00	40.23
220000	0.06	2.42	4.02	1.57	9.05	0.32	2.26	0.04	2.22	0.00	26.04	74.00	0.00	0.00	42.24
230000	0.07	2.44	3.78	1.32	8.11	0.32	2.28	0.04	2.24	0.00	26.04	74.00	0.00	0.00	43.33
極大值	0.08	3.20	7.00	4.43	14.42	0.32	2.87	0.08	2.86	0.00	26.04	74.00	0.00	0.00	54.23
極小值	0.05	2.39	3.31	0.75	4.44	0.32	2.14	0.01	2.08	0.00	26.04	74.00	0.00	0.00	37.96
平均值	0.06	2.54	4.32	1.78	10.13	0.32	2.36	0.05	2.31	0.00	26.04	74.00	0.00	0.00	43.88
標準差	0.01	0.19	1.11	1	3.23	0	0.24	0.02	0.26	0	0	0	0	0	4.88

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.07	2.45	3.86	1.40	6.83	0.32	2.30	0.04	2.26	0.00	26.04	74.00	0.00	0.00	44.27
010000	0.07	2.54	4.97	2.48	4.98	0.32	2.39	0.04	2.35	0.00	26.04	74.00	0.00	0.00	45.47
020000	0.06	2.51	4.39	1.89	4.92	0.32	2.45	0.04	2.41	0.00	26.04	74.00	0.00	0.00	45.95
030000	0.07	2.42	4.79	2.39	3.48	0.32	2.56	0.04	2.52	0.00	26.04	74.00	0.00	0.00	47.66
040000	0.07	2.45	4.61	2.18	2.55	0.32	2.57	0.03	2.54	0.00	26.04	74.00	0.00	0.00	46.81
050000	0.06	2.62	4.81	2.19	2.66	0.32	2.47	0.03	2.44	0.00	26.04	74.00	0.00	0.00	46.57
060000	0.06	4.37	7.23	2.83	2.82	0.32	2.48	0.05	2.43	0.00	26.04	74.00	0.00	0.00	45.68
070000	0.06	3.97	6.53	2.54	5.74	0.32	2.43	0.06	2.37	0.00	26.04	74.00	0.00	0.00	46.42
080000	0.06	3.09	5.11	2.02	10.68	0.32	2.27	0.05	2.22	0.00	26.04	74.00	0.00	0.00	43.21
090000	0.06	2.67	3.94	1.27	15.58	0.32	2.27	0.07	2.20	0.00	26.04	74.00	0.00	0.00	42.42
100000	0.05	2.75	5.32	2.61	22.47	0.32	2.34	0.15	2.19	0.00	26.04	74.00	0.00	0.00	42.81
110000	0.06	2.67	4.39	1.73	14.38	0.32	2.34	0.22	2.12	0.00	26.04	74.00	0.00	0.00	42.44
120000	0.05	2.78	4.21	1.42	13.56	0.32	2.24	0.12	2.12	0.00	26.04	74.00	0.00	0.00	43.85
130000	0.06	2.59	3.80	1.22	14.82	0.32	2.19	0.08	2.11	0.00	26.04	74.00	0.00	0.00	40.67
140000	0.06	2.59	3.70	1.09	14.70	0.32	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	41.65
150000	0.06	2.60	3.93	1.33	13.23	0.32	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	42.58
160000	0.07	2.62	3.93	1.32	12.60	0.32	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	40.06
170000	0.06	2.58	3.90	1.31	13.98	0.32	2.15	0.06	2.09	0.00	26.04	74.00	0.00	0.00	39.53
180000	0.06	2.54	4.07	1.52	11.83	0.32	2.16	0.05	2.11	0.00	26.04	74.00	0.00	0.00	41.42
190000	0.06	2.50	3.96	1.46	12.67	0.32	2.24	0.03	2.21	0.00	26.04	74.00	0.00	0.00	42.04
200000	0.06	2.53	4.15	1.61	10.99	0.32	2.31	0.03	2.28	0.00	26.04	74.00	0.00	0.00	45.29
210000	0.07	2.60	5.07	2.50	6.99	0.32	2.51	0.04	2.47	0.00	26.04	74.00	0.00	0.00	47.51
220000	0.07	2.63	7.01	4.39	3.27	0.32	2.62	0.08	2.54	0.00	26.04	74.00	0.00	0.00	50.29
230000	0.06	2.52	5.72	3.23	2.88	0.32	2.92	0.03	2.89	0.00	26.04	74.00	0.00	0.00	55.85
極大值	0.07	4.37	7.23	4.39	22.47	0.32	2.92	0.22	2.89	0.00	26.04	74.00	0.00	0.00	55.85
極小值	0.05	2.42	3.70	1.09	2.55	0.32	2.15	0.03	2.09	0.00	26.04	74.00	0.00	0.00	39.53
平均值	0.06	2.73	4.72	2.00	9.53	0.32	2.36	0.06	2.30	0.00	26.04	74.00	0.00	0.00	44.60
標準差	0.01	0.47	1.01	0.78	5.48	0	0.19	0.04	0.2	0	0	0	0	0	3.61

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.08	2.50	5.02	2.55	2.88	0.32	2.78	0.03	2.75	0.00	26.04	74.00	0.00	0.00	53.06
010000	0.06	2.64	5.49	2.86	3.02	0.32	2.66	0.04	2.62	0.00	26.04	74.00	0.00	0.00	50.66
020000	0.06	2.54	5.98	3.45	3.10	0.32	2.98	0.02	2.96	0.00	26.04	74.00	0.00	0.00	56.31
030000	0.07	2.56	5.80	3.28	3.33	0.32	3.22	0.02	3.20	0.00	26.04	74.00	0.00	0.00	61.46
040000	0.07	2.72	6.29	3.58	2.49	0.32	3.35	0.02	3.33	0.00	26.04	74.00	0.00	0.00	61.28
050000	0.06	2.82	6.42	3.61	2.53	0.32	3.20	0.03	3.17	0.00	26.04	74.00	0.00	0.00	60.93
060000	0.06	4.03	7.55	3.52	2.66	0.32	2.84	0.05	2.79	0.00	26.04	74.00	0.00	0.00	53.27
070000	0.05	6.18	10.22	4.02	3.24	0.32	2.74	0.05	2.69	0.00	26.04	74.00	0.00	0.00	51.70
080000	0.06	3.83	6.95	3.10	8.65	0.32	2.57	0.08	2.49	0.00	26.04	74.00	0.00	0.00	48.18
090000	0.06	2.96	5.94	3.00	19.53	0.32	2.50	0.09	2.41	0.00	26.04	74.00	0.00	0.00	46.90
100000	0.05	2.62	5.20	2.62	31.25	0.32	2.39	0.14	2.25	0.00	26.04	74.00	0.00	0.00	44.49
110000	0.06	2.77	7.14	4.39	40.47	0.32	2.46	0.22	2.24	0.00	26.04	74.00	0.00	0.00	46.77
120000	0.06	2.80	7.51	4.71	37.40	0.32	2.36	0.16	2.20	0.00	26.04	74.00	0.00	0.00	44.47
130000	0.05	2.70	6.68	3.97	39.66	0.32	2.33	0.14	2.19	0.00	26.04	74.00	0.00	0.00	42.54
140000	0.05	3.00	8.23	5.21	30.50	0.32	2.43	0.25	2.18	0.00	26.04	74.00	0.00	0.00	44.96
150000	0.06	4.12	11.10	6.96	21.13	0.32	2.44	0.28	2.16	0.00	26.04	74.00	0.00	0.00	46.36
160000	0.06	4.74	14.23	9.45	15.82	0.32	2.49	0.32	2.17	0.00	26.04	74.00	0.00	0.00	46.72
170000	0.06	4.12	18.44	14.27	13.54	0.32	2.44	0.27	2.17	0.00	26.04	74.00	0.00	0.00	45.06
180000	0.05	2.99	11.44	8.45	12.94	0.32	2.48	0.14	2.34	0.00	26.04	74.00	0.00	0.00	48.33
190000	0.06	2.77	11.12	8.35	9.94	0.32	2.55	0.11	2.44	0.00	26.04	74.00	0.00	0.00	48.03
200000	0.06	2.89	11.21	8.33	5.87	0.32	2.52	0.10	2.42	0.00	26.04	74.00	0.00	0.00	46.81
210000	0.06	2.77	10.07	7.31	4.10	0.32	2.66	0.09	2.57	0.00	26.04	74.00	0.00	0.00	49.23
220000	0.06	2.76	7.24	4.50	5.21	0.32	2.67	0.05	2.62	0.00	26.04	74.00	0.00	0.00	49.94
230000	0.05	2.71	6.82	4.15	5.85	0.32	2.74	0.04	2.70	0.00	26.04	74.00	0.00	0.00	51.48
極大值	0.08	6.18	18.44	14.27	40.47	0.32	3.35	0.32	3.33	0.00	26.04	74.00	0.00	0.00	61.46
極小值	0.05	2.50	5.02	2.55	2.49	0.32	2.33	0.02	2.16	0.00	26.04	74.00	0.00	0.00	42.54
平均值	0.06	3.19	8.42	5.24	13.55	0.32	2.66	0.11	2.54	0.00	26.04	74.00	0.00	0.00	49.96
標準差	0.01	0.89	3.24	2.85	13.01	0	0.28	0.09	0.35	0	0	0	0	0	5.42

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.05	2.75	7.23	4.47	4.89	0.32	2.61	0.08	2.53	0.00	26.04	74.00	0.00	0.00	49.59
010000	0.06	2.70	5.96	3.28	3.82	0.32	2.70	0.07	2.63	0.00	26.04	74.00	0.00	0.00	52.32
020000	0.06	2.78	6.03	3.27	3.10	0.32	2.71	0.05	2.66	0.00	26.04	74.00	0.00	0.00	51.45
030000	0.07	2.71	6.48	3.79	3.07	0.32	3.10	0.03	3.07	0.00	26.04	74.00	0.00	0.00	58.95
040000	0.07	2.84	7.03	4.21	3.12	0.32	3.05	0.06	2.99	0.00	26.04	74.00	0.00	0.00	58.10
050000	0.06	3.21	7.30	4.06	2.58	0.32	3.01	0.07	2.94	0.00	26.04	74.00	0.00	0.00	56.64
060000	0.06	3.69	7.38	3.66	4.83	0.32	2.72	0.07	2.65	0.00	26.04	74.00	0.00	0.00	49.00
070000	0.06	3.59	6.99	3.38	10.14	0.32	2.54	0.08	2.46	0.00	26.04	74.00	0.00	0.00	48.56
080000	0.05	3.10	6.22	3.10	16.18	0.32	2.37	0.10	2.27	0.00	26.04	74.00	0.00	0.00	44.64
090000	0.06	2.72	5.63	2.94	24.88	0.32	2.35	0.12	2.23	0.00	26.04	74.00	0.00	0.00	44.20
100000	0.06	2.61	6.13	3.52	34.16	0.32	2.39	0.15	2.24	0.00	26.04	74.00	0.00	0.00	44.01
110000	0.06	3.16	10.86	7.69	45.56	0.32	2.45	0.24	2.21	0.00	26.04	74.00	0.00	0.00	45.67
120000	0.06	3.98	14.06	10.09	35.02	0.32	2.42	0.24	2.18	0.00	26.04	74.00	0.00	0.00	45.78
130000	0.06	2.78	6.60	3.83	36.64	0.32	2.29	0.10	2.19	0.00	26.04	74.00	0.00	0.00	42.89
140000	0.05	2.61	5.91	3.28	36.40	0.32	2.26	0.07	2.19	0.00	26.04	74.00	0.00	0.00	41.75
150000	0.05	2.66	9.29	6.64	29.38	0.32	2.33	0.11	2.22	0.00	26.04	74.00	0.00	0.00	43.24
160000	0.05	3.51	14.28	10.73	16.24	0.32	2.45	0.22	2.23	0.00	26.04	74.00	0.00	0.00	45.98
170000	0.05	3.92	18.41	14.44	9.32	0.32	2.53	0.26	2.27	0.00	26.04	74.00	0.00	0.00	47.49
180000	0.06	3.01	13.26	10.25	8.95	0.32	2.40	0.13	2.27	0.00	26.04	74.00	0.00	0.00	44.99
190000	0.07	2.86	11.32	8.47	7.28	0.32	2.54	0.10	2.44	0.00	26.04	74.00	0.00	0.00	47.06
200000	0.06	2.95	11.80	8.86	5.34	0.32	2.57	0.13	2.44	0.00	26.04	74.00	0.00	0.00	48.29
210000	0.07	3.18	11.64	8.47	4.80	0.32	2.65	0.16	2.49	0.00	26.04	74.00	0.00	0.00	48.96
220000	0.05	3.47	11.14	7.65	3.03	0.32	2.82	0.16	2.66	0.00	26.04	74.00	0.00	0.00	53.34
230000	0.06	3.38	9.56	6.16	4.62	0.32	2.79	0.14	2.65	0.00	26.04	74.00	0.00	0.00	52.76
極大值	0.07	3.98	18.41	14.44	45.56	0.32	3.10	0.26	3.07	0.00	26.04	74.00	0.00	0.00	58.95
極小值	0.05	2.61	5.63	2.94	2.58	0.32	2.26	0.03	2.18	0.00	26.04	74.00	0.00	0.00	41.75
平均值	0.06	3.09	9.19	6.09	14.72	0.32	2.59	0.12	2.46	0.00	26.04	74.00	0.00	0.00	48.57
標準差	0.01	0.42	3.44	3.18	13.9	0	0.24	0.06	0.27	0	0	0	0	0	4.8

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.05	3.33	8.51	5.16	3.93	0.32	2.69	0.10	2.59	0.00	26.04	74.00	0.00	0.00	50.87
010000	0.05	3.06	7.84	4.78	3.49	0.32	2.77	0.08	2.69	0.00	26.04	74.00	0.00	0.00	54.56
020000	0.06	3.00	7.81	4.81	2.31	0.32	3.01	0.05	2.96	0.00	26.04	74.00	0.00	0.00	57.33
030000	0.06	3.00	7.03	4.03	2.96	0.32	2.70	0.06	2.64	0.00	26.04	74.00	0.00	0.00	49.75
040000	0.07	2.93	7.46	4.53	2.38	0.32	2.65	0.07	2.58	0.00	26.04	74.00	0.00	0.00	48.12
050000	0.07	3.59	8.14	4.52	2.08	0.32	2.70	0.06	2.64	0.00	26.04	74.00	0.00	0.00	50.22
060000	0.06	4.47	8.20	3.70	3.11	0.32	2.92	0.06	2.86	0.00	26.04	74.00	0.00	0.00	54.92
070000	0.05	3.84	6.81	2.94	7.42	0.32	2.37	0.07	2.30	0.00	26.04	74.00	0.00	0.00	45.03
080000	0.06	2.92	5.49	2.59	15.04	0.32	2.32	0.07	2.25	0.00	26.04	74.00	0.00	0.00	43.46
090000	0.06	2.69	4.93	2.27	20.31	0.32	2.33	0.08	2.25	0.00	26.04	74.00	0.00	0.00	43.90
100000	0.06	2.86	4.56	1.67	12.98	0.32	2.23	0.09	2.14	0.00	26.04	74.00	0.00	0.00	41.67
110000	0.06	3.04	4.71	1.66	10.01	0.32	2.18	0.09	2.09	0.00	26.04	74.00	0.00	0.00	41.05
120000	0.06	2.83	4.17	1.31	10.80	0.32	2.15	0.08	2.07	0.00	26.04	74.00	0.00	0.00	40.21
130000	0.05	2.68	3.90	1.19	10.42	0.32	2.13	0.06	2.07	0.00	26.04	74.00	0.00	0.00	41.68
140000	0.06	2.80	3.85	1.04	10.91	0.32	2.14	0.06	2.08	0.00	26.04	74.00	0.00	0.00	39.89
150000	0.06	2.84	4.15	1.31	11.99	0.32	2.13	0.06	2.07	0.00	26.04	74.00	0.00	0.00	39.09
160000	0.05	2.72	3.89	1.16	13.44	0.32	2.13	0.05	2.08	0.00	26.04	74.00	0.00	0.00	39.64
170000	0.07	2.78	3.95	1.15	9.58	0.32	2.13	0.05	2.08	0.00	26.04	74.00	0.00	0.00	39.57
180000	0.06	2.62	3.78	1.16	10.72	0.32	2.12	0.04	2.08	0.00	26.04	74.00	0.00	0.00	38.11
190000	0.06	2.68	3.75	1.07	10.42	0.32	2.11	0.04	2.07	0.00	26.04	74.00	0.00	0.00	39.46
200000	0.05	2.76	3.98	1.21	8.52	0.32	2.11	0.04	2.07	0.00	26.04	74.00	0.00	0.00	41.04
210000	0.07	2.53	4.86	2.37	5.78	0.32	2.24	0.04	2.20	0.00	26.04	74.00	0.00	0.00	40.39
220000	0.06	2.67	4.49	1.82	6.10	0.32	2.28	0.04	2.24	0.00	26.04	74.00	0.00	0.00	41.08
230000	0.06	2.47	4.16	1.68	6.72	0.32	2.20	0.04	2.16	0.00	26.04	74.00	0.00	0.00	39.53
極大值	0.07	4.47	8.51	5.16	20.31	0.32	3.01	0.10	2.96	0.00	26.04	74.00	0.00	0.00	57.33
極小值	0.05	2.47	3.75	1.04	2.08	0.32	2.11	0.04	2.07	0.00	26.04	74.00	0.00	0.00	38.11
平均值	0.06	2.96	5.43	2.46	8.39	0.32	2.36	0.06	2.30	0.00	26.04	74.00	0.00	0.00	44.19
標準差	0.01	0.45	1.73	1.45	4.69	0	0.29	0.02	0.28	0	0	0	0	0	5.76

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.06	2.63	4.48	1.83	7.29	0.32	2.22	0.04	2.18	0.00	26.04	74.00	0.00	0.00	40.89
010000	0.05	2.72	4.53	1.80	7.13	0.32	2.26	0.03	2.23	0.00	26.04	74.00	0.00	0.00	42.29
020000	0.06	2.59	4.55	1.97	6.11	0.32	2.26	0.03	2.23	0.00	26.04	74.00	0.00	0.00	41.03
030000	0.05	2.56	4.41	1.81	4.97	0.32	2.30	0.03	2.27	0.00	26.04	74.00	0.00	0.00	43.51
040000	0.06	2.54	5.17	2.68	2.90	0.32	2.43	0.03	2.40	0.00	26.04	74.00	0.00	0.00	46.42
050000	0.06	3.25	5.95	2.73	2.50	0.32	2.44	0.03	2.41	0.00	26.04	74.00	0.00	0.00	44.94
060000	0.05	3.51	5.75	2.24	3.59	0.32	2.39	0.05	2.34	0.00	26.04	74.00	0.00	0.00	44.43
070000	0.06	3.15	4.93	1.74	7.78	0.32	2.27	0.07	2.20	0.00	26.04	74.00	0.00	0.00	42.01
080000	0.05	3.01	4.34	1.32	10.24	0.32	2.21	0.08	2.13	0.00	26.04	74.00	0.00	0.00	41.49
090000	0.06	2.87	4.26	1.39	12.02	0.32	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	41.61
100000	0.06	2.79	4.11	1.30	12.43	0.32	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	40.43
110000	0.07	2.87	4.10	1.21	12.38	0.32	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.65
120000	0.06	2.85	4.13	1.25	11.75	0.32	2.22	0.08	2.14	0.00	26.04	74.00	0.00	0.00	42.30
130000	0.06	2.76	4.05	1.27	12.11	0.32	2.17	0.07	2.10	0.00	26.04	74.00	0.00	0.00	40.20
140000	0.05	2.82	4.15	1.32	13.73	0.32	2.16	0.07	2.09	0.00	26.04	74.00	0.00	0.00	41.39
150000	0.06	2.78	3.97	1.14	13.50	0.32	2.16	0.06	2.10	0.00	26.04	74.00	0.00	0.00	39.20
160000	0.06	2.85	4.19	1.32	13.14	0.32	2.17	0.06	2.11	0.00	26.04	74.00	0.00	0.00	40.54
170000	0.06	2.82	4.12	1.26	12.41	0.32	2.15	0.05	2.10	0.00	26.04	74.00	0.00	0.00	41.63
180000	0.06	3.14	4.91	1.77	11.73	0.32	2.21	0.05	2.16	0.00	26.04	74.00	0.00	0.00	41.30
190000	0.06	2.69	4.70	2.02	10.92	0.32	2.44	0.04	2.40	0.00	26.04	74.00	0.00	0.00	46.39
200000	0.06	2.90	5.61	2.74	9.09	0.32	2.40	0.05	2.35	0.00	26.04	74.00	0.00	0.00	45.14
210000	0.06	2.90	5.02	2.11	9.68	0.32	2.28	0.04	2.24	0.00	26.04	74.00	0.00	0.00	42.79
220000	0.06	3.02	4.97	1.95	9.81	0.32	2.25	0.03	2.22	0.00	26.04	74.00	0.00	0.00	42.72
230000	0.07	3.02	5.92	2.90	7.13	0.32	2.50	0.03	2.47	0.00	26.04	74.00	0.00	0.00	45.57
極大值	0.07	3.51	5.95	2.90	13.73	0.32	2.50	0.08	2.47	0.00	26.04	74.00	0.00	0.00	46.42
極小值	0.05	2.54	3.97	1.14	2.50	0.32	2.15	0.03	2.09	0.00	26.04	74.00	0.00	0.00	39.20
平均值	0.06	2.88	4.68	1.79	9.35	0.32	2.27	0.05	2.22	0.00	26.04	74.00	0.00	0.00	42.45
標準差	0.01	0.23	0.62	0.55	3.47	0	0.11	0.02	0.12	0	0	0	0	0	2.04

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.05	3.21	5.66	2.44	7.54	0.32	2.32	0.04	2.28	0.00	26.04	74.00	0.00	0.00	42.58
010000	0.05	2.68	5.73	3.04	6.79	0.32	2.44	0.03	2.41	0.00	26.04	74.00	0.00	0.00	47.49
020000	0.05	3.11	5.90	2.80	5.40	0.32	2.50	0.03	2.47	0.00	26.04	74.00	0.00	0.00	47.02
030000	0.06	2.62	5.01	2.41	3.80	0.32	3.02	0.01	3.01	0.00	26.04	74.00	0.00	0.00	55.62
040000	0.05	2.70	5.55	2.92	2.42	0.32	2.67	0.01	2.66	0.00	26.04	74.00	0.00	0.00	48.68
050000	0.05	3.26	6.31	3.08	2.71	0.32	2.44	0.02	2.42	0.00	26.04	74.00	0.00	0.00	45.85
060000	0.05	4.52	7.71	3.18	3.43	0.32	2.25	0.04	2.21	0.00	26.04	74.00	0.00	0.00	41.18
070000	0.05	4.10	6.91	2.77	8.27	0.32	2.27	0.06	2.21	0.00	26.04	74.00	0.00	0.00	43.63
080000	0.05	2.83	4.56	1.66	13.15	0.32	2.21	0.07	2.14	0.00	26.04	74.00	0.00	0.00	41.39
090000	0.06	2.85	4.51	1.61	14.36	0.32	2.19	0.08	2.11	0.00	26.04	74.00	0.00	0.00	39.74
100000	0.06	2.71	4.40	1.70	13.99	0.32	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	41.10
110000	0.06	2.71	4.15	1.41	13.47	0.32	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	39.56
120000	0.06	3.05	4.96	1.90	13.60	0.32	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	42.40
130000	0.05	2.95	4.85	1.87	14.65	0.32	2.20	0.08	2.12	0.00	26.04	74.00	0.00	0.00	42.86
140000	0.05	2.72	4.43	1.69	16.36	0.32	2.21	0.07	2.14	0.00	26.04	74.00	0.00	0.00	40.24
150000	0.06	2.84	4.90	2.06	17.20	0.32	2.23	0.09	2.14	0.00	26.04	74.00	0.00	0.00	39.73
160000	0.05	3.02	5.19	2.16	16.00	0.32	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	40.92
170000	0.06	3.08	6.31	3.24	14.93	0.32	2.25	0.10	2.15	0.00	26.04	74.00	0.00	0.00	42.82
180000	0.07	2.91	5.50	2.60	13.74	0.32	2.23	0.07	2.16	0.00	26.04	74.00	0.00	0.00	40.98
190000	0.07	2.57	6.08	3.54	11.92	0.32	2.31	0.06	2.25	0.00	26.04	74.00	0.00	0.00	42.65
200000	0.07	2.61	6.64	4.04	10.76	0.32	2.53	0.08	2.45	0.00	26.04	74.00	0.00	0.00	46.97
210000	0.06	2.91	8.53	5.61	8.97	0.32	2.56	0.13	2.43	0.00	26.04	74.00	0.00	0.00	48.04
220000	0.06	2.78	7.92	5.15	7.10	0.32	2.51	0.10	2.41	0.00	26.04	74.00	0.00	0.00	47.54
230000	0.07	3.17	8.57	5.38	3.85	0.32	2.53	0.08	2.45	0.00	26.04	74.00	0.00	0.00	46.60
極大值	0.07	4.52	8.57	5.61	17.20	0.32	3.02	0.13	3.01	0.00	26.04	74.00	0.00	0.00	55.62
極小值	0.05	2.57	4.15	1.41	2.42	0.32	2.19	0.01	2.11	0.00	26.04	74.00	0.00	0.00	39.56
平均值	0.06	3.00	5.84	2.84	10.18	0.32	2.36	0.07	2.30	0.00	26.04	74.00	0.00	0.00	43.98
標準差	0.01	0.45	1.3	1.19	4.85	0	0.2	0.03	0.22	0	0	0	0	0	3.89

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.06	3.22	8.79	5.57	2.80	0.32	2.51	0.07	2.44	0.00	26.04	74.00	0.00	0.00	48.58
010000	0.05	3.11	8.26	5.17	2.22	0.32	2.55	0.07	2.48	0.00	26.04	74.00	0.00	0.00	49.33
020000	0.07	3.04	8.27	5.24	2.14	0.32	2.46	0.07	2.39	0.00	26.04	74.00	0.00	0.00	45.48
030000	0.05	3.33	8.74	5.40	2.01	0.32	2.51	0.07	2.44	0.00	26.04	74.00	0.00	0.00	47.48
040000	0.06	3.73	8.40	4.67	2.04	0.32	2.48	0.06	2.42	0.00	26.04	74.00	0.00	0.00	45.34
050000	0.07	3.93	8.25	4.30	2.16	0.32	2.73	0.06	2.67	0.00	26.04	74.00	0.00	0.00	52.08
060000	0.06	5.97	10.34	4.35	2.79	0.32	2.74	0.05	2.69	0.00	26.04	74.00	0.00	0.00	50.88
070000	0.06	4.16	7.51	3.32	8.45	0.32	2.32	0.07	2.25	0.00	26.04	74.00	0.00	0.00	43.66
080000	0.05	2.84	4.71	1.85	13.93	0.32	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	41.19
090000	0.05	2.81	4.80	1.99	15.97	0.32	2.20	0.07	2.13	0.00	26.04	74.00	0.00	0.00	41.36
100000	0.05	2.80	4.62	1.79	16.56	0.32	2.20	0.09	2.11	0.00	26.04	74.00	0.00	0.00	41.86
110000	0.05	2.97	5.27	2.30	18.22	0.32	2.20	0.09	2.11	0.00	26.04	74.00	0.00	0.00	41.38
120000	0.05	2.83	4.69	1.84	17.51	0.32	2.18	0.07	2.11	0.00	26.04	74.00	0.00	0.00	39.80
130000	0.05	2.85	5.04	2.20	22.30	0.32	2.21	0.09	2.12	0.00	26.04	74.00	0.00	0.00	41.33
140000	0.05	2.93	5.85	2.90	22.19	0.32	2.23	0.10	2.13	0.00	26.04	74.00	0.00	0.00	42.73
150000	0.05	2.90	6.04	3.15	18.77	0.32	2.24	0.11	2.13	0.00	26.04	74.00	0.00	0.00	41.33
160000	0.05	3.54	8.96	5.39	16.10	0.32	2.25	0.11	2.14	0.00	26.04	74.00	0.00	0.00	42.22
170000	0.06	3.66	13.46	9.77	11.63	0.32	2.30	0.12	2.18	0.00	26.04	74.00	0.00	0.00	42.40
180000	0.06	3.51	17.26	13.72	7.19	0.32	2.41	0.16	2.25	0.00	26.04	74.00	0.00	0.00	47.06
190000	0.06	2.74	8.61	5.88	12.86	0.32	2.32	0.11	2.21	0.00	26.04	74.00	0.00	0.00	43.03
200000	0.06	2.62	6.50	3.90	12.23	0.32	2.31	0.06	2.25	0.00	26.04	74.00	0.00	0.00	42.69
210000	0.06	2.62	7.05	4.44	11.49	0.32	2.41	0.05	2.36	0.00	26.04	74.00	0.00	0.00	44.64
220000	0.06	2.70	7.04	4.33	7.06	0.32	2.51	0.06	2.45	0.00	26.04	74.00	0.00	0.00	46.75
230000	0.06	2.83	7.95	5.11	3.32	0.32	2.69	0.06	2.63	0.00	26.04	74.00	0.00	0.00	48.75
極大值	0.07	5.97	17.26	13.72	22.30	0.32	2.74	0.16	2.69	0.00	26.04	74.00	0.00	0.00	52.08
極小值	0.05	2.62	4.62	1.79	2.01	0.32	2.18	0.05	2.11	0.00	26.04	74.00	0.00	0.00	39.80
平均值	0.06	3.24	7.77	4.52	10.50	0.32	2.38	0.08	2.30	0.00	26.04	74.00	0.00	0.00	44.64
標準差	0.01	0.72	2.91	2.66	6.99	0	0.18	0.03	0.19	0	0	0	0	0	3.47

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.06	2.70	7.90	5.25	5.08	0.32	2.65	0.05	2.60	0.00	26.04	74.00	0.00	0.00	49.29
010000	0.06	2.80	7.34	4.55	4.00	0.32	2.81	0.04	2.77	0.00	26.04	74.00	0.00	0.00	51.63
020000	0.06	2.76	6.59	3.82	4.02	0.32	2.80	0.04	2.76	0.00	26.04	74.00	0.00	0.00	53.92
030000	0.06	2.77	6.51	3.73	3.90	0.32	2.62	0.04	2.58	0.00	26.04	74.00	0.00	0.00	48.34
040000	0.04	2.74	6.90	4.16	3.54	0.32	2.61	0.04	2.57	0.00	26.04	74.00	0.00	0.00	51.09
050000	0.04	2.72	6.83	4.09	5.16	0.32	2.52	0.04	2.48	0.00	26.04	74.00	0.00	0.00	49.81
060000	0.03	2.83	6.54	3.71	10.24	0.32	2.29	0.05	2.24	0.00	26.04	74.00	0.00	0.00	44.64
070000	0.03	3.18	6.96	3.77	6.10	0.32	2.24	0.05	2.19	0.00	26.04	74.00	0.00	0.00	43.47
080000	0.05	3.60	7.32	3.68	4.11	0.32	2.24	0.04	2.20	0.00	26.04	74.00	0.00	0.00	43.20
090000	0.05	3.80	8.49	4.62	4.38	0.32	2.26	0.05	2.21	0.00	26.04	74.00	0.00	0.00	41.94
100000	0.04	4.08	10.75	6.61	5.46	0.32	2.36	0.09	2.27	0.00	26.04	74.00	0.00	0.00	46.89
110000	0.04	3.14	9.01	5.85	8.28	0.32	2.31	0.09	2.22	0.00	26.04	74.00	0.00	0.00	43.87
120000	0.04	2.78	7.51	4.73	12.85	0.32	2.19	0.07	2.12	0.00	26.04	74.00	0.00	0.00	42.81
130000	0.04	2.64	5.64	2.99	14.83	0.32	2.21	0.12	2.09	0.00	26.04	74.00	0.00	0.00	43.29
140000	0.00	2.57	3.59	1.15	15.07	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	38.07
150000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
160000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
170000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
180000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
190000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
200000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
210000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
220000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
230000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極大值	0.06	4.08	10.75	6.61	15.35	0.32	2.81	0.12	2.77	0.00	26.04	74.00	0.00	0.00	53.92
極小值	0.00	2.57	3.59	1.15	3.54	0.32	2.12	0.01	2.09	0.00	26.04	74.00	0.00	0.00	35.00
平均值	0.03	2.87	5.86	3.06	10.22	0.32	2.30	0.04	2.27	0.00	26.04	74.00	0.00	0.00	41.97
標準差	0.02	0.4	2.14	1.77	5.18	0	0.23	0.03	0.22	0	0	0	0	0	6.49

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
010000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
020000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
030000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
040000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
050000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
060000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
070000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
080000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
090000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
100000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
110000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
120000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
130000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
140000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
150000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
160000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
170000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
180000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
190000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
200000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
210000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
220000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
230000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極大值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極小值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
平均值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
010000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
020000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
030000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
040000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
050000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
060000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
070000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
080000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
090000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
100000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
110000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
120000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
130000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
140000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
150000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
160000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
170000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
180000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
190000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
200000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
210000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
220000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
230000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極大值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極小值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
平均值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
010000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
020000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
030000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
040000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
050000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
060000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
070000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
080000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
090000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
100000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
110000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
120000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
130000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
140000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
150000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
160000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
170000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
180000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
190000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
200000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
210000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
220000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
230000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極大值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極小值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
平均值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
010000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
020000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
030000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
040000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
050000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
060000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
070000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
080000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
090000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
100000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
110000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
120000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
130000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
140000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
150000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
160000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
170000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
180000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
190000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
200000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
210000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
220000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
230000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極大值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極小值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
平均值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
010000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
020000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
030000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
040000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
050000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
060000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
070000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
080000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
090000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
100000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
110000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
120000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
130000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
140000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
150000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
160000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
170000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
180000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
190000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
200000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
210000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
220000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
230000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極大值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極小值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
平均值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
010000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
020000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
030000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
040000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
050000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
060000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
070000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
080000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
090000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
100000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
110000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
120000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
130000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
140000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
150000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
160000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
170000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
180000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
190000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
200000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
210000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
220000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
230000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極大值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
極小值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
平均值	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
010000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
020000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
030000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
040000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
050000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
060000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
070000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
080000	0.00	2.65	3.65	1.20	15.35	0.32	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	35.00
090000	0.00	2.97	5.05	2.23	15.45	0.32	2.24	0.05	2.19	0.00	26.04	74.00	0.00	0.00	37.34
100000	10.92	3.27	7.26	3.96	17.58	0.10	2.49	0.16	2.33	0.00	26.04	74.00	0.00	0.00	661.43
110000	2.07	2.79	6.58	3.80	28.06	0.07	2.48	0.19	2.29	0.00	26.04	74.00	0.00	0.00	700.86
120000	2.22	2.78	9.08	6.31	51.73	0.07	2.55	0.23	2.32	0.00	26.04	74.00	0.00	0.00	21.01
130000	2.17	2.85	10.10	7.26	47.15	0.08	2.54	0.26	2.28	0.00	26.04	74.00	0.00	0.00	28.48
140000	2.29	3.29	14.26	10.97	29.74	0.08	2.39	0.24	2.15	0.00	26.04	74.00	0.00	0.00	32.99
150000	2.05	2.64	6.25	3.63	21.21	0.07	2.28	0.16	2.12	0.00	26.04	74.00	0.00	0.00	19.23
160000	2.07	2.57	5.80	3.26	19.77	0.07	2.26	0.14	2.12	0.00	26.04	74.00	0.00	0.00	15.63
170000	2.05	2.78	7.74	4.94	15.59	0.07	2.32	0.15	2.17	0.00	26.04	74.00	0.00	0.00	9.70
180000	2.09	2.69	9.30	6.59	11.75	0.07	2.43	0.16	2.27	0.00	26.04	74.00	0.00	0.00	7.11
190000	2.09	2.64	8.31	5.67	9.98	0.07	2.46	0.15	2.31	0.00	26.04	74.00	0.00	0.00	9.95
200000	2.05	2.70	7.77	5.09	7.94	0.07	2.50	0.16	2.34	0.00	26.04	74.00	0.00	0.00	11.45
210000	2.02	2.68	7.10	4.44	5.12	0.07	2.62	0.15	2.47	0.00	26.04	74.00	0.00	0.00	11.96
220000	2.04	2.77	8.26	5.49	3.91	0.07	2.74	0.16	2.58	0.00	26.04	74.00	0.00	0.00	13.65
230000	2.03	2.85	9.88	7.05	2.94	0.07	2.75	0.19	2.56	0.00	26.04	74.00	0.00	0.00	16.27
極大值	10.92	3.29	14.26	10.97	51.73	0.32	2.75	0.26	2.58	0.00	26.04	74.00	0.00	0.00	700.86
極小值	0.00	2.57	3.65	1.20	2.94	0.07	2.12	0.01	2.11	0.00	26.04	74.00	0.00	0.00	7.11
平均值	1.59	2.76	6.48	3.81	17.75	0.18	2.34	0.11	2.23	0.00	26.04	74.00	0.00	0.00	79.67
標準差	2.24	0.19	2.84	2.65	11.63	0.12	0.21	0.09	0.15	0	0	0	0	0	185.65

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.09	2.77	7.63	4.85	2.06	0.07	2.73	0.17	2.56	0.00	26.04	74.00	0.00	0.00	303.76
010000	2.04	2.96	7.57	4.59	1.83	0.08	2.80	0.16	2.64	0.00	26.04	74.00	0.00	0.00	704.89
020000	2.06	2.98	7.59	4.61	1.80	0.08	3.06	0.14	2.92	0.00	26.04	74.00	0.00	0.00	16.67
030000	2.08	2.97	7.37	4.39	1.72	0.08	3.01	0.15	2.86	0.00	26.04	74.00	0.00	0.00	17.18
040000	2.05	3.42	8.62	5.15	1.57	0.09	3.32	0.14	3.18	0.00	26.04	74.00	0.00	0.00	17.68
050000	2.03	4.13	9.03	4.86	1.59	0.10	3.50	0.14	3.36	0.00	26.04	74.00	0.00	0.00	19.95
060000	2.08	6.70	10.42	3.67	1.68	0.16	3.28	0.13	3.15	0.00	26.04	74.00	0.00	0.00	18.51
070000	2.07	4.83	8.32	3.48	4.20	0.12	2.64	0.16	2.48	0.00	26.04	74.00	0.00	0.00	19.38
080000	2.09	4.75	9.36	4.58	10.71	0.12	2.44	0.18	2.26	0.00	26.04	74.00	0.00	0.00	17.39
090000	2.26	3.95	8.98	5.00	17.95	0.10	2.52	0.17	2.35	0.00	26.04	74.00	0.00	0.00	14.80
100000	2.16	2.76	6.60	3.86	30.86	0.07	2.51	0.19	2.32	0.00	26.04	74.00	0.00	0.00	14.79
110000	2.11	2.47	5.12	2.65	32.59	0.07	2.42	0.21	2.21	0.00	26.04	74.00	0.00	0.00	15.95
120000	2.12	2.53	5.62	3.12	40.02	0.07	2.36	0.21	2.15	0.00	26.04	74.00	0.00	0.00	17.85
130000	2.10	2.49	5.40	2.90	41.71	0.07	2.37	0.22	2.15	0.00	26.04	74.00	0.00	0.00	15.83
140000	2.10	2.57	6.15	3.59	42.97	0.07	2.38	0.26	2.12	0.00	26.04	74.00	0.00	0.00	14.01
150000	2.12	2.65	6.36	3.70	38.01	0.07	2.35	0.24	2.11	0.00	26.04	74.00	0.00	0.00	12.75
160000	2.12	2.53	6.18	3.58	37.69	0.07	2.30	0.19	2.11	0.00	26.04	74.00	0.00	0.00	13.36
170000	2.09	2.44	5.92	3.47	33.40	0.07	2.30	0.20	2.10	0.00	26.04	74.00	0.00	0.00	10.49
180000	2.07	2.43	6.70	4.28	29.45	0.06	2.34	0.18	2.16	0.00	26.04	74.00	0.00	0.00	10.18
190000	2.09	2.64	10.71	8.09	18.16	0.07	2.44	0.17	2.27	0.00	26.04	74.00	0.00	0.00	15.12
200000	2.11	2.65	10.29	7.65	10.44	0.07	2.49	0.20	2.29	0.00	26.04	74.00	0.00	0.00	17.60
210000	2.11	2.60	8.41	5.83	20.88	0.07	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	17.70
220000	2.14	2.60	7.97	5.40	22.42	0.07	2.53	0.19	2.34	0.00	26.04	74.00	0.00	0.00	20.22
230000	2.11	2.59	6.98	4.41	23.09	0.07	2.55	0.17	2.38	0.00	26.04	74.00	0.00	0.00	20.81
極大值	2.26	6.70	10.71	8.09	42.97	0.16	3.50	0.26	3.36	0.00	26.04	74.00	0.00	0.00	704.89
極小值	2.03	2.43	5.12	2.65	1.57	0.06	2.30	0.13	2.10	0.00	26.04	74.00	0.00	0.00	10.18
平均值	2.10	3.14	7.64	4.49	19.45	0.08	2.63	0.18	2.45	0.00	26.04	74.00	0.00	0.00	56.95
標準差	0.05	1.04	1.61	1.32	15.26	0.02	0.35	0.03	0.38	0	0	0	0	0	149.97

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A002 油車庄站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.14	2.52	6.59	4.08	16.59	0.07	2.54	0.16	2.38	0.00	26.04	74.00	0.00	0.00	316.58
010000	2.11	2.51	6.35	3.85	13.43	0.07	2.86	0.13	2.73	0.00	26.04	74.00	0.00	0.00	707.69
020000	2.09	2.54	6.73	4.21	11.78	0.07	2.85	0.14	2.71	0.00	26.04	74.00	0.00	0.00	24.02
030000	2.15	2.56	6.71	4.16	9.12	0.07	2.88	0.15	2.73	0.00	26.04	74.00	0.00	0.00	20.44
040000	2.08	2.68	7.08	4.43	5.58	0.07	3.03	0.15	2.88	0.00	26.04	74.00	0.00	0.00	20.49
050000	2.09	2.82	6.77	3.95	4.82	0.07	2.95	0.15	2.80	0.00	26.04	74.00	0.00	0.00	20.09
060000	2.02	3.40	7.53	4.08	6.75	0.09	2.77	0.17	2.60	0.00	26.04	74.00	0.00	0.00	20.78
070000	2.11	3.41	6.94	3.50	12.85	0.09	2.62	0.18	2.44	0.00	26.04	74.00	0.00	0.00	22.85
080000	2.10	3.08	6.77	3.69	21.25	0.08	2.62	0.19	2.43	0.00	26.04	74.00	0.00	0.00	25.67
090000	2.11	2.68	5.24	2.62	28.29	0.07	2.52	0.18	2.34	0.00	26.04	74.00	0.00	0.00	22.02
100000	2.20	2.62	5.87	3.26	37.38	0.07	2.49	0.22	2.27	0.00	26.04	74.00	0.00	0.00	23.45
110000	2.34	2.60	8.21	5.62	59.02	0.07	2.56	0.27	2.29	0.00	26.04	74.00	0.00	0.00	25.51
120000	2.39	2.56	6.84	4.29	56.38	0.07	2.48	0.24	2.24	0.00	26.04	74.00	0.00	0.00	28.45
130000	2.29	2.41	5.97	3.51	61.08	0.07	2.45	0.22	2.23	0.00	26.04	74.00	0.00	0.00	31.15
140000	2.23	2.49	6.18	3.65	49.64	0.07	2.42	0.22	2.20	0.00	26.04	74.00	0.00	0.00	24.33
150000	2.35	3.31	10.99	7.63	29.14	0.09	2.44	0.26	2.18	0.00	26.04	74.00	0.00	0.00	18.26
160000	2.46	3.46	15.76	12.26	20.12	0.09	2.43	0.28	2.15	0.00	26.04	74.00	0.00	0.00	18.36
170000	2.31	3.73	17.83	14.07	12.30	0.09	2.49	0.32	2.17	0.00	26.04	74.00	0.00	0.00	23.58
180000	2.20	3.03	17.68	14.61	7.51	0.08	2.62	0.37	2.25	0.00	26.04	74.00	0.00	0.00	22.65
190000	2.09	2.57	10.80	8.25	7.74	0.07	2.63	0.25	2.38	0.00	26.04	74.00	0.00	0.00	22.12
200000	2.13	2.65	11.25	8.64	6.07	0.07	2.55	0.22	2.33	0.00	26.04	74.00	0.00	0.00	15.80
210000	2.19	2.71	10.64	7.93	4.87	0.07	2.65	0.21	2.44	0.00	26.04	74.00	0.00	0.00	20.33
220000	2.13	2.75	8.69	5.92	6.32	0.07	2.73	0.19	2.54	0.00	26.04	74.00	0.00	0.00	26.93
230000	2.15	2.70	8.36	5.61	4.20	0.07	2.90	0.18	2.72	0.00	26.04	74.00	0.00	0.00	25.86
極大值	2.46	3.73	17.83	14.61	61.08	0.09	3.03	0.37	2.88	0.00	26.04	74.00	0.00	0.00	707.69
極小值	2.02	2.41	5.24	2.62	4.20	0.07	2.42	0.13	2.15	0.00	26.04	74.00	0.00	0.00	15.80
平均值	2.19	2.82	8.82	5.99	20.51	0.08	2.64	0.21	2.43	0.00	26.04	74.00	0.00	0.00	63.64
標準差	0.11	0.37	3.63	3.41	18.64	0.01	0.18	0.06	0.22	0	0	0	0	0	149.73

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.17	2.82	9.36	6.45	2.09	0.07	2.93	0.22	2.71	0.00	26.04	74.00	0.00	0.00	316.00
010000	2.12	2.81	8.91	6.08	2.39	0.08	2.70	0.22	2.48	0.00	26.04	74.00	0.00	0.00	697.23
020000	2.08	2.89	8.40	5.49	2.02	0.07	2.93	0.20	2.73	0.00	26.04	74.00	0.00	0.00	24.10
030000	2.10	2.89	8.31	5.42	2.02	0.08	2.92	0.20	2.72	0.00	26.04	74.00	0.00	0.00	24.61
040000	2.12	3.02	8.10	5.05	1.94	0.08	3.02	0.20	2.82	0.00	26.04	74.00	0.00	0.00	26.82
050000	2.13	3.91	9.40	5.45	1.92	0.10	3.03	0.20	2.83	0.00	26.04	74.00	0.00	0.00	26.44
060000	2.19	5.08	9.96	4.85	2.48	0.13	2.98	0.20	2.78	0.00	26.04	74.00	0.00	0.00	28.27
070000	2.12	4.76	9.72	4.93	6.74	0.12	2.90	0.21	2.69	0.00	26.04	74.00	0.00	0.00	26.65
080000	2.09	3.66	8.33	4.64	16.26	0.09	2.86	0.21	2.65	0.00	26.04	74.00	0.00	0.00	33.47
090000	2.26	3.07	7.64	4.55	30.28	0.08	2.64	0.21	2.43	0.00	26.04	74.00	0.00	0.00	31.91
100000	2.24	2.69	6.25	3.56	37.89	0.07	2.57	0.21	2.36	0.00	26.04	74.00	0.00	0.00	29.87
110000	2.23	2.52	6.24	3.70	43.82	0.07	2.55	0.25	2.30	0.00	26.04	74.00	0.00	0.00	28.28
120000	2.26	2.53	5.67	3.08	34.09	0.07	2.45	0.26	2.19	0.00	26.04	74.00	0.00	0.00	21.41
130000	2.19	2.45	4.62	2.12	28.48	0.07	2.37	0.21	2.16	0.00	26.04	74.00	0.00	0.00	16.65
140000	2.37	2.62	7.36	4.76	50.71	0.07	2.43	0.22	2.21	0.00	26.04	74.00	0.00	0.00	16.83
150000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
160000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
170000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
180000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
190000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
200000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
210000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
220000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
230000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
極大值	2.54	5.08	9.96	6.45	52.40	0.13	3.03	0.26	2.83	0.00	26.04	74.00	0.00	0.00	697.23
極小值	2.08	2.45	4.62	2.12	1.92	0.07	2.37	0.20	2.16	0.00	26.04	74.00	0.00	0.00	16.65
平均值	2.31	2.96	7.98	5.06	30.61	0.08	2.65	0.23	2.42	0.00	26.04	74.00	0.00	0.00	65.41
標準差	0.19	0.7	1.24	1.03	22.24	0.02	0.23	0.02	0.25	0	0	0	0	0	147.1

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
010000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
020000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
030000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
040000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
050000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
060000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
070000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
080000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
090000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
100000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
110000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
120000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
130000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
140000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
150000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
160000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
170000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
180000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
190000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
200000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
210000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
220000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
230000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
極大值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
極小值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
平均值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
010000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
020000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
030000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
040000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
050000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
060000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
070000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
080000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
090000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
100000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
110000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
120000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
130000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
140000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
150000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
160000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
170000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
180000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
190000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
200000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
210000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
220000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
230000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
極大值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
極小值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
平均值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

屏東縣崁頂焚化爐空氣品質監
測報表

日報(小時數
據)A002 油車庄站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
010000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
020000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
030000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
040000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
050000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
060000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
070000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
080000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
090000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
100000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
110000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
120000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
130000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
140000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
150000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
160000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
170000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
180000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
190000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
200000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
210000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
220000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
230000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
極大值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
極小值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
平均值	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
010000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
020000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
030000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
040000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
050000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
060000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
070000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
080000	2.54	2.60	8.15	5.70	52.40	0.07	2.47	0.25	2.22	0.00	26.04	74.00	0.00	0.00	24.60
090000	2.26	4.95	11.27	6.37	21.04	0.12	2.58	0.20	2.38	0.00	26.04	74.00	0.00	0.00	21.36
100000	2.05	4.08	8.85	4.72	7.99	0.10	2.48	0.17	2.31	0.00	26.04	74.00	0.00	0.00	23.55
110000	2.09	3.75	9.60	5.83	11.27	0.09	2.36	0.17	2.19	0.00	26.04	74.00	0.00	0.00	21.99
120000	2.05	3.20	8.08	4.83	14.68	0.08	2.40	0.17	2.23	0.00	26.04	74.00	0.00	0.00	18.71
130000	2.07	3.52	8.89	5.35	16.68	0.09	2.42	0.16	2.26	0.00	26.04	74.00	0.00	0.00	19.63
140000	2.02	3.08	7.37	4.26	20.91	0.08	2.35	0.16	2.19	0.00	26.04	74.00	0.00	0.00	22.80
150000	2.13	2.84	6.78	3.94	26.92	0.07	2.35	0.18	2.17	0.00	26.04	74.00	0.00	0.00	18.78
160000	2.15	2.62	7.02	4.40	30.96	0.07	2.42	0.24	2.18	0.00	26.04	74.00	0.00	0.00	21.57
170000	2.18	2.99	9.09	6.09	33.84	0.08	2.44	0.19	2.25	0.00	26.04	74.00	0.00	0.00	21.68
180000	2.23	2.52	12.20	9.70	40.59	0.07	2.56	0.31	2.25	0.00	26.04	74.00	0.00	0.00	31.92
190000	2.22	2.44	10.09	7.64	37.50	0.07	2.52	0.25	2.27	0.00	26.04	74.00	0.00	0.00	39.50
200000	2.20	2.56	9.92	7.33	18.21	0.07	2.55	0.24	2.31	0.00	26.04	74.00	0.00	0.00	35.52
210000	2.14	2.52	7.72	5.20	11.03	0.07	2.66	0.19	2.47	0.00	26.04	74.00	0.00	0.00	31.66
220000	2.10	2.53	7.30	4.77	8.08	0.07	3.04	0.14	2.90	0.00	26.04	74.00	0.00	0.00	28.65
230000	2.19	2.52	7.06	4.56	9.48	0.07	2.67	0.16	2.51	0.00	26.04	74.00	0.00	0.00	24.46
極大值	2.54	4.95	12.20	9.70	52.40	0.12	3.04	0.31	2.90	0.00	26.04	74.00	0.00	0.00	39.50
極小值	2.02	2.44	6.78	3.94	7.99	0.07	2.35	0.14	2.17	0.00	26.04	74.00	0.00	0.00	18.71
平均值	2.29	2.90	8.52	5.68	32.53	0.08	2.50	0.22	2.29	0.00	26.04	74.00	0.00	0.00	25.13
標準差	0.21	0.61	1.31	1.22	17.9	0.01	0.14	0.04	0.16	0	0	0	0	0	5.05

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.09	2.61	6.91	4.33	8.53	0.07	2.50	0.17	2.33	0.00	26.04	74.00	0.00	0.00	321.39
010000	2.08	2.61	6.68	4.08	5.69	0.07	2.69	0.16	2.53	0.00	26.04	74.00	0.00	0.00	707.77
020000	2.10	2.57	6.39	3.83	6.14	0.07	2.84	0.15	2.69	0.00	26.04	74.00	0.00	0.00	27.26
030000	2.09	2.55	6.40	3.87	6.27	0.07	2.73	0.16	2.57	0.00	26.04	74.00	0.00	0.00	28.69
040000	2.05	2.65	6.81	4.17	5.46	0.07	2.85	0.17	2.68	0.00	26.04	74.00	0.00	0.00	23.99
050000	2.05	2.89	7.61	4.73	3.41	0.07	2.99	0.16	2.83	0.00	26.04	74.00	0.00	0.00	24.39
060000	2.11	4.71	9.76	5.00	2.78	0.12	2.88	0.18	2.70	0.00	26.04	74.00	0.00	0.00	28.60
070000	2.10	5.51	10.92	5.41	6.09	0.14	2.73	0.18	2.55	0.00	26.04	74.00	0.00	0.00	30.26
080000	2.12	3.45	7.74	4.25	17.97	0.09	2.58	0.20	2.38	0.00	26.04	74.00	0.00	0.00	29.43
090000	2.24	3.14	8.86	5.71	32.76	0.08	2.55	0.23	2.32	0.00	26.04	74.00	0.00	0.00	33.46
100000	2.32	2.77	9.22	6.44	48.72	0.07	2.59	0.24	2.35	0.00	26.04	74.00	0.00	0.00	38.19
110000	2.36	2.75	12.28	9.49	61.95	0.07	2.61	0.29	2.32	0.00	26.04	74.00	0.00	0.00	45.47
120000	2.51	2.68	10.14	7.41	57.12	0.07	2.58	0.25	2.33	0.00	26.04	74.00	0.00	0.00	47.69
130000	2.45	2.61	10.04	7.40	56.03	0.07	2.64	0.34	2.30	0.00	26.04	74.00	0.00	0.00	44.37
140000	2.45	2.92	13.52	10.56	50.25	0.08	2.62	0.33	2.29	0.00	26.04	74.00	0.00	0.00	43.22
150000	2.26	2.93	12.58	9.60	34.03	0.08	2.51	0.29	2.22	0.00	26.04	74.00	0.00	0.00	38.45
160000	2.30	2.96	13.09	10.06	25.29	0.08	2.53	0.32	2.21	0.00	26.04	74.00	0.00	0.00	23.90
170000	2.19	2.72	9.17	6.43	24.22	0.07	2.44	0.28	2.16	0.00	26.04	74.00	0.00	0.00	21.63
180000	2.16	2.83	9.01	6.20	20.22	0.07	2.43	0.25	2.18	0.00	26.04	74.00	0.00	0.00	22.95
190000	2.14	2.61	8.65	6.08	16.47	0.07	2.53	0.29	2.24	0.00	26.04	74.00	0.00	0.00	25.48
200000	2.14	2.61	8.71	6.12	15.07	0.07	2.61	0.30	2.31	0.00	26.04	74.00	0.00	0.00	21.36
210000	2.08	2.71	10.74	8.03	6.54	0.07	2.62	0.22	2.40	0.00	26.04	74.00	0.00	0.00	19.78
220000	2.16	2.70	10.02	7.29	7.19	0.07	2.68	0.20	2.48	0.00	26.04	74.00	0.00	0.00	25.37
230000	2.19	2.63	8.81	6.17	6.01	0.07	2.85	0.20	2.65	0.00	26.04	74.00	0.00	0.00	29.47
極大值	2.51	5.51	13.52	10.56	61.95	0.14	2.99	0.34	2.83	0.00	26.04	74.00	0.00	0.00	707.77
極小值	2.05	2.55	6.39	3.83	2.78	0.07	2.43	0.15	2.16	0.00	26.04	74.00	0.00	0.00	19.78
平均值	2.20	2.96	9.34	6.36	21.84	0.08	2.65	0.23	2.42	0.00	26.04	74.00	0.00	0.00	70.94
標準差	0.14	0.7	2.09	2.03	19.53	0.02	0.15	0.06	0.19	0	0	0	0	0	148.26

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.19	2.60	8.26	5.69	6.48	0.07	2.89	0.20	2.69	0.00	26.04	74.00	0.00	0.00	314.12
010000	2.16	3.00	8.87	5.88	4.34	0.08	2.97	0.20	2.77	0.00	26.04	74.00	0.00	0.00	699.81
020000	2.12	2.91	8.48	5.56	3.76	0.08	2.82	0.21	2.61	0.00	26.04	74.00	0.00	0.00	31.84
030000	2.09	2.76	7.38	4.61	3.54	0.07	2.80	0.21	2.59	0.00	26.04	74.00	0.00	0.00	28.65
040000	2.14	3.32	8.66	5.34	2.49	0.09	2.90	0.19	2.71	0.00	26.04	74.00	0.00	0.00	26.16
050000	2.09	2.91	7.17	4.25	3.16	0.07	2.90	0.18	2.72	0.00	26.04	74.00	0.00	0.00	27.14
060000	2.14	5.37	10.99	5.61	2.71	0.13	3.27	0.17	3.10	0.00	26.04	74.00	0.00	0.00	23.89
070000	2.11	4.78	9.23	4.42	6.23	0.12	3.08	0.18	2.90	0.00	26.04	74.00	0.00	0.00	29.54
080000	2.13	3.21	6.64	3.36	17.74	0.08	2.57	0.18	2.39	0.00	26.04	74.00	0.00	0.00	29.75
090000	2.31	2.86	6.22	3.34	26.26	0.19	2.39	0.18	2.21	0.00	26.04	74.00	0.00	0.00	32.35
100000	2.13	2.56	5.44	2.86	31.35	0.28	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	24.91
110000	2.21	2.67	7.35	4.64	45.58	0.31	2.46	0.25	2.21	0.00	26.04	74.00	0.00	0.00	22.55
120000	2.34	2.72	7.74	4.99	50.92	0.29	2.43	0.25	2.18	0.00	26.04	74.00	0.00	0.00	27.09
130000	2.34	2.82	7.76	4.90	46.48	0.29	2.38	0.23	2.15	0.00	26.04	74.00	0.00	0.00	26.00
140000	2.29	2.67	5.87	3.17	38.94	0.28	2.36	0.21	2.15	0.00	26.04	74.00	0.00	0.00	24.70
150000	2.26	2.74	6.46	3.70	37.65	0.26	2.38	0.23	2.15	0.00	26.04	74.00	0.00	0.00	24.95
160000	2.23	2.85	6.80	3.88	36.38	0.00	2.37	0.22	2.15	0.00	26.04	74.00	0.00	0.00	22.90
170000	2.15	2.92	9.03	6.06	21.91	0.00	2.40	0.22	2.18	0.00	26.04	74.00	0.00	0.00	18.88
180000	2.18	3.22	9.81	6.56	15.35	0.28	2.42	0.21	2.21	0.00	26.04	74.00	0.00	0.00	18.84
190000	2.12	2.66	7.75	5.08	14.19	0.34	2.44	0.21	2.23	0.00	26.04	74.00	0.00	0.00	14.61
200000	2.17	2.60	6.41	3.79	17.21	0.31	2.39	0.22	2.17	0.00	26.04	74.00	0.00	0.00	12.20
210000	2.12	3.42	9.29	5.83	10.01	0.35	2.53	0.19	2.34	0.00	26.04	74.00	0.00	0.00	13.18
220000	2.16	2.69	7.46	4.76	12.03	0.00	2.67	0.16	2.51	0.00	26.04	74.00	0.00	0.00	19.58
230000	2.13	3.19	7.76	4.56	7.81	0.32	2.81	0.15	2.66	0.00	26.04	74.00	0.00	0.00	24.05
極大值	2.34	5.37	10.99	6.56	50.92	0.35	3.27	0.25	3.10	0.00	26.04	74.00	0.00	0.00	699.81
極小值	2.09	2.56	5.44	2.86	2.49	0.00	2.36	0.15	2.15	0.00	26.04	74.00	0.00	0.00	12.20
平均值	2.18	3.06	7.78	4.70	19.27	0.18	2.62	0.20	2.42	0.00	26.04	74.00	0.00	0.00	64.07
標準差	0.08	0.67	1.34	1.01	15.92	0.12	0.27	0.03	0.29	0	0	0	0	0	147.89

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.14	2.79	6.65	3.86	5.93	0.33	2.64	0.15	2.49	0.00	26.04	74.00	0.00	0.00	320.87
010000	2.08	3.95	9.07	5.12	4.99	0.31	2.49	0.17	2.32	0.00	26.04	74.00	0.00	0.00	712.25
020000	2.08	2.80	7.52	4.72	6.33	0.27	2.46	0.16	2.30	0.00	26.04	74.00	0.00	0.00	18.50
030000	2.11	2.79	7.91	5.13	4.02	0.00	2.56	0.16	2.40	0.00	26.04	74.00	0.00	0.00	21.16
040000	2.08	3.87	9.15	5.29	2.10	0.30	2.89	0.15	2.74	0.00	26.04	74.00	0.00	0.00	24.44
050000	2.20	5.24	10.30	5.03	1.87	0.33	3.12	0.15	2.97	0.00	26.04	74.00	0.00	0.00	22.91
060000	2.21	5.42	9.32	3.86	2.03	0.34	3.59	0.15	3.44	0.00	26.04	74.00	0.00	0.00	28.11
070000	2.14	4.33	7.93	3.57	6.65	0.31	2.94	0.18	2.76	0.00	26.04	74.00	0.00	0.00	28.87
080000	2.11	3.18	6.07	2.88	19.58	0.29	2.50	0.18	2.32	0.00	26.04	74.00	0.00	0.00	28.44
090000	2.16	2.69	5.12	2.43	25.29	0.24	2.38	0.17	2.21	0.00	26.04	74.00	0.00	0.00	25.46
100000	2.24	3.21	6.60	3.37	26.89	0.26	2.38	0.18	2.20	0.00	26.04	74.00	0.00	0.00	21.55
110000	2.27	2.77	6.41	3.67	34.68	0.27	2.44	0.20	2.24	0.00	26.04	74.00	0.00	0.00	24.28
120000	2.27	2.89	7.96	5.06	40.67	0.29	2.48	0.23	2.25	0.00	26.04	74.00	0.00	0.00	32.16
130000	2.15	3.15	7.16	3.94	28.22	0.29	2.43	0.25	2.18	0.00	26.04	74.00	0.00	0.00	28.71
140000	2.20	3.16	6.70	3.49	25.19	0.28	2.37	0.25	2.12	0.00	26.04	74.00	0.00	0.00	16.89
150000	2.17	2.97	5.58	2.57	24.65	0.27	2.31	0.20	2.11	0.00	26.04	74.00	0.00	0.00	14.48
160000	2.13	2.80	6.09	3.26	23.07	0.00	2.31	0.19	2.12	0.00	26.04	74.00	0.00	0.00	16.43
170000	2.22	2.92	10.63	7.67	17.37	0.26	2.37	0.20	2.17	0.00	26.04	74.00	0.00	0.00	16.64
180000	2.24	3.31	14.29	11.00	10.42	0.33	2.43	0.20	2.23	0.00	26.04	74.00	0.00	0.00	28.10
190000	2.08	2.61	7.47	4.88	10.18	0.26	2.42	0.18	2.24	0.00	26.04	74.00	0.00	0.00	36.23
200000	2.14	2.79	7.87	5.10	5.65	0.28	2.60	0.18	2.42	0.00	26.04	74.00	0.00	0.00	23.23
210000	2.14	3.09	8.33	5.22	5.36	0.29	2.73	0.18	2.55	0.00	26.04	74.00	0.00	0.00	19.28
220000	2.15	3.59	9.37	5.76	3.81	0.27	2.77	0.19	2.58	0.00	26.04	74.00	0.00	0.00	21.72
230000	2.18	3.12	8.79	5.67	3.92	0.25	2.61	0.20	2.41	0.00	26.04	74.00	0.00	0.00	24.50
極大值	2.27	5.42	14.29	11.00	40.67	0.34	3.59	0.25	3.44	0.00	26.04	74.00	0.00	0.00	712.25
極小值	2.08	2.61	5.12	2.43	1.87	0.00	2.31	0.15	2.11	0.00	26.04	74.00	0.00	0.00	14.48
平均值	2.16	3.31	8.01	4.69	14.12	0.26	2.59	0.19	2.41	0.00	26.04	74.00	0.00	0.00	64.80
標準差	0.06	0.76	1.97	1.8	11.73	0.09	0.3	0.03	0.31	0	0	0	0	0	150.72

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.17	3.50	9.25	5.73	3.57	0.00	2.74	0.19	2.55	0.00	26.04	74.00	0.00	0.00	270.95
010000	2.16	4.73	10.05	5.28	3.51	0.32	2.91	0.16	2.75	0.00	26.04	74.00	0.00	0.00	694.47
020000	2.13	6.16	10.26	4.06	2.44	0.31	2.89	0.15	2.74	0.00	26.04	74.00	0.00	0.00	16.29
030000	2.20	4.48	8.37	3.88	3.29	0.33	3.01	0.13	2.88	0.00	26.04	74.00	0.00	0.00	18.79
040000	2.15	3.57	7.11	3.54	2.55	0.25	3.25	0.11	3.14	0.00	26.04	74.00	0.00	0.00	20.38
050000	2.17	4.88	8.64	3.73	2.06	0.31	2.81	0.14	2.67	0.00	26.04	74.00	0.00	0.00	19.42
060000	2.24	4.22	7.55	3.30	2.55	0.27	2.74	0.15	2.59	0.00	26.04	74.00	0.00	0.00	17.18
070000	2.11	5.89	10.45	4.54	4.16	0.31	2.58	0.17	2.41	0.00	26.04	74.00	0.00	0.00	24.33
080000	2.12	3.56	6.49	2.91	9.01	0.29	2.44	0.17	2.27	0.00	26.04	74.00	0.00	0.00	25.48
090000	2.09	4.09	7.86	3.74	13.43	0.30	2.50	0.17	2.33	0.00	26.04	74.00	0.00	0.00	20.93
100000	2.13	3.13	6.48	3.30	23.40	0.30	2.37	0.20	2.17	0.00	26.04	74.00	0.00	0.00	22.69
110000	2.16	2.84	6.16	3.26	28.99	0.00	2.35	0.21	2.14	0.00	26.04	74.00	0.00	0.00	21.83
120000	2.15	2.75	5.91	3.12	33.09	0.30	2.34	0.21	2.13	0.00	26.04	74.00	0.00	0.00	20.39
130000	2.13	2.73	5.88	3.12	35.87	0.27	2.45	0.30	2.15	0.00	26.04	74.00	0.00	0.00	22.76
140000	2.12	2.73	5.25	2.48	27.21	0.27	2.31	0.19	2.12	0.00	26.04	74.00	0.00	0.00	17.41
150000	2.08	2.73	5.47	2.69	25.84	0.23	2.31	0.19	2.12	0.00	26.04	74.00	0.00	0.00	15.88
160000	2.09	3.03	5.93	2.84	15.47	0.25	2.30	0.16	2.14	0.00	26.04	74.00	0.00	0.00	20.37
170000	2.08	3.08	7.39	4.26	17.07	0.32	2.35	0.17	2.18	0.00	26.04	74.00	0.00	0.00	27.74
180000	2.04	2.83	7.81	5.00	15.82	0.00	2.50	0.17	2.33	0.00	26.04	74.00	0.00	0.00	20.01
190000	2.03	2.72	6.61	3.88	20.38	0.24	2.46	0.16	2.30	0.00	26.04	74.00	0.00	0.00	18.94
200000	2.01	2.76	5.75	3.00	21.36	0.27	2.32	0.16	2.16	0.00	26.04	74.00	0.00	0.00	15.63
210000	2.07	2.73	7.35	4.66	8.82	0.30	2.45	0.15	2.30	0.00	26.04	74.00	0.00	0.00	13.99
220000	2.08	6.30	14.60	8.27	4.16	0.35	2.42	0.16	2.26	0.00	26.04	74.00	0.00	0.00	16.43
230000	2.11	3.82	10.17	6.35	4.46	0.24	2.41	0.16	2.25	0.00	26.04	74.00	0.00	0.00	22.54
極大值	2.24	6.30	14.60	8.27	35.87	0.35	3.25	0.30	3.14	0.00	26.04	74.00	0.00	0.00	694.47
極小值	2.01	2.72	5.25	2.48	2.06	0.00	2.30	0.11	2.12	0.00	26.04	74.00	0.00	0.00	13.99
平均值	2.12	3.72	7.78	4.04	13.69	0.25	2.55	0.17	2.38	0.00	26.04	74.00	0.00	0.00	58.53
標準差	0.05	1.15	2.17	1.34	11.01	0.1	0.26	0.04	0.28	0	0	0	0	0	144.84

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.97	2.36	3.86	1.54	7.50	0.76	2.11	0.15	1.96	0.00	20.13	69.47	0.00	0.00	43.35
010000	5.13	2.44	3.97	1.56	6.36	0.66	2.11	0.15	1.96	0.00	20.15	69.47	0.00	0.00	15.47
020000	5.04	2.41	4.23	1.84	6.20	0.65	2.12	0.15	1.97	0.00	20.15	69.47	0.00	0.00	26.83
030000	5.05	2.46	4.20	1.79	6.84	0.66	2.15	0.14	2.01	0.00	20.17	69.47	0.00	0.00	42.29
040000	4.98	2.37	3.93	1.61	6.53	0.65	2.18	0.13	2.05	0.00	20.19	69.47	0.00	0.00	51.63
050000	4.95	2.45	4.47	2.07	6.52	0.66	2.10	0.12	1.98	0.00	20.20	69.47	0.00	0.00	39.59
060000	5.00	2.54	4.63	2.13	6.56	0.67	2.08	0.12	1.96	0.00	20.21	69.47	0.00	0.00	52.40
070000	4.96	2.47	4.43	1.99	6.69	0.68	2.07	0.13	1.94	0.00	20.20	69.47	0.00	0.00	39.93
080000	5.02	2.59	4.36	1.82	6.45	0.66	2.06	0.09	1.97	0.00	20.19	69.47	0.00	0.00	17.58
090000	5.05	2.58	4.49	1.95	6.53	0.61	2.06	0.07	1.99	0.00	20.19	69.57	0.00	0.00	37.53
100000	5.04	2.58	4.72	2.19	6.09	0.58	2.06	0.07	1.99	0.00	20.20	69.72	0.00	0.00	58.72
110000	5.00	2.43	4.21	1.81	5.87	0.57	2.05	0.08	1.97	0.00	25.10	69.77	0.00	0.00	36.42
120000	4.94	2.54	4.02	1.50	5.97	0.57	2.05	0.09	1.96	0.00	40.85	69.89	0.00	0.00	13.21
130000	4.93	2.61	4.29	1.72	5.81	0.57	2.05	0.11	1.94	0.00	36.59	69.89	0.00	0.00	7.37
140000	5.16	2.67	4.22	1.58	6.00	0.58	2.05	0.11	1.94	0.00	30.00	69.88	0.00	0.00	27.20
150000	4.97	2.61	4.64	2.07	6.23	0.59	2.05	0.12	1.93	0.00	29.13	69.86	0.00	0.00	16.12
160000	5.02	2.70	6.33	3.70	6.19	0.59	2.05	0.15	1.90	0.00	29.43	69.87	0.00	0.00	19.14
170000	5.11	2.67	5.98	3.39	6.51	0.60	2.07	0.17	1.90	0.00	36.04	69.89	0.00	0.00	14.52
180000	5.03	2.64	5.70	3.16	6.27	0.60	2.07	0.17	1.90	0.00	37.23	69.89	0.00	0.00	9.25
190000	4.90	2.56	4.78	2.29	6.14	0.58	2.07	0.17	1.90	0.00	38.64	69.92	0.00	0.00	6.30
200000	5.12	2.54	4.45	1.96	6.05	0.57	2.10	0.14	1.96	0.00	39.70	69.95	0.00	0.00	7.89
210000	5.22	2.53	4.26	1.79	5.54	0.57	2.14	0.15	1.99	0.00	39.21	69.93	0.00	0.00	4.50
220000	5.23	2.60	4.50	1.94	5.55	0.58	2.13	0.17	1.96	0.00	40.00	69.96	0.00	0.00	1.00
230000	5.05	2.67	4.60	2.00	5.80	0.58	2.14	0.17	1.97	0.00	37.12	69.93	0.00	0.00	0.20
極大值	5.23	2.70	6.33	3.70	7.50	0.76	2.18	0.17	2.05	0.00	40.85	69.96	0.00	0.00	58.72
極小值	4.90	2.36	3.86	1.50	5.54	0.57	2.05	0.07	1.90	0.00	20.13	69.47	0.00	0.00	0.20
平均值	5.04	2.54	4.55	2.06	6.26	0.62	2.09	0.13	1.96	0.00	28.38	69.71	0.00	0.00	24.52
標準差	0.09	0.1	0.62	0.57	0.43	0.05	0.04	0.03	0.04	0	8.54	0.21	0	0	17.79

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.23	2.56	4.24	1.72	5.55	0.58	2.13	0.17	1.96	0.00	32.29	69.89	0.00	0.00	0.20
010000	5.10	2.58	3.95	1.40	5.63	0.57	2.12	0.16	1.96	0.00	32.00	69.89	0.00	0.00	0.20
020000	4.95	2.51	3.75	1.27	5.34	0.57	2.11	0.15	1.96	0.00	34.60	69.89	0.00	0.00	0.20
030000	5.02	2.49	3.63	1.17	5.58	0.57	2.10	0.15	1.95	0.00	37.22	69.89	0.00	0.00	0.20
040000	5.13	2.54	4.01	1.51	5.58	0.58	2.09	0.17	1.92	0.00	35.17	69.89	0.00	0.00	1.93
050000	5.06	2.47	3.91	1.46	5.58	0.59	2.06	0.16	1.90	0.00	32.04	69.89	0.00	0.00	19.87
060000	4.99	2.50	4.60	2.14	5.66	0.60	2.03	0.16	1.87	0.00	31.09	69.89	0.00	0.00	67.36
070000	5.00	2.60	5.19	2.66	6.17	0.62	2.03	0.16	1.87	0.00	30.94	69.89	0.00	0.00	67.87
080000	5.06	2.63	5.22	2.68	5.88	0.62	2.04	0.17	1.87	0.00	30.30	69.89	0.00	0.00	60.77
090000	5.18	2.71	5.67	3.02	5.96	0.62	2.04	0.18	1.86	0.00	30.30	69.89	0.00	0.00	50.07
100000	5.10	2.81	5.59	2.85	6.09	0.65	2.04	0.19	1.85	0.00	30.07	69.89	0.00	0.00	59.74
110000	5.10	2.76	5.93	3.22	6.03	0.63	2.04	0.18	1.86	0.00	30.55	69.89	0.00	0.00	86.00
120000	4.94	2.66	5.26	2.65	6.01	0.61	2.05	0.15	1.90	0.00	30.41	69.89	0.00	0.00	72.10
130000	4.99	2.65	4.91	2.32	5.87	0.61	2.06	0.15	1.91	0.00	24.41	69.76	0.00	0.00	74.79
140000	5.05	2.67	5.12	2.50	6.12	0.62	2.06	0.16	1.90	0.00	23.32	69.75	0.00	0.00	76.68
150000	5.05	2.56	4.99	2.49	6.12	0.62	2.06	0.15	1.91	0.00	23.69	69.75	0.00	0.00	70.26
160000	4.91	2.70	5.95	3.30	6.10	0.62	2.06	0.14	1.92	0.00	23.67	69.75	0.00	0.00	70.86
170000	5.02	2.71	5.09	2.46	5.98	0.62	2.05	0.14	1.91	0.00	23.67	69.75	0.00	0.00	52.54
180000	5.05	2.70	5.48	2.85	5.82	0.61	2.04	0.13	1.91	0.00	23.65	69.75	0.00	0.00	73.19
190000	5.09	2.49	4.23	1.78	5.84	0.60	2.04	0.13	1.91	0.00	23.58	69.75	0.00	0.00	64.63
200000	4.93	2.56	4.60	2.10	5.53	0.59	2.05	0.13	1.92	0.00	23.52	69.75	0.00	0.00	36.10
210000	4.92	2.63	4.79	2.21	5.85	0.60	2.10	0.14	1.96	0.00	23.41	69.75	0.00	0.00	36.20
220000	4.90	2.78	5.70	2.98	5.85	0.60	2.15	0.16	1.99	0.00	23.39	69.75	0.00	0.00	38.02
230000	4.89	2.85	6.09	3.30	5.99	0.60	2.16	0.19	1.97	0.00	23.40	69.62	0.00	0.00	50.38
極大值	5.23	2.85	6.09	3.30	6.17	0.65	2.16	0.19	1.99	0.00	37.22	69.89	0.00	0.00	86.00
極小值	4.89	2.47	3.63	1.17	5.34	0.57	2.03	0.13	1.85	0.00	23.32	69.62	0.00	0.00	0.20
平均值	5.03	2.63	4.91	2.34	5.84	0.60	2.07	0.16	1.91	0.00	28.20	69.82	0.00	0.00	47.09
標準差	0.09	0.11	0.74	0.66	0.23	0.02	0.04	0.02	0.04	0	4.61	0.08	0	0	28.75

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.79	2.69	5.05	2.40	5.94	0.57	2.13	0.21	1.92	0.00	23.29	69.44	0.00	0.00	100.81
010000	4.81	2.75	4.58	1.86	14.78	0.55	2.08	0.21	1.87	0.00	23.27	69.47	0.00	0.00	164.02
020000	4.79	2.57	4.06	1.52	14.58	0.54	2.05	0.18	1.87	0.00	23.17	69.47	0.00	0.00	132.68
030000	4.73	2.68	3.94	1.28	15.11	0.54	2.03	0.18	1.85	0.00	23.16	69.47	0.00	0.00	154.23
040000	4.78	2.51	3.84	1.36	15.74	0.53	2.03	0.16	1.87	0.00	23.30	69.47	0.00	0.00	192.40
050000	4.80	2.53	4.16	1.66	14.75	0.54	2.02	0.15	1.87	0.00	23.24	69.47	0.00	0.00	89.87
060000	4.82	2.60	4.61	2.03	14.95	0.55	2.02	0.15	1.87	0.00	23.26	69.47	0.00	0.00	214.86
070000	4.70	2.71	4.95	2.27	13.44	0.57	2.03	0.18	1.85	0.00	23.18	69.47	0.00	0.00	164.17
080000	4.78	2.84	5.00	2.19	13.04	0.56	2.03	0.19	1.84	0.00	23.25	69.47	0.00	0.00	80.37
090000	4.70	2.68	4.73	2.08	12.39	0.56	2.02	0.14	1.88	0.00	23.20	69.47	0.00	0.00	94.14
100000	4.74	2.65	4.31	1.71	12.93	0.56	2.02	0.13	1.89	0.00	23.22	69.47	0.00	0.00	120.49
110000	4.81	2.56	4.31	1.77	13.21	0.54	2.03	0.11	1.92	0.00	23.21	69.54	0.00	0.00	46.86
120000	4.82	2.77	4.78	2.05	14.00	0.57	2.04	0.14	1.90	0.00	23.31	69.84	0.00	0.00	15.81
130000	4.79	3.21	5.88	2.72	14.77	0.59	2.05	0.14	1.91	0.00	23.48	69.76	0.00	0.00	7.91
140000	4.86	3.02	5.38	2.43	17.23	0.61	2.03	0.14	1.89	0.00	23.69	69.75	0.00	0.00	35.64
150000	4.86	2.67	4.73	2.09	17.96	0.61	2.02	0.13	1.89	0.00	23.69	69.75	0.00	0.00	73.32
160000	4.78	2.79	5.55	2.83	16.16	0.62	2.02	0.16	1.86	0.00	23.68	69.75	0.00	0.00	67.95
170000	4.77	2.69	5.14	2.49	15.90	0.63	2.03	0.15	1.88	0.00	23.61	69.75	0.00	0.00	75.54
180000	4.82	2.63	5.82	3.27	15.77	0.63	2.04	0.17	1.87	0.00	23.54	69.75	0.00	0.00	60.26
190000	4.90	2.84	8.90	6.21	13.17	0.61	2.06	0.20	1.86	0.00	23.36	69.75	0.00	0.00	40.11
200000	4.90	2.92	8.83	6.03	13.18	0.66	2.10	0.22	1.88	0.00	23.36	69.75	0.00	0.00	29.18
210000	4.98	2.95	7.79	4.96	13.16	0.64	2.16	0.24	1.92	0.00	23.29	69.75	0.00	0.00	18.43
220000	5.08	2.93	8.58	5.77	13.27	0.65	2.25	0.25	2.00	0.00	23.19	69.75	0.00	0.00	24.99
230000	5.17	3.07	8.57	5.61	11.33	0.64	2.32	0.26	2.06	0.00	23.14	69.63	0.00	0.00	25.31
極大值	5.17	3.21	8.90	6.21	17.96	0.66	2.32	0.26	2.06	0.00	23.69	69.84	0.00	0.00	214.86
極小值	4.70	2.51	3.84	1.28	5.94	0.53	2.02	0.11	1.84	0.00	23.14	69.44	0.00	0.00	7.91
平均值	4.83	2.76	5.56	2.86	14.03	0.59	2.07	0.17	1.89	0.00	23.34	69.61	0.00	0.00	84.56
標準差	0.11	0.18	1.66	1.58	2.33	0.04	0.08	0.04	0.05	0	0.18	0.14	0	0	59.74

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.14	3.26	8.95	5.81	11.62	0.63	2.41	0.28	2.13	0.00	23.00	69.36	0.00	0.00	14.44
010000	5.07	2.94	7.06	4.21	12.14	0.60	2.41	0.28	2.13	0.00	23.01	69.35	0.00	0.00	10.28
020000	4.97	2.65	4.80	2.16	12.77	0.55	2.31	0.24	2.07	0.00	23.01	69.42	0.00	0.00	8.87
030000	4.88	2.59	4.60	2.01	12.30	0.55	2.24	0.23	2.01	0.00	23.07	69.47	0.00	0.00	7.94
040000	4.90	2.73	4.84	2.13	12.92	0.54	2.20	0.22	1.98	0.00	22.99	69.47	0.00	0.00	9.14
050000	4.90	2.61	5.06	2.48	12.75	0.54	2.19	0.21	1.98	0.00	22.76	69.47	0.00	0.00	8.97
060000	4.91	2.73	5.76	3.10	12.54	0.56	2.16	0.21	1.95	0.00	22.82	69.47	0.00	0.00	7.01
070000	5.03	3.42	7.33	4.03	12.66	0.59	2.17	0.21	1.96	0.00	23.89	69.47	0.00	0.00	8.41
080000	4.94	3.65	6.70	3.15	12.11	0.59	2.17	0.22	1.95	0.00	22.39	69.47	0.00	0.00	16.83
090000	4.85	3.06	5.24	2.22	10.65	0.57	2.04	0.14	1.90	0.00	22.52	69.47	0.00	0.00	36.58
100000	4.87	3.04	5.18	2.19	9.43	0.62	2.00	0.19	1.81	0.00	23.03	69.43	0.00	0.00	54.53
110000	4.85	2.97	5.08	2.14	9.53	0.59	1.99	0.21	1.78	0.00	23.29	69.57	0.00	0.00	49.29
120000	4.95	2.87	4.94	2.09	10.61	0.59	2.00	0.17	1.83	0.00	23.90	69.89	0.00	0.00	50.91
130000	5.00	2.87	5.12	2.28	13.01	0.60	2.00	0.15	1.85	0.00	23.67	69.89	0.00	0.00	58.45
140000	5.00	2.87	5.00	2.18	11.96	0.60	1.99	0.15	1.84	0.00	23.10	69.89	0.00	0.00	47.67
150000	5.00	3.01	5.45	2.49	14.10	0.60	2.00	0.16	1.84	0.00	23.06	69.89	0.00	0.00	39.03
160000	4.99	2.99	5.41	2.49	15.07	0.60	2.01	0.16	1.85	0.00	23.13	69.89	0.00	0.00	40.05
170000	5.02	2.87	5.64	2.84	15.42	0.62	2.01	0.15	1.86	0.00	23.06	69.89	0.00	0.00	31.75
180000	5.12	2.86	9.14	6.41	15.16	0.65	2.06	0.17	1.89	0.00	23.10	69.89	0.00	0.00	46.54
190000	5.06	2.82	7.01	4.25	13.79	0.60	2.09	0.17	1.92	0.00	23.15	69.89	0.00	0.00	9.49
200000	5.09	3.24	6.98	3.84	11.96	0.59	2.10	0.18	1.92	0.00	23.10	69.89	0.00	0.00	6.55
210000	5.14	3.89	8.40	4.63	11.90	0.62	2.17	0.20	1.97	0.00	24.04	69.89	0.00	0.00	8.91
220000	5.29	4.24	9.73	5.65	11.75	0.65	2.32	0.22	2.10	0.00	24.51	69.84	0.00	0.00	8.14
230000	5.29	5.10	11.80	6.94	10.26	0.66	2.42	0.24	2.18	0.00	24.49	69.68	0.00	0.00	6.37
極大值	5.29	5.10	11.80	6.94	15.42	0.66	2.42	0.28	2.18	0.00	24.51	69.89	0.00	0.00	58.45
極小值	4.85	2.59	4.60	2.01	9.43	0.54	1.99	0.14	1.78	0.00	22.39	69.35	0.00	0.00	6.37
平均值	5.01	3.14	6.47	3.40	12.35	0.60	2.14	0.20	1.95	0.00	23.25	69.66	0.00	0.00	24.42
標準差	0.12	0.58	1.9	1.52	1.61	0.03	0.14	0.04	0.11	0	0.55	0.22	0	0	19.05

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.13	5.18	9.82	4.81	11.05	0.62	2.47	0.25	2.22	0.00	24.17	69.47	0.00	0.00	5.29
010000	5.28	4.92	8.25	3.47	10.83	0.58	2.58	0.24	2.34	0.00	24.45	69.47	0.00	0.00	4.61
020000	5.26	4.58	7.59	3.09	10.37	0.56	2.72	0.22	2.50	0.00	25.63	69.47	0.00	0.00	6.66
030000	5.12	4.59	7.86	3.38	10.93	0.56	2.58	0.23	2.35	0.00	29.29	69.50	0.00	0.00	9.76
040000	5.09	4.60	8.39	3.95	10.48	0.56	2.44	0.23	2.21	0.00	24.66	69.47	0.00	0.00	9.84
050000	5.22	4.51	8.13	3.74	10.66	0.56	2.34	0.22	2.12	0.00	23.30	69.47	0.00	0.00	13.66
060000	5.68	5.47	10.58	5.31	11.47	0.58	2.36	0.23	2.13	0.00	23.09	69.47	0.00	0.00	16.01
070000	5.50	5.17	9.25	4.23	11.84	0.58	2.35	0.24	2.11	0.00	22.97	69.47	0.00	0.00	14.42
080000	5.16	3.94	7.17	3.31	9.75	0.58	2.19	0.23	1.96	0.00	22.97	69.47	0.00	0.00	27.28
090000	5.01	3.16	5.93	2.85	9.73	0.56	2.08	0.22	1.86	0.00	22.91	69.47	0.00	0.00	37.66
100000	5.14	2.98	5.33	2.40	9.63	0.55	2.02	0.20	1.82	0.00	22.85	69.45	0.00	0.00	51.60
110000	5.07	2.89	5.43	2.60	10.31	0.56	2.01	0.21	1.80	0.00	22.88	69.53	0.00	0.00	35.05
120000	4.99	2.99	5.41	2.49	10.16	0.58	2.01	0.21	1.80	0.00	22.90	69.89	0.00	0.00	39.05
130000	5.12	2.91	5.14	2.28	9.73	0.60	2.00	0.20	1.80	0.00	22.83	69.89	0.00	0.00	23.86
140000	5.28	2.78	4.98	2.26	10.81	0.60	2.00	0.19	1.81	0.00	22.76	69.89	0.00	0.00	19.41
150000	5.29	2.85	5.08	2.27	10.55	0.60	2.00	0.18	1.82	0.00	22.63	69.89	0.00	0.00	22.71
160000	5.05	2.94	5.55	2.69	10.21	0.60	2.00	0.18	1.82	0.00	22.52	69.89	0.00	0.00	22.10
170000	5.09	3.00	5.93	2.99	10.90	0.61	2.00	0.18	1.82	0.00	22.47	69.89	0.00	0.00	24.10
180000	5.02	3.13	6.42	3.35	12.10	0.62	2.01	0.17	1.84	0.00	22.45	69.89	0.00	0.00	28.16
190000	4.96	3.25	6.74	3.59	13.03	0.62	2.03	0.16	1.87	0.00	22.54	69.89	0.00	0.00	39.39
200000	4.97	3.36	6.78	3.49	12.37	0.61	2.07	0.16	1.91	0.00	22.49	69.89	0.00	0.00	30.22
210000	5.05	3.44	6.26	2.88	12.51	0.61	2.16	0.16	2.00	0.00	22.52	69.89	0.00	0.00	25.26
220000	5.01	3.33	5.90	2.66	13.02	0.60	2.42	0.15	2.27	0.00	22.50	69.89	0.00	0.00	22.42
230000	4.96	3.29	5.62	2.40	11.47	0.58	2.24	0.14	2.10	0.00	22.39	69.73	0.00	0.00	21.41
極大值	5.68	5.47	10.58	5.31	13.03	0.62	2.72	0.25	2.50	0.00	29.29	69.89	0.00	0.00	51.60
極小值	4.96	2.78	4.98	2.26	9.63	0.55	2.00	0.14	1.80	0.00	22.39	69.45	0.00	0.00	4.61
平均值	5.14	3.72	6.81	3.19	11.00	0.59	2.21	0.20	2.01	0.00	23.34	69.68	0.00	0.00	22.91
標準差	0.17	0.89	1.59	0.8	1.03	0.02	0.23	0.03	0.21	0	1.51	0.21	0	0	11.98

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.02	3.22	5.51	2.35	11.25	0.55	2.15	0.13	2.02	0.00	22.33	69.47	0.00	0.00	23.00
010000	7.13	3.60	6.92	3.43	10.61	0.56	2.13	0.15	1.98	0.00	22.36	69.47	0.00	0.00	23.72
020000	6.82	4.23	7.51	3.41	10.25	0.56	2.14	0.19	1.95	0.00	22.35	69.47	0.00	0.00	21.80
030000	5.67	4.69	7.71	3.15	10.37	0.55	2.28	0.21	2.07	0.00	22.33	69.47	0.00	0.00	27.21
040000	5.26	4.97	8.35	3.54	9.56	0.55	2.31	0.21	2.10	0.00	22.34	69.47	0.00	0.00	20.18
050000	5.00	5.14	8.10	3.05	10.06	0.54	2.23	0.21	2.02	0.00	22.35	69.47	0.00	0.00	21.31
060000	5.22	7.06	10.67	3.79	10.51	0.58	2.23	0.23	2.00	0.00	22.31	69.47	0.00	0.00	22.49
070000	4.96	6.73	10.26	3.73	8.45	0.59	2.27	0.25	2.02	0.00	22.28	69.42	0.00	0.00	29.80
080000	4.88	5.01	8.41	3.55	7.28	0.58	2.17	0.26	1.91	0.00	22.16	69.36	0.00	0.00	27.46
090000	4.94	3.84	7.48	3.72	9.75	0.60	2.11	0.27	1.84	0.00	22.13	69.33	0.00	0.00	19.35
100000	5.03	3.02	7.74	4.79	14.46	0.64	2.11	0.34	1.77	0.00	22.18	69.33	0.00	0.00	22.82
110000	4.93	2.98	7.14	4.23	13.12	0.62	2.06	0.31	1.75	0.00	22.25	69.52	0.00	0.00	24.43
120000	5.08	2.89	5.79	2.96	12.91	0.61	2.04	0.21	1.83	0.00	22.22	69.89	0.00	0.00	25.50
130000	5.02	2.78	5.20	2.48	12.95	0.61	2.02	0.16	1.86	0.00	22.09	69.89	0.00	0.00	23.88
140000	5.01	2.85	5.22	2.44	11.83	0.61	2.00	0.20	1.80	0.00	22.05	69.89	0.00	0.00	16.75
150000	4.93	2.85	5.37	2.59	11.50	0.61	2.00	0.21	1.79	0.00	21.98	69.89	0.00	0.00	15.15
160000	4.88	2.80	5.21	2.46	10.43	0.61	2.00	0.20	1.80	0.00	23.03	69.89	0.00	0.00	18.82
170000	4.90	2.91	5.44	2.60	10.43	0.62	2.00	0.20	1.80	0.00	24.73	69.89	0.00	0.00	16.17
180000	4.90	2.89	5.71	2.86	9.84	0.62	2.01	0.20	1.81	0.00	21.70	69.89	0.00	0.00	17.92
190000	4.90	2.96	6.16	3.24	11.41	0.63	2.03	0.19	1.84	0.00	21.57	69.89	0.00	0.00	23.93
200000	4.93	2.99	6.11	3.18	12.36	0.63	2.06	0.19	1.87	0.00	21.72	69.89	0.00	0.00	25.92
210000	5.07	3.35	7.47	4.19	12.48	0.65	2.14	0.18	1.96	0.00	25.87	69.89	0.00	0.00	21.98
220000	5.15	3.77	8.22	4.54	11.97	0.66	2.23	0.19	2.04	0.00	25.89	69.89	0.00	0.00	24.47
230000	5.15	4.35	7.94	3.72	10.85	0.67	2.43	0.21	2.22	0.00	25.59	69.75	0.00	0.00	18.16
極大值	7.13	7.06	10.67	4.79	14.46	0.67	2.43	0.34	2.22	0.00	25.89	69.89	0.00	0.00	29.80
極小值	4.88	2.78	5.20	2.35	7.28	0.54	2.00	0.13	1.75	0.00	21.57	69.33	0.00	0.00	15.15
平均值	5.20	3.83	7.07	3.33	11.03	0.60	2.13	0.21	1.92	0.00	22.74	69.66	0.00	0.00	22.18
標準差	0.57	1.23	1.54	0.68	1.59	0.04	0.12	0.05	0.12	0	1.31	0.23	0	0	3.79

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.22	4.88	8.15	3.42	10.76	0.64	2.59	0.26	2.33	0.00	25.38	69.47	0.00	0.00	19.71
010000	5.11	5.29	8.70	3.55	10.60	0.62	2.54	0.26	2.28	0.00	25.55	69.47	0.00	0.00	32.01
020000	5.15	5.40	9.07	3.81	11.01	0.62	2.49	0.27	2.22	0.00	25.44	69.47	0.00	0.00	23.25
030000	5.26	5.44	9.42	4.11	10.23	0.62	2.52	0.27	2.25	0.00	25.26	69.47	0.00	0.00	21.02
040000	5.23	5.43	9.44	4.14	10.20	0.61	2.59	0.27	2.32	0.00	25.08	69.47	0.00	0.00	19.13
050000	5.21	6.06	10.28	4.39	10.75	0.62	2.66	0.27	2.39	0.00	25.21	69.47	0.00	0.00	29.74
060000	5.13	6.92	11.03	4.30	10.31	0.62	2.58	0.26	2.32	0.00	25.36	69.47	0.00	0.00	21.87
070000	5.26	7.69	11.71	4.25	10.45	0.63	2.60	0.26	2.34	0.00	25.44	69.47	0.00	0.00	23.68
080000	5.04	5.77	10.38	4.79	9.03	0.64	2.45	0.27	2.18	0.00	25.42	69.47	0.00	0.00	27.80
090000	5.14	3.48	8.41	5.04	11.29	0.65	2.28	0.29	1.99	0.00	25.35	69.39	0.00	0.00	28.03
100000	5.17	2.79	7.56	4.82	17.92	0.68	2.17	0.31	1.86	0.00	25.37	69.33	0.00	0.00	27.68
110000	5.27	2.66	8.43	5.86	25.74	0.71	2.12	0.35	1.77	0.00	25.56	69.50	0.00	0.00	26.75
120000	5.20	2.71	9.32	6.76	26.96	0.72	2.08	0.32	1.76	0.00	26.49	69.92	0.00	0.00	39.56
130000	5.38	2.74	8.63	6.03	26.33	0.72	2.07	0.30	1.77	0.00	27.02	70.00	0.00	0.00	45.72
140000	5.33	2.84	8.96	6.26	24.08	0.69	2.06	0.30	1.76	0.00	27.24	70.01	0.00	0.00	26.09
150000	5.87	3.73	11.77	8.25	16.91	0.71	2.04	0.32	1.72	0.00	27.53	69.95	0.00	0.00	27.83
160000	6.17	3.93	13.76	10.10	13.56	0.69	2.04	0.39	1.65	0.00	27.81	70.01	0.00	0.00	25.74
170000	6.58	3.96	18.15	14.55	11.81	0.83	2.05	0.40	1.65	0.00	28.57	69.97	0.00	0.00	23.44
180000	5.75	3.39	12.88	9.71	10.87	0.74	2.08	0.33	1.75	0.00	28.76	69.89	0.00	0.00	27.53
190000	5.53	3.29	11.49	8.40	10.53	0.71	2.10	0.25	1.85	0.00	29.32	69.89	0.00	0.00	35.17
200000	5.36	3.55	11.78	8.43	12.51	0.69	2.12	0.22	1.90	0.00	30.75	69.89	0.00	0.00	48.15
210000	5.46	3.60	10.21	6.75	12.30	0.66	2.13	0.21	1.92	0.00	30.65	69.89	0.00	0.00	45.12
220000	5.48	3.61	8.46	4.97	11.81	0.66	2.23	0.21	2.02	0.00	30.10	69.89	0.00	0.00	28.24
230000	5.51	3.64	8.70	5.18	11.38	0.69	2.31	0.22	2.09	0.00	29.69	69.89	0.00	0.00	19.60
極大值	6.58	7.69	18.15	14.55	26.96	0.83	2.66	0.40	2.39	0.00	30.75	70.01	0.00	0.00	48.15
極小值	5.04	2.66	7.56	3.42	9.03	0.61	2.04	0.21	1.65	0.00	25.08	69.33	0.00	0.00	19.13
平均值	5.41	4.28	10.28	6.16	14.06	0.67	2.29	0.28	2.00	0.00	27.01	69.69	0.00	0.00	28.87
標準差	0.36	1.41	2.33	2.63	5.73	0.05	0.23	0.05	0.25	0	1.96	0.25	0	0	8.28

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.50	3.89	8.79	5.03	11.21	0.70	2.29	0.23	2.06	0.00	29.62	69.89	0.00	0.00	19.48
010000	5.47	3.59	7.57	4.08	11.52	0.64	2.32	0.20	2.12	0.00	29.57	69.89	0.00	0.00	19.93
020000	5.47	4.15	8.39	4.37	11.11	0.65	2.39	0.22	2.17	0.00	29.48	69.89	0.00	0.00	20.04
030000	5.51	4.40	8.94	4.70	10.89	0.68	2.50	0.24	2.26	0.00	29.89	69.89	0.00	0.00	20.77
040000	5.31	4.65	9.52	5.05	10.17	0.70	2.46	0.26	2.20	0.00	30.27	69.89	0.00	0.00	19.63
050000	5.40	4.94	9.79	5.03	10.26	0.70	2.43	0.27	2.16	0.00	30.25	69.89	0.00	0.00	19.65
060000	5.30	5.60	10.59	5.20	10.59	0.71	2.40	0.26	2.14	0.00	29.84	69.89	0.00	0.00	22.06
070000	5.39	4.97	10.59	5.79	10.50	0.70	2.34	0.24	2.10	0.00	30.01	69.89	0.00	0.00	28.09
080000	5.36	3.40	8.18	4.88	10.92	0.65	2.22	0.26	1.96	0.00	29.76	70.00	0.00	0.00	27.18
090000	5.35	3.16	7.37	4.28	12.40	0.64	2.13	0.27	1.86	0.00	29.64	70.04	0.00	0.00	19.61
100000	5.40	2.75	7.77	5.10	19.73	0.69	2.14	0.30	1.84	0.00	29.65	70.04	0.00	0.00	15.80
110000	5.54	2.73	10.97	8.45	32.07	0.77	2.13	0.40	1.73	0.00	29.63	70.04	0.00	0.00	23.42
120000	5.92	3.18	13.20	10.27	27.25	0.81	2.08	0.40	1.68	0.00	29.51	70.04	0.00	0.00	29.28
130000	5.35	2.61	8.12	5.60	26.43	0.70	2.06	0.29	1.77	0.00	29.56	70.04	0.00	0.00	29.07
140000	5.30	2.73	8.61	6.01	24.14	0.70	2.05	0.25	1.80	0.00	29.51	70.04	0.00	0.00	25.86
150000	5.24	2.84	9.83	7.13	18.39	0.72	2.06	0.24	1.82	0.00	29.41	70.03	0.00	0.00	28.24
160000	5.64	3.46	12.62	9.38	11.96	0.80	2.06	0.28	1.78	0.00	29.35	69.92	0.00	0.00	28.20
170000	5.94	3.72	15.24	11.79	10.33	0.81	2.08	0.32	1.76	0.00	29.37	69.89	0.00	0.00	22.11
180000	5.42	3.54	12.93	9.60	11.65	0.74	2.08	0.28	1.80	0.00	29.31	69.89	0.00	0.00	28.82
190000	5.56	3.70	12.52	9.01	12.62	0.78	2.12	0.26	1.86	0.00	29.23	69.89	0.00	0.00	25.69
200000	5.53	4.02	13.08	9.28	12.27	0.81	2.19	0.29	1.90	0.00	29.19	69.89	0.00	0.00	29.53
210000	5.58	4.26	11.75	7.70	13.20	0.81	2.28	0.31	1.97	0.00	28.98	69.89	0.00	0.00	30.05
220000	5.47	4.22	11.06	7.02	13.42	0.79	2.33	0.30	2.03	0.00	28.89	69.89	0.00	0.00	32.07
230000	5.33	3.85	9.35	5.62	12.33	0.73	2.38	0.26	2.12	0.00	28.91	69.89	0.00	0.00	20.73
極大值	5.94	5.60	15.24	11.79	32.07	0.81	2.50	0.40	2.26	0.00	30.27	70.04	0.00	0.00	32.07
極小值	5.24	2.61	7.37	4.08	10.17	0.64	2.05	0.20	1.68	0.00	28.89	69.89	0.00	0.00	15.80
平均值	5.47	3.76	10.28	6.68	14.81	0.73	2.23	0.28	1.95	0.00	29.53	69.94	0.00	0.00	24.39
標準差	0.17	0.79	2.14	2.21	6.34	0.06	0.15	0.05	0.17	0	0.36	0.07	0	0	4.57

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.24	3.89	8.71	4.94	11.31	0.70	2.35	0.25	2.10	0.00	28.87	69.89	0.00	0.00	21.46
010000	5.29	4.38	8.94	4.71	10.68	0.69	2.34	0.26	2.08	0.00	28.84	69.89	0.00	0.00	20.00
020000	5.44	4.83	9.59	4.93	11.62	0.71	2.50	0.25	2.25	0.00	28.68	69.89	0.00	0.00	17.00
030000	5.34	4.87	8.87	4.17	10.74	0.69	2.49	0.25	2.24	0.00	28.46	69.89	0.00	0.00	15.82
040000	5.25	5.08	9.52	4.63	11.54	0.69	2.46	0.25	2.21	0.00	27.99	69.89	0.00	0.00	19.08
050000	5.30	5.43	9.84	4.59	10.40	0.70	2.40	0.26	2.14	0.00	27.54	69.89	0.00	0.00	14.98
060000	5.27	6.82	10.94	4.33	10.76	0.71	2.36	0.26	2.10	0.00	27.40	69.89	0.00	0.00	18.09
070000	5.22	5.09	8.72	3.80	9.07	0.67	2.25	0.25	2.00	0.00	27.58	69.89	0.00	0.00	15.32
080000	5.31	3.70	7.94	4.36	9.52	0.67	2.16	0.24	1.92	0.00	27.19	69.90	0.00	0.00	17.55
090000	5.30	3.03	6.93	3.96	12.96	0.67	2.14	0.25	1.89	0.00	27.38	70.01	0.00	0.00	19.88
100000	5.23	2.93	6.11	3.24	10.67	0.65	2.08	0.24	1.84	0.00	26.94	70.00	0.00	0.00	13.85
110000	5.12	2.89	5.29	2.46	9.46	0.63	2.02	0.20	1.82	0.00	26.49	69.89	0.00	0.00	9.97
120000	5.14	2.73	4.90	2.19	10.44	0.63	2.00	0.18	1.82	0.00	26.30	70.01	0.00	0.00	5.23
130000	5.15	2.71	4.60	1.92	9.44	0.63	2.00	0.17	1.83	0.00	26.41	70.02	0.00	0.00	4.86
140000	5.11	2.73	4.52	1.81	9.53	0.64	1.99	0.15	1.84	0.00	26.34	70.00	0.00	0.00	10.14
150000	5.06	2.69	4.59	1.93	11.47	0.63	1.99	0.13	1.86	0.00	26.24	69.94	0.00	0.00	15.12
160000	5.07	2.68	4.52	1.89	12.74	0.63	1.99	0.11	1.88	0.00	25.74	69.89	0.00	0.00	9.84
170000	5.11	2.69	4.45	1.77	10.27	0.63	1.99	0.11	1.88	0.00	24.86	69.89	0.00	0.00	10.85
180000	5.19	2.67	4.49	1.85	12.62	0.63	1.99	0.09	1.90	0.00	24.87	69.89	0.00	0.00	10.94
190000	5.07	2.64	4.43	1.83	8.12	0.62	1.99	0.11	1.88	0.00	25.02	69.89	0.00	0.00	7.27
200000	5.13	2.75	4.88	2.14	7.00	0.62	1.99	0.12	1.87	0.00	25.22	69.89	0.00	0.00	3.18
210000	5.19	3.06	6.05	3.05	6.96	0.65	2.05	0.14	1.91	0.00	25.49	69.89	0.00	0.00	0.97
220000	5.14	3.41	5.88	2.55	6.40	0.63	2.08	0.16	1.92	0.00	25.71	69.89	0.00	0.00	2.36
230000	5.10	3.16	5.78	2.69	8.04	0.61	2.07	0.16	1.91	0.00	25.62	69.77	0.00	0.00	6.53
極大值	5.44	6.82	10.94	4.94	12.96	0.71	2.50	0.26	2.25	0.00	28.87	70.02	0.00	0.00	21.46
極小值	5.06	2.64	4.43	1.77	6.40	0.61	1.99	0.09	1.82	0.00	24.86	69.77	0.00	0.00	0.97
平均值	5.20	3.62	6.69	3.16	10.07	0.66	2.15	0.19	1.96	0.00	26.72	69.91	0.00	0.00	12.10
標準差	0.1	1.16	2.17	1.19	1.8	0.03	0.19	0.06	0.14	0	1.28	0.06	0	0	6.12

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.98	3.03	5.41	2.43	11.05	0.59	2.07	0.15	1.92	0.00	25.40	69.47	0.00	0.00	6.71
010000	4.97	3.33	5.72	2.48	10.30	0.58	2.08	0.17	1.91	0.00	25.31	69.47	0.00	0.00	10.64
020000	4.98	3.51	6.03	2.62	10.30	0.58	2.09	0.19	1.90	0.00	25.23	69.47	0.00	0.00	8.23
030000	5.00	3.86	6.47	2.71	10.28	0.58	2.10	0.20	1.90	0.00	25.09	69.47	0.00	0.00	10.52
040000	5.06	4.29	7.36	3.15	9.79	0.59	2.16	0.21	1.95	0.00	25.04	69.47	0.00	0.00	7.18
050000	5.03	4.72	7.63	3.03	10.13	0.58	2.17	0.22	1.95	0.00	25.03	69.47	0.00	0.00	7.00
060000	5.05	4.92	7.45	2.68	9.50	0.60	2.15	0.22	1.93	0.00	24.86	69.47	0.00	0.00	10.22
070000	4.97	3.58	6.15	2.66	7.56	0.59	2.08	0.19	1.89	0.00	24.95	69.45	0.00	0.00	7.06
080000	4.96	3.15	5.43	2.35	8.59	0.59	2.03	0.20	1.83	0.00	25.36	69.42	0.00	0.00	5.22
090000	4.93	2.88	5.15	2.26	10.08	0.59	2.01	0.24	1.77	0.00	25.66	69.33	0.00	0.00	4.52
100000	4.96	2.74	4.99	2.27	10.58	0.59	1.99	0.25	1.74	0.00	26.02	69.41	0.00	0.00	3.13
110000	5.03	2.74	4.94	2.19	10.55	0.60	1.99	0.23	1.76	0.00	27.01	69.55	0.00	0.00	2.89
120000	4.95	2.80	4.93	2.16	10.80	0.61	1.99	0.23	1.76	0.00	28.91	69.98	0.00	0.00	3.24
130000	4.94	2.70	4.57	1.90	11.72	0.61	1.99	0.21	1.78	0.00	28.38	70.03	0.00	0.00	0.97
140000	4.93	2.64	4.46	1.83	11.90	0.62	1.98	0.20	1.78	0.00	27.74	70.04	0.00	0.00	1.08
150000	4.94	2.72	4.55	1.86	8.07	0.62	1.98	0.22	1.76	0.00	27.16	70.01	0.00	0.00	3.74
160000	4.91	2.72	4.71	2.03	6.14	0.62	1.98	0.21	1.77	0.00	26.54	69.92	0.00	0.00	5.26
170000	4.97	2.65	4.67	2.04	6.36	0.64	1.98	0.20	1.78	0.00	26.02	69.89	0.00	0.00	7.64
180000	4.96	2.79	5.58	2.83	6.99	0.64	1.98	0.17	1.81	0.00	25.77	69.89	0.00	0.00	6.70
190000	4.94	2.78	5.86	3.14	6.98	0.65	1.99	0.17	1.82	0.00	25.83	69.89	0.00	0.00	11.45
200000	4.95	2.80	5.96	3.21	7.71	0.66	2.02	0.16	1.86	0.00	25.85	69.89	0.00	0.00	16.46
210000	5.01	2.89	5.86	3.03	6.22	0.66	2.03	0.17	1.86	0.00	25.73	69.89	0.00	0.00	17.22
220000	4.94	2.95	6.22	3.33	6.63	0.66	2.03	0.16	1.87	0.00	25.67	69.89	0.00	0.00	16.30
230000	4.99	3.11	7.15	4.14	6.15	0.64	2.05	0.16	1.89	0.00	25.74	69.76	0.00	0.00	19.77
極大值	5.06	4.92	7.63	4.14	11.90	0.66	2.17	0.25	1.95	0.00	28.91	70.04	0.00	0.00	19.77
極小值	4.91	2.64	4.46	1.83	6.14	0.58	1.98	0.15	1.74	0.00	24.86	69.33	0.00	0.00	0.97
平均值	4.97	3.18	5.72	2.60	8.93	0.61	2.04	0.20	1.84	0.00	26.01	69.69	0.00	0.00	8.05
標準差	0.04	0.65	0.96	0.56	1.93	0.03	0.06	0.03	0.07	0	1.09	0.25	0	0	5.17

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.96	3.32	6.25	3.02	5.86	0.61	2.05	0.20	1.85	0.00	25.54	69.47	0.00	0.00	15.71
010000	4.91	3.33	6.71	3.48	5.61	0.59	2.07	0.19	1.88	0.00	25.49	69.47	0.00	0.00	22.41
020000	5.08	3.54	6.47	3.02	8.54	0.58	2.20	0.20	2.00	0.00	25.17	69.47	0.00	0.00	11.75
030000	5.08	3.90	7.28	3.48	9.92	0.59	2.47	0.20	2.27	0.00	24.48	69.47	0.00	0.00	7.28
040000	5.06	4.16	7.65	3.60	9.01	0.58	2.43	0.22	2.21	0.00	24.23	69.47	0.00	0.00	6.14
050000	4.93	4.49	8.24	3.90	9.02	0.58	2.27	0.22	2.05	0.00	24.40	69.47	0.00	0.00	9.71
060000	4.98	5.48	9.05	3.74	9.48	0.59	2.16	0.22	1.94	0.00	24.11	69.47	0.00	0.00	8.53
070000	4.89	5.00	8.41	3.53	7.57	0.61	2.08	0.24	1.84	0.00	24.05	69.42	0.00	0.00	7.90
080000	4.81	3.36	6.16	2.87	9.80	0.61	2.04	0.26	1.78	0.00	24.74	69.34	0.00	0.00	7.28
090000	4.81	2.85	5.28	2.47	12.01	0.61	2.00	0.22	1.78	0.00	24.21	69.38	0.00	0.00	10.38
100000	4.85	2.81	5.57	2.81	11.91	0.62	2.00	0.20	1.80	0.00	23.24	69.34	0.00	0.00	12.57
110000	4.98	3.00	5.69	2.75	11.51	0.61	1.99	0.20	1.79	0.00	22.72	69.51	0.00	0.00	10.42
120000	4.98	2.94	5.55	2.67	12.21	0.63	1.99	0.17	1.82	0.00	22.70	69.89	0.00	0.00	9.53
130000	4.99	2.79	5.39	2.67	13.21	0.64	2.00	0.17	1.83	0.00	22.20	69.89	0.00	0.00	11.89
140000	4.94	2.71	5.13	2.47	14.61	0.65	2.00	0.16	1.84	0.00	21.62	69.89	0.00	0.00	9.53
150000	4.98	2.78	5.52	2.76	13.97	0.66	2.01	0.18	1.83	0.00	21.75	69.89	0.00	0.00	10.81
160000	5.01	3.06	6.35	3.36	13.40	0.65	2.01	0.18	1.83	0.00	21.84	69.89	0.00	0.00	15.62
170000	5.00	2.93	6.90	4.07	13.16	0.67	2.02	0.19	1.83	0.00	21.94	69.89	0.00	0.00	15.25
180000	4.99	2.69	5.91	3.29	11.65	0.67	2.01	0.18	1.83	0.00	21.98	69.89	0.00	0.00	14.29
190000	5.04	2.85	7.14	4.38	10.32	0.68	2.03	0.18	1.85	0.00	21.73	69.89	0.00	0.00	13.73
200000	5.15	2.94	7.72	4.88	11.95	0.70	2.05	0.21	1.84	0.00	22.04	69.89	0.00	0.00	19.70
210000	5.13	3.10	8.53	5.55	11.88	0.69	2.09	0.23	1.86	0.00	22.64	69.81	0.00	0.00	21.72
220000	5.26	3.52	9.94	6.59	12.24	0.72	2.13	0.24	1.89	0.00	22.53	69.75	0.00	0.00	27.34
230000	5.50	3.85	9.63	5.94	9.66	0.71	2.16	0.24	1.92	0.00	22.21	69.64	0.00	0.00	21.19
極大值	5.50	5.48	9.94	6.59	14.61	0.72	2.47	0.26	2.27	0.00	25.54	69.89	0.00	0.00	27.34
極小值	4.81	2.69	5.13	2.47	5.61	0.58	1.99	0.16	1.78	0.00	21.62	69.34	0.00	0.00	6.14
平均值	5.01	3.39	6.94	3.64	10.77	0.64	2.09	0.20	1.89	0.00	23.23	69.65	0.00	0.00	13.36
標準差	0.15	0.75	1.43	1.11	2.39	0.04	0.13	0.03	0.13	0	1.32	0.22	0	0	5.58

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.56	4.44	10.14	5.90	10.68	0.68	2.18	0.25	1.93	0.00	22.17	69.35	0.00	0.00	18.54
010000	5.46	4.72	10.04	5.47	9.73	0.67	2.23	0.25	1.98	0.00	22.02	69.33	0.00	0.00	23.73
020000	5.41	4.95	10.16	5.38	9.75	0.67	2.20	0.26	1.94	0.00	21.80	69.33	0.00	0.00	22.05
030000	5.40	5.50	10.62	5.30	9.89	0.66	2.17	0.26	1.91	0.00	21.75	69.34	0.00	0.00	15.21
040000	5.33	5.02	9.45	4.60	9.83	0.65	2.18	0.25	1.93	0.00	21.66	69.33	0.00	0.00	21.00
050000	5.32	5.52	9.77	4.44	10.68	0.65	2.45	0.25	2.20	0.00	21.65	69.33	0.00	0.00	22.18
060000	5.25	7.09	11.24	4.37	10.18	0.66	2.47	0.25	2.22	0.00	21.63	69.33	0.00	0.00	27.44
070000	5.14	4.84	8.38	3.67	7.75	0.63	2.24	0.26	1.98	0.00	21.42	69.33	0.00	0.00	18.24
080000	5.13	3.35	6.45	3.18	6.26	0.63	2.11	0.26	1.85	0.00	21.52	69.33	0.00	0.00	16.24
090000	5.14	2.92	5.84	2.97	6.31	0.64	2.06	0.24	1.82	0.00	21.58	69.33	0.00	0.00	17.16
100000	5.09	2.75	5.31	2.60	6.44	0.64	2.03	0.22	1.81	0.00	21.98	69.33	0.00	0.00	16.73
110000	5.17	2.77	5.42	2.69	6.02	0.64	2.02	0.22	1.80	0.00	21.98	69.47	0.00	0.00	12.65
120000	5.21	2.89	5.66	2.84	9.14	0.65	2.02	0.19	1.83	0.00	22.01	69.88	0.00	0.00	8.75
130000	5.15	2.68	5.46	2.83	16.97	0.67	2.03	0.18	1.85	0.00	21.84	69.89	0.00	0.00	6.94
140000	5.18	2.86	6.39	3.61	17.40	0.69	2.03	0.19	1.84	0.00	21.55	69.89	0.00	0.00	11.81
150000	5.30	2.87	6.67	3.86	16.93	0.70	2.03	0.18	1.85	0.00	21.20	69.89	0.00	0.00	12.12
160000	5.47	3.47	9.47	6.15	12.63	0.78	2.04	0.19	1.85	0.00	21.46	69.89	0.00	0.00	17.73
170000	6.44	3.61	12.55	9.16	10.19	0.89	2.05	0.23	1.82	0.00	21.47	69.89	0.00	0.00	18.19
180000	5.92	3.42	13.94	10.78	10.71	0.90	2.06	0.26	1.80	0.00	21.40	69.89	0.00	0.00	24.06
190000	5.58	2.89	8.53	5.77	11.24	0.74	2.09	0.21	1.88	0.00	21.35	69.89	0.00	0.00	16.88
200000	5.48	2.88	7.70	4.90	12.70	0.71	2.09	0.19	1.90	0.00	21.38	69.89	0.00	0.00	11.78
210000	5.51	3.11	8.23	5.23	12.09	0.70	2.12	0.19	1.93	0.00	21.36	69.89	0.00	0.00	11.99
220000	5.65	3.16	8.10	5.05	11.61	0.70	2.22	0.19	2.03	0.00	21.21	69.89	0.00	0.00	7.60
230000	5.51	3.31	8.81	5.60	10.43	0.70	2.28	0.20	2.08	0.00	21.23	69.74	0.00	0.00	7.88
極大值	6.44	7.09	13.94	10.78	17.40	0.90	2.47	0.26	2.22	0.00	22.17	69.89	0.00	0.00	27.44
極小值	5.09	2.68	5.31	2.60	6.02	0.63	2.02	0.18	1.80	0.00	21.20	69.33	0.00	0.00	6.94
平均值	5.41	3.79	8.51	4.85	10.65	0.69	2.14	0.22	1.92	0.00	21.61	69.61	0.00	0.00	16.12
標準差	0.3	1.18	2.34	1.95	3.15	0.07	0.13	0.03	0.12	0	0.28	0.28	0	0	5.62

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.54	3.50	8.75	5.39	10.20	0.66	2.30	0.21	2.09	0.00	21.48	69.47	0.00	0.00	8.84
010000	5.69	3.49	8.37	5.02	10.18	0.67	2.37	0.22	2.15	0.00	21.47	69.47	0.00	0.00	8.13
020000	5.56	3.49	7.89	4.53	10.49	0.66	2.48	0.20	2.28	0.00	21.56	69.47	0.00	0.00	9.45
030000	5.57	3.48	7.66	4.31	10.64	0.66	2.44	0.18	2.26	0.00	21.70	69.38	0.00	0.00	14.12
040000	5.48	3.59	7.83	4.38	10.35	0.64	2.40	0.18	2.22	0.00	21.70	69.33	0.00	0.00	12.55
050000	5.53	3.45	7.67	4.36	11.84	0.64	2.34	0.17	2.17	0.00	21.56	69.33	0.00	0.00	17.62
060000	5.50	3.32	7.30	4.09	11.96	0.63	2.23	0.16	2.07	0.00	21.48	69.33	0.00	0.00	22.40
070000	5.36	3.56	7.69	4.27	11.32	0.62	2.15	0.16	1.99	0.00	21.48	69.33	0.00	0.00	17.53
080000	5.31	4.24	8.30	4.20	11.44	0.61	2.10	0.15	1.95	0.00	21.44	69.33	0.00	0.00	16.17
090000	5.40	4.72	9.50	4.97	11.69	0.64	2.09	0.16	1.93	0.00	21.15	69.33	0.00	0.00	11.41
100000	5.44	4.53	10.97	6.67	12.65	0.68	2.13	0.20	1.93	0.00	21.24	69.40	0.00	0.00	16.98
110000	5.39	3.66	9.70	6.20	13.10	0.67	2.12	0.18	1.94	0.00	21.34	69.56	0.00	0.00	12.86
120000	5.26	3.05	8.12	5.19	14.55	0.72	2.04	0.13	1.91	0.00	21.43	69.84	0.00	0.00	15.68
130000	5.24	2.61	5.57	3.05	18.06	0.66	1.99	0.14	1.85	0.00	21.49	69.89	0.00	0.00	35.27
140000	5.16	2.46	3.87	1.44	18.58	0.62	1.97	0.04	1.93	0.00	21.49	69.89	0.00	0.00	58.16
150000	5.07	2.63	4.00	1.41	18.12	0.64	1.97	0.05	1.92	0.00	21.31	69.89	0.00	0.00	90.29
160000	5.20	2.58	4.29	1.74	16.43	0.63	1.98	0.06	1.92	0.00	21.47	69.88	0.00	0.00	46.71
170000	5.25	2.59	4.39	1.83	17.46	0.63	1.98	0.05	1.93	0.00	21.34	69.85	0.00	0.00	25.56
180000	5.24	2.57	4.36	1.83	16.58	0.63	1.97	0.05	1.92	0.00	21.58	69.86	0.00	0.00	31.28
190000	5.28	2.54	4.17	1.67	16.91	0.63	1.98	0.05	1.93	0.00	21.66	69.82	0.00	0.00	32.23
200000	5.23	2.50	4.25	1.78	11.49	0.63	1.98	0.05	1.93	0.00	21.62	69.85	0.00	0.00	30.64
210000	5.22	2.59	4.44	1.87	7.72	0.62	1.99	0.06	1.93	0.00	21.66	69.88	0.00	0.00	17.75
220000	5.27	2.59	4.10	1.54	6.62	0.62	1.99	0.06	1.93	0.00	21.57	69.89	0.00	0.00	13.32
230000	5.14	2.53	4.03	1.53	6.39	0.61	1.99	0.05	1.94	0.00	21.55	69.71	0.00	0.00	17.59
極大值	5.69	4.72	10.97	6.67	18.58	0.72	2.48	0.22	2.28	0.00	21.70	69.89	0.00	0.00	90.29
極小值	5.07	2.46	3.87	1.41	6.39	0.61	1.97	0.04	1.85	0.00	21.15	69.33	0.00	0.00	8.13
平均值	5.35	3.18	6.55	3.47	12.70	0.64	2.12	0.12	2.00	0.00	21.49	69.62	0.00	0.00	24.27
標準差	0.16	0.68	2.25	1.71	3.62	0.03	0.17	0.06	0.12	0	0.14	0.24	0	0	18.69

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.15	2.44	4.05	1.64	5.75	0.59	1.99	0.06	1.93	0.00	21.50	69.47	0.00	0.00	15.17
010000	5.09	2.64	4.35	1.75	5.88	0.59	1.99	0.07	1.92	0.00	21.43	69.47	0.00	0.00	24.10
020000	5.19	2.63	4.54	1.91	5.91	0.59	1.99	0.08	1.91	0.00	21.37	69.47	0.00	0.00	23.50
030000	5.17	2.68	4.50	1.85	5.62	0.58	1.99	0.08	1.91	0.00	21.59	69.47	0.00	0.00	24.94
040000	5.14	2.72	4.71	2.00	5.46	0.58	1.99	0.08	1.91	0.00	21.61	69.47	0.00	0.00	20.96
050000	5.10	2.82	5.12	2.36	5.67	0.59	1.99	0.09	1.90	0.00	21.54	69.47	0.00	0.00	6.22
060000	5.00	2.81	5.03	2.24	5.78	0.59	1.98	0.08	1.90	0.00	21.53	69.47	0.00	0.00	12.86
070000	4.96	3.22	5.70	2.52	5.88	0.61	1.99	0.12	1.87	0.00	21.54	69.46	0.00	0.00	14.39
080000	4.99	4.34	8.56	4.39	6.51	0.67	2.03	0.18	1.85	0.00	21.48	69.46	0.00	0.00	12.76
090000	5.03	3.65	7.40	3.85	6.46	0.66	2.05	0.20	1.85	0.00	21.42	69.38	0.00	0.00	10.16
100000	5.06	3.03	6.92	3.97	6.59	0.67	2.05	0.24	1.81	0.00	21.34	69.33	0.00	0.00	11.31
110000	5.31	2.70	7.28	4.67	6.68	0.68	2.04	0.25	1.79	0.00	21.39	69.45	0.00	0.00	22.16
120000	5.29	2.72	8.10	5.50	7.40	0.72	2.05	0.24	1.81	0.00	21.59	69.89	0.00	0.00	24.65
130000	5.40	2.68	8.01	5.42	7.43	0.74	2.06	0.25	1.81	0.00	21.54	69.89	0.00	0.00	18.56
140000	6.09	3.21	11.44	8.43	9.67	0.97	2.05	0.26	1.79	0.00	21.51	69.89	0.00	0.00	29.31
150000	5.37	2.86	7.44	4.66	7.08	0.69	2.02	0.20	1.82	0.00	21.52	69.89	0.00	0.00	35.09
160000	5.24	2.97	9.01	6.16	6.98	0.72	2.02	0.19	1.83	0.00	21.57	69.89	0.00	0.00	12.56
170000	5.61	3.30	15.36	12.35	8.85	0.90	2.03	0.37	1.66	0.00	21.55	69.89	0.00	0.00	9.07
180000	5.37	3.17	14.47	11.55	7.53	0.77	2.04	0.35	1.69	0.00	21.54	69.89	0.00	0.00	15.93
190000	5.54	3.33	12.71	9.61	7.54	0.80	2.05	0.29	1.76	0.00	21.39	69.89	0.00	0.00	18.01
200000	5.32	3.56	12.59	9.26	7.87	0.81	2.06	0.27	1.79	0.00	21.41	69.89	0.00	0.00	13.69
210000	5.33	3.80	10.37	6.76	7.70	0.79	2.10	0.26	1.84	0.00	21.53	69.82	0.00	0.00	16.36
220000	5.30	3.92	9.10	5.34	7.32	0.76	2.13	0.26	1.87	0.00	21.63	69.75	0.00	0.00	11.47
230000	5.45	4.99	11.52	6.75	7.64	0.80	2.20	0.25	1.95	0.00	21.79	69.75	0.00	0.00	13.87
極大值	6.09	4.99	15.36	12.35	9.67	0.97	2.20	0.37	1.95	0.00	21.79	69.89	0.00	0.00	35.09
極小值	4.96	2.44	4.05	1.64	5.46	0.58	1.98	0.06	1.66	0.00	21.34	69.33	0.00	0.00	6.22
平均值	5.27	3.17	8.26	5.21	6.88	0.70	2.04	0.20	1.84	0.00	21.51	69.65	0.00	0.00	17.38
標準差	0.25	0.61	3.35	3.16	1.07	0.11	0.05	0.09	0.07	0	0.1	0.22	0	0	6.95

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.55	4.31	10.68	6.58	7.52	0.80	2.37	0.26	2.11	0.00	21.69	69.75	0.00	0.00	11.25
010000	5.42	4.18	10.04	6.03	7.48	0.77	2.36	0.26	2.10	0.00	21.57	69.75	0.00	0.00	10.66
020000	5.52	4.15	9.56	5.56	7.12	0.76	2.33	0.28	2.05	0.00	21.65	69.75	0.00	0.00	15.00
030000	5.57	4.33	9.44	5.27	6.99	0.73	2.32	0.28	2.04	0.00	21.64	69.75	0.00	0.00	14.13
040000	5.45	4.53	9.35	4.98	6.77	0.71	2.30	0.27	2.03	0.00	21.59	69.82	0.00	0.00	15.56
050000	5.32	5.06	10.18	5.29	6.82	0.73	2.25	0.26	1.99	0.00	21.66	69.86	0.00	0.00	18.06
060000	5.36	6.71	11.74	5.23	7.33	0.76	2.29	0.27	2.02	0.00	21.62	69.87	0.00	0.00	17.17
070000	5.43	8.09	14.08	6.28	7.57	0.82	2.33	0.27	2.06	0.00	21.67	69.88	0.00	0.00	18.93
080000	5.68	7.32	15.84	8.87	8.47	0.88	2.29	0.33	1.96	0.00	21.65	69.89	0.00	0.00	23.78
090000	5.79	3.65	14.50	11.13	8.53	0.87	2.24	0.48	1.76	0.00	21.62	69.89	0.00	0.00	28.06
100000	5.58	2.95	10.78	8.04	8.01	0.79	2.21	0.46	1.75	0.00	21.56	69.89	0.00	0.00	30.86
110000	5.31	2.78	9.13	6.47	7.57	0.75	2.10	0.35	1.75	0.00	21.58	69.89	0.00	0.00	24.66
120000	5.35	2.71	7.19	4.57	7.16	0.71	2.03	0.28	1.75	0.00	21.49	69.89	0.00	0.00	19.92
130000	5.50	2.65	6.50	3.92	6.96	0.69	2.00	0.21	1.79	0.00	21.53	69.89	0.00	0.00	22.61
140000	5.31	2.64	6.55	4.00	6.91	0.68	1.99	0.20	1.79	0.00	21.53	69.89	0.00	0.00	16.66
150000	5.34	2.74	6.66	4.02	6.66	0.68	1.98	0.20	1.78	0.00	21.56	69.89	0.00	0.00	16.38
160000	5.50	2.73	6.34	3.67	6.68	0.67	1.98	0.19	1.79	0.00	21.55	69.89	0.00	0.00	17.77
170000	5.42	2.77	7.00	4.31	6.75	0.69	1.99	0.20	1.79	0.00	21.59	69.89	0.00	0.00	15.69
180000	5.36	2.53	6.59	4.15	6.70	0.69	1.99	0.18	1.81	0.00	21.55	69.89	0.00	0.00	19.54
190000	5.48	2.84	8.23	5.49	6.76	0.71	2.00	0.20	1.80	0.00	21.45	69.89	0.00	0.00	14.83
200000	5.43	3.06	10.45	7.54	6.97	0.72	2.03	0.22	1.81	0.00	21.40	69.89	0.00	0.00	22.05
210000	5.48	3.42	10.04	6.76	7.04	0.73	2.07	0.23	1.84	0.00	21.35	69.89	0.00	0.00	20.98
220000	5.55	3.58	9.70	6.27	7.14	0.74	2.12	0.23	1.89	0.00	21.30	69.86	0.00	0.00	23.61
230000	5.64	3.84	9.31	5.61	7.09	0.74	2.16	0.23	1.93	0.00	21.35	69.75	0.00	0.00	17.60
極大值	5.79	8.09	15.84	11.13	8.53	0.88	2.37	0.48	2.11	0.00	21.69	69.89	0.00	0.00	30.86
極小值	5.31	2.53	6.34	3.67	6.66	0.67	1.98	0.18	1.75	0.00	21.30	69.75	0.00	0.00	10.66
平均值	5.47	3.90	9.58	5.84	7.21	0.74	2.16	0.26	1.89	0.00	21.55	69.85	0.00	0.00	18.99
標準差	0.12	1.54	2.58	1.76	0.52	0.06	0.15	0.08	0.13	0	0.11	0.06	0	0	4.92

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.69	4.20	9.40	5.36	7.16	0.74	2.24	0.23	2.01	0.00	23.51	69.75	0.00	0.00	17.89
010000	5.52	4.66	10.68	6.22	7.20	0.77	2.36	0.25	2.11	0.00	23.29	69.75	0.00	0.00	22.24
020000	5.46	4.72	11.02	6.51	7.47	0.80	2.36	0.28	2.08	0.00	23.22	69.75	0.00	0.00	17.13
030000	5.46	4.72	10.72	6.22	7.53	0.81	2.34	0.29	2.05	0.00	23.07	69.75	0.00	0.00	17.83
040000	5.44	4.70	10.10	5.57	7.74	0.80	2.34	0.30	2.04	0.00	23.20	69.75	0.00	0.00	21.10
050000	5.33	4.89	10.53	5.82	7.44	0.79	2.31	0.29	2.02	0.00	23.17	69.75	0.00	0.00	19.57
060000	5.57	6.27	12.57	6.54	7.68	0.83	2.31	0.28	2.03	0.00	23.08	69.75	0.00	0.00	17.61
070000	5.72	6.03	11.90	6.10	7.92	0.83	2.53	0.27	2.26	0.00	22.81	69.75	0.00	0.00	21.51
080000	5.44	3.43	7.37	4.04	6.95	0.69	2.36	0.23	2.13	0.00	22.57	69.87	0.00	0.00	28.13
090000	5.32	2.97	6.27	3.35	6.72	0.67	2.10	0.20	1.90	0.00	22.65	69.89	0.00	0.00	16.53
100000	5.33	2.74	6.43	3.75	7.45	0.76	2.05	0.20	1.85	0.00	22.37	69.89	0.00	0.00	13.07
110000	5.32	2.68	6.19	3.58	7.11	0.72	2.05	0.22	1.83	0.00	22.35	69.89	0.00	0.00	17.34
120000	5.23	2.62	6.63	4.10	7.51	0.73	2.04	0.23	1.81	0.00	22.31	69.89	0.00	0.00	16.01
130000	5.32	2.59	6.02	3.52	7.40	0.72	2.02	0.26	1.76	0.00	22.28	69.89	0.00	0.00	21.09
140000	5.28	2.66	6.07	3.48	6.99	0.70	2.01	0.21	1.80	0.00	22.34	69.89	0.00	0.00	15.28
150000	5.27	2.63	5.51	2.97	6.77	0.69	2.00	0.17	1.83	0.00	22.22	69.89	0.00	0.00	13.01
160000	5.20	2.73	6.03	3.38	6.85	0.69	1.99	0.15	1.84	0.00	22.18	69.89	0.00	0.00	17.98
170000	5.26	2.68	6.52	3.92	6.90	0.70	2.00	0.17	1.83	0.00	22.22	69.89	0.00	0.00	24.87
180000	5.32	2.73	6.87	4.20	6.99	0.70	2.00	0.19	1.81	0.00	22.16	69.86	0.00	0.00	23.11
190000	5.35	2.86	7.37	4.58	7.00	0.71	2.01	0.20	1.81	0.00	22.37	69.77	0.00	0.00	21.04
200000	5.34	2.88	8.22	5.44	7.22	0.74	2.04	0.21	1.83	0.00	22.47	69.75	0.00	0.00	23.69
210000	5.38	3.09	10.01	7.07	6.98	0.74	2.08	0.22	1.86	0.00	22.13	69.75	0.00	0.00	20.52
220000	5.44	3.50	10.36	7.02	7.18	0.76	2.21	0.22	1.99	0.00	22.30	69.75	0.00	0.00	19.04
230000	5.55	3.42	8.10	4.78	8.13	0.73	2.35	0.22	2.13	0.00	22.16	69.62	0.00	0.00	24.25
極大值	5.72	6.27	12.57	7.07	8.13	0.83	2.53	0.30	2.26	0.00	23.51	69.89	0.00	0.00	28.13
極小值	5.20	2.59	5.51	2.97	6.72	0.67	1.99	0.15	1.76	0.00	22.13	69.62	0.00	0.00	13.01
平均值	5.40	3.60	8.37	4.90	7.26	0.74	2.17	0.23	1.94	0.00	22.60	69.81	0.00	0.00	19.58
標準差	0.14	1.13	2.2	1.31	0.37	0.05	0.17	0.04	0.14	0	0.44	0.08	0	0	3.73

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.49	3.64	8.42	4.91	10.72	0.71	2.38	0.23	2.15	0.00	22.67	69.34	0.00	0.00	26.63
010000	5.40	3.94	9.10	5.30	10.92	0.71	2.29	0.24	2.05	0.00	22.27	69.33	0.00	0.00	25.53
020000	5.37	4.29	9.32	5.20	9.45	0.73	2.28	0.25	2.03	0.00	22.29	69.33	0.00	0.00	16.89
030000	5.60	4.63	10.09	5.64	10.13	0.76	2.34	0.27	2.07	0.00	21.88	69.33	0.00	0.00	19.70
040000	5.47	4.81	10.36	5.73	10.47	0.75	2.53	0.28	2.25	0.00	19.85	69.33	0.00	0.00	21.83
050000	5.51	5.29	10.87	5.76	10.25	0.76	2.65	0.28	2.37	0.00	19.86	69.33	0.00	0.00	30.53
060000	5.49	6.04	10.71	4.87	10.11	0.75	2.67	0.29	2.38	0.00	19.87	69.33	0.00	0.00	32.65
070000	5.33	4.04	8.09	4.18	8.61	0.69	2.39	0.27	2.12	0.00	19.83	69.33	0.00	0.00	29.31
080000	5.31	2.98	6.38	3.47	11.55	0.66	2.19	0.23	1.96	0.00	19.82	69.34	0.00	0.00	22.11
090000	5.28	2.75	5.81	3.12	14.08	0.66	2.09	0.22	1.87	0.00	19.81	69.33	0.00	0.00	16.99
100000	5.29	2.68	5.76	3.14	15.50	0.68	2.06	0.24	1.82	0.00	21.28	69.33	0.00	0.00	19.10
110000	5.35	2.72	6.85	4.21	21.63	0.71	2.04	0.24	1.80	0.00	22.47	69.51	0.00	0.00	22.10
120000	5.30	2.58	6.34	3.84	26.77	0.72	2.04	0.18	1.86	0.00	22.70	69.89	0.00	0.00	29.56
130000	5.40	2.56	5.65	3.19	27.14	0.72	2.02	0.15	1.87	0.00	22.66	69.89	0.00	0.00	21.85
140000	5.29	2.58	5.74	3.24	25.33	0.73	2.01	0.14	1.87	0.00	22.63	69.89	0.00	0.00	20.49
150000	5.59	3.15	9.77	6.79	16.41	0.89	2.03	0.21	1.82	0.00	22.63	69.89	0.00	0.00	17.29
160000	5.53	2.79	8.33	5.64	13.06	0.76	2.03	0.21	1.82	0.00	22.64	69.89	0.00	0.00	15.19
170000	5.28	2.68	6.39	3.79	14.27	0.71	2.04	0.15	1.89	0.00	22.60	69.80	0.00	0.00	13.30
180000	5.39	2.75	6.98	4.33	13.05	0.73	2.04	0.17	1.87	0.00	22.87	69.75	0.00	0.00	6.38
190000	5.36	3.03	8.23	5.31	12.94	0.75	2.06	0.19	1.87	0.00	22.79	69.75	0.00	0.00	10.11
200000	5.32	2.99	7.60	4.69	12.49	0.73	2.12	0.18	1.94	0.00	22.86	69.75	0.00	0.00	8.85
210000	5.45	3.06	7.92	4.97	10.95	0.74	2.13	0.18	1.95	0.00	22.68	69.75	0.00	0.00	7.22
220000	5.27	3.31	7.78	4.59	10.86	0.73	2.13	0.20	1.93	0.00	22.34	69.75	0.00	0.00	8.84
230000	5.33	3.68	8.11	4.54	9.99	0.71	2.15	0.21	1.94	0.00	20.70	69.62	0.00	0.00	8.72
極大值	5.60	6.04	10.87	6.79	27.14	0.89	2.67	0.29	2.38	0.00	22.87	69.89	0.00	0.00	32.65
極小值	5.27	2.56	5.65	3.12	8.61	0.66	2.01	0.14	1.80	0.00	19.81	69.33	0.00	0.00	6.38
平均值	5.39	3.46	7.94	4.60	14.03	0.73	2.20	0.22	1.98	0.00	21.75	69.57	0.00	0.00	18.80
標準差	0.1	0.96	1.65	0.99	5.53	0.04	0.2	0.04	0.17	0	1.23	0.24	0	0	7.86

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.17	4.38	9.10	4.90	9.93	0.67	2.15	0.23	1.92	0.00	19.81	69.34	0.00	0.00	13.11
010000	5.19	4.54	8.49	4.10	10.07	0.66	2.16	0.24	1.92	0.00	19.78	69.47	0.00	0.00	16.38
020000	5.16	4.78	8.44	3.83	10.00	0.66	2.19	0.24	1.95	0.00	19.77	69.47	0.00	0.00	16.32
030000	5.14	4.82	8.34	3.70	10.55	0.66	2.21	0.24	1.97	0.00	19.77	69.47	0.00	0.00	12.10
040000	5.36	5.06	9.47	4.56	9.94	0.67	2.31	0.25	2.06	0.00	19.79	69.47	0.00	0.00	18.24
050000	5.52	5.59	9.80	4.35	9.96	0.67	2.48	0.25	2.23	0.00	19.78	69.47	0.00	0.00	15.79
060000	5.52	8.31	12.79	4.75	9.48	0.70	2.61	0.25	2.36	0.00	19.78	69.36	0.00	0.00	13.56
070000	5.42	6.58	10.87	4.49	7.08	0.69	2.45	0.24	2.21	0.00	22.66	69.33	0.00	0.00	16.37
080000	5.28	4.15	8.46	4.47	7.92	0.68	2.24	0.23	2.01	0.00	21.41	69.33	0.00	0.00	15.71
090000	5.32	3.05	7.19	4.21	11.34	0.69	2.12	0.21	1.91	0.00	19.73	69.33	0.00	0.00	13.93
100000	5.27	2.77	6.56	3.86	16.66	0.69	2.06	0.21	1.85	0.00	19.72	69.31	0.00	0.00	19.07
110000	5.30	2.75	6.50	3.82	19.00	0.69	2.05	0.23	1.82	0.00	19.79	69.43	0.00	0.00	23.06
120000	5.38	2.72	7.83	5.19	32.30	0.77	2.07	0.20	1.87	0.00	19.98	69.89	0.00	0.00	26.02
130000	5.33	2.62	7.21	4.69	21.24	0.75	2.09	0.16	1.93	0.00	19.96	69.89	0.00	0.00	29.84
140000	5.33	2.83	8.48	5.76	15.65	0.75	2.06	0.19	1.87	0.00	20.93	69.89	0.00	0.00	23.58
150000	5.36	2.68	8.62	6.08	15.69	0.74	2.07	0.18	1.89	0.00	21.68	69.89	0.00	0.00	13.68
160000	5.38	2.69	7.34	4.74	13.39	0.73	2.06	0.16	1.90	0.00	19.95	69.88	0.00	0.00	11.69
170000	5.36	2.90	7.75	4.96	12.62	0.75	2.06	0.17	1.89	0.00	19.92	69.75	0.00	0.00	7.09
180000	5.41	2.92	9.18	6.39	9.97	0.75	2.08	0.18	1.90	0.00	19.90	69.75	0.00	0.00	5.41
190000	5.57	3.24	9.93	6.83	9.12	0.78	2.10	0.20	1.90	0.00	19.90	69.75	0.00	0.00	4.02
200000	5.47	3.38	10.51	7.29	8.68	0.81	2.12	0.22	1.90	0.00	19.91	69.75	0.00	0.00	1.57
210000	5.64	3.80	10.98	7.39	7.94	0.83	2.17	0.24	1.93	0.00	19.90	69.75	0.00	0.00	3.76
220000	5.75	3.99	11.61	7.85	7.68	0.83	2.30	0.25	2.05	0.00	19.91	69.75	0.00	0.00	8.58
230000	5.70	4.29	10.83	6.74	7.49	0.80	2.37	0.26	2.11	0.00	19.89	69.62	0.00	0.00	13.53
極大值	5.75	8.31	12.79	7.85	32.30	0.83	2.61	0.26	2.36	0.00	22.66	69.89	0.00	0.00	29.84
極小值	5.14	2.62	6.50	3.70	7.08	0.66	2.05	0.16	1.82	0.00	19.72	69.31	0.00	0.00	1.57
平均值	5.39	3.95	9.01	5.21	12.24	0.73	2.19	0.22	1.97	0.00	20.15	69.60	0.00	0.00	14.27
標準差	0.16	1.42	1.64	1.26	5.69	0.06	0.15	0.03	0.13	0	0.75	0.22	0	0	7.08

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.55	4.60	9.84	5.42	8.67	0.76	2.37	0.26	2.11	0.00	19.80	69.36	0.00	0.00	12.87
010000	5.79	4.99	10.24	5.42	7.58	0.76	2.46	0.27	2.19	0.00	19.82	69.42	0.00	0.00	11.70
020000	5.73	5.19	10.01	4.98	7.26	0.75	2.63	0.27	2.36	0.00	19.82	69.44	0.00	0.00	12.07
030000	5.78	5.55	10.77	5.39	8.90	0.74	2.75	0.27	2.48	0.00	19.82	69.46	0.00	0.00	13.31
040000	5.53	5.48	9.60	4.29	7.77	0.69	2.67	0.26	2.41	0.00	19.82	69.43	0.00	0.00	15.60
050000	5.70	6.49	10.98	4.69	8.48	0.72	2.71	0.26	2.45	0.00	19.81	69.43	0.00	0.00	13.55
060000	5.69	6.66	10.00	3.51	9.17	0.70	2.79	0.26	2.53	0.00	19.81	69.46	0.00	0.00	14.58
070000	5.58	5.73	9.42	3.86	7.40	0.70	2.49	0.25	2.24	0.00	20.16	69.40	0.00	0.00	11.49
080000	5.55	4.31	8.63	4.49	9.66	0.71	2.27	0.26	2.01	0.00	19.76	69.33	0.00	0.00	9.07
090000	5.68	3.30	7.83	4.63	12.44	0.73	2.15	0.28	1.87	0.00	19.71	69.33	0.00	0.00	10.75
100000	5.67	2.92	8.14	5.31	18.26	0.80	2.10	0.28	1.82	0.00	33.82	69.42	0.00	0.00	16.23
110000	5.89	2.69	10.46	7.97	35.42	0.85	2.12	0.29	1.83	0.00	19.94	69.49	0.00	0.00	23.61
120000	5.84	2.69	10.60	8.08	42.81	0.92	2.13	0.29	1.84	0.00	19.95	69.89	0.00	0.00	34.12
130000	6.05	2.69	8.97	6.43	35.90	0.92	2.09	0.25	1.84	0.00	19.97	69.89	0.00	0.00	30.41
140000	5.57	2.60	7.92	5.43	16.78	0.79	2.08	0.19	1.89	0.00	19.92	69.89	0.00	0.00	29.47
150000	5.54	2.75	7.95	5.32	15.76	0.77	2.07	0.17	1.90	0.00	19.86	69.88	0.00	0.00	20.14
160000	5.43	2.73	8.01	5.40	12.14	0.76	2.06	0.17	1.89	0.00	19.83	69.76	0.00	0.00	14.66
170000	5.33	2.74	8.57	5.96	10.74	0.78	2.05	0.18	1.87	0.00	19.80	69.75	0.00	0.00	6.58
180000	5.34	2.86	8.48	5.74	14.31	0.78	2.07	0.18	1.89	0.00	19.74	69.76	0.00	0.00	4.54
190000	5.37	2.86	7.84	5.05	10.52	0.75	2.10	0.18	1.92	0.00	19.70	69.75	0.00	0.00	6.84
200000	5.35	3.04	7.74	4.78	10.93	0.76	2.12	0.19	1.93	0.00	19.72	69.75	0.00	0.00	7.30
210000	5.53	3.32	8.14	4.91	8.99	0.77	2.15	0.21	1.94	0.00	19.73	69.75	0.00	0.00	5.93
220000	5.55	3.61	9.02	5.53	9.45	0.78	2.19	0.24	1.95	0.00	19.73	69.75	0.00	0.00	5.51
230000	5.59	3.55	8.06	4.61	9.76	0.76	2.21	0.23	1.98	0.00	19.70	69.67	0.00	0.00	8.95
極大值	6.05	6.66	10.98	8.08	42.81	0.92	2.79	0.29	2.53	0.00	33.82	69.89	0.00	0.00	34.12
極小值	5.33	2.60	7.74	3.51	7.26	0.69	2.05	0.17	1.82	0.00	19.70	69.33	0.00	0.00	4.54
平均值	5.61	3.89	9.05	5.30	14.13	0.77	2.28	0.24	2.05	0.00	20.41	69.60	0.00	0.00	14.14
標準差	0.18	1.34	1.08	1.06	9.77	0.06	0.25	0.04	0.24	0	2.86	0.2	0	0	8.09

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.43	3.77	7.69	4.00	7.48	0.71	2.22	0.23	1.99	0.00	19.61	69.47	0.00	0.00	11.72
010000	5.48	4.83	9.18	4.52	8.96	0.70	2.26	0.24	2.02	0.00	19.61	69.46	0.00	0.00	12.79
020000	5.46	4.62	8.46	3.99	10.06	0.68	2.28	0.24	2.04	0.00	19.65	69.46	0.00	0.00	15.69
030000	5.50	5.01	9.35	4.52	10.05	0.67	2.30	0.24	2.06	0.00	19.67	69.46	0.00	0.00	16.39
040000	5.34	5.13	11.03	6.10	9.80	0.68	2.32	0.25	2.07	0.00	19.70	69.44	0.00	0.00	15.60
050000	5.36	6.05	10.96	5.12	9.35	0.68	2.43	0.25	2.18	0.00	19.72	69.45	0.00	0.00	17.00
060000	5.31	8.06	12.59	4.79	9.82	0.70	2.55	0.25	2.30	0.00	19.74	69.47	0.00	0.00	19.28
070000	5.38	8.19	13.43	5.49	10.27	0.74	2.49	0.25	2.24	0.00	19.72	69.44	0.00	0.00	19.98
080000	5.33	6.94	13.51	6.84	9.85	0.79	2.33	0.25	2.08	0.00	19.69	69.41	0.00	0.00	23.32
090000	5.32	4.89	10.03	5.31	9.51	0.74	2.23	0.26	1.97	0.00	20.79	69.45	0.00	0.00	19.05
100000	5.29	3.41	8.08	4.77	14.30	0.66	2.17	0.23	1.94	0.00	23.84	69.43	0.00	0.00	12.34
110000	5.43	2.93	9.23	6.43	19.12	0.45	2.14	0.20	1.94	0.00	19.78	69.48	0.00	0.00	17.17
120000	5.56	2.85	10.06	7.35	30.12	0.53	2.17	0.26	1.91	0.00	19.88	69.88	0.00	0.00	23.88
130000	5.56	2.91	11.09	8.34	34.93	0.52	2.20	0.26	1.94	0.00	19.87	69.89	0.00	0.00	30.12
140000	5.67	3.07	12.91	10.07	22.42	0.56	2.09	0.23	1.86	0.00	19.84	69.89	0.00	0.00	34.32
150000	5.47	2.61	6.44	3.89	15.20	0.43	2.05	0.15	1.90	0.00	19.81	69.88	0.00	0.00	16.65
160000	5.39	2.56	6.78	4.33	12.22	0.44	2.04	0.13	1.91	0.00	19.80	69.80	0.00	0.00	9.84
170000	5.37	2.96	9.22	6.39	8.28	0.46	2.06	0.16	1.90	0.00	19.78	69.75	0.00	0.00	8.82
180000	5.47	3.18	10.94	7.95	8.58	0.49	2.11	0.18	1.93	0.00	19.76	69.75	0.00	0.00	6.98
190000	5.53	2.75	9.18	6.55	5.85	0.46	2.15	0.19	1.96	0.00	19.76	69.75	0.00	0.00	6.75
200000	5.43	2.84	8.66	5.94	7.27	0.46	2.19	0.21	1.98	0.00	19.77	69.75	0.00	0.00	9.45
210000	5.58	3.02	9.57	6.68	5.30	0.48	2.21	0.23	1.98	0.00	19.78	69.75	0.00	0.00	9.58
220000	5.57	3.32	13.32	10.23	6.25	0.50	2.28	0.23	2.05	0.00	19.76	69.75	0.00	0.00	10.15
230000	5.64	3.27	11.53	8.44	5.58	0.50	2.34	0.25	2.09	0.00	19.76	69.65	0.00	0.00	16.85
極大值	5.67	8.19	13.51	10.23	34.93	0.79	2.55	0.26	2.30	0.00	23.84	69.89	0.00	0.00	34.32
極小值	5.29	2.56	6.44	3.89	5.30	0.43	2.04	0.13	1.86	0.00	19.61	69.41	0.00	0.00	6.75
平均值	5.45	4.13	10.14	6.17	12.11	0.58	2.23	0.22	2.01	0.00	19.96	69.62	0.00	0.00	15.99
標準差	0.11	1.7	2.04	1.83	7.52	0.12	0.13	0.04	0.11	0	0.86	0.18	0	0	6.94

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.49	3.15	8.80	5.77	4.89	0.44	2.37	0.24	2.13	0.00	19.67	69.46	0.00	0.00	15.09
010000	5.43	4.60	11.21	6.82	5.14	0.45	2.42	0.25	2.17	0.00	19.65	69.44	0.00	0.00	16.50
020000	5.51	3.34	8.77	5.54	7.21	0.44	2.45	0.25	2.20	0.00	19.66	69.43	0.00	0.00	16.43
030000	5.46	3.88	9.29	5.56	5.34	0.42	2.50	0.25	2.25	0.00	19.65	69.44	0.00	0.00	22.96
040000	5.46	3.44	8.36	5.05	5.90	0.41	2.54	0.24	2.30	0.00	19.65	69.44	0.00	0.00	16.55
050000	5.51	5.30	10.66	5.55	5.44	0.44	2.60	0.24	2.36	0.00	19.66	69.42	0.00	0.00	15.37
060000	5.60	5.90	9.83	4.09	8.46	0.43	2.67	0.24	2.43	0.00	19.66	69.45	0.00	0.00	17.79
070000	5.45	5.50	9.86	4.51	7.77	0.44	2.45	0.24	2.21	0.00	19.65	69.36	0.00	0.00	21.01
080000	5.86	4.23	9.13	5.06	8.44	0.51	2.22	0.25	1.97	0.00	19.63	69.33	0.00	0.00	19.04
090000	5.86	3.23	7.92	4.77	12.33	0.54	2.15	0.26	1.89	0.00	19.62	69.33	0.00	0.00	15.87
100000	5.88	2.77	7.06	4.35	18.59	0.59	2.14	0.27	1.87	0.00	19.61	69.23	0.00	0.00	14.37
110000	5.90	2.62	5.52	2.97	20.94	0.53	2.11	0.26	1.85	0.00	19.68	69.40	0.00	0.00	16.98
120000	5.75	2.70	5.54	2.90	22.11	0.50	2.06	0.23	1.83	0.00	19.85	69.83	0.00	0.00	12.58
130000	5.68	2.73	6.11	3.43	26.00	0.50	2.05	0.25	1.80	0.00	19.86	69.89	0.00	0.00	8.88
140000	5.54	2.75	6.33	3.63	26.63	0.47	2.04	0.26	1.78	0.00	19.81	69.89	0.00	0.00	7.84
150000	5.46	2.69	6.23	3.61	22.52	0.47	2.03	0.27	1.76	0.00	19.81	69.89	0.00	0.00	5.84
160000	5.40	2.77	6.90	4.20	23.01	0.47	2.03	0.23	1.80	0.00	19.81	69.89	0.00	0.00	9.09
170000	5.43	2.60	7.25	4.73	18.84	0.47	2.02	0.20	1.82	0.00	19.83	69.85	0.00	0.00	15.83
180000	5.43	2.50	7.61	5.21	16.28	0.48	2.03	0.20	1.83	0.00	19.81	69.75	0.00	0.00	14.19
190000	5.37	2.60	9.08	6.62	14.03	0.49	2.05	0.17	1.88	0.00	19.82	69.75	0.00	0.00	11.70
200000	5.60	2.60	8.75	6.29	11.41	0.50	2.08	0.18	1.90	0.00	19.80	69.80	0.00	0.00	15.04
210000	5.60	2.58	6.88	4.40	11.72	0.52	2.14	0.17	1.97	0.00	19.80	69.84	0.00	0.00	14.42
220000	5.60	2.49	6.26	3.85	14.73	0.52	2.16	0.16	2.00	0.00	19.78	69.86	0.00	0.00	18.50
230000	5.55	2.48	6.17	3.77	10.87	0.52	2.18	0.15	2.03	0.00	19.75	69.85	0.00	0.00	15.67
極大值	5.90	5.90	11.21	6.82	26.63	0.59	2.67	0.27	2.43	0.00	19.86	69.89	0.00	0.00	22.96
極小值	5.37	2.48	5.52	2.90	4.89	0.41	2.02	0.15	1.76	0.00	19.61	69.23	0.00	0.00	5.84
平均值	5.58	3.31	7.90	4.70	13.69	0.48	2.23	0.23	2.00	0.00	19.73	69.62	0.00	0.00	14.90
標準差	0.16	1.04	1.64	1.09	7.12	0.04	0.21	0.04	0.2	0	0.09	0.24	0	0	4.03

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.47	2.59	7.29	4.83	8.20	0.52	2.29	0.17	2.12	0.00	19.74	69.81	0.00	0.00	14.93
010000	5.56	3.15	8.61	5.58	5.93	0.52	2.42	0.19	2.23	0.00	19.77	69.80	0.00	0.00	16.54
020000	5.37	3.14	8.05	5.01	6.03	0.52	2.38	0.20	2.18	0.00	19.79	69.79	0.00	0.00	18.75
030000	5.55	2.77	7.28	4.60	5.57	0.53	2.34	0.22	2.12	0.00	19.73	69.76	0.00	0.00	17.27
040000	5.56	2.80	7.51	4.79	5.31	0.52	2.34	0.23	2.11	0.00	19.73	69.75	0.00	0.00	16.64
050000	5.61	3.07	8.17	5.18	5.38	0.53	2.33	0.24	2.09	0.00	19.71	69.75	0.00	0.00	19.56
060000	5.62	3.96	9.12	5.31	5.42	0.54	2.30	0.23	2.07	0.00	19.70	69.75	0.00	0.00	20.52
070000	5.76	3.94	8.81	5.01	6.15	0.53	2.29	0.23	2.06	0.00	19.70	69.75	0.00	0.00	19.55
080000	5.54	3.63	9.09	5.58	10.13	0.53	2.26	0.24	2.02	0.00	19.72	69.89	0.00	0.00	24.48
090000	5.60	2.70	6.01	3.37	11.18	0.49	2.21	0.24	1.97	0.00	19.72	69.89	0.00	0.00	21.63
100000	5.44	2.63	6.10	3.55	14.06	0.53	2.17	0.24	1.93	0.00	19.74	69.89	0.00	0.00	19.53
110000	5.69	2.62	7.99	5.50	9.73	0.58	2.17	0.28	1.89	0.00	19.75	69.89	0.00	0.00	22.78
120000	5.86	2.56	7.85	5.38	21.36	0.58	2.13	0.24	1.89	0.00	19.75	69.89	0.00	0.00	32.16
130000	5.66	2.63	7.17	4.64	19.42	0.55	2.12	0.20	1.92	0.00	19.73	69.89	0.00	0.00	36.08
140000	5.60	2.64	7.09	4.54	37.45	0.54	2.10	0.23	1.87	0.00	19.73	69.89	0.00	0.00	28.62
150000	7.49	3.28	11.86	8.81	22.57	0.59	2.08	0.25	1.83	0.00	19.74	69.89	0.00	0.00	22.25
160000	9.30	3.52	15.36	12.13	16.28	0.70	2.04	0.27	1.77	0.00	19.75	69.89	0.00	0.00	23.94
170000	8.25	3.52	17.46	14.27	11.26	0.60	2.03	0.31	1.72	0.00	19.74	69.89	0.00	0.00	26.42
180000	6.94	3.16	16.64	13.83	8.49	0.66	2.04	0.35	1.69	0.00	19.73	69.89	0.00	0.00	21.00
190000	5.96	3.10	12.86	9.97	7.90	0.57	2.09	0.31	1.78	0.00	19.70	69.89	0.00	0.00	17.50
200000	5.84	2.94	12.18	9.46	9.42	0.58	2.13	0.29	1.84	0.00	19.68	69.89	0.00	0.00	17.09
210000	5.74	2.85	8.92	6.19	11.00	0.52	2.21	0.26	1.95	0.00	19.69	69.89	0.00	0.00	21.41
220000	5.93	2.83	9.67	6.99	10.92	0.55	2.34	0.24	2.10	0.00	19.70	69.77	0.00	0.00	30.32
230000	6.09	3.12	11.62	8.73	10.57	0.60	2.45	0.25	2.20	0.00	19.68	69.75	0.00	0.00	25.02
極大值	9.30	3.96	17.46	14.27	37.45	0.70	2.45	0.35	2.23	0.00	19.79	69.89	0.00	0.00	36.08
極小值	5.37	2.56	6.01	3.37	5.31	0.49	2.03	0.17	1.69	0.00	19.68	69.75	0.00	0.00	14.93
平均值	6.06	3.05	9.70	6.80	11.66	0.56	2.22	0.25	1.97	0.00	19.73	69.84	0.00	0.00	22.25
標準差	0.97	0.42	3.2	3.1	7.42	0.05	0.13	0.04	0.16	0	0.03	0.06	0	0	5.36

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.99	3.36	11.85	8.71	9.37	0.60	2.47	0.27	2.20	0.00	19.68	69.75	0.00	0.00	19.11
010000	5.75	3.56	11.13	7.74	9.64	0.67	2.40	0.28	2.12	0.00	19.70	69.75	0.00	0.00	23.50
020000	5.68	3.68	10.62	7.12	10.05	0.57	2.42	0.28	2.14	0.00	19.72	69.75	0.00	0.00	21.98
030000	5.67	3.43	10.12	6.85	10.53	0.55	2.46	0.28	2.18	0.00	19.73	69.75	0.00	0.00	25.24
040000	5.55	3.59	10.38	6.94	8.86	0.57	2.46	0.29	2.17	0.00	19.73	69.75	0.00	0.00	29.49
050000	5.63	4.64	11.21	6.80	9.31	0.56	2.49	0.28	2.21	0.00	19.76	69.75	0.00	0.00	30.29
060000	5.53	4.99	10.36	5.57	9.73	0.56	2.52	0.27	2.25	0.00	19.76	69.75	0.00	0.00	27.75
070000	5.60	4.38	9.71	5.54	8.22	0.56	2.46	0.28	2.18	0.00	19.79	69.75	0.00	0.00	27.69
080000	5.71	3.30	8.43	5.24	12.64	0.64	2.37	0.27	2.10	0.00	19.80	69.85	0.00	0.00	35.35
090000	5.77	2.78	7.19	4.48	19.23	0.59	2.30	0.27	2.03	0.00	19.78	69.89	0.00	0.00	36.07
100000	5.70	2.61	6.18	3.64	23.29	0.56	2.22	0.28	1.94	0.00	19.80	69.89	0.00	0.00	26.56
110000	5.61	2.63	6.36	3.80	28.21	0.56	2.19	0.29	1.90	0.00	19.80	69.89	0.00	0.00	24.65
120000	5.44	2.54	5.69	3.23	27.19	0.52	2.12	0.26	1.86	0.00	19.81	69.89	0.00	0.00	22.35
130000	5.48	2.53	5.12	2.67	22.58	0.51	2.09	0.26	1.83	0.00	19.79	69.89	0.00	0.00	17.76
140000	5.91	2.64	8.30	5.79	33.97	0.67	2.09	0.30	1.79	0.00	19.82	69.89	0.00	0.00	17.89
150000	6.17	2.89	9.92	7.20	27.47	0.66	2.07	0.33	1.74	0.00	19.81	69.89	0.00	0.00	26.87
160000	6.65	2.93	9.97	7.19	20.59	0.64	2.05	0.30	1.75	0.00	19.80	69.89	0.00	0.00	27.72
170000	6.80	2.86	13.85	11.24	15.88	0.68	2.05	0.25	1.80	0.00	19.81	69.89	0.00	0.00	30.08
180000	6.00	2.64	9.28	6.79	20.61	0.57	2.10	0.21	1.89	0.00	19.81	69.89	0.00	0.00	30.26
190000	5.66	2.60	9.22	6.77	16.49	0.57	2.14	0.21	1.93	0.00	19.81	69.89	0.00	0.00	27.86
200000	5.66	2.65	9.07	6.56	15.33	0.59	2.17	0.23	1.94	0.00	19.82	69.89	0.00	0.00	33.18
210000	5.61	2.69	10.32	7.77	13.60	0.61	2.22	0.24	1.98	0.00	19.81	69.88	0.00	0.00	31.86
220000	5.71	2.74	8.72	6.12	11.12	0.59	2.36	0.24	2.12	0.00	19.79	69.88	0.00	0.00	41.96
230000	5.51	2.70	8.12	5.55	11.29	0.58	2.36	0.24	2.12	0.00	19.71	69.70	0.00	0.00	41.91
極大值	6.80	4.99	13.85	11.24	33.97	0.68	2.52	0.33	2.25	0.00	19.82	69.89	0.00	0.00	41.96
極小值	5.44	2.53	5.12	2.67	8.22	0.51	2.05	0.21	1.74	0.00	19.68	69.70	0.00	0.00	17.76
平均值	5.78	3.14	9.21	6.22	16.47	0.59	2.27	0.27	2.01	0.00	19.78	69.83	0.00	0.00	28.22
標準差	0.34	0.7	2.06	1.87	7.47	0.05	0.16	0.03	0.16	0	0.04	0.07	0	0	6.47

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.42	2.63	6.52	3.98	9.70	0.47	2.39	0.23	2.16	0.00	19.61	69.46	0.00	0.00	34.81
010000	5.37	2.76	6.85	4.19	9.03	0.46	2.45	0.24	2.21	0.00	19.62	69.45	0.00	0.00	22.53
020000	5.38	2.90	7.74	4.92	8.84	0.48	2.59	0.25	2.34	0.00	19.63	69.45	0.00	0.00	16.10
030000	5.37	2.85	6.84	4.06	9.47	0.47	2.64	0.24	2.40	0.00	19.64	69.44	0.00	0.00	19.43
040000	5.51	2.89	7.84	5.05	10.19	0.51	2.54	0.25	2.29	0.00	19.66	69.44	0.00	0.00	31.21
050000	5.53	3.24	8.98	5.86	8.97	0.54	2.65	0.26	2.39	0.00	19.66	69.42	0.00	0.00	32.86
060000	5.51	3.98	9.08	5.27	8.56	0.54	2.82	0.26	2.56	0.00	19.66	69.44	0.00	0.00	34.42
070000	5.45	3.45	7.61	4.28	9.05	0.53	2.67	0.27	2.40	0.00	19.66	69.35	0.00	0.00	34.91
080000	5.37	2.67	6.10	3.49	16.38	0.52	2.40	0.27	2.13	0.00	19.63	69.33	0.00	0.00	30.75
090000	5.45	2.59	5.68	3.17	20.99	0.54	2.23	0.27	1.96	0.00	19.63	69.33	0.00	0.00	32.53
100000	5.44	2.56	6.10	3.61	26.14	0.54	2.17	0.27	1.90	0.00	19.64	69.33	0.00	0.00	45.13
110000	5.47	2.66	7.14	4.58	35.39	0.55	2.13	0.23	1.90	0.00	19.72	69.49	0.00	0.00	35.87
120000	5.41	2.65	5.94	3.34	34.55	0.54	2.09	0.17	1.92	0.00	24.33	69.93	0.00	0.00	39.11
130000	5.36	2.61	4.92	2.35	32.76	0.54	2.09	0.15	1.94	0.00	27.89	69.96	0.00	0.00	21.18
140000	5.41	2.63	4.91	2.34	29.63	0.53	2.08	0.16	1.92	0.00	25.87	69.91	0.00	0.00	20.73
150000	5.37	2.57	5.53	3.03	24.35	0.51	2.07	0.15	1.92	0.00	24.99	69.89	0.00	0.00	17.94
160000	5.40	2.58	6.26	3.75	22.45	0.55	2.08	0.18	1.90	0.00	24.76	69.89	0.00	0.00	16.68
170000	5.50	2.61	7.87	5.35	24.70	0.57	2.11	0.20	1.91	0.00	23.87	69.89	0.00	0.00	23.11
180000	5.48	2.67	8.53	5.99	23.61	0.61	2.17	0.20	1.97	0.00	23.52	69.89	0.00	0.00	35.64
190000	5.36	2.53	7.42	4.98	20.53	0.59	2.20	0.20	2.00	0.00	23.43	69.89	0.00	0.00	40.83
200000	5.32	2.58	7.61	5.13	17.70	0.59	2.19	0.21	1.98	0.00	23.37	69.89	0.00	0.00	40.15
210000	5.41	2.68	8.55	6.00	14.18	0.61	2.24	0.22	2.02	0.00	23.37	69.89	0.00	0.00	39.40
220000	5.58	2.70	9.42	6.89	12.02	0.62	2.36	0.22	2.14	0.00	23.38	69.89	0.00	0.00	38.51
230000	5.57	2.76	9.54	6.93	10.92	0.62	2.61	0.21	2.40	0.00	23.35	69.72	0.00	0.00	34.06
極大值	5.58	3.98	9.54	6.93	35.39	0.62	2.82	0.27	2.56	0.00	27.89	69.96	0.00	0.00	45.13
極小值	5.32	2.53	4.91	2.34	8.56	0.46	2.07	0.15	1.90	0.00	19.61	69.33	0.00	0.00	16.10
平均值	5.44	2.78	7.21	4.52	18.34	0.54	2.33	0.22	2.11	0.00	22.00	69.65	0.00	0.00	30.75
標準差	0.07	0.33	1.37	1.28	9.01	0.05	0.23	0.04	0.21	0	2.58	0.25	0	0	8.7

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.65	2.87	8.86	6.12	9.88	0.59	2.70	0.24	2.46	0.00	23.29	69.47	0.00	0.00	50.03
010000	5.63	2.82	8.39	5.67	10.56	0.57	2.75	0.25	2.50	0.00	23.15	69.47	0.00	0.00	47.03
020000	5.58	2.77	7.63	4.93	9.40	0.53	2.70	0.25	2.45	0.00	23.10	69.47	0.00	0.00	34.16
030000	5.39	2.81	6.94	4.21	9.46	0.51	2.60	0.25	2.35	0.00	22.92	69.47	0.00	0.00	30.54
040000	5.46	2.86	7.43	4.66	10.08	0.50	2.59	0.26	2.33	0.00	22.76	69.47	0.00	0.00	34.49
050000	5.70	3.09	7.76	4.75	8.66	0.51	2.65	0.26	2.39	0.00	22.78	69.47	0.00	0.00	31.95
060000	5.57	3.67	8.43	4.87	9.37	0.52	2.71	0.26	2.45	0.00	22.71	69.47	0.00	0.00	32.03
070000	5.56	3.70	8.44	4.87	8.82	0.52	2.62	0.26	2.36	0.00	22.61	69.42	0.00	0.00	27.60
080000	5.44	3.16	8.04	4.98	14.22	0.54	2.42	0.25	2.17	0.00	22.54	69.33	0.00	0.00	32.59
090000	5.38	2.68	6.09	3.47	16.50	0.53	2.27	0.26	2.01	0.00	22.48	69.33	0.00	0.00	32.60
100000	5.33	2.58	5.60	3.08	18.94	0.53	2.19	0.26	1.93	0.00	22.46	69.33	0.00	0.00	23.15
110000	5.39	2.69	5.94	3.32	21.17	0.55	2.21	0.26	1.95	0.00	22.58	69.46	0.00	0.00	25.76
120000	5.26	2.63	5.20	2.65	16.11	0.54	2.15	0.21	1.94	0.00	22.61	69.88	0.00	0.00	33.95
130000	5.37	2.79	5.19	2.44	8.61	0.49	2.07	0.17	1.90	0.00	22.51	69.89	0.00	0.00	19.92
140000	5.31	2.80	5.18	2.43	12.30	0.48	2.03	0.20	1.83	0.00	22.43	69.89	0.00	0.00	11.84
150000	5.46	2.66	5.60	3.00	17.56	0.49	2.01	0.18	1.83	0.00	22.75	69.89	0.00	0.00	11.72
160000	5.36	2.66	7.39	4.80	16.45	0.50	2.02	0.19	1.83	0.00	23.07	69.89	0.00	0.00	13.29
170000	5.38	2.65	7.45	4.88	15.65	0.51	2.02	0.20	1.82	0.00	22.95	69.89	0.00	0.00	10.39
180000	5.52	2.68	10.30	7.79	9.50	0.55	2.03	0.20	1.83	0.00	23.04	69.87	0.00	0.00	15.32
190000	5.53	2.61	9.33	6.88	11.13	0.56	2.09	0.19	1.90	0.00	22.98	69.75	0.00	0.00	19.96
200000	5.54	2.56	8.17	5.74	9.30	0.53	2.15	0.17	1.98	0.00	23.02	69.75	0.00	0.00	17.40
210000	5.48	2.60	9.32	6.86	7.89	0.55	2.17	0.19	1.98	0.00	23.10	69.75	0.00	0.00	14.38
220000	5.35	2.67	7.98	5.41	11.36	0.54	2.19	0.20	1.99	0.00	23.11	69.75	0.00	0.00	17.53
230000	5.55	2.68	9.15	6.65	8.34	0.56	2.28	0.20	2.08	0.00	23.09	69.64	0.00	0.00	14.65
極大值	5.70	3.70	10.30	7.79	21.17	0.59	2.75	0.26	2.50	0.00	23.29	69.89	0.00	0.00	50.03
極小值	5.26	2.56	5.18	2.43	7.89	0.48	2.01	0.17	1.82	0.00	22.43	69.33	0.00	0.00	10.39
平均值	5.47	2.82	7.49	4.77	12.14	0.53	2.32	0.22	2.09	0.00	22.84	69.62	0.00	0.00	25.10
標準差	0.12	0.3	1.48	1.49	3.88	0.03	0.27	0.03	0.25	0	0.26	0.21	0	0	11.03

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.58	2.75	8.05	5.39	10.04	0.54	2.38	0.23	2.15	0.00	23.02	69.38	0.00	0.00	21.11
010000	5.55	2.75	7.31	4.62	9.92	0.52	2.43	0.24	2.19	0.00	23.22	69.33	0.00	0.00	26.68
020000	5.45	2.74	7.10	4.44	10.41	0.48	2.45	0.23	2.22	0.00	24.76	69.36	0.00	0.00	21.95
030000	5.45	2.76	7.21	4.52	9.79	0.50	2.45	0.22	2.23	0.00	23.33	69.35	0.00	0.00	19.61
040000	5.51	2.88	8.21	5.43	9.41	0.51	2.46	0.23	2.23	0.00	23.11	69.33	0.00	0.00	21.53
050000	5.41	3.22	8.87	5.78	9.91	0.51	2.50	0.25	2.25	0.00	23.04	69.33	0.00	0.00	26.52
060000	5.83	4.10	9.51	5.56	9.40	0.50	2.52	0.25	2.27	0.00	23.11	69.35	0.00	0.00	22.64
070000	7.77	4.02	8.23	4.33	7.77	0.47	2.39	0.25	2.14	0.00	23.09	69.34	0.00	0.00	20.40
080000	7.95	3.40	7.44	4.14	8.64	0.48	2.25	0.27	1.98	0.00	22.96	69.33	0.00	0.00	19.79
090000	6.19	3.29	6.97	3.81	11.24	0.46	2.16	0.26	1.90	0.00	22.85	69.33	0.00	0.00	26.55
100000	5.61	2.73	5.77	3.07	11.12	0.47	2.11	0.25	1.86	0.00	22.90	69.33	0.00	0.00	21.92
110000	5.56	2.69	6.53	3.92	15.70	0.49	2.08	0.24	1.84	0.00	22.88	69.47	0.00	0.00	19.78
120000	5.44	2.74	6.19	3.50	15.00	0.51	2.06	0.20	1.86	0.00	22.95	69.87	0.00	0.00	21.13
130000	5.31	2.63	5.59	3.02	16.60	0.50	2.04	0.17	1.87	0.00	22.87	69.89	0.00	0.00	22.73
140000	5.39	2.61	5.13	2.58	17.21	0.49	2.02	0.14	1.88	0.00	22.79	69.89	0.00	0.00	15.84
150000	5.48	3.16	8.39	5.35	9.45	0.50	2.04	0.16	1.88	0.00	22.67	69.88	0.00	0.00	12.90
160000	5.35	2.62	5.79	3.22	9.84	0.48	2.03	0.14	1.89	0.00	22.71	69.75	0.00	0.00	9.76
170000	5.46	2.58	6.64	4.14	12.08	0.48	2.03	0.13	1.90	0.00	22.60	69.75	0.00	0.00	6.48
180000	5.41	2.51	6.68	4.29	11.36	0.47	2.04	0.13	1.91	0.00	22.58	69.75	0.00	0.00	5.81
190000	5.52	2.61	6.91	4.37	10.04	0.48	2.05	0.17	1.88	0.00	22.72	69.75	0.00	0.00	4.96
200000	5.52	2.60	7.47	4.93	8.75	0.48	2.08	0.19	1.89	0.00	22.61	69.75	0.00	0.00	6.11
210000	5.56	2.58	7.40	4.91	7.72	0.50	2.13	0.19	1.94	0.00	22.58	69.75	0.00	0.00	6.33
220000	5.59	2.74	7.35	4.71	6.92	0.51	2.17	0.21	1.96	0.00	22.67	69.75	0.00	0.00	5.68
230000	5.69	2.75	7.15	4.47	6.58	0.49	2.26	0.22	2.04	0.00	22.68	69.63	0.00	0.00	5.98
極大值	7.95	4.10	9.51	5.78	17.21	0.54	2.52	0.27	2.27	0.00	24.76	69.89	0.00	0.00	26.68
極小值	5.31	2.51	5.13	2.58	6.58	0.46	2.02	0.13	1.84	0.00	22.58	69.33	0.00	0.00	4.96
平均值	5.73	2.89	7.16	4.35	10.62	0.49	2.21	0.21	2.01	0.00	22.95	69.57	0.00	0.00	16.34
標準差	0.68	0.43	1.06	0.85	2.86	0.02	0.18	0.04	0.15	0	0.44	0.23	0	0	7.8

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.60	2.79	7.30	4.57	5.44	0.47	2.32	0.23	2.09	0.00	22.74	69.42	0.00	0.00	8.64
010000	5.37	4.01	10.27	6.42	8.03	0.47	2.37	0.23	2.14	0.00	22.66	69.40	0.00	0.00	14.77
020000	5.42	3.15	8.34	5.31	9.62	0.46	2.39	0.23	2.16	0.00	22.58	69.39	0.00	0.00	14.35
030000	5.44	3.29	7.09	3.89	8.21	0.43	2.45	0.23	2.22	0.00	22.66	69.40	0.00	0.00	11.82
040000	5.32	3.23	7.92	4.78	6.26	0.45	2.45	0.23	2.22	0.00	22.78	69.43	0.00	0.00	12.99
050000	5.34	3.57	7.87	4.41	9.24	0.44	2.41	0.23	2.18	0.00	22.78	69.47	0.00	0.00	15.33
060000	5.34	5.05	9.09	4.19	8.65	0.44	2.37	0.23	2.14	0.00	22.83	69.47	0.00	0.00	12.22
070000	6.07	6.39	11.06	4.89	9.33	0.47	2.32	0.24	2.08	0.00	22.97	69.47	0.00	0.00	14.18
080000	5.54	6.24	11.78	5.73	9.60	0.49	2.32	0.24	2.08	0.00	22.68	69.47	0.00	0.00	14.86
090000	5.85	6.14	12.28	6.38	11.70	0.52	2.34	0.25	2.09	0.00	22.62	69.47	0.00	0.00	21.27
100000	5.49	3.69	8.01	4.46	12.48	0.47	2.22	0.28	1.94	0.00	22.75	69.47	0.00	0.00	21.81
110000	5.51	3.73	8.77	5.19	13.65	0.50	2.14	0.23	1.91	0.00	23.13	69.57	0.00	0.00	19.71
120000	5.51	3.30	8.23	5.06	14.83	0.52	2.10	0.20	1.90	0.00	22.77	69.87	0.00	0.00	11.06
130000	5.48	3.40	8.57	5.27	16.99	0.51	2.11	0.17	1.94	0.00	23.05	69.89	0.00	0.00	11.76
140000	5.39	3.00	7.10	4.19	18.47	0.51	2.10	0.18	1.92	0.00	23.30	69.80	0.00	0.00	18.47
150000	5.37	2.79	6.60	3.87	21.66	0.51	2.08	0.20	1.88	0.00	24.29	69.81	0.00	0.00	13.30
160000	5.46	2.65	7.54	4.98	25.79	0.52	2.08	0.20	1.88	0.00	24.03	69.88	0.00	0.00	14.63
170000	5.38	2.55	8.41	5.97	26.41	0.56	2.10	0.22	1.88	0.00	22.41	69.82	0.00	0.00	24.13
180000	5.47	2.63	11.96	9.53	27.54	0.65	2.12	0.25	1.87	0.00	22.12	69.75	0.00	0.00	34.64
190000	5.40	2.59	11.29	8.88	22.81	0.66	2.13	0.27	1.86	0.00	21.84	69.75	0.00	0.00	35.78
200000	5.41	2.62	8.50	5.98	14.58	0.57	2.26	0.23	2.03	0.00	21.43	69.75	0.00	0.00	47.14
210000	5.46	2.65	8.77	6.26	14.81	0.56	2.51	0.21	2.30	0.00	21.28	69.75	0.00	0.00	24.22
220000	5.43	2.68	8.49	5.95	14.62	0.55	2.53	0.22	2.31	0.00	21.14	69.75	0.00	0.00	26.36
230000	5.40	2.65	7.18	4.63	13.61	0.54	2.38	0.22	2.16	0.00	20.87	69.64	0.00	0.00	27.51
極大值	6.07	6.39	12.28	9.53	27.54	0.66	2.53	0.28	2.31	0.00	24.29	69.89	0.00	0.00	47.14
極小值	5.32	2.55	6.60	3.87	5.44	0.43	2.08	0.17	1.86	0.00	20.87	69.39	0.00	0.00	8.64
平均值	5.48	3.53	8.85	5.45	14.35	0.51	2.28	0.23	2.05	0.00	22.57	69.62	0.00	0.00	19.62
標準差	0.17	1.2	1.68	1.39	6.47	0.06	0.15	0.02	0.15	0	0.81	0.18	0	0	9.33

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.36	2.75	8.11	5.49	12.51	0.50	2.30	0.24	2.06	0.00	20.62	69.47	0.00	0.00	29.12
010000	5.29	2.90	7.92	5.14	11.93	0.50	2.28	0.26	2.02	0.00	20.56	69.44	0.00	0.00	33.89
020000	5.35	2.95	7.86	5.02	11.58	0.51	2.32	0.26	2.06	0.00	20.59	69.42	0.00	0.00	26.89
030000	5.36	3.17	7.79	4.73	11.80	0.50	2.35	0.27	2.08	0.00	20.59	69.47	0.00	0.00	30.30
040000	5.25	3.03	7.26	4.31	12.03	0.49	2.34	0.28	2.06	0.00	20.54	69.44	0.00	0.00	24.79
050000	5.34	3.48	9.24	5.91	12.27	0.50	2.36	0.28	2.08	0.00	20.49	69.45	0.00	0.00	25.71
060000	5.27	4.94	10.51	5.77	11.33	0.53	2.43	0.28	2.15	0.00	20.40	69.46	0.00	0.00	26.20
070000	5.39	5.54	10.98	5.64	11.40	0.53	2.37	0.27	2.10	0.00	20.33	69.42	0.00	0.00	29.51
080000	5.37	3.25	7.73	4.59	16.66	0.55	2.26	0.27	1.99	0.00	20.42	69.35	0.00	0.00	29.01
090000	5.76	3.05	9.05	6.13	23.77	0.62	2.20	0.29	1.91	0.00	20.44	69.33	0.00	0.00	32.30
100000	5.82	2.76	8.95	6.29	32.95	0.72	2.21	0.31	1.90	0.00	20.48	69.33	0.00	0.00	45.73
110000	5.77	2.72	11.42	8.86	41.31	0.75	2.20	0.32	1.88	0.00	20.52	69.50	0.00	0.00	58.27
120000	5.83	2.88	11.22	8.52	41.45	1.01	2.18	0.33	1.85	0.00	20.56	69.89	0.00	0.00	58.54
130000	5.69	2.84	10.67	7.99	42.55	1.04	2.17	0.31	1.86	0.00	20.44	69.89	0.00	0.00	54.47
140000	5.95	3.09	13.79	10.94	39.47	0.89	2.15	0.31	1.84	0.00	20.29	69.89	0.00	0.00	48.26
150000	6.10	2.95	12.22	9.47	29.41	0.93	2.10	0.30	1.80	0.00	20.13	69.89	0.00	0.00	51.65
160000	6.47	3.00	12.55	9.76	23.54	0.90	2.09	0.28	1.81	0.00	20.09	69.89	0.00	0.00	31.81
170000	6.28	2.78	9.65	7.04	23.32	0.62	2.07	0.25	1.82	0.00	20.07	69.89	0.00	0.00	25.54
180000	5.73	2.60	8.63	6.16	21.23	0.61	2.06	0.24	1.82	0.00	20.04	69.89	0.00	0.00	25.46
190000	5.69	2.69	9.09	6.52	18.61	0.67	2.08	0.27	1.81	0.00	20.00	69.89	0.00	0.00	29.99
200000	5.69	2.71	10.47	7.92	12.42	0.61	2.10	0.27	1.83	0.00	19.97	69.80	0.00	0.00	29.60
210000	5.83	2.81	12.01	9.41	8.71	0.66	2.19	0.25	1.94	0.00	19.97	69.75	0.00	0.00	28.02
220000	5.89	2.84	10.98	8.33	9.75	0.75	2.25	0.25	2.00	0.00	20.14	69.75	0.00	0.00	32.56
230000	6.11	2.90	10.38	7.64	8.95	0.79	2.34	0.26	2.08	0.00	20.08	69.75	0.00	0.00	40.35
極大值	6.47	5.54	13.79	10.94	42.55	1.04	2.43	0.33	2.15	0.00	20.62	69.89	0.00	0.00	58.54
極小值	5.25	2.60	7.26	4.31	8.71	0.49	2.06	0.24	1.80	0.00	19.97	69.33	0.00	0.00	24.79
平均值	5.69	3.11	9.94	6.98	20.37	0.67	2.22	0.28	1.95	0.00	20.32	69.64	0.00	0.00	35.33
標準差	0.34	0.69	1.77	1.86	11.52	0.17	0.11	0.03	0.12	0	0.23	0.22	0	0	11.1

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.10	2.88	9.41	6.65	8.79	0.77	2.40	0.27	2.13	0.00	20.02	69.75	0.00	0.00	40.96
010000	5.95	2.94	9.34	6.54	8.56	0.74	2.42	0.28	2.14	0.00	20.04	69.75	0.00	0.00	41.43
020000	5.91	3.01	9.54	6.65	8.12	0.68	2.42	0.28	2.14	0.00	20.05	69.75	0.00	0.00	34.08
030000	5.79	2.89	8.84	6.07	8.55	0.64	2.38	0.28	2.10	0.00	20.08	69.75	0.00	0.00	30.18
040000	5.82	3.00	8.86	5.97	7.83	0.62	2.35	0.27	2.08	0.00	20.12	69.75	0.00	0.00	26.53
050000	5.84	3.48	10.27	6.96	7.38	0.60	2.35	0.27	2.08	0.00	20.16	69.75	0.00	0.00	26.76
060000	6.03	6.23	13.45	7.48	7.26	0.64	2.53	0.27	2.26	0.00	20.18	69.75	0.00	0.00	29.18
070000	6.12	5.85	12.85	7.26	9.25	0.68	2.67	0.28	2.39	0.00	20.19	69.75	0.00	0.00	30.51
080000	5.78	3.38	7.10	3.82	6.32	0.54	2.37	0.23	2.14	0.00	20.24	69.86	0.00	0.00	26.34
090000	5.67	2.77	5.86	3.15	23.53	0.53	2.13	0.17	1.96	0.00	20.30	69.89	0.00	0.00	21.05
100000	5.73	3.08	7.07	4.08	20.46	0.54	2.10	0.19	1.91	0.00	20.31	69.89	0.00	0.00	21.32
110000	5.66	2.69	6.99	4.40	17.32	0.60	2.11	0.21	1.90	0.00	20.33	69.89	0.00	0.00	26.83
120000	5.69	2.65	7.24	4.70	10.94	0.70	2.09	0.24	1.85	0.00	20.31	69.89	0.00	0.00	34.00
130000	5.96	2.87	7.51	4.72	7.86	0.62	2.07	0.21	1.86	0.00	20.22	69.89	0.00	0.00	29.90
140000	6.41	2.71	6.25	3.61	8.38	0.79	2.05	0.21	1.84	0.00	20.18	69.89	0.00	0.00	26.50
150000	6.34	2.56	5.53	3.03	7.35	0.69	2.05	0.19	1.86	0.00	20.14	69.89	0.00	0.00	28.96
160000	6.01	2.70	7.01	4.41	9.42	0.64	2.05	0.16	1.89	0.00	20.03	69.88	0.00	0.00	21.22
170000	5.93	2.72	7.68	5.06	13.41	0.71	2.05	0.21	1.84	0.00	19.99	69.80	0.00	0.00	18.24
180000	5.94	2.67	9.03	6.48	12.96	0.80	2.05	0.22	1.83	0.00	19.97	69.76	0.00	0.00	20.53
190000	5.87	2.64	8.32	5.82	8.71	0.67	2.06	0.25	1.81	0.00	19.99	69.75	0.00	0.00	22.55
200000	5.68	2.56	6.69	4.23	6.06	0.57	2.07	0.23	1.84	0.00	19.93	69.75	0.00	0.00	18.55
210000	5.80	2.69	8.30	5.70	5.93	0.60	2.23	0.19	2.04	0.00	19.90	69.75	0.00	0.00	23.71
220000	5.69	2.64	7.61	5.08	5.94	0.59	2.38	0.19	2.19	0.00	19.88	69.75	0.00	0.00	28.60
230000	5.70	2.71	6.98	4.33	5.72	0.59	2.40	0.20	2.20	0.00	19.81	69.75	0.00	0.00	21.25
極大值	6.41	6.23	13.45	7.48	23.53	0.80	2.67	0.28	2.39	0.00	20.33	69.89	0.00	0.00	41.43
極小值	5.66	2.56	5.53	3.03	5.72	0.53	2.05	0.16	1.81	0.00	19.81	69.75	0.00	0.00	18.24
平均值	5.89	3.10	8.24	5.26	9.84	0.65	2.24	0.23	2.01	0.00	20.10	69.80	0.00	0.00	27.05
標準差	0.2	0.94	1.95	1.32	4.63	0.08	0.19	0.04	0.17	0	0.15	0.07	0	0	6.26

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.65	2.66	7.16	4.59	5.76	0.57	2.33	0.20	2.13	0.00	19.78	69.75	0.00	0.00	21.20
010000	5.54	2.70	7.88	5.31	5.35	0.56	2.23	0.20	2.03	0.00	19.80	69.75	0.00	0.00	17.91
020000	5.58	2.77	8.58	5.91	5.56	0.56	2.20	0.22	1.98	0.00	19.79	69.75	0.00	0.00	18.62
030000	5.56	2.99	9.21	6.35	5.30	0.57	2.22	0.23	1.99	0.00	19.78	69.75	0.00	0.00	15.89
040000	5.50	3.08	8.77	5.79	5.72	0.59	2.31	0.23	2.08	0.00	19.77	69.75	0.00	0.00	20.74
050000	5.57	4.08	10.57	6.65	5.80	0.61	2.38	0.24	2.14	0.00	19.77	69.75	0.00	0.00	19.22
060000	5.84	7.25	12.87	5.88	6.16	0.62	2.73	0.25	2.48	0.00	19.79	69.75	0.00	0.00	22.66
070000	5.64	4.57	9.55	5.14	5.97	0.59	2.70	0.25	2.45	0.00	19.79	69.76	0.00	0.00	24.22
080000	5.55	2.83	5.88	3.11	7.96	0.54	2.31	0.23	2.08	0.00	19.75	69.87	0.00	0.00	26.40
090000	5.35	2.66	4.99	2.43	5.53	0.52	2.13	0.21	1.92	0.00	19.76	69.89	0.00	0.00	24.66
100000	5.39	2.66	5.53	2.93	6.87	0.55	2.09	0.22	1.87	0.00	19.75	69.89	0.00	0.00	20.39
110000	5.51	2.68	5.93	3.30	7.15	0.58	2.10	0.21	1.89	0.00	19.73	69.89	0.00	0.00	24.93
120000	5.28	2.63	6.45	3.89	7.41	0.59	2.13	0.22	1.91	0.00	19.53	69.89	0.00	0.00	37.83
130000	5.35	2.69	5.45	2.83	6.48	0.53	2.08	0.20	1.88	0.00	19.54	69.87	0.00	0.00	39.22
140000	5.44	2.67	4.92	2.30	6.09	0.51	2.03	0.19	1.84	0.00	19.57	69.88	0.00	0.00	15.47
150000	5.32	2.56	4.42	1.91	5.58	0.51	2.01	0.18	1.83	0.00	19.55	69.87	0.00	0.00	9.53
160000	5.29	2.86	6.62	3.86	6.32	0.54	2.01	0.20	1.81	0.00	19.60	69.87	0.00	0.00	13.44
170000	6.16	2.96	11.22	8.45	7.41	0.68	2.02	0.21	1.81	0.00	19.59	69.87	0.00	0.00	13.28
180000	6.48	2.87	12.28	9.61	7.27	0.73	2.04	0.23	1.81	0.00	19.61	69.89	0.00	0.00	23.06
190000	5.89	2.68	8.04	5.47	6.27	0.56	2.09	0.20	1.89	0.00	19.63	69.89	0.00	0.00	30.25
200000	5.79	2.76	8.91	6.27	5.85	0.58	2.14	0.21	1.93	0.00	19.56	69.89	0.00	0.00	22.24
210000	5.78	2.88	8.49	5.72	5.86	0.59	2.18	0.24	1.94	0.00	19.62	69.89	0.00	0.00	30.08
220000	5.67	2.89	10.07	7.34	5.96	0.59	2.22	0.25	1.97	0.00	19.59	69.87	0.00	0.00	28.90
230000	5.58	3.00	9.47	6.60	8.67	0.58	2.23	0.25	1.98	0.00	19.50	69.69	0.00	0.00	25.77
極大值	6.48	7.25	12.87	9.61	8.67	0.73	2.73	0.25	2.48	0.00	19.80	69.89	0.00	0.00	39.22
極小值	5.28	2.56	4.42	1.91	5.30	0.51	2.01	0.18	1.81	0.00	19.50	69.69	0.00	0.00	9.53
平均值	5.61	3.10	8.05	5.07	6.35	0.58	2.20	0.22	1.98	0.00	19.67	69.83	0.00	0.00	22.75
標準差	0.28	1	2.37	2	0.88	0.05	0.19	0.02	0.18	0	0.11	0.07	0	0	7.21

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.62	3.00	9.50	6.59	11.53	0.55	2.30	0.26	2.04	0.00	19.39	69.47	0.00	0.00	32.13
010000	5.66	3.05	8.46	5.51	8.53	0.52	2.45	0.25	2.20	0.00	19.36	69.42	0.00	0.00	37.35
020000	5.54	3.01	7.64	4.72	8.66	0.49	2.57	0.25	2.32	0.00	19.34	69.33	0.00	0.00	30.48
030000	5.44	2.92	6.61	3.75	9.23	0.48	2.89	0.23	2.66	0.00	19.35	69.33	0.00	0.00	20.52
040000	5.57	3.14	8.28	5.26	7.84	0.48	2.92	0.25	2.67	0.00	19.36	69.33	0.00	0.00	20.09
050000	5.46	3.68	8.77	5.24	8.21	0.49	2.72	0.25	2.47	0.00	19.38	69.33	0.00	0.00	19.95
060000	5.40	4.43	8.37	4.07	8.77	0.49	2.60	0.25	2.35	0.00	19.43	69.33	0.00	0.00	25.00
070000	5.33	3.73	7.22	3.59	10.37	0.50	2.39	0.25	2.14	0.00	19.46	69.33	0.00	0.00	22.99
080000	5.35	3.15	6.22	3.15	12.30	0.49	2.24	0.25	1.99	0.00	19.46	69.33	0.00	0.00	25.62
090000	5.43	2.79	5.45	2.72	13.76	0.50	2.18	0.25	1.93	0.00	19.50	69.33	0.00	0.00	24.75
100000	5.70	2.80	6.09	3.36	16.82	0.53	2.11	0.26	1.85	0.00	19.48	69.33	0.00	0.00	24.57
110000	5.70	2.69	5.26	2.62	16.86	0.53	2.06	0.25	1.81	0.00	19.52	69.49	0.00	0.00	29.63
120000	5.47	2.72	4.99	2.33	10.17	0.54	2.03	0.22	1.81	0.00	19.65	69.89	0.00	0.00	24.30
130000	5.46	2.68	5.09	2.47	11.83	0.55	2.03	0.26	1.77	0.00	19.65	69.89	0.00	0.00	16.52
140000	5.40	2.68	4.78	2.16	11.20	0.53	2.02	0.20	1.82	0.00	19.65	69.89	0.00	0.00	17.00
150000	5.53	2.71	5.21	2.56	8.15	0.53	2.02	0.18	1.84	0.00	19.60	69.89	0.00	0.00	11.30
160000	5.45	2.74	5.14	2.45	9.24	0.49	2.04	0.17	1.87	0.00	19.59	69.89	0.00	0.00	10.64
170000	5.37	2.58	5.83	3.35	12.81	0.53	2.05	0.19	1.86	0.00	19.56	69.89	0.00	0.00	11.72
180000	5.19	2.46	5.97	3.60	10.32	0.54	2.04	0.20	1.84	0.00	19.53	69.89	0.00	0.00	17.78
190000	5.25	2.48	5.53	3.12	7.29	0.55	2.04	0.20	1.84	0.00	19.41	69.89	0.00	0.00	16.19
200000	5.22	2.58	6.21	3.73	6.43	0.56	2.06	0.20	1.86	0.00	19.31	69.88	0.00	0.00	18.63
210000	5.40	2.65	7.77	5.25	5.99	0.58	2.15	0.20	1.95	0.00	19.31	69.86	0.00	0.00	19.14
220000	5.33	2.79	8.81	6.15	6.26	0.60	2.14	0.20	1.94	0.00	19.28	69.84	0.00	0.00	19.76
230000	5.27	2.70	7.01	4.39	8.55	0.54	2.13	0.20	1.93	0.00	19.22	69.64	0.00	0.00	17.32
極大值	5.70	4.43	9.50	6.59	16.86	0.60	2.92	0.26	2.67	0.00	19.65	69.89	0.00	0.00	37.35
極小值	5.19	2.46	4.78	2.16	5.99	0.48	2.02	0.17	1.77	0.00	19.22	69.33	0.00	0.00	10.64
平均值	5.44	2.92	6.68	3.84	10.05	0.52	2.26	0.23	2.03	0.00	19.45	69.61	0.00	0.00	21.39
標準差	0.14	0.45	1.45	1.28	2.94	0.03	0.29	0.03	0.27	0	0.12	0.26	0	0	6.64

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.80	3.07	5.08	1.78	21.96	0.41	2.20	0.20	2.00	32.06	24.00	72.00	276.22	1.95	15.27
010000	6.78	3.07	5.11	1.80	20.67	0.38	2.17	0.19	1.98	32.10	46.55	130.36	260.67	2.04	933.15
020000	6.90	3.08	5.10	1.77	23.05	0.28	2.18	0.19	1.99	32.37	25.73	76.47	290.58	2.82	83.03
030000	6.81	3.11	5.11	1.74	22.12	0.27	2.20	0.21	1.99	32.46	24.00	72.00	281.81	3.38	21.36
040000	6.79	3.05	5.06	1.76	23.70	0.28	2.21	0.20	2.01	32.52	24.00	72.00	292.43	3.25	18.31
050000	6.87	3.12	5.12	1.74	23.50	0.28	2.20	0.20	2.00	32.34	24.00	72.00	291.98	2.90	22.81
060000	6.85	3.04	5.09	1.78	24.37	0.30	2.19	0.20	1.99	32.18	24.00	72.00	292.99	4.76	21.43
070000	6.85	3.07	5.09	1.75	23.15	0.31	2.25	0.21	2.04	32.39	24.00	72.00	256.37	6.81	25.38
080000	6.76	3.10	5.16	1.79	27.04	0.30	2.20	0.22	1.98	31.91	24.00	72.00	298.46	8.55	18.82
090000	6.92	3.10	5.10	1.76	27.72	0.30	2.17	0.19	1.98	31.97	46.90	131.37	296.12	8.40	946.45
100000	6.89	3.18	5.13	1.70	24.46	0.33	2.19	0.19	2.00	31.98	25.73	76.48	291.15	8.10	79.61
110000	6.87	3.07	5.09	1.80	24.62	0.32	2.18	0.20	1.98	31.77	24.00	72.00	287.79	7.40	15.87
120000	6.83	3.14	5.15	1.76	27.36	0.30	2.23	0.21	2.02	31.61	24.00	72.00	285.22	8.55	8.92
130000	6.78	3.09	5.15	1.80	27.31	0.30	2.29	0.24	2.05	32.19	24.00	72.00	294.19	6.41	12.28
140000	6.78	3.14	5.20	1.82	26.88	0.30	2.27	0.21	2.06	32.23	24.00	72.00	292.80	6.50	9.10
150000	6.81	3.09	5.10	1.76	27.43	0.30	2.26	0.21	2.05	31.95	24.00	72.00	293.56	4.92	8.63
160000	6.87	3.10	5.15	1.82	20.49	0.36	2.27	0.21	2.06	31.84	24.00	72.00	213.38	2.26	8.40
170000	6.85	3.11	5.13	1.76	21.79	0.37	2.22	0.21	2.01	31.84	24.00	72.00	222.02	2.53	5.63
180000	6.81	3.10	5.12	1.75	23.84	0.30	2.19	0.19	2.00	31.35	24.00	72.00	250.38	3.73	5.88
190000	6.94	3.12	5.09	1.74	22.77	0.30	2.35	0.22	2.13	31.39	24.00	72.00	263.03	2.73	5.25
200000	6.85	3.11	5.12	1.75	21.16	0.30	2.35	0.21	2.14	31.19	24.00	72.00	193.27	0.77	8.80
210000	6.78	3.03	5.14	1.86	20.75	0.30	2.32	0.20	2.12	31.25	24.00	72.00	209.69	1.78	5.95
220000	6.79	3.10	5.12	1.79	20.69	0.30	2.30	0.20	2.10	31.33	24.00	72.00	186.72	0.88	2.92
230000	6.78	3.07	5.13	1.82	20.19	0.30	2.30	0.20	2.10	31.43	24.00	72.00	226.36	2.29	1.28
極大值	6.94	3.18	5.20	1.86	27.72	0.41	2.35	0.24	2.14	32.52	46.90	131.37	298.46	8.55	946.45
極小值	6.76	3.03	5.06	1.70	20.19	0.27	2.17	0.19	1.98	31.19	24.00	72.00	186.72	0.77	1.28
平均值	6.83	3.09	5.12	1.78	23.63	0.31	2.24	0.20	2.03	31.90	26.04	77.28	264.47	4.32	95.19
標準差	0.05	0.03	0.03	0.03	2.52	0.03	0.06	0.01	0.05	0.41	6.39	16.55	36.18	2.59	260.95

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m /s)	(ug / m)
000000	6.77	3.11	5.15	1.78	21.43	0.29	2.30	0.20	2.10	31.44	24.00	72.00	189.39	0.55	0.00
010000	6.81	3.11	5.11	1.76	22.37	0.29	2.29	0.19	2.10	31.49	46.35	129.85	194.59	2.62	979.59
020000	6.75	3.09	5.14	1.81	21.30	0.29	2.27	0.19	2.08	31.42	25.67	76.32	108.39	6.71	0.00
030000	6.79	3.11	5.06	1.70	21.96	0.29	2.27	0.19	2.08	31.31	24.00	72.00	107.99	5.90	4.00
040000	6.74	3.11	5.16	1.80	23.53	0.30	2.29	0.19	2.10	31.84	24.00	72.00	228.20	4.37	4.65
050000	6.80	3.15	5.17	1.76	27.92	0.30	2.18	0.17	2.01	32.45	24.00	72.00	292.84	7.24	19.73
060000	6.81	3.08	5.11	1.76	26.32	0.30	2.17	0.17	2.00	32.53	24.00	72.00	292.26	7.27	27.59
070000	6.83	3.11	5.12	1.74	26.90	0.30	2.18	0.18	2.00	32.52	24.00	72.00	283.56	7.71	35.65
080000	6.81	3.07	5.16	1.83	24.20	0.31	2.22	0.21	2.01	32.58	24.00	72.00	283.82	7.98	30.43
090000	6.84	3.09	5.17	1.82	24.78	0.31	2.23	0.19	2.04	32.71	24.00	72.00	286.55	6.20	33.71
100000	6.68	3.06	5.10	1.81	23.51	0.32	2.24	0.19	2.05	32.92	24.00	72.00	284.06	6.48	30.56
110000	6.81	3.09	5.13	1.78	24.16	0.33	2.25	0.20	2.05	32.78	24.00	72.00	285.56	5.70	36.07
120000	6.87	3.14	5.14	1.77	25.48	0.32	2.24	0.19	2.05	33.04	24.00	72.00	293.53	6.86	36.50
130000	6.81	3.08	5.12	1.79	21.29	0.32	2.25	0.21	2.04	33.01	24.00	72.00	289.35	3.55	36.69
140000	6.80	3.06	5.08	1.76	20.92	0.32	0.92	0.92	0.00	32.99	24.00	72.00	292.83	4.50	36.05
150000	6.83	3.08	5.11	1.78	20.72	0.31	0.12	0.12	0.00	32.82	24.00	72.00	290.91	5.01	30.93
160000	6.81	3.06	5.09	1.78	23.71	0.32	0.12	0.12	0.00	32.69	24.00	72.00	295.60	3.76	29.67
170000	6.86	3.10	5.12	1.77	22.07	0.33	0.12	0.12	0.00	32.88	24.00	72.00	297.28	4.65	38.46
180000	6.79	3.01	5.09	1.82	21.37	0.32	0.12	0.12	0.00	32.92	24.00	72.00	290.89	5.35	30.07
190000	6.92	3.10	5.14	1.80	24.22	0.31	0.12	0.12	0.00	32.20	24.00	72.00	290.68	7.48	34.14
200000	6.85	3.14	5.14	1.77	19.85	0.30	0.12	0.12	0.00	31.78	24.00	72.00	283.48	2.75	26.48
210000	6.87	3.10	5.11	1.78	19.18	0.31	0.12	0.12	0.00	32.03	24.00	72.00	293.06	1.42	28.25
220000	6.80	3.10	5.14	1.80	19.58	0.31	0.12	0.12	0.00	32.42	24.00	72.00	285.79	2.75	27.66
230000	6.88	3.11	5.12	1.79	17.98	0.30	0.12	0.12	0.00	32.49	24.00	72.00	285.34	2.74	29.00
極大值	6.92	3.15	5.17	1.83	27.92	0.33	2.30	0.92	2.10	33.04	46.35	129.85	297.28	7.98	979.59
極小值	6.68	3.01	5.06	1.70	17.98	0.29	0.12	0.12	0.00	31.31	24.00	72.00	107.99	0.55	0.00
平均值	6.81	3.09	5.12	1.78	22.70	0.31	1.39	0.19	1.20	32.39	25.00	74.59	263.58	4.98	66.08
標準差	0.05	0.03	0.03	0.03	2.53	0.01	1.04	0.16	1.03	0.56	4.56	11.8	56.25	2.1	194.94

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	6.85	3.09	5.12	1.77	20.19	0.30	2.81	0.20	2.61	32.59	24.00	72.00	287.01	4.14	33.19
010000	6.75	3.11	5.14	1.79	20.77	0.29	2.70	0.20	2.50	32.59	46.41	130.00	289.47	5.01	928.41
020000	6.78	3.13	5.17	1.78	22.31	0.29	2.47	0.18	2.29	32.64	25.67	76.32	291.80	6.17	96.53
030000	6.69	3.07	5.13	1.81	23.58	0.29	2.48	0.18	2.30	32.48	24.00	72.00	297.63	4.91	30.48
040000	6.84	3.14	5.15	1.77	24.54	0.30	2.55	0.19	2.36	32.32	24.00	72.00	290.19	5.11	21.29
050000	6.83	3.06	5.09	1.78	24.21	0.30	2.56	0.19	2.37	32.64	24.00	72.00	288.86	6.93	21.51
060000	6.77	3.11	5.07	1.74	23.80	0.30	2.61	0.20	2.41	32.70	24.00	72.00	290.98	6.47	30.82
070000	6.78	3.08	5.10	1.80	22.42	0.31	2.50	0.21	2.29	32.72	24.00	72.00	280.39	7.33	29.29
080000	6.84	3.05	5.10	1.81	23.67	0.30	2.34	0.20	2.14	32.88	24.00	72.00	281.32	9.52	35.23
090000	6.89	3.10	5.11	1.75	26.07	0.30	2.21	0.17	2.04	32.82	24.00	72.00	289.64	9.01	34.56
100000	6.81	3.08	5.14	1.81	24.28	0.31	2.03	0.18	1.85	32.75	24.00	72.00	292.50	8.65	33.26
110000	6.85	3.15	5.13	1.75	24.69	0.31	2.30	0.24	2.06	31.19	24.00	72.00	294.33	6.07	28.75
120000	6.76	3.11	5.16	1.81	20.52	0.30	2.35	0.28	2.07	31.34	24.00	72.00	187.01	1.40	14.23
130000	6.75	3.09	5.09	1.76	22.18	0.31	2.13	0.29	1.84	32.33	24.00	72.00	272.50	6.88	8.46
140000	6.77	3.05	5.16	1.86	25.00	0.31	2.09	0.24	1.85	33.02	24.00	72.00	286.39	9.23	25.14
150000	6.79	3.07	5.14	1.82	22.97	0.31	2.03	0.20	1.83	33.14	24.00	72.00	290.24	6.41	33.87
160000	6.82	3.09	5.12	1.80	22.53	0.31	2.16	0.18	1.98	32.98	24.00	72.00	294.04	4.85	35.16
170000	6.78	3.06	5.11	1.80	22.25	0.32	2.18	0.18	2.00	32.83	24.00	72.00	289.03	4.17	30.84
180000	6.83	3.14	5.20	1.83	21.26	0.32	2.19	0.18	2.01	32.63	24.00	72.00	291.00	1.87	31.25
190000	6.85	3.09	5.10	1.79	19.20	0.32	2.20	0.19	2.01	32.05	24.00	72.00	177.15	0.25	26.53
200000	6.76	3.13	5.14	1.79	17.37	0.35	2.23	0.22	2.01	31.88	24.00	72.00	216.01	0.39	11.50
210000	6.82	3.12	5.11	1.75	19.11	0.34	2.34	0.24	2.10	31.97	24.00	72.00	100.89	3.75	16.43
220000	6.88	3.10	5.17	1.84	17.61	0.36	2.41	0.23	2.18	31.92	24.00	72.00	208.21	0.70	18.96
230000	6.79	3.11	5.11	1.78	14.77	0.38	2.33	0.23	2.10	31.84	24.00	72.00	106.19	0.60	17.06
極大值	6.89	3.15	5.20	1.86	26.07	0.38	2.81	0.29	2.61	33.14	46.41	130.00	297.63	9.52	928.41
極小值	6.69	3.05	5.07	1.74	14.77	0.29	2.03	0.17	1.83	31.19	24.00	72.00	100.89	0.25	8.46
平均值	6.80	3.10	5.13	1.79	21.89	0.31	2.34	0.21	2.13	32.43	25.00	74.60	258.03	4.99	66.36
標準差	0.05	0.03	0.03	0.03	2.77	0.02	0.21	0.03	0.22	0.52	4.57	11.83	59.39	2.91	184.35

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	6.80	3.10	5.10	1.79	13.51	0.38	2.50	0.19	2.31	31.69	24.00	72.00	130.29	2.48	14.63
010000	6.82	3.16	5.15	1.72	15.54	0.38	2.70	0.20	2.50	31.53	46.47	130.01	62.23	5.26	930.84
020000	6.80	3.09	5.11	1.78	18.77	0.33	3.35	0.20	3.15	31.28	25.70	76.38	77.92	5.77	77.52
030000	6.67	3.12	5.16	1.80	21.23	0.32	3.37	0.22	3.15	31.26	24.00	72.00	60.13	9.93	12.01
040000	6.80	3.06	5.11	1.80	18.36	0.32	3.36	0.22	3.14	31.21	24.00	72.00	24.38	8.20	7.73
050000	6.74	3.09	5.12	1.78	18.52	0.32	3.37	0.20	3.17	31.10	24.00	72.00	36.42	8.24	6.47
060000	6.70	3.15	5.08	1.73	19.06	0.33	3.61	0.21	3.40	31.30	24.00	72.00	114.73	4.48	4.32
070000	6.85	3.18	5.17	1.77	16.62	0.36	3.02	0.22	2.80	31.71	24.00	72.00	107.33	1.14	6.71
080000	6.77	3.10	5.11	1.76	15.62	0.38	2.70	0.23	2.47	32.57	24.00	72.00	249.50	1.44	9.13
090000	6.77	3.07	5.08	1.77	23.35	0.31	2.41	0.21	2.20	33.38	24.00	72.00	286.20	8.57	22.68
100000	6.74	3.12	5.07	1.70	20.81	0.27	2.43	0.27	2.16	33.87	24.00	72.00	282.78	10.27	47.32
110000	6.81	3.13	5.13	1.75	23.28	0.24	2.45	0.28	2.17	34.27	24.00	72.00	281.80	11.75	30.28
120000	6.72	3.13	5.14	1.74	24.14	0.24	2.32	0.21	2.11	33.81	24.00	72.00	285.89	9.87	30.98
130000	6.62	3.11	5.14	1.76	23.66	0.24	2.29	0.19	2.10	33.73	24.00	72.00	301.19	9.38	27.94
140000	6.56	3.07	5.15	1.79	23.39	0.25	2.29	0.19	2.10	33.72	24.00	72.00	292.78	9.49	27.04
150000	6.50	3.13	5.10	1.73	21.23	0.24	2.32	0.21	2.11	33.17	24.00	72.00	298.01	5.62	29.26
160000	6.45	3.12	5.10	1.75	21.25	0.24	2.36	0.24	2.12	33.08	24.00	72.00	271.75	10.90	24.48
170000	6.43	3.13	5.10	1.73	21.93	0.24	2.47	0.31	2.16	33.11	24.00	72.00	285.13	9.40	30.73
180000	6.44	3.09	5.09	1.73	23.84	0.29	2.50	0.27	2.23	31.33	24.00	72.00	62.55	11.57	28.56
190000	6.39	3.08	5.11	1.77	20.51	0.26	2.83	0.24	2.59	31.46	24.00	72.00	70.15	6.83	7.84
200000	6.39	3.12	5.10	1.74	16.27	0.25	2.84	0.26	2.58	31.67	24.00	72.00	188.18	2.26	7.35
210000	6.29	3.14	5.20	1.80	15.76	0.26	2.73	0.27	2.46	31.73	24.00	72.00	183.81	0.58	5.83
220000	6.39	3.05	5.06	1.77	14.91	0.29	2.67	0.25	2.42	31.68	24.00	72.00	101.43	3.25	8.00
230000	6.32	3.08	5.11	1.77	13.50	0.31	2.80	0.23	2.57	31.70	24.00	72.00	237.93	0.11	9.51
極大值	6.85	3.18	5.20	1.80	24.14	0.38	3.61	0.31	3.40	34.27	46.47	130.01	301.19	11.75	930.84
極小值	6.29	3.05	5.06	1.70	13.50	0.24	2.29	0.19	2.10	31.10	24.00	72.00	24.38	0.11	4.32
平均值	6.62	3.11	5.12	1.76	19.38	0.29	2.74	0.23	2.51	32.31	25.01	74.60	178.85	6.53	58.63
標準差	0.19	0.03	0.03	0.03	3.48	0.05	0.41	0.03	0.41	1.07	4.58	11.84	102.15	3.77	186.53

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m /s)	(ug / m)
000000	6.23	3.12	5.14	1.75	13.30	0.31	2.88	0.26	2.62	31.66	24.00	72.00	161.00	0.19	9.40
010000	6.37	3.10	5.07	1.74	14.11	0.27	2.68	0.23	2.45	31.60	46.61	130.59	285.76	0.18	933.96
020000	6.19	3.09	5.07	1.72	14.66	0.24	2.84	0.21	2.63	31.58	25.27	75.29	208.03	0.07	61.97
030000	6.22	3.06	5.11	1.78	14.29	0.23	2.64	0.21	2.43	31.57	24.00	72.00	279.76	0.07	9.62
040000	6.29	3.12	5.09	1.73	13.82	0.24	2.45	0.20	2.25	31.65	24.00	72.00	165.97	2.50	7.00
050000	6.27	3.12	5.10	1.75	14.40	0.25	2.43	0.20	2.23	31.58	24.00	72.00	205.58	1.26	6.92
060000	6.23	3.09	5.03	1.68	14.19	0.26	2.54	0.22	2.32	31.79	24.00	72.00	184.73	0.29	11.94
070000	6.23	3.14	5.15	1.76	13.37	0.29	2.49	0.23	2.26	32.81	24.00	72.00	163.70	0.31	17.06
080000	6.19	3.12	5.15	1.78	17.04	0.25	2.29	0.23	2.06	33.62	24.00	72.00	259.30	2.94	13.59
090000	6.23	3.08	5.13	1.80	19.70	0.24	2.25	0.26	1.99	33.75	24.00	72.00	279.01	6.32	24.05
100000	6.15	3.08	5.06	1.75	20.90	0.21	2.17	0.20	1.97	34.02	24.00	72.00	282.66	8.22	28.88
110000	6.10	3.05	5.03	1.73	20.75	0.20	2.20	0.24	1.96	34.57	24.00	72.00	277.52	9.01	24.47
120000	6.18	3.11	5.08	1.76	21.99	0.20	2.17	0.20	1.97	34.61	24.00	72.00	282.37	8.70	21.97
130000	6.14	3.06	5.06	1.74	19.20	0.23	2.15	0.20	1.95	34.72	24.00	72.00	275.98	10.92	25.71
140000	6.24	3.13	5.17	1.78	21.69	0.21	2.16	0.19	1.97	34.34	24.00	72.00	282.23	9.27	30.55
150000	6.23	3.08	5.08	1.77	23.20	0.22	2.14	0.18	1.96	33.95	24.00	72.00	275.97	10.37	27.92
160000	6.16	3.08	5.10	1.76	21.50	0.22	2.15	0.19	1.96	33.75	24.00	72.00	273.25	7.97	22.42
170000	6.08	3.14	5.09	1.70	21.49	0.22	2.16	0.18	1.98	33.45	24.00	72.00	266.80	7.71	25.26
180000	6.12	3.09	5.13	1.78	17.20	0.22	2.26	0.27	1.99	33.08	24.00	72.00	261.54	4.86	25.28
190000	6.13	3.09	5.08	1.74	16.42	0.23	2.22	0.21	2.01	32.91	24.00	72.00	267.72	5.05	18.56
200000	6.22	3.12	5.11	1.74	15.41	0.23	2.26	0.21	2.05	32.69	24.00	72.00	251.28	2.12	20.20
210000	6.09	3.12	5.05	1.70	13.88	0.23	2.29	0.21	2.08	32.39	24.00	72.00	232.73	0.33	20.36
220000	6.09	3.13	5.17	1.81	15.76	0.23	2.41	0.20	2.21	32.40	24.00	72.00	260.65	1.78	18.54
230000	6.09	3.09	5.15	1.82	15.89	0.22	2.26	0.19	2.07	32.25	24.00	72.00	250.69	2.66	18.87
極大值	6.37	3.14	5.17	1.82	23.20	0.31	2.88	0.27	2.63	34.72	46.61	130.59	285.76	10.92	933.96
極小值	6.08	3.05	5.03	1.68	13.30	0.20	2.14	0.18	1.95	31.57	24.00	72.00	161.00	0.07	6.92
平均值	6.19	3.10	5.10	1.75	17.26	0.24	2.35	0.21	2.14	32.95	25.00	74.58	247.26	4.30	59.35
標準差	0.07	0.03	0.04	0.03	3.32	0.03	0.22	0.02	0.21	1.1	4.61	11.95	41.85	3.83	186.62

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	6.05	3.09	5.12	1.76	15.48	0.22	2.25	0.19	2.06	32.12	24.00	72.00	271.23	3.74	17.53
010000	6.00	3.09	5.11	1.77	15.20	0.23	2.30	0.20	2.10	32.12	46.92	131.38	291.09	3.99	947.37
020000	6.07	3.11	5.13	1.74	14.37	0.22	2.31	0.20	2.11	32.11	25.70	76.41	237.75	0.99	87.29
030000	6.02	3.12	5.13	1.75	12.40	0.23	2.65	0.21	2.44	31.42	24.00	72.00	180.97	0.83	20.19
040000	5.96	3.15	5.19	1.79	12.31	0.23	2.54	0.21	2.33	31.24	24.00	72.00	66.46	3.84	19.00
050000	6.03	3.13	5.11	1.71	12.89	0.27	2.43	0.24	2.19	31.27	24.00	72.00	110.22	2.35	19.83
060000	6.02	3.13	5.17	1.78	11.90	0.26	2.63	0.22	2.41	32.02	24.00	72.00	43.70	1.94	21.02
070000	6.06	3.07	5.07	1.75	12.28	0.27	2.49	0.25	2.24	33.30	24.00	72.00	68.56	2.62	29.02
080000	6.00	3.08	5.06	1.74	15.22	0.25	2.33	0.25	2.08	34.68	24.00	72.00	185.74	0.39	18.52
090000	5.92	3.12	5.09	1.71	18.71	0.23	2.36	0.30	2.06	35.21	24.00	72.00	242.32	0.83	18.56
100000	5.99	3.14	5.14	1.77	26.72	0.24	2.38	0.33	2.05	35.14	24.00	72.00	277.53	5.20	22.25
110000	5.95	3.14	5.10	1.73	24.39	0.22	2.28	0.31	1.97	35.15	24.00	72.00	291.85	6.79	19.30
120000	6.05	3.08	5.08	1.79	23.73	0.21	2.21	0.24	1.97	34.96	24.00	72.00	293.44	6.05	16.79
130000	6.02	3.16	5.13	1.74	24.13	0.22	2.17	0.21	1.96	34.98	24.00	72.00	287.61	9.52	14.65
140000	6.05	3.09	5.10	1.77	22.83	0.22	2.18	0.22	1.96	35.10	24.00	72.00	278.43	8.04	15.18
150000	5.94	3.06	5.10	1.78	20.98	0.21	2.19	0.22	1.97	34.89	24.00	72.00	290.21	5.54	15.48
160000	6.00	3.10	5.12	1.78	18.59	0.23	2.19	0.22	1.97	34.38	24.00	72.00	270.45	6.94	14.83
170000	6.02	3.04	4.99	1.70	20.33	0.22	2.17	0.20	1.97	34.00	24.00	72.00	283.70	5.02	14.73
180000	5.94	3.07	5.10	1.77	16.09	0.24	2.22	0.22	2.00	33.44	24.00	72.00	279.26	5.22	20.94
190000	5.92	3.11	5.09	1.75	18.75	0.23	2.26	0.20	2.06	33.15	24.00	72.00	280.92	2.90	17.28
200000	5.98	3.11	5.13	1.77	18.25	0.23	2.32	0.20	2.12	32.96	24.00	72.00	279.88	2.46	13.74
210000	5.85	3.07	5.12	1.79	16.13	0.24	2.38	0.22	2.16	32.70	24.00	72.00	269.21	3.05	13.32
220000	5.91	3.10	5.11	1.77	12.81	0.29	2.49	0.26	2.23	32.44	24.00	72.00	226.87	0.82	22.56
230000	5.92	3.13	5.11	1.73	11.72	0.27	2.76	0.24	2.52	32.08	24.00	72.00	65.09	1.07	19.61
極大值	6.07	3.16	5.19	1.79	26.72	0.29	2.76	0.33	2.52	35.21	46.92	131.38	293.44	9.52	947.37
極小值	5.85	3.04	4.99	1.70	11.72	0.21	2.17	0.19	1.96	31.24	24.00	72.00	43.70	0.39	13.32
平均值	5.99	3.10	5.11	1.76	17.34	0.24	2.35	0.23	2.12	33.37	25.03	74.66	223.85	3.76	59.96
標準差	0.06	0.03	0.04	0.03	4.59	0.02	0.17	0.04	0.16	1.41	4.68	12.12	86.26	2.53	189.57

屏東縣崁頂焚化爐空氣品質監
測報表

日報(小時數
據)A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.92	3.11	5.15	1.79	11.89	0.25	2.69	0.23	2.46	31.95	24.00	72.00	51.88	3.97	18.93
010000	5.89	3.14	5.12	1.71	12.57	0.26	2.60	0.23	2.37	31.83	46.56	130.30	76.84	5.53	933.48
020000	5.96	3.07	5.12	1.80	12.57	0.27	2.88	0.24	2.64	31.83	25.25	75.24	42.95	6.99	70.32
030000	5.94	3.10	5.12	1.75	12.73	0.28	3.20	0.23	2.97	31.61	24.00	72.00	56.68	8.33	19.21
040000	5.96	3.10	5.11	1.76	12.10	0.30	3.37	0.23	3.14	31.47	24.00	72.00	50.11	6.82	21.85
050000	5.93	3.07	5.08	1.77	12.50	0.33	3.32	0.29	3.03	31.31	24.00	72.00	96.67	0.55	30.46
060000	5.86	3.10	5.09	1.74	11.32	0.29	2.79	0.26	2.53	31.34	24.00	72.00	120.63	0.63	24.48
070000	5.88	3.13	5.16	1.77	11.96	0.30	2.73	0.24	2.49	31.99	24.00	72.00	57.39	2.58	22.39
080000	5.96	3.11	5.08	1.74	14.28	0.29	2.57	0.26	2.31	33.32	24.00	72.00	44.03	5.72	20.07
090000	5.93	3.13	5.16	1.79	22.02	0.28	2.47	0.28	2.19	34.83	24.00	72.00	162.30	1.71	24.80
100000	5.95	3.13	5.16	1.78	28.27	0.29	2.38	0.32	2.06	35.64	24.00	72.00	126.92	2.16	23.15
110000	6.00	3.08	5.07	1.77	39.60	0.31	2.42	0.36	2.06	35.59	24.00	72.00	258.00	4.26	27.59
120000	5.95	3.13	5.11	1.74	39.50	0.30	2.30	0.29	2.01	35.12	24.00	72.00	291.43	6.30	39.77
130000	5.93	3.06	5.07	1.78	43.99	0.31	2.30	0.29	2.01	35.43	24.00	72.00	296.68	6.50	28.86
140000	5.91	3.09	5.09	1.76	36.84	0.29	2.36	0.35	2.01	35.55	24.00	72.00	292.98	6.61	39.57
150000	5.86	3.14	5.16	1.78	26.96	0.29	0.41	0.41	0.00	35.48	24.00	72.00	300.08	6.73	30.60
160000	5.90	3.06	5.08	1.79	21.30	0.37	0.12	0.12	0.00	35.28	24.00	72.00	290.31	5.42	27.16
170000	5.93	3.05	5.07	1.77	18.40	0.44	0.12	0.12	0.00	34.55	24.00	72.00	277.01	4.87	23.28
180000	5.90	3.14	5.07	1.69	16.54	0.37	0.12	0.12	0.00	34.09	24.00	72.00	102.77	3.13	30.76
190000	5.97	3.07	5.11	1.78	15.31	0.32	0.12	0.12	0.00	33.44	24.00	72.00	226.30	0.85	21.07
200000	5.97	3.11	5.12	1.74	12.59	0.31	0.12	0.12	0.00	33.00	24.00	72.00	165.13	0.07	29.73
210000	5.92	3.09	5.05	1.69	12.19	0.28	0.12	0.12	0.00	32.57	24.00	72.00	36.40	0.81	28.77
220000	5.91	3.09	5.10	1.75	13.24	0.27	0.12	0.12	0.00	32.24	24.00	72.00	95.62	0.33	16.15
230000	5.85	3.14	5.12	1.70	13.06	0.27	0.12	0.12	0.00	31.99	24.00	72.00	155.49	0.07	12.66
極大值	6.00	3.14	5.16	1.80	43.99	0.44	3.37	0.41	3.14	35.64	46.56	130.30	300.08	8.33	933.48
極小值	5.85	3.05	5.05	1.69	11.32	0.25	0.12	0.12	0.00	31.31	24.00	72.00	36.40	0.07	12.66
平均值	5.92	3.10	5.11	1.76	19.66	0.30	1.74	0.23	1.51	33.39	24.99	74.56	153.11	3.79	65.21
標準差	0.04	0.03	0.03	0.03	10.45	0.04	1.29	0.09	1.23	1.64	4.6	11.89	98.96	2.7	185.28

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.86	3.13	5.09	1.72	12.83	0.30	3.71	0.21	3.50	31.72	24.00	72.00	183.71	0.14	11.86
010000	5.86	3.09	5.05	1.71	13.43	0.28	3.69	0.20	3.49	31.73	46.55	130.32	257.75	0.24	933.01
020000	5.84	3.11	5.15	1.79	12.62	0.26	3.81	0.20	3.61	31.61	25.82	76.70	31.39	1.77	94.98
030000	5.79	3.08	5.08	1.76	12.06	0.28	3.18	0.21	2.97	31.58	24.00	72.00	59.20	3.23	20.18
040000	5.92	3.16	5.16	1.75	12.28	0.30	3.22	0.21	3.01	31.49	24.00	72.00	127.20	1.91	22.99
050000	5.87	3.11	5.14	1.78	11.89	0.31	3.07	0.22	2.85	31.37	24.00	72.00	242.09	0.07	25.33
060000	5.82	3.15	5.19	1.79	12.64	0.33	3.01	0.22	2.79	32.30	24.00	72.00	75.71	2.91	21.58
070000	5.83	3.10	5.13	1.77	15.99	0.30	2.50	0.21	2.29	33.42	24.00	72.00	71.51	3.90	26.88
080000	5.84	3.10	5.08	1.71	16.69	0.27	2.50	0.21	2.29	35.06	24.00	72.00	188.09	0.70	26.05
090000	5.83	3.09	5.13	1.77	22.72	0.25	2.40	0.21	2.19	35.63	24.00	72.00	244.75	1.12	15.99
100000	5.83	3.14	5.13	1.75	32.70	0.27	2.37	0.24	2.13	36.19	24.00	72.00	262.56	1.31	24.99
110000	5.81	3.11	5.10	1.75	48.62	0.31	2.36	0.27	2.09	36.05	24.00	72.00	296.35	6.35	31.48
120000	5.80	3.09	5.04	1.71	38.48	0.37	2.30	0.26	2.04	36.02	24.00	72.00	214.89	7.62	30.49
130000	5.85	3.06	5.06	1.74	33.71	0.29	2.26	0.24	2.02	36.48	24.00	72.00	100.85	6.79	33.61
140000	5.86	3.07	5.09	1.76	32.80	0.27	2.27	0.23	2.04	35.96	24.00	72.00	202.61	4.77	34.47
150000	5.80	3.08	5.08	1.75	27.63	0.34	2.28	0.24	2.04	34.04	24.00	72.00	143.50	1.32	22.04
160000	5.84	3.04	5.07	1.76	18.74	0.47	2.26	0.22	2.04	34.08	24.00	72.00	257.17	4.09	19.04
170000	5.80	3.10	5.07	1.73	14.11	0.51	2.25	0.21	2.04	34.11	24.00	72.00	184.79	1.96	25.04
180000	5.76	3.08	5.13	1.76	12.99	0.35	2.29	0.22	2.07	33.66	24.00	72.00	127.32	1.34	22.97
190000	5.78	3.05	5.07	1.78	13.48	0.34	2.32	0.21	2.11	33.62	24.00	72.00	49.41	2.99	16.67
200000	5.87	3.10	5.08	1.71	12.96	0.35	2.39	0.20	2.19	33.40	24.00	72.00	57.35	3.42	17.79
210000	5.74	3.09	5.05	1.72	11.90	0.37	2.39	0.20	2.19	33.10	24.00	72.00	219.57	0.07	22.08
220000	5.71	3.10	5.10	1.76	12.20	0.37	2.47	0.21	2.26	32.90	24.00	72.00	215.82	0.07	22.77
230000	5.71	3.11	5.12	1.77	13.21	0.34	2.71	0.21	2.50	32.54	24.00	72.00	271.77	0.07	21.21
極大值	5.92	3.16	5.19	1.79	48.62	0.51	3.81	0.27	3.61	36.48	46.55	130.32	296.35	7.62	933.01
極小值	5.71	3.04	5.04	1.71	11.89	0.25	2.25	0.20	2.02	31.37	24.00	72.00	31.39	0.07	11.86
平均值	5.82	3.10	5.10	1.75	19.44	0.33	2.67	0.22	2.45	33.67	25.02	74.63	170.22	2.42	64.31
標準差	0.05	0.03	0.04	0.03	10.43	0.06	0.51	0.02	0.52	1.71	4.6	11.9	82.3	2.24	185.69

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	6.90	3.03	5.08	1.80	13.42	0.29	2.56	0.16	2.40	31.20	25.23	75.20	91.08	1.26	66.30
010000	6.86	3.07	5.17	1.86	12.82	0.28	2.58	0.16	2.42	30.99	46.98	131.54	229.18	0.13	948.77
020000	6.99	3.09	5.09	1.74	11.78	0.24	2.58	0.17	2.41	30.76	24.00	72.00	216.22	0.08	9.66
030000	6.84	3.12	5.11	1.75	12.34	0.22	2.53	0.20	2.33	30.65	24.00	72.00	228.40	0.07	11.23
040000	6.89	3.11	5.14	1.78	11.43	0.22	2.50	0.15	2.35	30.59	24.00	72.00	182.70	0.19	10.07
050000	7.03	3.13	5.14	1.75	12.30	0.22	2.61	0.13	2.48	30.66	24.00	72.00	78.37	1.69	14.16
060000	7.06	3.10	5.09	1.76	13.41	0.26	2.68	0.18	2.50	31.44	24.00	72.00	58.73	3.64	16.29
070000	7.00	3.07	5.06	1.77	18.82	0.30	2.46	0.16	2.30	32.79	24.00	72.00	97.05	1.61	21.09
080000	7.08	3.04	5.08	1.81	26.50	0.24	2.53	0.19	2.34	34.18	24.00	72.00	77.87	2.09	16.83
090000	6.98	3.05	5.06	1.77	37.85	0.21	2.59	0.19	2.40	35.39	24.00	72.00	160.40	0.40	13.78
100000	7.13	3.14	5.14	1.78	45.79	0.19	2.50	0.13	2.37	35.96	24.00	72.00	240.11	1.19	8.23
110000	7.08	3.14	5.08	1.72	40.06	0.17	2.39	0.19	2.20	36.05	24.00	72.00	265.12	4.01	5.86
120000	7.15	3.17	5.17	1.81	31.07	0.18	2.25	0.12	2.13	35.82	24.00	72.00	262.44	5.67	4.03
130000	7.00	3.14	5.14	1.79	31.01	0.19	2.22	0.09	2.13	34.89	24.00	72.00	222.44	5.88	4.50
140000	7.02	3.14	5.13	1.76	26.26	0.21	2.18	0.07	2.11	33.88	24.00	72.00	176.05	4.27	4.39
150000	7.03	3.16	5.13	1.77	29.88	0.20	2.20	0.09	2.11	34.50	24.00	72.00	247.66	4.81	2.74
160000	7.08	3.16	5.13	1.76	29.67	0.20	2.18	0.07	2.11	34.65	24.00	72.00	258.24	5.64	6.86
170000	7.06	3.14	5.13	1.76	26.28	0.21	2.16	0.07	2.09	34.35	24.00	72.00	267.00	6.18	6.07
180000	7.10	3.19	5.17	1.76	27.53	0.21	2.15	0.06	2.09	34.01	24.00	72.00	266.74	5.29	7.38
190000	7.08	3.19	5.20	1.81	25.57	0.21	2.26	0.10	2.16	33.86	24.00	72.00	264.74	5.04	6.90
200000	7.06	3.17	5.15	1.77	25.88	0.21	2.40	0.14	2.26	33.43	24.00	72.00	201.87	2.40	6.64
210000	7.11	3.15	5.18	1.80	25.08	0.22	2.50	0.18	2.32	32.71	24.00	72.00	169.57	0.09	5.50
220000	7.03	3.10	5.12	1.81	18.67	0.21	2.37	0.15	2.22	32.40	24.00	72.00	195.74	0.21	5.81
230000	7.03	3.09	5.14	1.80	14.66	0.20	2.37	0.12	2.25	32.29	24.00	72.00	234.36	0.40	8.32
極大值	7.15	3.19	5.20	1.86	45.79	0.30	2.68	0.20	2.50	36.05	46.98	131.54	267.00	6.18	948.77
極小值	6.84	3.03	5.06	1.72	11.43	0.17	2.15	0.06	2.09	30.59	24.00	72.00	58.73	0.07	2.74
平均值	7.02	3.12	5.13	1.78	23.67	0.22	2.41	0.14	2.27	33.23	25.01	74.61	195.50	2.59	50.48
標準差	0.08	0.05	0.04	0.03	9.77	0.03	0.17	0.04	0.13	1.84	4.69	12.14	68.27	2.27	191.75

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.70	3.10	5.12	1.77	14.02	0.21	2.51	0.07	2.44	32.81	24.00	72.00	192.11	2.62	6.50
010000	5.67	3.07	5.11	1.77	13.93	0.21	2.81	0.09	2.72	32.82	46.43	129.96	173.52	1.32	927.75
020000	5.56	3.10	5.11	1.74	13.23	0.23	3.50	0.14	3.36	32.42	25.73	76.45	95.56	0.37	74.95
030000	5.54	3.11	5.12	1.76	12.54	0.22	3.35	0.12	3.23	32.42	24.00	72.00	56.15	4.16	9.21
040000	5.58	3.15	5.11	1.70	11.99	0.22	2.97	0.10	2.87	32.01	24.00	72.00	99.68	1.53	11.45
050000	5.60	3.07	5.07	1.75	12.08	0.23	3.00	0.10	2.90	31.89	24.00	72.00	130.03	1.06	13.21
060000	5.56	3.11	5.15	1.79	12.77	0.26	3.06	0.10	2.96	33.01	24.00	72.00	169.97	1.38	8.76
070000	5.69	3.11	5.11	1.75	15.91	0.22	2.96	0.11	2.85	33.79	24.00	72.00	250.41	5.57	4.76
080000	5.60	3.12	5.09	1.71	19.97	0.20	2.69	0.11	2.58	34.29	24.00	72.00	272.98	9.12	7.02
090000	5.62	3.18	5.10	1.71	21.78	0.19	2.32	0.07	2.25	34.64	24.00	72.00	272.38	10.77	5.59
100000	5.63	3.18	5.11	1.70	23.36	0.19	2.22	0.07	2.15	34.64	24.00	72.00	272.14	12.39	2.98
110000	5.61	3.16	5.09	1.69	22.31	0.20	2.22	0.08	2.14	34.74	24.00	72.00	268.40	10.41	4.21
120000	5.58	3.07	5.13	1.82	21.36	0.19	2.19	0.08	2.11	35.09	24.00	72.00	262.94	9.85	2.21
130000	5.57	3.13	5.13	1.76	22.41	0.19	2.15	0.07	2.08	35.17	24.00	72.00	271.87	11.62	0.26
140000	5.68	3.10	5.13	1.77	24.36	0.19	2.18	0.10	2.08	35.03	24.00	72.00	274.59	11.29	0.51
150000	5.62	3.16	5.15	1.75	23.76	0.21	2.18	0.09	2.09	34.85	24.00	72.00	263.66	11.49	1.44
160000	5.56	3.12	5.11	1.74	23.74	0.21	2.16	0.07	2.09	34.14	24.00	72.00	271.25	12.56	4.76
170000	5.70	3.06	5.09	1.78	22.69	0.22	2.17	0.06	2.11	33.71	24.00	72.00	275.99	9.94	7.50
180000	5.66	3.09	5.05	1.70	19.33	0.22	2.20	0.07	2.13	33.33	24.00	72.00	266.58	5.02	6.72
190000	5.64	3.08	5.04	1.71	18.04	0.25	2.30	0.06	2.24	33.11	24.00	72.00	247.76	2.86	9.92
200000	5.57	3.07	5.11	1.79	17.67	0.24	2.44	0.09	2.35	33.07	24.00	72.00	262.55	4.96	6.93
210000	5.59	3.15	5.12	1.70	17.81	0.22	2.48	0.08	2.40	32.88	24.00	72.00	280.12	5.56	9.18
220000	5.60	3.09	5.10	1.75	18.72	0.21	2.30	0.07	2.23	32.76	24.00	72.00	267.63	5.14	7.75
230000	5.58	3.12	5.14	1.79	15.27	0.23	2.36	0.07	2.29	32.48	24.00	72.00	264.77	3.43	7.63
極大值	5.70	3.18	5.15	1.82	24.36	0.26	3.50	0.14	3.36	35.17	46.43	129.96	280.12	12.56	927.75
極小值	5.54	3.06	5.04	1.69	11.99	0.19	2.15	0.06	2.08	31.89	24.00	72.00	56.15	0.37	0.26
平均值	5.61	3.11	5.11	1.75	18.29	0.22	2.53	0.09	2.44	33.55	25.01	74.60	227.63	6.43	47.55
標準差	0.05	0.04	0.03	0.04	4.28	0.02	0.41	0.02	0.39	1.05	4.58	11.83	68.62	4.2	188.03

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.50	3.11	5.12	1.76	16.36	0.22	3.33	0.27	3.06	32.66	24.00	72.00	283.63	3.68	6.96
010000	5.51	3.09	5.08	1.74	14.02	0.22	3.23	0.26	2.97	32.27	46.40	129.92	220.59	0.53	926.44
020000	5.50	3.15	5.17	1.76	12.90	0.21	2.80	0.22	2.58	31.80	25.70	76.38	251.90	0.12	77.05
030000	5.51	3.15	5.15	1.75	12.71	0.22	2.87	0.20	2.67	31.67	24.00	72.00	187.25	0.07	6.94
040000	5.57	3.01	5.05	1.75	11.52	0.22	2.74	0.20	2.54	31.43	24.00	72.00	151.85	1.15	4.20
050000	5.49	3.15	5.21	1.79	11.81	0.23	3.07	0.20	2.87	31.44	24.00	72.00	164.93	0.07	11.26
060000	5.54	3.07	5.05	1.73	11.49	0.22	2.97	0.20	2.77	32.39	24.00	72.00	81.41	2.79	10.62
070000	5.57	3.10	5.12	1.76	12.94	0.24	2.68	0.22	2.46	34.26	24.00	72.00	213.12	0.67	13.10
080000	5.62	3.06	5.06	1.75	16.97	0.22	2.64	0.30	2.34	34.73	24.00	72.00	269.29	3.70	8.01
090000	5.58	3.08	5.08	1.74	21.47	0.20	2.61	0.26	2.35	34.84	24.00	72.00	282.34	7.95	19.44
100000	5.69	3.13	5.06	1.66	19.52	0.22	2.62	0.27	2.35	34.25	24.00	72.00	297.24	4.94	38.44
110000	5.63	3.10	5.13	1.77	18.75	0.22	2.47	0.27	2.20	34.85	24.00	72.00	293.86	5.87	21.67
120000	5.57	3.15	5.12	1.71	20.60	0.20	2.43	0.26	2.17	35.27	24.00	72.00	294.16	6.28	13.56
130000	5.57	3.11	5.08	1.73	20.80	0.23	2.35	0.25	2.10	35.25	24.00	72.00	291.92	7.99	10.30
140000	5.67	3.14	5.11	1.74	21.61	0.23	2.33	0.29	2.04	35.23	24.00	72.00	286.24	7.20	9.63
150000	5.49	3.12	5.15	1.78	23.88	0.23	2.33	0.23	2.10	34.98	24.00	72.00	297.17	7.35	36.37
160000	5.60	3.15	5.17	1.79	23.11	0.24	2.42	0.30	2.12	34.65	24.00	72.00	282.92	6.64	15.79
170000	5.73	3.08	5.11	1.79	19.83	0.27	2.32	0.21	2.11	34.25	24.00	72.00	286.31	5.42	9.73
180000	5.66	3.08	5.12	1.79	18.95	0.25	2.35	0.24	2.11	33.74	24.00	72.00	282.92	3.79	9.83
190000	5.62	3.12	5.10	1.74	15.98	0.27	2.35	0.22	2.13	33.53	24.00	72.00	264.58	3.42	11.02
200000	5.61	3.09	5.12	1.77	15.43	0.27	2.30	0.19	2.11	33.41	24.00	72.00	237.02	1.70	14.26
210000	5.63	3.08	5.05	1.73	14.43	0.26	2.17	0.18	1.99	33.13	24.00	72.00	248.31	0.55	16.56
220000	5.55	3.10	5.13	1.76	13.68	0.28	2.20	0.20	2.00	32.90	24.00	72.00	193.64	0.08	11.71
230000	5.55	3.11	5.09	1.73	11.69	0.29	2.79	0.24	2.55	32.82	24.00	72.00	74.03	0.83	11.58
極大值	5.73	3.15	5.21	1.79	23.88	0.29	3.33	0.30	3.06	35.27	46.40	129.92	297.24	7.99	926.44
極小值	5.49	3.01	5.05	1.66	11.49	0.20	2.17	0.18	1.99	31.43	24.00	72.00	74.03	0.07	4.20
平均值	5.58	3.11	5.11	1.75	16.69	0.24	2.60	0.24	2.36	33.57	25.00	74.60	239.03	3.45	54.77
標準差	0.07	0.03	0.04	0.03	4.01	0.03	0.32	0.04	0.32	1.3	4.57	11.82	66.11	2.84	186.29

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.53	3.09	5.12	1.76	11.44	0.29	2.73	0.26	2.47	32.71	24.00	72.00	98.36	0.19	12.53
010000	5.46	3.10	5.10	1.74	10.68	0.28	3.13	0.26	2.87	32.50	46.41	129.87	134.47	0.14	928.19
020000	5.49	3.12	5.07	1.70	11.48	0.28	3.02	0.28	2.74	32.35	25.73	76.45	64.66	0.46	82.66
030000	5.43	3.09	5.18	1.83	10.90	0.28	2.96	0.29	2.67	32.11	24.00	72.00	86.97	0.11	14.15
040000	5.50	3.07	5.04	1.72	11.22	0.28	2.77	0.30	2.47	31.96	24.00	72.00	220.35	0.08	18.13
050000	5.47	3.08	5.09	1.75	11.11	0.29	3.03	0.37	2.66	32.01	24.00	72.00	155.91	0.73	17.51
060000	5.55	3.12	5.14	1.76	11.04	0.30	2.99	0.30	2.69	32.62	24.00	72.00	96.70	1.51	16.30
070000	5.61	3.07	5.09	1.78	13.63	0.30	2.87	0.31	2.56	34.28	24.00	72.00	186.01	0.64	23.27
080000	5.54	3.09	5.07	1.73	15.32	0.25	2.53	0.28	2.25	34.82	24.00	72.00	236.49	1.76	19.69
090000	5.51	3.11	5.11	1.74	14.53	0.24	2.35	0.27	2.08	34.91	24.00	72.00	282.51	5.90	20.05
100000	5.55	3.12	5.13	1.76	19.23	0.22	2.41	0.35	2.06	35.21	24.00	72.00	277.42	7.74	23.94
110000	5.53	3.06	5.10	1.78	22.23	0.23	2.56	0.46	2.10	35.71	24.00	72.00	271.72	6.25	33.59
120000	5.50	3.06	5.08	1.77	24.12	0.20	2.62	0.49	2.13	35.50	24.00	72.00	294.63	7.40	21.61
130000	5.61	3.09	5.04	1.73	19.95	0.23	2.55	0.43	2.12	35.48	24.00	72.00	291.70	7.73	14.54
140000	5.50	3.12	5.16	1.78	19.38	0.24	2.40	0.32	2.08	35.43	24.00	72.00	287.71	7.91	41.29
150000	5.53	3.10	5.12	1.77	13.83	0.27	2.36	0.28	2.08	34.86	24.00	72.00	294.53	7.98	27.22
160000	5.55	3.11	5.13	1.76	13.76	0.36	2.45	0.39	2.06	34.65	24.00	72.00	281.85	6.36	31.89
170000	5.48	3.09	5.10	1.76	13.47	0.49	2.43	0.36	2.07	34.60	24.00	72.00	214.86	2.06	36.58
180000	5.37	3.10	5.10	1.78	13.05	0.49	2.41	0.29	2.12	34.19	24.00	72.00	167.71	3.33	26.47
190000	5.51	3.14	5.08	1.69	18.34	0.34	2.44	0.30	2.14	33.17	24.00	72.00	43.39	12.14	22.35
200000	5.49	3.11	5.13	1.77	16.96	0.26	2.46	0.28	2.18	32.74	24.00	72.00	58.40	6.38	13.45
210000	5.54	3.16	5.18	1.77	16.64	0.26	2.63	0.29	2.34	32.89	24.00	72.00	44.95	7.38	9.79
220000	5.49	3.12	5.10	1.74	14.66	0.27	2.39	0.23	2.16	32.87	24.00	72.00	67.34	5.19	6.06
230000	5.53	3.09	5.12	1.78	13.16	0.29	2.18	0.19	1.99	32.61	24.00	72.00	52.43	5.57	7.79
極大值	5.61	3.16	5.18	1.83	24.12	0.49	3.13	0.49	2.87	35.71	46.41	129.87	294.63	12.14	928.19
極小值	5.37	3.06	5.04	1.69	10.68	0.20	2.18	0.19	1.99	31.96	24.00	72.00	43.39	0.08	6.06
平均值	5.51	3.10	5.11	1.76	15.01	0.29	2.61	0.32	2.30	33.76	25.01	74.60	175.46	4.37	61.21
標準差	0.05	0.02	0.04	0.03	3.82	0.07	0.26	0.07	0.27	1.31	4.57	11.81	96.4	3.48	185.31

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.47	3.08	5.10	1.74	13.48	0.28	2.63	0.24	2.39	32.48	24.00	72.00	74.46	10.30	6.30
010000	5.45	3.13	5.09	1.70	14.14	0.28	2.78	0.23	2.55	32.37	46.48	130.08	37.56	11.76	930.26
020000	5.45	3.11	5.09	1.72	14.06	0.28	2.86	0.23	2.63	32.35	25.64	76.24	30.03	12.90	81.32
030000	5.43	3.17	5.15	1.69	13.39	0.26	2.76	0.21	2.55	32.20	24.00	72.00	33.59	13.25	10.67
040000	5.53	3.09	5.14	1.79	13.19	0.27	2.67	0.22	2.45	32.20	24.00	72.00	71.03	13.34	14.23
050000	5.47	3.12	5.13	1.75	14.66	0.26	2.52	0.21	2.31	32.35	24.00	72.00	48.02	12.67	12.27
060000	5.45	3.13	5.13	1.73	18.52	0.25	2.26	0.20	2.06	32.67	24.00	72.00	55.08	14.79	15.72
070000	5.47	3.09	5.08	1.75	15.45	0.25	2.20	0.20	2.00	32.72	24.00	72.00	44.79	12.96	10.40
080000	5.43	3.15	5.14	1.73	13.18	0.23	2.23	0.20	2.03	32.30	24.00	72.00	95.67	15.01	14.85
090000	5.45	3.08	5.07	1.74	13.88	0.25	2.25	0.22	2.03	32.24	24.00	72.00	56.69	13.29	12.25
100000	5.45	3.13	5.07	1.71	13.59	0.29	2.40	0.27	2.13	31.90	24.00	72.00	171.45	6.89	11.83
110000	5.42	3.07	5.05	1.77	15.12	0.29	2.45	0.26	2.19	31.72	24.00	72.00	202.48	6.07	7.98
120000	5.30	3.11	5.07	1.75	24.25	0.26	2.28	0.22	2.06	32.20	24.00	72.00	297.78	15.54	14.15
130000	5.53	3.11	5.12	1.75	27.19	0.27	2.16	0.24	1.92	32.11	24.00	72.00	293.54	16.57	27.23
140000	5.47	3.13	5.07	1.68	26.59	0.23	2.08	0.18	1.90	31.90	24.00	72.00	304.42	24.87	26.31
150000	5.60	3.09	5.09	1.75	25.97	0.22	2.09	0.17	1.92	32.13	24.00	72.00	286.15	20.32	32.81
160000	5.56	3.06	5.08	1.76	26.43	0.23	2.09	0.16	1.93	31.19	24.00	72.00	274.82	26.77	29.49
170000	5.59	3.03	5.07	1.78	27.99	0.20	2.12	0.17	1.95	30.98	24.00	72.00	259.96	32.67	13.91
180000	5.55	3.06	5.08	1.76	26.53	0.17	2.10	0.17	1.93	30.84	24.00	72.00	256.67	26.50	18.75
190000	5.57	3.03	5.08	1.78	23.89	0.19	2.11	0.17	1.94	31.39	24.00	72.00	242.18	14.83	13.34
200000	5.60	3.07	5.11	1.78	24.34	0.20	2.10	0.17	1.93	32.10	24.00	72.00	243.65	14.88	18.02
210000	5.64	3.09	5.14	1.78	23.41	0.20	2.12	0.17	1.95	32.39	24.00	72.00	240.99	12.79	11.11
220000	5.63	3.17	5.12	1.71	23.45	0.20	2.10	0.17	1.93	32.68	24.00	72.00	238.44	13.02	7.63
230000	5.65	3.07	5.08	1.77	23.34	0.20	2.11	0.17	1.94	32.71	24.00	72.00	244.00	14.20	5.41
極大值	5.65	3.17	5.15	1.79	27.99	0.29	2.86	0.27	2.63	32.72	46.48	130.08	304.42	32.67	930.26
極小值	5.30	3.03	5.05	1.68	13.18	0.17	2.08	0.16	1.90	30.84	24.00	72.00	30.03	6.07	5.41
平均值	5.51	3.10	5.10	1.74	19.84	0.24	2.31	0.20	2.11	32.09	25.00	74.60	170.98	15.67	56.09
標準差	0.09	0.04	0.03	0.03	5.78	0.04	0.26	0.03	0.24	0.52	4.59	11.85	104.96	6.29	186.82

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.69	3.10	5.11	1.74	23.45	0.20	2.11	0.17	1.94	32.78	24.00	72.00	255.91	16.49	7.52
010000	5.64	3.12	5.10	1.74	22.33	0.22	2.09	0.17	1.92	32.84	46.60	130.52	257.91	15.57	933.85
020000	5.54	3.12	5.14	1.76	21.55	0.21	2.12	0.18	1.94	32.71	25.64	76.25	257.82	12.30	76.09
030000	5.55	3.14	5.09	1.70	20.31	0.20	2.11	0.18	1.93	31.96	24.00	72.00	241.25	8.09	15.49
040000	5.56	3.07	5.09	1.76	18.33	0.20	2.12	0.18	1.94	31.97	24.00	72.00	232.47	7.00	10.89
050000	5.57	3.09	5.09	1.75	19.27	0.20	2.10	0.17	1.93	32.51	24.00	72.00	263.27	15.67	6.98
060000	5.58	3.16	5.16	1.75	19.68	0.21	2.10	0.18	1.92	33.11	24.00	72.00	263.19	15.52	9.64
070000	5.57	3.11	5.15	1.81	15.71	0.23	2.14	0.20	1.94	33.84	24.00	72.00	151.08	4.49	7.54
080000	5.59	3.15	5.13	1.75	15.82	0.24	2.25	0.23	2.02	33.55	24.00	72.00	52.88	11.05	7.41
090000	5.57	3.06	5.08	1.78	19.00	0.31	2.37	0.34	2.03	34.60	24.00	72.00	43.04	11.36	7.21
100000	5.66	3.10	5.07	1.74	23.44	0.24	2.27	0.27	2.00	35.56	24.00	72.00	64.14	8.36	10.11
110000	5.63	3.15	5.10	1.70	32.79	0.24	2.28	0.28	2.00	35.82	24.00	72.00	215.24	4.90	12.17
120000	5.53	3.10	5.05	1.74	42.85	0.27	2.30	0.30	2.00	35.49	24.00	72.00	287.84	7.01	17.07
130000	5.61	3.11	5.07	1.72	32.79	0.33	2.31	0.32	1.99	35.69	24.00	72.00	286.46	8.51	27.73
140000	5.62	3.12	5.06	1.70	25.71	0.56	2.31	0.33	1.98	35.58	24.00	72.00	283.37	8.78	43.05
150000	5.59	3.18	5.12	1.71	19.44	0.29	2.26	0.29	1.97	33.13	24.00	72.00	203.71	9.62	49.89
160000	5.58	3.06	5.08	1.76	19.66	0.31	2.31	0.29	2.02	31.93	24.00	72.00	251.74	5.53	74.74
170000	5.57	3.03	5.11	1.82	16.45	0.43	2.65	0.61	2.04	32.15	24.00	72.00	145.90	2.80	16.78
180000	5.62	3.14	5.12	1.74	17.45	0.37	2.40	0.37	2.03	32.17	24.00	72.00	45.95	5.61	12.09
190000	5.50	3.12	5.08	1.70	17.00	0.34	2.31	0.29	2.02	32.20	24.00	72.00	29.37	7.57	12.75
200000	5.66	3.11	5.11	1.74	14.82	0.36	2.45	0.29	2.16	32.05	24.00	72.00	86.66	2.75	18.49
210000	5.62	3.10	5.08	1.73	13.42	0.36	2.46	0.28	2.18	31.76	24.00	72.00	242.18	1.07	15.08
220000	5.60	3.08	5.13	1.79	15.18	0.32	2.37	0.26	2.11	31.77	24.00	72.00	239.92	1.41	11.35
230000	5.46	3.09	5.05	1.71	13.10	0.33	2.69	0.27	2.42	31.60	24.00	72.00	109.96	1.54	10.83
極大值	5.69	3.18	5.16	1.82	42.85	0.56	2.69	0.61	2.42	35.82	46.60	130.52	287.84	16.49	933.85
極小值	5.46	3.03	5.05	1.70	13.10	0.20	2.09	0.17	1.92	31.60	24.00	72.00	29.37	1.07	6.98
平均值	5.59	3.11	5.10	1.74	20.81	0.29	2.29	0.27	2.02	33.20	25.01	74.62	187.97	8.04	58.95
標準差	0.05	0.03	0.03	0.03	6.94	0.09	0.17	0.1	0.11	1.46	4.61	11.94	90.74	4.71	187.41

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.50	3.10	5.11	1.78	12.51	0.37	2.86	0.30	2.56	31.51	24.00	72.00	51.34	6.22	14.24
010000	5.51	3.11	5.16	1.81	13.81	0.33	2.58	0.28	2.30	31.43	46.47	130.10	129.66	2.59	929.61
020000	5.44	3.13	5.15	1.77	12.71	0.32	2.55	0.30	2.25	31.40	25.64	76.23	90.29	2.27	79.53
030000	5.50	3.08	5.10	1.75	12.80	0.31	2.56	0.30	2.26	31.39	24.00	72.00	94.27	2.73	14.37
040000	5.52	3.11	5.13	1.77	12.35	0.28	2.60	0.28	2.32	31.31	24.00	72.00	72.64	0.97	15.67
050000	5.57	3.10	5.08	1.72	12.03	0.31	2.81	0.29	2.52	31.19	24.00	72.00	103.86	2.44	15.78
060000	5.54	3.11	5.07	1.68	11.89	0.32	2.94	0.30	2.64	31.37	24.00	72.00	130.50	1.27	12.49
070000	5.54	3.11	5.16	1.80	12.65	0.34	2.80	0.28	2.52	31.87	24.00	72.00	104.81	3.62	17.30
080000	5.58	3.14	5.06	1.69	14.08	0.41	2.81	0.38	2.43	33.85	24.00	72.00	132.14	2.70	16.77
090000	5.55	3.14	5.11	1.71	24.16	0.40	2.79	0.56	2.23	34.12	24.00	72.00	256.94	3.48	22.63
100000	5.58	3.11	5.09	1.73	28.92	0.33	2.50	0.41	2.09	34.32	24.00	72.00	284.16	5.54	39.30
110000	5.55	3.07	5.05	1.75	24.44	0.27	2.29	0.30	1.99	34.53	24.00	72.00	282.19	6.06	35.89
120000	5.60	3.14	5.12	1.76	31.80	0.24	2.23	0.29	1.94	35.06	24.00	72.00	291.96	8.17	37.39
130000	5.67	3.14	5.14	1.75	19.36	0.26	2.21	0.28	1.93	34.85	24.00	72.00	286.24	8.72	21.27
140000	5.66	3.12	5.18	1.80	19.90	0.24	2.25	0.31	1.94	34.16	24.00	72.00	288.98	8.04	52.58
150000	5.57	3.11	5.10	1.74	18.91	0.24	2.21	0.28	1.93	34.58	24.00	72.00	287.07	7.38	38.49
160000	5.65	3.11	5.05	1.67	20.63	0.25	2.19	0.26	1.93	34.38	24.00	72.00	284.01	5.97	28.56
170000	5.66	3.04	5.08	1.78	24.93	0.26	2.16	0.22	1.94	33.76	24.00	72.00	284.09	5.48	33.18
180000	5.64	3.03	5.05	1.75	21.74	0.24	2.14	0.21	1.93	33.28	24.00	72.00	290.27	4.37	18.12
190000	5.67	3.08	5.07	1.74	16.78	0.26	2.22	0.24	1.98	33.00	24.00	72.00	224.00	1.68	18.05
200000	5.59	3.07	5.10	1.77	14.62	0.27	2.31	0.27	2.04	32.65	24.00	72.00	89.62	1.07	15.22
210000	5.66	3.15	5.14	1.75	13.36	0.28	2.30	0.25	2.05	32.36	24.00	72.00	138.20	0.08	17.61
220000	5.56	3.10	5.09	1.73	12.95	0.29	2.33	0.25	2.08	32.19	24.00	72.00	167.25	0.78	17.04
230000	5.57	3.09	5.14	1.78	12.34	0.30	2.40	0.25	2.15	32.03	24.00	72.00	85.76	2.72	15.38
極大值	5.67	3.15	5.18	1.81	31.80	0.41	2.94	0.56	2.64	35.06	46.47	130.10	291.96	8.72	929.61
極小值	5.44	3.03	5.05	1.67	11.89	0.24	2.14	0.21	1.93	31.19	24.00	72.00	51.34	0.08	12.49
平均值	5.58	3.10	5.11	1.75	17.49	0.30	2.46	0.30	2.16	32.94	25.00	74.60	185.43	3.93	63.60
標準差	0.06	0.03	0.04	0.04	5.9	0.05	0.26	0.07	0.23	1.35	4.58	11.85	91.03	2.59	185.11

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.57	3.05	5.16	1.85	11.85	0.29	2.57	0.26	2.31	31.80	24.00	72.00	192.23	1.40	14.54
010000	5.55	3.14	5.15	1.74	11.80	0.33	2.89	0.27	2.62	31.78	46.55	130.28	73.57	5.68	933.19
020000	5.55	3.08	5.17	1.82	12.70	0.34	2.63	0.32	2.31	31.70	25.32	75.41	52.39	7.87	67.81
030000	5.49	3.11	5.14	1.77	12.66	0.35	2.53	0.32	2.21	31.78	24.00	72.00	42.40	5.65	22.41
040000	5.50	3.15	5.10	1.71	12.54	0.34	2.47	0.30	2.17	31.94	24.00	72.00	71.71	7.13	18.06
050000	5.59	3.10	5.14	1.79	13.06	0.33	2.47	0.29	2.18	31.91	24.00	72.00	95.05	6.98	21.09
060000	5.65	3.05	5.06	1.76	12.79	0.34	2.63	0.28	2.35	31.95	24.00	72.00	40.26	7.35	24.52
070000	5.59	3.04	5.06	1.78	13.56	0.37	2.95	0.29	2.66	32.58	24.00	72.00	59.12	8.25	22.68
080000	5.60	3.18	5.13	1.71	18.49	0.27	2.44	0.25	2.19	33.85	24.00	72.00	47.18	10.48	26.21
090000	5.53	3.11	5.11	1.75	21.03	0.21	2.23	0.24	1.99	34.57	24.00	72.00	36.46	11.10	15.84
100000	5.55	3.16	5.16	1.74	24.86	0.23	2.24	0.25	1.99	34.68	24.00	72.00	38.16	11.48	14.10
110000	5.63	3.09	5.13	1.79	25.67	0.23	2.23	0.25	1.98	35.66	24.00	72.00	143.25	3.28	14.48
120000	5.59	3.09	5.08	1.76	31.38	0.24	2.21	0.25	1.96	35.49	24.00	72.00	269.72	7.42	19.31
130000	5.56	3.10	5.11	1.74	19.68	0.26	2.25	0.31	1.94	35.20	24.00	72.00	298.13	7.94	67.70
140000	5.61	3.15	5.15	1.75	19.49	0.24	2.16	0.24	1.92	35.19	24.00	72.00	283.86	8.04	52.81
150000	5.58	3.12	5.10	1.74	15.39	0.24	2.16	0.24	1.92	34.74	24.00	72.00	290.22	7.86	53.19
160000	5.65	3.09	5.15	1.78	21.27	0.23	2.13	0.21	1.92	34.06	24.00	72.00	285.52	7.08	55.93
170000	5.63	3.14	5.16	1.77	19.75	0.23	2.16	0.21	1.95	33.97	24.00	72.00	284.48	3.69	24.65
180000	5.60	3.10	5.09	1.74	18.05	0.23	2.20	0.22	1.98	33.84	24.00	72.00	287.21	1.76	16.69
190000	5.61	3.14	5.13	1.76	18.70	0.24	2.19	0.22	1.97	33.79	24.00	72.00	279.69	1.16	14.58
200000	5.54	3.09	5.10	1.75	15.65	0.27	2.32	0.25	2.07	33.48	24.00	72.00	266.57	2.27	19.04
210000	5.63	3.12	5.10	1.73	12.53	0.30	2.30	0.24	2.06	33.21	24.00	72.00	246.87	1.15	22.57
220000	5.50	3.08	5.09	1.78	14.67	0.24	2.24	0.22	2.02	33.16	24.00	72.00	246.28	1.25	18.89
230000	5.52	3.07	5.10	1.78	13.92	0.26	2.59	0.22	2.37	32.40	24.00	72.00	149.28	1.40	16.20
極大值	5.65	3.18	5.17	1.85	31.38	0.37	2.95	0.32	2.66	35.66	46.55	130.28	298.13	11.48	933.19
極小值	5.49	3.04	5.06	1.71	11.80	0.21	2.13	0.21	1.92	31.70	24.00	72.00	36.46	1.15	14.10
平均值	5.58	3.11	5.12	1.76	17.15	0.28	2.38	0.26	2.13	33.45	24.99	74.57	169.98	5.74	65.69
標準差	0.05	0.04	0.03	0.03	5.11	0.05	0.23	0.03	0.22	1.33	4.6	11.89	106.89	3.35	185.58

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.50	3.14	5.12	1.73	13.04	0.27	2.54	0.23	2.31	32.29	24.00	72.00	187.64	0.07	17.32
010000	5.57	3.05	5.13	1.83	12.57	0.28	2.45	0.23	2.22	32.22	46.44	130.03	97.99	3.59	928.54
020000	5.53	3.04	5.07	1.79	12.11	0.32	2.82	0.26	2.56	32.09	25.73	76.46	35.71	5.92	88.77
030000	5.49	3.07	5.13	1.81	11.81	0.36	3.26	0.27	2.99	31.93	24.00	72.00	43.64	9.38	20.93
040000	5.44	3.13	5.10	1.71	12.05	0.35	3.56	0.25	3.31	31.80	24.00	72.00	28.36	12.41	26.89
050000	5.54	3.12	5.13	1.74	12.01	0.34	3.25	0.25	3.00	31.78	24.00	72.00	53.30	9.69	24.48
060000	5.54	3.10	5.13	1.78	12.04	0.41	2.99	0.36	2.63	32.50	24.00	72.00	43.06	4.40	26.33
070000	5.47	3.10	5.12	1.78	15.88	0.31	2.52	0.28	2.24	33.41	24.00	72.00	107.34	7.47	50.57
080000	5.44	3.07	5.11	1.81	21.28	0.25	2.32	0.24	2.08	34.21	24.00	72.00	57.35	10.91	27.82
090000	5.55	3.13	5.13	1.76	24.56	0.21	2.24	0.24	2.00	34.95	24.00	72.00	35.52	10.54	22.36
100000	5.50	3.04	5.10	1.81	23.42	0.23	2.25	0.27	1.98	35.63	24.00	72.00	107.58	6.66	19.40
110000	5.54	3.11	5.13	1.78	34.63	0.24	2.23	0.26	1.97	35.64	24.00	72.00	263.43	6.20	18.47
120000	5.57	3.16	5.10	1.70	44.54	0.24	2.17	0.23	1.94	35.44	24.00	72.00	288.16	9.77	33.20
130000	5.56	3.03	5.11	1.83	43.26	0.25	2.15	0.21	1.94	35.08	24.00	72.00	289.34	9.04	36.82
140000	5.49	3.10	5.14	1.79	41.29	0.26	2.17	0.22	1.95	34.40	24.00	72.00	300.85	4.60	25.61
150000	5.48	3.08	5.10	1.79	25.74	0.37	2.33	0.30	2.03	33.98	24.00	72.00	181.12	4.21	35.21
160000	5.50	3.11	5.05	1.72	21.44	0.36	2.26	0.27	1.99	33.39	24.00	72.00	114.89	5.80	25.31
170000	5.60	3.09	5.09	1.76	22.72	0.25	2.21	0.23	1.98	32.43	24.00	72.00	39.17	8.42	11.78
180000	5.58	3.09	5.10	1.76	20.11	0.26	2.21	0.23	1.98	32.48	24.00	72.00	56.70	5.01	9.05
190000	5.56	3.07	5.06	1.75	18.66	0.28	2.28	0.22	2.06	32.44	24.00	72.00	25.93	12.51	6.67
200000	5.53	3.17	5.17	1.75	18.57	0.28	2.44	0.22	2.22	32.23	24.00	72.00	51.46	12.01	9.84
210000	5.57	3.18	5.15	1.75	18.67	0.25	2.33	0.21	2.12	32.03	24.00	72.00	27.47	9.13	8.74
220000	5.48	3.06	5.09	1.78	16.42	0.26	2.36	0.21	2.15	31.87	24.00	72.00	70.60	5.56	5.90
230000	5.44	3.13	5.12	1.76	13.91	0.27	2.36	0.22	2.14	31.57	24.00	72.00	68.99	1.06	3.00
極大值	5.60	3.18	5.17	1.83	44.54	0.41	3.56	0.36	3.31	35.64	46.44	130.03	300.85	12.51	928.54
極小值	5.44	3.03	5.05	1.70	11.81	0.21	2.15	0.21	1.94	31.57	24.00	72.00	25.93	0.07	3.00
平均值	5.52	3.10	5.11	1.77	21.28	0.29	2.49	0.25	2.24	33.16	25.01	74.60	107.32	7.26	61.79
標準差	0.05	0.04	0.03	0.04	10.09	0.05	0.39	0.03	0.38	1.38	4.58	11.84	92.3	3.41	185.47

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.73	3.07	5.11	1.76	13.27	0.29	0.12	0.12	0.00	32.41	24.00	72.00	254.85	0.07	19.52
010000	5.77	3.09	5.10	1.75	11.84	0.33	0.12	0.12	0.00	32.25	46.47	129.99	71.37	0.21	931.19
020000	5.73	3.12	5.11	1.74	11.56	0.29	0.12	0.12	0.00	32.13	25.64	76.24	90.69	4.34	82.25
030000	5.64	3.09	5.10	1.74	11.82	0.28	0.12	0.12	0.00	32.00	24.00	72.00	190.22	1.47	13.41
040000	5.74	3.09	5.08	1.75	11.61	0.29	0.12	0.12	0.00	31.92	24.00	72.00	97.44	3.20	13.27
050000	5.77	3.08	5.10	1.75	11.63	0.34	0.12	0.12	0.00	31.80	24.00	72.00	179.63	0.07	19.18
060000	5.66	3.11	5.13	1.75	11.77	0.33	0.12	0.12	0.00	32.52	24.00	72.00	125.55	0.72	20.54
070000	5.78	3.06	5.11	1.80	12.78	0.29	0.12	0.12	0.00	33.76	24.00	72.00	52.70	3.65	19.67
080000	5.75	3.14	5.09	1.69	18.10	0.26	0.12	0.12	0.00	34.85	24.00	72.00	133.66	2.54	20.53
090000	5.72	3.12	5.10	1.74	21.89	0.24	0.12	0.12	0.00	35.94	24.00	72.00	241.17	0.30	19.48
100000	5.63	3.16	5.14	1.72	20.45	0.20	0.12	0.12	0.00	35.92	24.00	72.00	267.33	9.24	17.35
110000	5.76	3.07	5.09	1.78	20.01	0.19	0.12	0.12	0.00	35.74	24.00	72.00	275.49	12.01	7.62
120000	5.68	3.11	5.09	1.74	21.94	0.19	0.12	0.12	0.00	35.55	24.00	72.00	278.57	14.51	6.26
130000	5.68	3.10	5.10	1.74	21.26	0.19	0.12	0.12	0.00	35.38	24.00	72.00	288.61	14.35	13.28
140000	5.71	3.13	5.09	1.71	22.78	0.18	0.12	0.12	0.00	34.97	24.00	72.00	292.03	14.61	17.87
150000	5.78	3.07	5.06	1.75	23.32	0.18	0.12	0.12	0.00	34.70	24.00	72.00	291.88	13.93	12.05
160000	5.67	3.14	5.09	1.73	24.31	0.19	0.12	0.12	0.00	34.43	24.00	72.00	288.84	12.17	16.71
170000	5.61	3.09	5.10	1.75	20.04	0.21	0.12	0.12	0.00	34.13	24.00	72.00	288.33	10.66	11.51
180000	5.75	3.14	5.06	1.67	20.53	0.21	0.12	0.12	0.00	33.83	24.00	72.00	290.77	11.55	6.34
190000	5.74	3.07	5.11	1.80	20.87	0.22	0.12	0.12	0.00	33.76	24.00	72.00	287.02	13.12	5.26
200000	5.62	3.11	5.08	1.71	19.11	0.22	0.12	0.12	0.00	33.73	24.00	72.00	280.17	10.32	5.45
210000	5.65	3.08	5.09	1.75	13.23	0.22	0.12	0.12	0.00	32.91	24.00	72.00	116.11	1.64	9.32
220000	5.61	3.17	5.16	1.73	13.83	0.23	0.12	0.12	0.00	32.76	24.00	72.00	171.05	3.74	7.79
230000	5.60	3.07	5.12	1.80	13.99	0.21	0.12	0.12	0.00	32.97	24.00	72.00	187.60	1.84	6.76
極大值	5.78	3.17	5.16	1.80	24.31	0.34	0.12	0.12	0.00	35.94	46.47	129.99	292.03	14.61	931.19
極小值	5.60	3.06	5.06	1.67	11.56	0.18	0.12	0.12	0.00	31.80	24.00	72.00	52.70	0.07	5.26
平均值	5.70	3.10	5.10	1.74	17.16	0.24	0.12	0.12	0.00	33.76	25.00	74.59	210.04	6.68	54.28
標準差	0.06	0.03	0.02	0.03	4.61	0.05	0	0	0	1.39	4.58	11.83	83.56	5.63	187.39

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.60	3.13	5.10	1.72	14.78	0.31	0.12	0.12	0.00	31.08	24.00	72.00	40.35	9.83	7.51
010000	5.51	3.06	5.03	1.75	14.11	0.30	0.12	0.12	0.00	30.94	46.49	129.99	48.78	6.63	931.55
020000	5.59	3.11	5.10	1.72	13.05	0.29	0.12	0.12	0.00	30.64	25.67	76.30	153.34	1.04	83.40
030000	5.58	3.07	5.15	1.84	12.79	0.28	0.12	0.12	0.00	30.59	24.00	72.00	153.98	0.11	15.97
040000	5.51	3.11	5.14	1.79	13.11	0.27	0.12	0.12	0.00	30.51	24.00	72.00	93.03	1.62	11.90
050000	5.62	3.05	5.07	1.79	12.30	0.29	0.12	0.12	0.00	30.48	24.00	72.00	112.64	0.87	12.25
060000	5.46	3.07	5.08	1.75	12.43	0.29	0.12	0.12	0.00	31.11	24.00	72.00	76.96	0.70	14.35
070000	5.51	3.15	5.14	1.74	12.12	0.31	0.12	0.12	0.00	31.88	24.00	72.00	57.97	2.61	16.30
080000	5.51	3.07	5.07	1.77	13.31	0.37	0.12	0.12	0.00	32.22	24.00	72.00	35.95	5.34	22.77
090000	5.67	3.10	5.07	1.71	15.74	0.35	0.12	0.12	0.00	33.15	24.00	72.00	52.43	3.74	17.60
100000	5.49	3.13	5.12	1.75	21.20	0.31	0.95	0.95	0.00	33.86	24.00	72.00	92.39	4.07	14.24
110000	5.52	3.11	5.11	1.77	23.98	0.30	2.39	0.26	2.13	34.41	24.00	72.00	140.14	2.32	15.69
120000	5.53	3.15	5.16	1.78	46.41	0.34	2.50	0.31	2.19	34.91	24.00	72.00	280.72	4.04	23.38
130000	5.49	3.16	5.14	1.76	48.59	0.33	2.40	0.28	2.12	34.36	24.00	72.00	302.59	6.12	36.79
140000	5.48	3.11	5.09	1.74	30.20	0.48	2.33	0.29	2.04	33.95	24.00	72.00	230.59	9.44	21.16
150000	5.51	3.11	5.08	1.74	26.32	0.35	2.25	0.22	2.03	31.39	46.87	131.11	45.48	19.55	946.54
160000	5.66	3.11	5.17	1.80	22.96	0.28	2.23	0.21	2.02	31.12	48.19	134.49	43.40	12.78	1000.00
170000	5.60	3.10	5.10	1.77	19.31	0.29	2.27	0.22	2.05	31.04	48.19	134.50	111.05	8.88	1000.00
180000	5.49	3.13	5.12	1.77	18.79	0.32	2.40	0.23	2.17	30.96	48.19	134.47	31.50	15.11	1000.00
190000	5.57	3.08	5.11	1.80	16.45	0.30	2.37	0.21	2.16	30.78	48.18	134.44	57.77	6.56	1000.00
200000	5.48	3.12	5.09	1.75	14.44	0.30	2.40	0.22	2.18	30.70	48.21	134.66	262.19	0.16	1000.00
210000	5.62	3.16	5.16	1.77	13.26	0.31	2.52	0.24	2.28	30.77	48.19	134.50	95.04	1.60	1000.00
220000	5.72	3.13	5.12	1.75	13.68	0.32	2.68	0.25	2.43	30.84	48.19	134.50	91.06	2.51	1000.00
230000	5.56	3.09	5.08	1.75	12.83	0.35	2.70	0.28	2.42	30.79	48.19	134.50	82.73	3.81	1000.00
極大值	5.72	3.16	5.17	1.84	48.59	0.48	2.70	0.95	2.43	34.91	48.21	134.66	302.59	19.55	1000.00
極小值	5.46	3.05	5.03	1.71	12.12	0.27	0.12	0.12	0.00	30.48	24.00	72.00	31.50	0.11	7.51
平均值	5.55	3.11	5.11	1.76	19.26	0.32	1.40	0.22	1.18	31.77	34.02	97.89	112.17	5.39	424.64
標準差	0.07	0.03	0.03	0.03	10.01	0.04	1.15	0.17	1.11	1.46	11.98	30.96	80.53	5.02	486.68

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.59	3.14	5.14	1.76	12.81	0.33	2.67	0.25	2.42	30.57	48.19	134.45	57.36	3.68	1000.00
010000	5.60	3.11	5.10	1.77	13.07	0.33	2.66	0.25	2.41	30.56	48.19	134.43	53.90	3.45	1000.00
020000	5.54	3.10	5.11	1.77	12.34	0.33	2.81	0.25	2.56	30.45	48.19	134.44	43.38	3.82	1000.00
030000	5.59	3.18	5.11	1.69	12.93	0.33	2.93	0.24	2.69	30.39	48.19	134.44	38.24	4.43	1000.00
040000	5.63	3.13	5.14	1.78	11.87	0.35	3.10	0.25	2.85	30.30	48.20	134.55	125.96	3.04	1000.00
050000	5.63	3.09	5.06	1.74	12.10	0.35	3.41	0.25	3.16	30.31	48.19	134.47	32.91	5.59	1000.00
060000	5.63	3.11	5.13	1.78	11.91	0.35	3.13	0.25	2.88	30.98	48.19	134.44	38.91	3.05	1000.00
070000	5.51	3.09	5.05	1.75	12.89	0.34	2.58	0.24	2.34	32.63	48.18	134.42	55.58	4.26	1000.00
080000	5.58	3.07	5.16	1.85	14.89	0.36	2.40	0.26	2.14	33.81	48.18	134.41	44.85	5.09	1000.00
090000	5.64	3.14	5.13	1.76	20.95	0.39	2.43	0.26	2.17	35.00	48.20	134.53	162.47	0.77	1000.00
100000	5.50	3.15	5.12	1.74	28.93	0.40	2.38	0.26	2.12	35.48	48.21	134.66	269.37	1.95	1000.00
110000	5.65	3.12	5.13	1.78	32.53	0.39	2.27	0.25	2.02	35.65	48.21	134.67	283.08	5.19	1000.00
120000	5.63	3.14	5.14	1.76	36.15	0.35	2.25	0.25	2.00	35.77	48.21	134.66	290.41	6.02	1000.00
130000	5.67	3.10	5.14	1.79	36.63	0.31	2.22	0.25	1.97	35.77	48.21	134.67	297.04	5.20	1000.00
140000	5.68	3.12	5.15	1.80	39.27	0.28	2.25	0.28	1.97	35.79	48.21	134.66	291.96	5.42	1000.00
150000	5.73	3.13	5.15	1.80	34.85	0.28	2.24	0.28	1.96	35.77	48.21	134.64	282.68	7.66	1000.00
160000	5.61	3.17	5.20	1.78	36.37	0.27	2.20	0.24	1.96	34.89	48.21	134.65	290.21	6.47	1000.00
170000	5.69	3.15	5.12	1.72	31.10	0.29	2.20	0.23	1.97	34.32	48.21	134.64	280.82	5.32	1000.00
180000	5.70	3.10	5.08	1.73	29.91	0.29	0.70	0.70	0.00	33.84	48.19	134.52	269.36	4.76	1000.00
190000	5.64	3.13	5.12	1.76	22.59	0.30	0.12	0.12	0.00	33.57	48.18	134.49	274.37	2.15	1000.00
200000	5.69	3.14	5.10	1.73	16.59	0.33	0.12	0.12	0.00	33.23	48.17	134.39	191.51	0.25	1000.00
210000	5.68	3.16	5.12	1.71	23.23	0.34	0.12	0.12	0.00	33.03	48.18	134.48	267.46	0.75	1000.00
220000	5.67	3.15	5.15	1.77	27.91	0.36	0.12	0.12	0.00	32.69	48.18	134.49	286.85	3.08	1000.00
230000	5.61	3.15	5.15	1.77	26.89	0.35	0.12	0.12	0.00	32.45	48.18	134.48	271.07	1.82	1000.00
極大值	5.73	3.18	5.20	1.85	39.27	0.40	3.41	0.70	3.16	35.79	48.21	134.67	297.04	7.66	1000.00
極小值	5.50	3.07	5.05	1.69	11.87	0.27	0.12	0.12	0.00	30.30	48.17	134.39	32.91	0.25	1000.00
平均值	5.63	3.13	5.12	1.76	23.28	0.33	1.98	0.24	1.73	33.22	48.19	134.53	187.49	3.88	1000.00
標準差	0.06	0.03	0.03	0.03	9.82	0.04	1.09	0.11	1.07	2.07	0.01	0.1	110.56	1.92	0

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.70	3.09	5.11	1.82	21.81	0.35	0.12	0.12	0.00	32.12	48.15	134.26	52.58	0.08	1000.00
010000	5.63	3.08	5.13	1.83	18.85	0.35	0.12	0.12	0.00	32.11	48.15	134.25	62.59	5.06	1000.00
020000	5.57	3.12	5.10	1.75	18.20	0.35	0.12	0.12	0.00	32.06	48.14	134.23	36.09	7.75	1000.00
030000	5.57	3.11	5.11	1.74	16.30	0.35	0.12	0.12	0.00	31.76	48.15	134.25	79.82	4.29	1000.00
040000	5.61	3.11	5.12	1.78	13.67	0.36	0.12	0.12	0.00	31.37	48.15	134.25	86.63	0.15	1000.00
050000	5.55	3.13	5.13	1.75	13.71	0.36	0.12	0.12	0.00	31.33	48.17	134.38	205.14	0.15	1000.00
060000	5.54	3.11	5.09	1.74	13.62	0.37	0.12	0.12	0.00	32.30	48.16	134.34	152.26	0.23	1000.00
070000	5.66	3.10	5.08	1.75	16.99	0.36	0.12	0.12	0.00	33.40	48.15	134.24	72.89	3.82	1000.00
080000	5.58	3.10	5.13	1.79	22.88	0.33	0.12	0.12	0.00	34.51	48.15	134.25	75.54	4.93	1000.00
090000	5.58	3.11	5.13	1.79	25.98	0.29	0.12	0.12	0.00	35.43	48.16	134.33	154.40	3.11	1000.00
100000	5.67	3.11	5.15	1.83	40.51	0.31	0.12	0.12	0.00	35.44	48.18	134.49	286.23	6.84	1000.00
110000	5.55	3.13	5.07	1.70	57.13	0.36	0.12	0.12	0.00	35.54	48.18	134.50	293.86	4.94	1000.00
120000	5.61	3.13	5.14	1.76	61.71	0.35	0.12	0.12	0.00	35.40	48.18	134.50	297.82	7.55	1000.00
130000	5.58	3.18	5.24	1.81	65.31	0.34	0.12	0.12	0.00	35.30	48.18	134.50	306.34	7.40	1000.00
140000	5.61	3.13	5.17	1.78	52.50	0.30	0.12	0.12	0.00	35.41	48.19	134.50	294.91	6.63	1000.00
150000	5.57	3.13	5.11	1.76	32.63	0.36	0.12	0.12	0.00	35.07	48.19	134.50	298.52	5.32	1000.00
160000	5.62	3.08	5.12	1.79	22.97	0.56	0.12	0.12	0.00	34.92	48.19	134.49	293.53	4.75	1000.00
170000	5.68	3.18	5.13	1.71	18.00	0.42	0.12	0.12	0.00	34.40	48.18	134.49	292.05	3.51	1000.00
180000	5.65	3.08	5.11	1.76	14.10	0.51	0.12	0.12	0.00	34.01	48.17	134.42	221.90	3.00	1000.00
190000	5.70	3.13	5.13	1.77	13.26	0.40	0.12	0.12	0.00	33.61	48.16	134.32	139.31	2.75	1000.00
200000	5.66	3.13	5.10	1.73	12.32	0.40	0.12	0.12	0.00	33.00	48.16	134.35	160.77	0.77	1000.00
210000	5.62	3.12	5.12	1.75	12.94	0.37	0.12	0.12	0.00	32.66	48.16	134.33	154.47	0.34	1000.00
220000	5.61	3.11	5.17	1.83	13.86	0.35	0.12	0.12	0.00	32.47	48.17	134.38	208.76	0.08	1000.00
230000	5.62	3.10	5.09	1.74	13.48	0.38	0.12	0.12	0.00	32.23	48.15	134.28	118.70	0.08	1000.00
極大值	5.70	3.18	5.24	1.83	65.31	0.56	0.12	0.12	0.00	35.54	48.19	134.50	306.34	7.75	1000.00
極小值	5.54	3.08	5.07	1.70	12.32	0.29	0.12	0.12	0.00	31.33	48.14	134.23	36.09	0.08	1000.00
平均值	5.61	3.12	5.12	1.77	25.53	0.37	0.12	0.12	0.00	33.58	48.17	134.37	181.05	3.48	1000.00
標準差	0.05	0.03	0.03	0.04	16.88	0.06	0	0	0	1.5	0.02	0.1	95.49	2.71	0

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.59	3.10	5.15	1.81	12.67	0.41	0.12	0.12	0.00	31.95	48.15	134.25	63.18	2.15	1000.00
010000	5.63	3.09	5.09	1.75	12.67	0.39	0.12	0.12	0.00	31.78	48.16	134.30	138.27	0.19	1000.00
020000	5.60	3.14	5.14	1.76	12.29	0.38	0.12	0.12	0.00	31.77	48.15	134.24	71.55	2.73	1000.00
030000	5.62	3.12	5.12	1.75	12.28	0.37	0.12	0.12	0.00	31.73	48.17	134.42	242.35	0.08	1000.00
040000	5.58	3.11	5.09	1.75	12.42	0.38	0.12	0.12	0.00	31.56	48.16	134.34	179.91	0.33	1000.00
050000	5.61	3.08	5.11	1.79	12.55	0.42	0.12	0.12	0.00	31.59	48.14	134.21	26.80	7.93	1000.00
060000	5.55	3.10	5.09	1.75	12.33	0.38	0.12	0.12	0.00	32.48	48.16	134.34	181.74	3.71	1000.00
070000	5.64	3.06	5.14	1.83	15.08	0.38	0.12	0.12	0.00	33.57	48.15	134.26	97.69	3.49	1000.00
080000	5.62	3.07	5.14	1.82	22.16	0.35	0.12	0.12	0.00	34.68	48.15	134.24	79.83	5.25	1000.00
090000	5.67	3.12	5.12	1.75	31.33	0.38	0.12	0.12	0.00	35.57	48.18	134.44	255.73	1.53	1000.00
100000	5.61	3.14	5.18	1.79	33.87	0.34	0.12	0.12	0.00	36.44	48.16	134.34	156.79	2.99	1000.00
110000	5.66	3.15	5.13	1.76	39.58	0.31	0.12	0.12	0.00	36.94	48.17	134.40	210.31	3.59	1000.00
120000	5.60	3.14	5.11	1.73	44.55	0.29	0.12	0.12	0.00	36.80	48.18	134.49	289.27	5.37	1000.00
130000	5.68	3.14	5.18	1.78	35.35	0.29	0.12	0.12	0.00	36.98	48.18	134.48	278.81	3.96	1000.00
140000	5.71	3.13	5.07	1.71	43.86	0.40	0.12	0.12	0.00	37.15	48.17	134.37	189.56	3.85	1000.00
150000	5.74	3.14	5.11	1.72	35.55	0.43	0.12	0.12	0.00	36.87	48.17	134.37	187.76	4.30	1000.00
160000	5.67	3.11	5.14	1.79	27.53	0.41	0.12	0.12	0.00	36.25	48.16	134.28	102.55	5.95	1000.00
170000	5.73	3.11	5.13	1.76	23.21	0.44	0.12	0.12	0.00	35.31	48.15	134.25	51.03	7.92	1000.00
180000	5.74	3.09	5.12	1.75	29.77	0.37	0.12	0.12	0.00	34.58	48.15	134.23	53.57	14.12	1000.00
190000	5.81	3.08	5.14	1.83	27.22	0.35	0.12	0.12	0.00	34.28	48.15	134.22	39.58	5.06	1000.00
200000	5.77	3.15	5.11	1.70	21.64	0.37	0.12	0.12	0.00	33.76	48.16	134.30	144.64	0.34	1000.00
210000	5.65	3.13	5.15	1.79	26.42	0.40	0.12	0.12	0.00	33.95	48.14	134.21	24.78	5.90	1000.00
220000	5.66	3.12	5.16	1.82	19.00	0.41	0.12	0.12	0.00	33.07	48.16	134.33	167.66	0.13	1000.00
230000	5.67	3.14	5.14	1.74	19.70	0.40	0.12	0.12	0.00	32.70	48.16	134.35	194.22	0.09	1000.00
極大值	5.81	3.15	5.18	1.83	44.55	0.44	0.12	0.12	0.00	37.15	48.18	134.49	289.27	14.12	1000.00
極小值	5.55	3.06	5.07	1.70	12.28	0.29	0.12	0.12	0.00	31.56	48.14	134.21	24.78	0.08	1000.00
平均值	5.66	3.12	5.13	1.77	24.29	0.38	0.12	0.12	0.00	34.24	48.16	134.32	142.82	3.79	1000.00
標準差	0.06	0.03	0.03	0.04	10.63	0.04	0	0	0	2.03	0.01	0.08	81.08	3.26	0

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.70	3.08	5.10	1.77	17.57	0.37	0.12	0.12	0.00	32.38	48.14	134.20	42.53	0.34	1000.00
010000	5.67	3.13	5.16	1.81	14.42	0.32	0.12	0.12	0.00	32.29	48.16	134.33	183.37	0.15	1000.00
020000	5.71	3.14	5.13	1.76	13.00	0.30	0.12	0.12	0.00	32.28	48.15	134.26	109.30	1.09	1000.00
030000	5.64	3.14	5.15	1.77	14.56	0.34	0.12	0.12	0.00	31.94	48.14	134.21	76.11	2.43	1000.00
040000	5.65	3.07	5.13	1.81	14.50	0.37	0.11	0.11	0.00	31.88	48.15	134.26	109.35	3.46	1000.00
050000	5.69	3.12	5.12	1.77	12.20	0.42	0.11	0.11	0.00	31.85	48.14	134.20	34.81	10.24	1000.00
060000	5.63	3.11	5.09	1.74	13.32	0.40	0.12	0.12	0.00	32.28	48.14	134.19	52.70	8.66	1000.00
070000	5.62	3.14	5.11	1.73	16.25	0.38	0.12	0.12	0.00	33.54	48.14	134.19	43.02	6.54	1000.00
080000	5.61	3.06	5.10	1.80	24.29	0.34	0.12	0.12	0.00	34.72	48.14	134.21	56.91	7.85	1000.00
090000	5.64	3.17	5.17	1.78	31.33	0.32	0.12	0.12	0.00	35.72	48.15	134.27	129.49	3.97	1000.00
100000	5.66	3.12	5.12	1.78	42.26	0.32	0.12	0.12	0.00	35.91	48.17	134.42	254.54	3.58	1000.00
110000	5.64	3.12	5.09	1.73	52.40	0.32	0.12	0.12	0.00	35.60	48.18	134.49	292.29	7.26	1000.00
120000	5.62	3.14	5.12	1.76	51.29	0.32	0.12	0.12	0.00	35.49	48.18	134.48	289.02	8.25	1000.00
130000	5.61	3.11	5.08	1.73	48.38	0.32	0.12	0.12	0.00	35.53	48.19	134.50	306.24	7.62	1000.00
140000	5.59	3.11	5.11	1.78	46.50	0.31	0.12	0.12	0.00	35.02	48.18	134.49	294.18	6.72	1000.00
150000	5.69	3.12	5.15	1.79	40.98	0.30	0.12	0.12	0.00	34.16	48.18	134.49	302.30	4.98	1000.00
160000	5.68	3.15	5.16	1.77	38.18	0.36	0.12	0.12	0.00	34.06	48.18	134.44	251.83	4.85	1000.00
170000	5.56	3.15	5.16	1.77	35.47	0.39	0.12	0.12	0.00	33.97	48.16	134.33	149.30	2.52	1000.00
180000	5.63	3.18	5.19	1.77	35.51	0.39	0.12	0.12	0.00	33.57	48.15	134.23	50.39	10.48	1000.00
190000	5.54	3.16	5.12	1.74	30.85	0.38	0.11	0.11	0.00	33.05	48.15	134.24	77.47	6.04	1000.00
200000	5.62	3.07	5.07	1.79	25.26	0.38	0.12	0.12	0.00	32.84	48.17	134.38	221.99	0.08	1000.00
210000	5.63	3.13	5.08	1.72	23.40	0.39	0.12	0.12	0.00	32.73	48.16	134.36	201.91	1.09	1000.00
220000	5.59	3.12	5.09	1.75	20.13	0.41	0.11	0.11	0.00	32.54	48.15	134.22	48.18	7.81	1000.00
230000	5.60	3.11	5.08	1.74	16.97	0.43	0.11	0.11	0.00	32.22	48.16	134.30	131.67	6.66	1000.00
極大值	5.71	3.18	5.19	1.81	52.40	0.43	0.12	0.12	0.00	35.91	48.19	134.50	306.24	10.48	1000.00
極小值	5.54	3.06	5.07	1.72	12.20	0.30	0.11	0.11	0.00	31.85	48.14	134.19	34.81	0.08	1000.00
平均值	5.63	3.12	5.12	1.76	28.29	0.36	0.12	0.12	0.00	33.57	48.16	134.32	154.54	5.11	1000.00
標準差	0.04	0.03	0.03	0.03	13.53	0.04	0	0	0	1.4	0.02	0.11	99.4	3.21	0

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.64	3.05	5.08	1.78	17.10	0.42	0.11	0.11	0.00	32.14	48.15	134.27	117.40	4.22	1000.00
010000	5.62	3.09	5.07	1.74	14.67	0.40	0.11	0.11	0.00	32.02	48.14	134.21	61.81	6.93	1000.00
020000	5.59	3.10	5.14	1.78	16.33	0.38	0.11	0.11	0.00	31.98	48.14	134.20	37.23	9.04	1000.00
030000	5.58	3.15	5.17	1.77	15.82	0.35	0.11	0.11	0.00	32.01	48.15	134.23	85.04	5.71	1000.00
040000	5.59	3.18	5.13	1.70	15.83	0.35	0.12	0.12	0.00	31.93	48.15	134.26	109.10	5.37	1000.00
050000	5.55	3.08	5.12	1.79	16.40	0.36	0.12	0.12	0.00	31.89	48.15	134.27	130.81	1.33	1000.00
060000	5.63	3.09	5.08	1.75	14.39	0.36	0.11	0.11	0.00	32.31	48.14	134.21	65.78	4.52	1000.00
070000	5.58	3.17	5.11	1.72	18.31	0.36	0.12	0.12	0.00	33.34	48.14	134.21	69.95	7.43	1000.00
080000	5.61	3.07	5.06	1.75	24.74	0.39	0.12	0.12	0.00	34.09	48.14	134.18	49.56	7.31	1000.00
090000	5.59	3.06	5.09	1.78	28.04	0.38	0.12	0.12	0.00	35.23	48.15	134.27	139.37	2.39	1000.00
100000	5.56	3.16	5.13	1.74	32.07	0.31	0.12	0.12	0.00	35.83	48.17	134.41	246.16	2.60	1000.00
110000	5.59	3.10	5.11	1.78	37.65	0.32	0.12	0.12	0.00	36.02	48.18	134.46	277.26	6.10	1000.00
120000	5.62	3.17	5.11	1.68	44.52	0.31	0.12	0.12	0.00	36.03	48.18	134.47	284.98	8.80	1000.00
130000	5.70	3.11	5.15	1.80	33.94	0.28	0.12	0.12	0.00	35.90	48.18	134.48	302.11	6.28	1000.00
140000	5.63	3.21	5.17	1.73	24.17	0.26	0.12	0.12	0.00	35.46	48.19	134.49	301.88	7.15	1000.00
150000	5.55	3.16	5.14	1.72	32.05	0.29	0.12	0.12	0.00	34.97	48.18	134.50	302.50	6.48	1000.00
160000	5.56	3.14	5.11	1.71	33.50	0.33	0.12	0.12	0.00	34.51	48.18	134.48	294.97	5.93	1000.00
170000	5.68	3.15	5.16	1.76	26.45	0.33	0.12	0.12	0.00	34.29	48.17	134.41	236.03	2.77	1000.00
180000	5.56	3.14	5.17	1.79	20.79	0.34	0.12	0.12	0.00	33.91	48.16	134.32	161.34	1.03	1000.00
190000	5.72	3.09	5.07	1.72	26.83	0.34	0.12	0.12	0.00	33.19	48.15	134.25	52.72	12.10	1000.00
200000	5.63	3.09	5.15	1.81	27.12	0.32	0.11	0.11	0.00	32.55	48.14	134.21	31.19	12.63	1000.00
210000	5.58	3.13	5.11	1.75	23.94	0.31	0.11	0.11	0.00	32.62	48.14	134.19	45.19	6.67	1000.00
220000	5.59	3.14	5.09	1.70	22.51	0.34	0.11	0.11	0.00	32.65	48.14	134.18	32.13	9.51	1000.00
230000	5.67	3.15	5.12	1.74	19.00	0.35	0.11	0.11	0.00	32.44	48.14	134.18	32.46	6.88	1000.00
極大值	5.72	3.21	5.17	1.81	44.52	0.42	0.12	0.12	0.00	36.03	48.19	134.50	302.50	12.63	1000.00
極小值	5.55	3.05	5.06	1.68	14.39	0.26	0.11	0.11	0.00	31.89	48.14	134.18	31.19	1.03	1000.00
平均值	5.61	3.12	5.12	1.75	24.42	0.34	0.12	0.12	0.00	33.64	48.16	134.31	144.46	6.22	1000.00
標準差	0.05	0.04	0.03	0.04	8.1	0.04	0	0	0	1.52	0.02	0.12	105.24	2.98	0

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.58	3.13	5.09	1.72	17.27	0.36	0.11	0.11	0.00	32.39	48.15	134.29	121.74	2.76	1000.00
010000	5.61	3.11	5.08	1.74	17.07	0.37	0.11	0.11	0.00	32.35	48.14	134.19	52.23	8.70	1000.00
020000	5.57	3.08	5.11	1.80	16.02	0.33	0.11	0.11	0.00	32.27	48.14	134.17	28.51	9.54	1000.00
030000	5.56	3.07	5.10	1.78	16.27	0.32	0.11	0.11	0.00	32.13	48.14	134.17	28.09	11.60	1000.00
040000	5.62	3.07	5.08	1.75	13.77	0.34	0.11	0.11	0.00	31.92	48.16	134.34	206.45	0.91	1000.00
050000	5.59	3.14	5.08	1.67	12.74	0.39	0.11	0.11	0.00	31.87	48.15	134.22	74.54	2.31	1000.00
060000	5.58	3.07	5.08	1.77	13.50	0.38	0.11	0.11	0.00	32.07	48.15	134.25	122.34	1.72	1000.00
070000	5.56	3.05	5.08	1.76	13.06	0.35	0.11	0.11	0.00	33.02	48.18	134.42	260.52	0.07	1000.00
080000	5.66	3.12	5.16	1.80	15.12	0.33	0.12	0.12	0.00	33.68	48.15	134.22	91.22	0.79	1000.00
090000	5.54	3.18	5.14	1.71	19.09	0.29	0.12	0.12	0.00	34.54	48.14	134.20	68.97	5.08	1000.00
100000	5.56	3.15	5.19	1.79	22.98	0.27	0.12	0.12	0.00	35.39	48.15	134.21	73.15	6.52	1000.00
110000	5.56	3.15	5.08	1.68	33.40	0.29	0.12	0.12	0.00	35.64	48.17	134.41	253.66	5.28	1000.00
120000	5.65	3.12	5.25	1.88	45.01	0.28	0.12	0.12	0.00	35.37	48.18	134.45	279.51	9.63	1000.00
130000	5.60	3.18	5.17	1.75	46.02	0.27	0.12	0.12	0.00	35.04	48.18	134.44	282.26	10.10	1000.00
140000	5.56	3.13	5.12	1.76	39.53	0.27	0.12	0.12	0.00	34.44	48.18	134.48	302.88	5.24	1000.00
150000	5.61	3.14	5.12	1.71	27.48	0.28	0.12	0.12	0.00	32.54	48.16	134.31	134.65	7.18	1000.00
160000	5.67	3.04	5.11	1.83	21.63	0.27	0.12	0.12	0.00	31.70	48.18	134.45	280.40	3.58	1000.00
170000	5.64	3.12	5.13	1.75	23.07	0.29	0.11	0.11	0.00	30.97	48.16	134.32	101.88	17.35	1000.00
180000	5.71	3.06	5.09	1.76	22.51	0.30	0.11	0.11	0.00	30.27	48.15	134.22	71.69	11.00	1000.00
190000	5.65	3.08	5.12	1.80	19.39	0.29	0.11	0.11	0.00	30.35	48.16	134.32	170.27	2.19	1000.00
200000	5.53	3.03	5.12	1.82	19.08	0.29	0.11	0.11	0.00	30.48	48.14	134.21	61.63	6.79	1000.00
210000	5.63	3.15	5.12	1.72	18.43	0.31	0.11	0.11	0.00	30.52	48.15	134.22	74.18	9.94	1000.00
220000	5.61	3.06	5.08	1.80	14.91	0.32	0.11	0.11	0.00	30.50	48.16	134.30	156.39	1.96	1000.00
230000	5.55	3.11	5.07	1.72	15.42	0.32	0.11	0.11	0.00	30.67	48.15	134.23	78.66	4.17	1000.00
極大值	5.71	3.18	5.25	1.88	46.02	0.39	0.12	0.12	0.00	35.64	48.18	134.48	302.88	17.35	1000.00
極小值	5.53	3.03	5.07	1.67	12.74	0.27	0.11	0.11	0.00	30.27	48.14	134.17	28.09	0.07	1000.00
平均值	5.60	3.11	5.12	1.76	21.78	0.31	0.11	0.11	0.00	32.50	48.16	134.29	140.66	6.02	1000.00
標準差	0.05	0.04	0.04	0.05	9.72	0.04	0	0	0	1.76	0.01	0.1	90.61	4.3	0

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.60	3.11	5.10	1.74	14.13	0.33	0.11	0.11	0.00	30.73	48.15	134.21	76.32	1.12	1000.00
010000	5.59	3.13	5.12	1.72	13.95	0.33	0.11	0.11	0.00	30.65	48.17	134.36	209.34	0.07	1000.00
020000	5.53	3.12	5.13	1.74	13.16	0.32	0.11	0.11	0.00	30.69	48.14	134.20	59.88	2.63	1000.00
030000	5.52	3.13	5.12	1.74	12.79	0.30	0.11	0.11	0.00	30.68	48.14	134.18	37.19	5.84	1000.00
040000	5.61	3.10	5.10	1.74	12.96	0.32	0.11	0.11	0.00	30.69	48.14	134.18	44.17	6.29	1000.00
050000	5.53	3.09	5.12	1.79	13.08	0.35	0.11	0.11	0.00	30.74	48.15	134.25	130.19	1.51	1000.00
060000	5.51	3.13	5.11	1.73	12.65	0.32	0.11	0.11	0.00	30.92	48.15	134.25	111.16	0.27	1000.00
070000	5.56	3.12	5.14	1.77	12.62	0.32	0.11	0.11	0.00	31.46	48.14	134.17	51.32	1.67	1000.00
080000	5.64	3.11	5.09	1.75	12.44	0.35	0.11	0.11	0.00	31.76	48.14	134.17	50.45	4.73	1000.00
090000	5.63	3.14	5.15	1.79	12.09	0.42	1.57	-0.80	2.37	32.11	48.16	134.30	67.09	3.49	1000.00
100000	5.57	3.13	5.13	1.75	13.47	0.38	2.44	0.25	2.19	32.15	48.17	134.37	69.24	2.94	1000.00
110000	5.57	3.12	5.14	1.80	16.28	0.34	2.32	0.24	2.08	32.13	25.73	76.45	57.37	11.49	82.85
120000	5.56	3.14	5.16	1.79	18.62	0.33	2.36	0.24	2.12	32.14	24.00	72.00	40.24	15.43	12.95
130000	5.61	3.19	5.15	1.69	19.87	0.36	2.37	0.24	2.13	32.62	24.00	72.00	74.12	13.55	11.42
140000	5.54	3.13	5.14	1.74	21.21	0.37	2.33	0.24	2.09	33.31	24.00	72.00	49.49	10.48	20.30
150000	5.63	3.12	5.10	1.73	23.98	0.35	2.30	0.25	2.05	33.74	24.00	72.00	84.44	5.63	16.09
160000	5.64	3.10	5.10	1.74	26.94	0.33	2.32	0.26	2.06	33.78	24.00	72.00	90.46	3.01	14.14
170000	5.61	3.12	5.10	1.73	28.22	0.36	2.40	0.28	2.12	33.59	24.00	72.00	209.49	1.15	19.50
180000	5.55	3.10	5.10	1.74	39.14	0.40	2.45	0.33	2.12	32.99	24.00	72.00	288.05	5.05	24.64
190000	5.56	3.11	5.11	1.76	37.29	0.43	2.42	0.34	2.08	32.71	24.00	72.00	276.13	4.17	37.72
200000	5.65	3.11	5.13	1.76	21.65	0.41	2.56	0.37	2.19	32.24	24.00	72.00	278.96	0.31	36.43
210000	5.65	3.11	5.13	1.76	19.43	0.36	2.71	0.26	2.45	32.03	24.00	72.00	121.82	1.30	28.77
220000	5.69	3.08	5.10	1.76	16.70	0.34	2.77	0.24	2.53	31.76	24.00	72.00	115.37	1.80	18.92
230000	5.70	3.10	5.13	1.77	16.99	0.34	2.49	0.25	2.24	31.62	24.00	72.00	143.92	2.61	20.45
極大值	5.70	3.19	5.16	1.80	39.14	0.43	2.77	0.37	2.53	33.78	48.17	134.37	288.05	15.43	1000.00
極小值	5.51	3.08	5.09	1.69	12.09	0.30	0.11	-0.80	0.00	30.65	24.00	72.00	37.19	0.07	11.42
平均值	5.59	3.12	5.12	1.75	18.74	0.35	1.53	0.17	1.37	31.97	35.14	100.71	114.01	4.44	472.67
標準差	0.05	0.02	0.02	0.03	7.62	0.03	1.15	0.22	1.09	1.03	12.23	31.52	79.77	4.26	495.69

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.64	3.16	5.12	1.70	16.11	0.34	2.37	0.25	2.12	31.58	24.00	72.00	189.59	1.19	19.24
010000	5.68	3.15	5.14	1.75	14.61	0.35	2.57	0.25	2.32	31.53	46.54	130.20	79.17	3.27	933.51
020000	5.66	3.15	5.13	1.73	13.85	0.35	2.74	0.25	2.49	31.51	25.67	76.32	112.06	2.81	90.19
030000	5.68	3.06	5.04	1.75	14.00	0.34	2.72	0.26	2.46	31.49	24.00	72.00	89.71	3.92	24.11
040000	5.59	3.13	5.12	1.72	12.63	0.34	2.75	0.25	2.50	31.30	24.00	72.00	201.00	1.71	18.35
050000	5.77	3.13	5.13	1.76	12.01	0.34	2.90	0.25	2.65	31.27	24.00	72.00	49.40	4.50	22.00
060000	5.75	3.13	5.14	1.75	11.67	0.36	2.81	0.27	2.54	31.56	24.00	72.00	233.60	0.88	21.85
070000	5.64	3.08	5.12	1.81	13.69	0.39	2.67	0.27	2.40	32.48	24.00	72.00	43.37	5.78	21.81
080000	5.59	3.11	5.13	1.77	17.54	0.41	2.54	0.28	2.26	34.06	24.00	72.00	140.43	1.95	20.68
090000	5.64	3.11	5.15	1.79	26.61	0.42	2.52	0.32	2.20	34.77	24.00	72.00	133.38	1.96	28.61
100000	5.63	3.11	5.11	1.75	36.23	0.51	2.55	0.33	2.22	35.32	24.00	72.00	218.31	2.54	36.44
110000	5.64	3.04	5.11	1.83	48.36	0.57	2.55	0.37	2.18	35.54	24.00	72.00	209.62	2.78	75.40
120000	5.67	3.12	5.11	1.74	54.60	0.81	2.48	0.36	2.12	35.08	24.00	72.00	292.42	5.71	54.15
130000	5.71	3.13	5.14	1.77	40.59	0.91	2.50	0.36	2.14	34.81	24.00	72.00	298.86	5.09	47.27
140000	5.65	3.15	5.18	1.78	30.35	0.66	2.52	0.39	2.13	35.00	24.00	72.00	294.60	5.14	72.14
150000	5.61	3.13	5.12	1.76	28.78	0.51	2.41	0.33	2.08	34.63	24.00	72.00	248.14	2.08	66.68
160000	5.73	3.17	5.18	1.77	18.10	0.48	2.42	0.36	2.06	34.37	24.00	72.00	290.35	3.85	29.75
170000	5.69	3.09	5.08	1.74	24.18	0.48	2.31	0.29	2.02	33.92	24.00	72.00	291.94	4.02	78.11
180000	5.69	3.11	5.10	1.73	22.39	0.39	2.28	0.25	2.03	33.55	24.00	72.00	292.44	2.92	26.95
190000	5.70	3.09	5.12	1.77	19.13	0.56	2.42	0.31	2.11	33.30	24.00	72.00	297.72	1.58	22.79
200000	5.70	3.14	5.12	1.73	16.84	0.42	2.45	0.29	2.16	32.79	24.00	72.00	176.05	0.50	18.17
210000	5.74	3.09	5.13	1.79	13.91	0.41	2.58	0.29	2.29	32.24	24.00	72.00	114.74	1.30	14.55
220000	5.72	3.08	5.10	1.78	14.20	0.47	2.54	0.27	2.27	31.98	24.00	72.00	144.13	0.59	34.09
230000	5.81	3.13	5.18	1.81	13.75	0.53	2.80	0.29	2.51	31.81	24.00	72.00	122.13	0.99	28.96
極大值	5.81	3.17	5.18	1.83	54.60	0.91	2.90	0.39	2.65	35.54	46.54	130.20	298.86	5.78	933.51
極小值	5.59	3.04	5.04	1.70	11.67	0.34	2.28	0.25	2.02	31.27	24.00	72.00	43.37	0.50	14.55
平均值	5.68	3.12	5.12	1.76	22.26	0.47	2.56	0.30	2.26	33.16	25.01	74.60	190.13	2.79	75.24
標準差	0.06	0.03	0.03	0.03	11.97	0.15	0.16	0.04	0.18	1.52	4.6	11.87	86.06	1.64	184.19

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.64	3.06	5.08	1.77	13.36	0.55	2.94	0.30	2.64	31.73	24.00	72.00	85.46	2.66	33.86
010000	5.67	3.14	5.11	1.72	12.14	0.52	2.87	0.29	2.58	31.49	46.43	129.96	137.88	3.01	929.77
020000	5.73	3.08	5.10	1.78	12.89	0.48	2.69	0.30	2.39	31.32	25.64	76.24	49.03	3.56	92.69
030000	5.71	3.12	5.13	1.76	12.19	0.44	2.75	0.29	2.46	31.47	24.00	72.00	59.90	7.90	30.14
040000	5.68	3.10	5.16	1.81	12.52	0.42	2.76	0.29	2.47	31.28	24.00	72.00	61.05	6.18	28.06
050000	5.59	3.10	5.16	1.83	13.08	0.37	2.76	0.27	2.49	31.27	24.00	72.00	50.43	9.14	22.60
060000	5.68	3.05	5.10	1.79	11.96	0.44	3.26	0.28	2.98	31.51	24.00	72.00	45.02	8.89	24.55
070000	5.67	3.06	5.13	1.81	14.23	0.47	2.99	0.29	2.70	33.01	24.00	72.00	30.15	7.27	32.72
080000	5.70	3.14	5.11	1.71	21.56	0.35	2.51	0.26	2.25	34.17	24.00	72.00	51.62	12.56	25.57
090000	5.68	3.15	5.13	1.74	28.68	0.31	2.36	0.26	2.10	34.87	24.00	72.00	67.11	9.29	25.94
100000	5.66	3.16	5.20	1.81	30.54	0.29	2.30	0.26	2.04	35.48	24.00	72.00	196.21	4.01	18.70
110000	5.66	3.13	5.11	1.76	50.06	0.32	2.33	0.30	2.03	35.38	24.00	72.00	286.01	7.57	29.97
120000	5.60	3.10	5.12	1.78	56.43	0.43	2.30	0.28	2.02	35.58	24.00	72.00	291.49	7.22	46.48
130000	5.54	3.17	5.13	1.73	52.77	0.34	2.25	0.26	1.99	35.45	24.00	72.00	294.06	8.87	34.29
140000	5.70	3.18	5.14	1.71	44.54	0.76	2.26	0.27	1.99	35.29	24.00	72.00	305.86	6.91	81.90
150000	5.57	3.14	5.12	1.74	33.63	0.58	2.27	0.26	2.01	34.84	24.00	72.00	292.06	8.42	58.96
160000	5.68	3.08	5.15	1.80	30.58	0.42	2.27	0.25	2.02	34.64	24.00	72.00	293.72	4.90	57.74
170000	5.73	3.18	5.16	1.72	25.18	0.54	2.31	0.28	2.03	34.40	24.00	72.00	285.93	3.82	32.64
180000	5.75	3.07	5.12	1.81	19.83	0.60	2.33	0.28	2.05	33.99	24.00	72.00	287.53	2.69	17.96
190000	5.66	3.12	5.09	1.75	16.81	0.42	2.32	0.27	2.05	33.87	24.00	72.00	285.08	2.68	16.07
200000	5.67	3.11	5.13	1.76	19.98	0.29	2.37	0.30	2.07	33.72	24.00	72.00	283.55	1.68	17.77
210000	5.64	3.15	5.16	1.76	16.58	0.30	2.41	0.26	2.15	33.08	24.00	72.00	225.35	0.11	14.08
220000	5.62	3.13	5.12	1.73	17.22	0.35	2.60	0.24	2.36	32.54	24.00	72.00	126.57	1.44	18.09
230000	5.65	3.11	5.14	1.79	16.40	0.36	2.62	0.23	2.39	32.14	24.00	72.00	216.42	0.49	20.91
極大值	5.75	3.18	5.20	1.83	56.43	0.76	3.26	0.30	2.98	35.58	46.43	129.96	305.86	12.56	929.77
極小值	5.54	3.05	5.08	1.71	11.96	0.29	2.25	0.23	1.99	31.27	24.00	72.00	30.15	0.11	14.08
平均值	5.66	3.12	5.13	1.77	24.30	0.43	2.53	0.27	2.26	33.44	25.00	74.59	179.48	5.47	71.31
標準差	0.05	0.04	0.03	0.04	13.89	0.12	0.28	0.02	0.28	1.59	4.58	11.83	108.78	3.31	183.97

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.61	3.17	5.08	1.66	14.48	0.35	2.45	0.23	2.22	31.99	24.00	72.00	91.75	1.08	18.13
010000	5.61	3.14	5.13	1.74	13.85	0.34	2.32	0.23	2.09	31.83	46.89	131.12	107.08	0.18	947.39
020000	5.65	3.09	5.12	1.82	13.33	0.33	2.33	0.24	2.09	31.80	25.70	76.38	104.81	0.17	89.58
030000	5.54	3.16	5.13	1.74	12.16	0.34	2.70	0.24	2.46	31.81	24.00	72.00	87.03	4.49	17.92
040000	5.62	3.14	5.15	1.78	12.52	0.35	2.86	0.24	2.62	31.75	24.00	72.00	50.49	6.17	21.99
050000	5.57	3.11	5.10	1.76	11.34	0.36	3.09	0.25	2.84	31.67	24.00	72.00	203.97	1.76	21.66
060000	5.56	3.16	5.08	1.69	11.87	0.37	3.45	0.25	3.20	32.22	24.00	72.00	87.12	4.67	17.52
070000	5.58	3.12	5.11	1.76	15.26	0.37	2.82	0.27	2.55	33.52	24.00	72.00	46.25	9.30	23.99
080000	5.53	3.13	5.13	1.76	22.09	0.31	2.43	0.26	2.17	34.50	24.00	72.00	32.80	8.54	24.22
090000	5.68	3.21	5.23	1.79	25.40	0.28	2.31	0.25	2.06	34.87	24.00	72.00	83.66	5.71	19.27
100000	5.64	3.20	5.19	1.77	27.66	0.29	2.28	0.25	2.03	35.26	24.00	72.00	258.46	4.57	16.42
110000	5.55	3.13	5.15	1.79	37.88	0.31	2.36	0.26	2.10	34.49	24.00	72.00	294.14	4.72	51.61
120000	5.59	3.12	5.18	1.80	42.31	0.32	2.34	0.26	2.08	34.68	24.00	72.00	292.54	6.94	41.47
130000	5.57	3.13	5.14	1.78	32.21	0.27	2.25	0.28	1.97	34.71	24.00	72.00	293.95	5.92	62.47
140000	5.57	3.11	5.13	1.78	31.07	0.26	2.19	0.24	1.95	34.76	24.00	72.00	283.42	8.31	38.89
150000	5.64	3.14	5.13	1.73	31.43	0.25	2.18	0.22	1.96	34.95	24.00	72.00	286.16	7.34	20.41
160000	5.61	3.19	5.16	1.71	27.49	0.27	2.18	0.22	1.96	34.50	24.00	72.00	291.44	4.77	13.36
170000	5.60	3.13	5.12	1.75	21.52	0.44	2.22	0.24	1.98	34.21	24.00	72.00	277.65	3.45	11.93
180000	5.61	3.10	5.12	1.75	15.55	0.55	2.31	0.26	2.05	33.98	24.00	72.00	169.48	2.89	21.58
190000	5.53	3.11	5.12	1.77	17.17	0.33	2.45	0.23	2.22	33.62	24.00	72.00	24.94	9.49	22.77
200000	5.54	3.15	5.09	1.71	15.16	0.32	2.58	0.26	2.32	33.34	24.00	72.00	112.78	1.82	18.96
210000	5.56	3.10	5.05	1.73	13.79	0.33	2.54	0.26	2.28	33.24	24.00	72.00	276.81	0.07	20.74
220000	5.65	3.14	5.11	1.74	12.97	0.35	2.49	0.26	2.23	32.97	24.00	72.00	136.18	0.11	18.13
230000	5.53	3.07	5.08	1.76	11.78	0.37	2.50	0.27	2.23	32.78	24.00	72.00	85.31	0.18	17.93
極大值	5.68	3.21	5.23	1.82	42.31	0.55	3.45	0.28	3.20	35.26	46.89	131.12	294.14	9.49	947.39
極小值	5.53	3.07	5.05	1.66	11.34	0.25	2.18	0.22	1.95	31.67	24.00	72.00	24.94	0.07	11.93
平均值	5.59	3.14	5.13	1.75	20.43	0.34	2.48	0.25	2.24	33.48	25.02	74.65	165.76	4.28	65.76
標準差	0.04	0.03	0.04	0.04	9.25	0.06	0.31	0.02	0.31	1.23	4.67	12.06	101.09	3.11	188.64

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.59	3.11	5.09	1.75	12.14	0.36	2.70	0.27	2.43	32.67	24.00	72.00	148.27	0.07	21.36
010000	5.53	3.11	5.04	1.70	12.39	0.34	2.71	0.24	2.47	32.63	46.56	130.34	171.70	0.08	933.67
020000	5.50	3.16	5.13	1.73	12.35	0.31	2.68	0.23	2.45	32.42	25.61	76.18	185.88	0.07	82.07
030000	5.48	3.08	5.10	1.76	12.48	0.29	2.91	0.21	2.70	32.26	24.00	72.00	65.02	0.07	13.47
040000	5.50	3.13	5.13	1.75	12.17	0.29	3.04	0.21	2.83	32.14	24.00	72.00	33.90	0.28	16.28
050000	5.55	3.09	5.11	1.78	11.86	0.30	2.57	0.22	2.35	32.09	24.00	72.00	49.79	0.65	16.68
060000	5.58	3.12	5.16	1.77	11.66	0.31	2.63	0.23	2.40	32.31	24.00	72.00	54.03	1.07	22.15
070000	5.42	3.10	5.12	1.76	12.88	0.31	2.44	0.23	2.21	32.96	24.00	72.00	125.10	0.27	22.53
080000	5.64	3.08	5.10	1.79	14.95	0.30	2.32	0.24	2.08	33.73	24.00	72.00	240.39	0.74	20.08
090000	5.56	3.05	5.08	1.81	18.66	0.30	2.40	0.25	2.15	33.98	24.00	72.00	268.67	1.81	18.97
100000	5.52	3.14	5.11	1.73	27.17	0.31	2.25	0.25	2.00	35.01	24.00	72.00	271.82	2.83	23.18
110000	5.57	3.12	5.09	1.73	34.07	0.32	2.21	0.25	1.96	35.47	24.00	72.00	288.64	4.84	23.50
120000	5.52	3.14	5.17	1.76	37.81	0.29	2.21	0.25	1.96	35.70	24.00	72.00	295.80	4.89	20.60
130000	5.54	3.12	5.10	1.72	40.54	0.29	2.29	0.33	1.96	35.23	24.00	72.00	292.14	6.75	16.09
140000	5.49	3.13	5.12	1.72	32.90	0.29	2.18	0.22	1.96	35.14	24.00	72.00	293.38	7.31	16.64
150000	5.52	3.12	5.15	1.78	31.54	0.28	2.18	0.22	1.96	34.51	24.00	72.00	200.75	8.58	10.77
160000	5.53	3.17	5.16	1.73	20.17	0.28	2.20	0.23	1.97	33.17	24.00	72.00	103.71	6.08	19.68
170000	5.56	3.11	5.10	1.76	22.32	0.28	2.22	0.23	1.99	33.83	24.00	72.00	246.88	1.21	9.05
180000	5.55	3.16	5.14	1.73	21.66	0.33	2.26	0.24	2.02	33.80	24.00	72.00	282.74	0.97	10.00
190000	5.52	3.06	5.05	1.77	23.57	0.31	2.25	0.23	2.02	33.69	24.00	72.00	287.88	1.56	15.80
200000	5.65	3.17	5.19	1.76	24.85	0.27	2.20	0.22	1.98	33.61	24.00	72.00	264.00	1.19	6.94
210000	5.58	3.07	5.15	1.84	16.22	0.30	2.34	0.22	2.12	32.92	24.00	72.00	120.79	0.09	9.83
220000	5.55	3.13	5.14	1.78	14.32	0.32	2.30	0.22	2.08	32.65	24.00	72.00	158.86	0.79	16.72
230000	5.45	3.10	5.08	1.72	13.60	0.33	2.31	0.22	2.09	32.36	24.00	72.00	190.67	0.19	17.41
極大值	5.65	3.17	5.19	1.84	40.54	0.36	3.04	0.33	2.83	35.70	46.56	130.34	295.80	8.58	933.67
極小值	5.42	3.05	5.04	1.70	11.66	0.27	2.18	0.21	1.96	32.09	24.00	72.00	33.90	0.07	6.94
平均值	5.54	3.12	5.12	1.76	20.51	0.30	2.41	0.24	2.17	33.51	25.01	74.60	193.37	2.18	57.64
標準差	0.05	0.03	0.04	0.03	9.15	0.02	0.25	0.02	0.25	1.15	4.6	11.9	88.92	2.66	187.13