

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.06	3.82	8.65	4.82	4.80	0.00	2.38	0.16	2.22	0.00	26.04	74.00	0.00	0.00	319.38
010000	2.04	2.75	6.89	4.12	3.67	0.27	2.42	0.15	2.27	0.00	26.04	74.00	0.00	0.00	750.30
020000	2.05	3.86	7.83	3.96	3.51	0.28	2.58	0.14	2.44	0.00	26.04	74.00	0.00	0.00	19.74
030000	2.09	2.97	6.93	3.94	4.67	0.31	2.61	0.14	2.47	0.00	26.04	74.00	0.00	0.00	21.92
040000	2.09	3.43	7.59	4.13	3.25	0.00	2.66	0.14	2.52	0.00	26.04	74.00	0.00	0.00	23.22
050000	2.11	6.48	11.09	4.57	2.10	0.29	2.79	0.14	2.65	0.00	26.04	74.00	0.00	0.00	23.21
060000	2.14	5.69	10.73	5.02	2.41	0.30	2.76	0.14	2.62	0.00	26.04	74.00	0.00	0.00	26.64
070000	2.13	4.80	9.13	4.29	6.59	0.30	2.51	0.16	2.35	0.00	26.04	74.00	0.00	0.00	32.54
080000	2.18	3.59	7.14	3.53	15.41	0.30	2.43	0.17	2.26	0.00	26.04	74.00	0.00	0.00	30.73
090000	2.11	3.06	6.33	3.24	23.49	0.00	2.42	0.15	2.27	0.00	26.04	74.00	0.00	0.00	31.52
100000	2.15	2.59	5.12	2.53	31.26	0.30	2.37	0.17	2.20	0.00	26.04	74.00	0.00	0.00	33.07
110000	2.17	2.73	7.04	4.29	42.17	0.27	2.42	0.18	2.24	0.00	26.04	74.00	0.00	0.00	21.60
120000	2.23	2.95	9.03	6.08	44.28	0.31	2.44	0.24	2.20	0.00	26.04	74.00	0.00	0.00	33.23
130000	2.24	4.12	13.62	9.45	31.92	0.34	2.40	0.26	2.14	0.00	26.04	74.00	0.00	0.00	37.96
140000	2.38	3.43	13.26	9.78	36.53	0.31	2.40	0.24	2.16	0.00	26.04	74.00	0.00	0.00	29.53
150000	2.25	2.64	7.90	5.27	32.85	0.28	2.36	0.20	2.16	0.00	26.04	74.00	0.00	0.00	35.11
160000	2.16	2.79	7.72	4.96	29.76	0.22	2.34	0.20	2.14	0.00	26.04	74.00	0.00	0.00	27.66
170000	2.18	2.76	8.28	5.55	21.48	0.22	2.33	0.19	2.14	0.00	26.04	74.00	0.00	0.00	18.28
180000	2.17	2.53	8.04	5.54	17.30	0.00	2.35	0.21	2.14	0.00	26.04	74.00	0.00	0.00	19.32
190000	2.17	2.56	7.98	5.42	15.99	0.24	2.38	0.18	2.20	0.00	26.04	74.00	0.00	0.00	23.88
200000	2.19	2.56	9.41	6.83	12.68	0.23	2.49	0.23	2.26	0.00	26.04	74.00	0.00	0.00	31.99
210000	2.17	2.52	6.98	4.50	14.16	0.22	2.51	0.19	2.32	0.00	26.04	74.00	0.00	0.00	27.91
220000	2.15	2.62	6.68	4.06	13.44	0.00	2.45	0.16	2.29	0.00	26.04	74.00	0.00	0.00	19.02
230000	2.14	2.54	6.39	3.85	11.09	0.24	2.53	0.16	2.37	0.00	26.04	74.00	0.00	0.00	19.50
極大值	2.38	6.48	13.62	9.78	44.28	0.34	2.79	0.26	2.65	0.00	26.04	74.00	0.00	0.00	750.30
極小值	2.04	2.52	5.12	2.53	2.10	0.00	2.33	0.14	2.14	0.00	26.04	74.00	0.00	0.00	18.28
平均值	2.16	3.32	8.32	4.99	17.70	0.22	2.47	0.18	2.29	0.00	26.04	74.00	0.00	0.00	69.05
標準差	0.07	1.05	2.08	1.7	13.38	0.12	0.13	0.04	0.15	0	0	0	0	0	157.01

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.12	2.60	6.40	3.79	8.25	0.23	2.77	0.14	2.63	0.00	26.04	74.00	0.00	0.00	306.04
010000	2.09	2.75	8.02	5.25	4.51	0.23	2.73	0.13	2.60	0.00	26.04	74.00	0.00	0.00	699.66
020000	2.13	3.19	7.89	4.72	3.13	0.28	2.66	0.15	2.51	0.00	26.04	74.00	0.00	0.00	17.83
030000	2.12	3.34	8.01	4.67	3.27	0.24	2.66	0.15	2.51	0.00	26.04	74.00	0.00	0.00	23.34
040000	2.11	2.76	6.82	4.04	2.69	0.26	2.72	0.14	2.58	0.00	26.04	74.00	0.00	0.00	23.27
050000	2.07	2.81	6.58	3.76	2.97	0.23	2.76	0.14	2.62	0.00	26.04	74.00	0.00	0.00	26.14
060000	2.17	4.22	8.49	4.24	3.57	0.26	2.65	0.16	2.49	0.00	26.04	74.00	0.00	0.00	24.25
070000	2.12	4.56	9.53	4.91	5.85	0.27	2.59	0.18	2.41	0.00	26.04	74.00	0.00	0.00	21.98
080000	2.17	4.18	9.98	5.76	12.08	0.21	2.46	0.18	2.28	0.00	26.04	74.00	0.00	0.00	23.74
090000	2.19	3.92	9.78	5.82	18.01	0.27	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	24.13
100000	2.36	3.99	12.80	8.80	32.49	0.24	2.64	0.24	2.40	0.00	26.04	74.00	0.00	0.00	30.80
110000	2.43	3.23	11.91	8.65	38.68	0.23	2.57	0.26	2.31	0.00	26.04	74.00	0.00	0.00	40.05
120000	2.34	2.63	6.41	3.75	47.91	0.23	2.42	0.21	2.21	0.00	26.04	74.00	0.00	0.00	39.70
130000	2.21	2.68	6.57	3.85	36.86	0.22	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	27.13
140000	2.27	2.73	7.25	4.49	31.93	0.00	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	25.66
150000	2.33	2.76	6.97	4.17	36.24	0.22	2.44	0.19	2.25	0.00	26.04	74.00	0.00	0.00	27.60
160000	2.24	2.62	6.20	3.54	31.78	0.20	2.40	0.17	2.23	0.00	26.04	74.00	0.00	0.00	28.69
170000	2.21	2.53	7.02	4.44	26.71	0.24	2.40	0.17	2.23	0.00	26.04	74.00	0.00	0.00	20.88
180000	2.18	2.48	9.01	6.47	19.93	0.23	2.43	0.19	2.24	0.00	26.04	74.00	0.00	0.00	16.91
190000	2.17	2.71	11.02	8.28	16.04	0.26	2.49	0.19	2.30	0.00	26.04	74.00	0.00	0.00	19.07
200000	2.17	2.77	9.81	6.99	8.43	0.27	2.59	0.19	2.40	0.00	26.04	74.00	0.00	0.00	22.95
210000	2.20	2.53	8.26	5.70	6.41	0.25	2.64	0.18	2.46	0.00	26.04	74.00	0.00	0.00	24.66
220000	2.13	2.52	6.02	3.46	6.51	0.28	2.49	0.17	2.32	0.00	26.04	74.00	0.00	0.00	27.45
230000	2.13	2.61	7.58	4.92	4.34	0.22	2.53	0.16	2.37	0.00	26.04	74.00	0.00	0.00	22.42
極大值	2.43	4.56	12.80	8.80	47.91	0.28	2.77	0.26	2.63	0.00	26.04	74.00	0.00	0.00	699.66
極小值	2.07	2.48	6.02	3.46	2.69	0.00	2.37	0.13	2.19	0.00	26.04	74.00	0.00	0.00	16.91
平均值	2.19	3.05	8.26	5.19	17.02	0.23	2.55	0.18	2.38	0.00	26.04	74.00	0.00	0.00	65.18
標準差	0.09	0.64	1.87	1.6	14.41	0.05	0.13	0.03	0.14	0	0	0	0	0	146.87

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.17	2.64	7.43	4.74	4.33	0.00	2.53	0.16	2.37	0.00	26.04	74.00	0.00	0.00	321.37
010000	2.19	2.52	7.12	4.57	3.65	0.23	2.94	0.14	2.80	0.00	26.04	74.00	0.00	0.00	687.97
020000	2.19	2.80	7.29	4.45	2.90	0.24	2.83	0.15	2.68	0.00	26.04	74.00	0.00	0.00	28.95
030000	2.16	3.04	7.98	4.88	1.71	0.26	3.18	0.15	3.03	0.00	26.04	74.00	0.00	0.00	27.17
040000	2.11	3.37	7.51	4.09	1.78	0.25	3.51	0.12	3.39	0.00	26.04	74.00	0.00	0.00	22.85
050000	2.09	4.10	7.61	3.48	1.67	0.25	3.37	0.13	3.24	0.00	26.04	74.00	0.00	0.00	18.75
060000	2.15	5.79	8.56	2.76	1.77	0.29	3.09	0.14	2.95	0.00	26.04	74.00	0.00	0.00	22.29
070000	2.13	6.42	9.52	3.06	2.39	0.24	2.90	0.14	2.76	0.00	26.04	74.00	0.00	0.00	22.83
080000	2.14	4.03	7.40	3.34	9.19	0.23	2.60	0.17	2.43	0.00	26.04	74.00	0.00	0.00	22.55
090000	2.15	3.05	6.58	3.52	20.55	0.20	2.41	0.17	2.24	0.00	26.04	74.00	0.00	0.00	20.73
100000	2.14	2.84	6.07	3.25	28.70	0.23	2.38	0.18	2.20	0.00	26.04	74.00	0.00	0.00	21.94
110000	2.23	2.70	5.51	2.77	30.88	0.23	2.35	0.18	2.17	0.00	26.04	74.00	0.00	0.00	18.98
120000	2.26	2.54	5.96	3.37	45.01	0.00	2.38	0.18	2.20	0.00	26.04	74.00	0.00	0.00	16.77
130000	2.31	2.61	6.27	3.63	44.95	0.21	2.38	0.18	2.20	0.00	26.04	74.00	0.00	0.00	22.47
140000	2.23	2.84	6.55	3.64	34.16	0.22	2.35	0.19	2.16	0.00	26.04	74.00	0.00	0.00	24.49
150000	2.26	2.88	7.57	4.63	33.31	0.20	2.36	0.19	2.17	0.00	26.04	74.00	0.00	0.00	19.78
160000	2.23	3.56	12.39	8.80	26.96	0.21	2.39	0.21	2.18	0.00	26.04	74.00	0.00	0.00	20.79
170000	2.14	2.75	8.79	5.99	20.13	0.22	2.36	0.20	2.16	0.00	26.04	74.00	0.00	0.00	23.18
180000	2.11	2.57	7.40	4.80	15.65	0.23	2.36	0.17	2.19	0.00	26.04	74.00	0.00	0.00	20.87
190000	2.15	2.61	8.63	5.98	14.46	0.28	2.55	0.18	2.37	0.00	26.04	74.00	0.00	0.00	17.02
200000	2.19	2.63	8.29	5.65	16.36	0.00	2.59	0.19	2.40	0.00	26.04	74.00	0.00	0.00	18.93
210000	2.14	2.46	8.61	6.10	12.42	0.00	2.56	0.18	2.38	0.00	26.04	74.00	0.00	0.00	27.47
220000	2.11	2.66	7.84	5.17	8.62	0.22	2.54	0.18	2.36	0.00	26.04	74.00	0.00	0.00	35.57
230000	2.16	2.85	7.94	5.04	5.49	0.24	2.89	0.15	2.74	0.00	26.04	74.00	0.00	0.00	19.98
極大值	2.31	6.42	12.39	8.80	45.01	0.29	3.51	0.21	3.39	0.00	26.04	74.00	0.00	0.00	687.97
極小值	2.09	2.46	5.51	2.76	1.67	0.00	2.35	0.12	2.16	0.00	26.04	74.00	0.00	0.00	16.77
平均值	2.17	3.18	7.70	4.49	16.13	0.20	2.66	0.17	2.49	0.00	26.04	74.00	0.00	0.00	62.65
標準差	0.06	1.01	1.4	1.38	14.04	0.09	0.35	0.02	0.37	0	0	0	0	0	146.53

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.13	2.87	7.68	4.75	4.83	0.23	2.96	0.14	2.82	0.00	26.04	74.00	0.00	0.00	317.63
010000	2.11	2.81	7.67	4.83	3.32	0.26	3.11	0.14	2.97	0.00	26.04	74.00	0.00	0.00	700.35
020000	2.13	3.54	8.87	5.33	2.41	0.26	3.23	0.13	3.10	0.00	26.04	74.00	0.00	0.00	17.86
030000	2.12	3.18	8.31	5.13	2.33	0.23	3.09	0.14	2.95	0.00	26.04	74.00	0.00	0.00	19.35
040000	2.14	3.38	7.91	4.50	2.30	0.28	2.91	0.15	2.76	0.00	26.04	74.00	0.00	0.00	20.49
050000	2.14	3.63	8.06	4.39	2.02	0.26	3.09	0.19	2.90	0.00	26.04	74.00	0.00	0.00	19.00
060000	2.21	4.88	9.05	4.14	2.34	0.24	3.25	0.14	3.11	0.00	26.04	74.00	0.00	0.00	24.52
070000	2.22	6.80	11.37	4.54	2.62	0.24	3.08	0.17	2.91	0.00	26.04	74.00	0.00	0.00	26.15
080000	2.17	4.22	7.95	3.66	11.12	0.24	2.53	0.18	2.35	0.00	26.04	74.00	0.00	0.00	25.62
090000	2.20	3.59	7.62	3.98	22.21	0.24	2.41	0.19	2.22	0.00	26.04	74.00	0.00	0.00	21.20
100000	2.26	2.73	6.20	3.41	34.42	0.26	2.39	0.18	2.21	0.00	26.04	74.00	0.00	0.00	24.10
110000	2.31	2.59	5.82	3.17	43.21	0.22	2.41	0.20	2.21	0.00	26.04	74.00	0.00	0.00	22.78
120000	2.41	2.94	10.90	7.89	45.74	0.25	2.48	0.26	2.22	0.00	26.04	74.00	0.00	0.00	25.88
130000	2.41	3.09	10.23	7.08	44.06	0.25	2.46	0.25	2.21	0.00	26.04	74.00	0.00	0.00	30.19
140000	2.37	2.93	9.95	6.96	43.60	0.25	2.48	0.27	2.21	0.00	26.04	74.00	0.00	0.00	34.41
150000	2.38	2.69	10.67	7.94	45.13	0.25	2.45	0.22	2.23	0.00	26.04	74.00	0.00	0.00	36.41
160000	2.30	2.74	9.65	6.84	37.49	0.23	2.42	0.20	2.22	0.00	26.04	74.00	0.00	0.00	31.10
170000	2.29	2.75	8.86	6.04	33.44	0.00	2.36	0.19	2.17	0.00	26.04	74.00	0.00	0.00	26.84
180000	2.24	2.64	7.58	4.91	30.28	0.27	2.35	0.18	2.17	0.00	26.04	74.00	0.00	0.00	23.64
190000	2.20	2.71	8.67	5.92	26.72	0.29	2.36	0.18	2.18	0.00	26.04	74.00	0.00	0.00	24.56
200000	2.18	2.69	6.84	4.14	23.27	0.26	2.36	0.18	2.18	0.00	26.04	74.00	0.00	0.00	21.27
210000	2.16	2.70	9.06	6.36	12.54	0.00	2.44	0.19	2.25	0.00	26.04	74.00	0.00	0.00	17.91
220000	2.19	2.51	7.63	5.12	16.14	0.25	2.59	0.17	2.42	0.00	26.04	74.00	0.00	0.00	20.15
230000	2.18	2.65	6.51	3.86	17.12	0.26	2.59	0.16	2.43	0.00	26.04	74.00	0.00	0.00	26.97
極大值	2.41	6.80	11.37	7.94	45.74	0.29	3.25	0.27	3.11	0.00	26.04	74.00	0.00	0.00	700.35
極小值	2.11	2.51	5.82	3.17	2.02	0.00	2.35	0.13	2.17	0.00	26.04	74.00	0.00	0.00	17.86
平均值	2.23	3.22	8.46	5.20	21.19	0.23	2.66	0.18	2.48	0.00	26.04	74.00	0.00	0.00	64.93
標準差	0.09	0.95	1.47	1.38	16.59	0.07	0.32	0.04	0.35	0	0	0	0	0	148.03

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.27	2.57	6.24	3.71	13.87	0.26	2.65	0.15	2.50	0.00	26.04	74.00	0.00	0.00	318.09
010000	2.17	2.58	6.47	3.87	13.25	0.23	2.66	0.14	2.52	0.00	26.04	74.00	0.00	0.00	703.10
020000	2.22	2.58	6.64	4.07	12.04	0.28	2.74	0.14	2.60	0.00	26.04	74.00	0.00	0.00	25.44
030000	2.21	2.60	6.44	3.83	8.80	0.22	2.65	0.14	2.51	0.00	26.04	74.00	0.00	0.00	21.36
040000	2.21	2.64	6.34	3.70	5.20	0.22	2.87	0.14	2.73	0.00	26.04	74.00	0.00	0.00	19.98
050000	2.22	2.86	6.69	3.84	3.47	0.25	3.02	0.13	2.89	0.00	26.04	74.00	0.00	0.00	22.34
060000	2.19	4.21	8.01	3.75	2.99	0.24	2.96	0.15	2.81	0.00	26.04	74.00	0.00	0.00	25.03
070000	2.18	4.75	8.82	4.03	6.27	0.26	2.81	0.17	2.64	0.00	26.04	74.00	0.00	0.00	26.39
080000	2.20	3.34	6.80	3.41	16.54	0.24	2.59	0.18	2.41	0.00	26.04	74.00	0.00	0.00	23.39
090000	2.20	2.77	6.10	3.32	28.40	0.25	2.53	0.19	2.34	0.00	26.04	74.00	0.00	0.00	23.12
100000	2.26	2.64	5.90	3.28	36.69	0.25	2.50	0.21	2.29	0.00	26.04	74.00	0.00	0.00	23.11
110000	2.38	2.54	7.95	5.44	60.76	0.23	2.62	0.32	2.30	0.00	26.04	74.00	0.00	0.00	28.51
120000	2.34	2.61	6.05	3.42	53.90	0.29	2.51	0.26	2.25	0.00	26.04	74.00	0.00	0.00	34.44
130000	2.33	2.50	6.11	3.56	58.51	0.22	2.48	0.21	2.27	0.00	26.04	74.00	0.00	0.00	27.23
140000	2.38	2.58	7.58	4.99	52.47	0.23	2.52	0.25	2.27	0.00	26.04	74.00	0.00	0.00	29.59
150000	2.43	3.01	12.47	9.41	36.30	0.30	2.49	0.27	2.22	0.00	26.04	74.00	0.00	0.00	32.85
160000	2.51	2.93	17.08	14.12	29.37	0.25	2.58	0.38	2.20	0.00	26.04	74.00	0.00	0.00	27.30
170000	2.43	2.71	17.23	14.48	27.54	0.00	2.53	0.32	2.21	0.00	26.04	74.00	0.00	0.00	28.81
180000	2.30	2.64	12.72	10.04	30.31	0.26	2.43	0.25	2.18	0.00	26.04	74.00	0.00	0.00	27.84
190000	2.23	2.56	9.32	6.77	34.94	0.27	2.36	0.20	2.16	0.00	26.04	74.00	0.00	0.00	20.33
200000	2.23	2.51	6.55	4.03	34.85	0.00	2.33	0.17	2.16	0.00	26.04	74.00	0.00	0.00	21.32
210000	2.18	2.50	6.77	4.29	30.17	0.26	2.37	0.17	2.20	0.00	26.04	74.00	0.00	0.00	18.69
220000	2.22	2.53	8.59	6.07	14.73	0.00	2.59	0.17	2.42	0.00	26.04	74.00	0.00	0.00	23.87
230000	2.23	2.57	6.87	4.32	13.56	0.26	2.48	0.16	2.32	0.00	26.04	74.00	0.00	0.00	24.37
極大值	2.51	4.75	17.23	14.48	60.76	0.30	3.02	0.38	2.89	0.00	26.04	74.00	0.00	0.00	703.10
極小值	2.17	2.50	5.90	3.28	2.99	0.00	2.33	0.13	2.16	0.00	26.04	74.00	0.00	0.00	18.69
平均值	2.27	2.82	8.32	5.49	26.04	0.22	2.59	0.20	2.39	0.00	26.04	74.00	0.00	0.00	65.69
標準差	0.09	0.55	3.27	3.24	17.7	0.09	0.18	0.07	0.21	0	0	0	0	0	148.37

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.22	2.86	7.31	4.43	12.34	0.27	2.47	0.16	2.31	0.00	26.04	74.00	0.00	0.00	292.66
010000	2.24	2.68	7.74	5.06	9.59	0.26	2.84	0.14	2.70	0.00	26.04	74.00	0.00	0.00	707.39
020000	2.17	2.79	6.99	4.20	9.59	0.28	3.09	0.12	2.97	0.00	26.04	74.00	0.00	0.00	23.26
030000	2.20	2.76	7.78	5.02	7.12	0.27	3.07	0.13	2.94	0.00	26.04	74.00	0.00	0.00	23.36
040000	2.18	2.67	6.57	3.88	6.57	0.25	2.82	0.13	2.69	0.00	26.04	74.00	0.00	0.00	30.85
050000	2.16	2.93	8.21	5.28	5.45	0.26	2.76	0.15	2.61	0.00	26.04	74.00	0.00	0.00	30.63
060000	2.25	4.76	10.63	5.85	4.51	0.31	2.94	0.17	2.77	0.00	26.04	74.00	0.00	0.00	31.24
070000	2.28	3.87	9.02	5.12	13.51	0.23	2.81	0.20	2.61	0.00	26.04	74.00	0.00	0.00	31.74
080000	2.19	2.83	5.93	3.10	25.10	0.26	2.45	0.19	2.26	0.00	26.04	74.00	0.00	0.00	34.15
090000	2.25	2.64	5.71	3.06	33.18	0.28	2.45	0.22	2.23	0.00	26.04	74.00	0.00	0.00	29.29
100000	2.24	2.64	5.26	2.59	36.19	0.24	2.38	0.20	2.18	0.00	26.04	74.00	0.00	0.00	28.82
110000	2.23	2.57	4.90	2.33	34.27	0.00	2.37	0.20	2.17	0.00	26.04	74.00	0.00	0.00	21.79
120000	2.22	2.61	4.42	1.81	30.13	0.25	2.33	0.19	2.14	0.00	26.04	74.00	0.00	0.00	22.02
130000	2.20	2.82	5.32	2.50	27.08	0.24	2.34	0.20	2.14	0.00	26.04	74.00	0.00	0.00	19.00
140000	2.17	2.88	5.92	3.06	21.69	0.26	2.35	0.20	2.15	0.00	26.04	74.00	0.00	0.00	14.99
150000	2.28	3.12	7.60	4.45	17.17	0.27	2.32	0.18	2.14	0.00	26.04	74.00	0.00	0.00	17.42
160000	2.22	2.88	8.10	5.24	16.51	0.23	2.31	0.17	2.14	0.00	26.04	74.00	0.00	0.00	19.71
170000	2.14	2.79	4.25	1.43	10.87	0.26	2.27	0.15	2.12	0.00	26.04	74.00	0.00	0.00	22.24
180000	2.10	2.85	4.46	1.60	10.33	0.30	2.24	0.15	2.09	0.00	26.04	74.00	0.00	0.00	15.80
190000	2.12	2.79	4.81	1.99	8.41	0.29	2.24	0.14	2.10	0.00	26.04	74.00	0.00	0.00	5.67
200000	2.14	2.95	4.85	1.87	9.12	0.28	2.25	0.14	2.11	0.00	26.04	74.00	0.00	0.00	5.13
210000	2.10	2.82	4.73	1.89	11.23	0.00	2.25	0.14	2.11	0.00	26.04	74.00	0.00	0.00	6.55
220000	2.18	2.69	4.82	2.13	14.01	0.31	2.25	0.14	2.11	0.00	26.04	74.00	0.00	0.00	5.62
230000	2.11	2.60	5.30	2.72	11.88	0.00	2.28	0.16	2.12	0.00	26.04	74.00	0.00	0.00	4.65
極大值	2.28	4.76	10.63	5.85	36.19	0.31	3.09	0.22	2.97	0.00	26.04	74.00	0.00	0.00	707.39
極小值	2.10	2.57	4.25	1.43	4.51	0.00	2.24	0.12	2.09	0.00	26.04	74.00	0.00	0.00	4.65
平均值	2.19	2.91	6.28	3.36	16.08	0.23	2.50	0.17	2.33	0.00	26.04	74.00	0.00	0.00	60.17
標準差	0.05	0.47	1.7	1.41	9.77	0.09	0.28	0.03	0.29	0	0	0	0	0	148.93

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.12	2.65	5.96	3.32	9.34	0.29	2.33	0.16	2.17	0.00	26.04	74.00	0.00	0.00	309.02
010000	2.15	2.72	6.38	3.67	7.43	0.31	2.50	0.15	2.35	0.00	26.04	74.00	0.00	0.00	696.14
020000	2.20	2.66	7.05	4.39	6.05	0.22	2.48	0.16	2.32	0.00	26.04	74.00	0.00	0.00	7.12
030000	2.12	2.56	4.69	2.13	7.71	0.26	2.36	0.15	2.21	0.00	26.04	74.00	0.00	0.00	13.56
040000	2.19	2.60	5.17	2.60	7.11	0.23	2.35	0.17	2.18	0.00	26.04	74.00	0.00	0.00	16.60
050000	2.14	2.54	4.52	1.95	7.07	0.30	2.34	0.16	2.18	0.00	26.04	74.00	0.00	0.00	25.80
060000	2.07	2.85	5.40	2.55	6.73	0.00	2.32	0.17	2.15	0.00	26.04	74.00	0.00	0.00	12.21
070000	2.09	3.30	6.12	2.79	8.57	0.28	2.36	0.19	2.17	0.00	26.04	74.00	0.00	0.00	10.26
080000	2.06	2.80	4.14	1.32	11.79	0.00	2.30	0.18	2.12	0.00	26.04	74.00	0.00	0.00	12.03
090000	2.09	2.73	4.06	1.29	13.50	0.25	2.28	0.18	2.10	0.00	26.04	74.00	0.00	0.00	12.21
100000	2.11	2.70	3.99	1.23	14.92	0.00	2.28	0.19	2.09	0.00	26.04	74.00	0.00	0.00	10.61
110000	2.13	2.73	4.01	1.24	15.54	0.00	2.28	0.19	2.09	0.00	26.04	74.00	0.00	0.00	8.61
120000	2.12	2.67	4.02	1.31	17.37	0.31	2.28	0.20	2.08	0.00	26.04	74.00	0.00	0.00	7.87
130000	2.15	2.54	3.86	1.27	18.03	0.00	2.27	0.19	2.08	0.00	26.04	74.00	0.00	0.00	8.11
140000	2.13	2.60	3.79	1.15	16.41	0.29	2.26	0.18	2.08	0.00	26.04	74.00	0.00	0.00	8.22
150000	2.13	2.74	4.09	1.29	13.03	0.33	2.24	0.16	2.08	0.00	26.04	74.00	0.00	0.00	11.63
160000	2.13	3.01	5.23	2.18	11.34	0.30	2.24	0.16	2.08	0.00	26.04	74.00	0.00	0.00	19.07
170000	2.16	2.85	4.78	1.87	10.69	0.30	2.24	0.16	2.08	0.00	26.04	74.00	0.00	0.00	12.90
180000	2.19	2.74	6.40	3.61	8.21	0.31	2.26	0.16	2.10	0.00	26.04	74.00	0.00	0.00	14.57
190000	2.15	2.69	6.95	4.22	4.65	0.26	2.35	0.16	2.19	0.00	26.04	74.00	0.00	0.00	15.43
200000	2.20	3.01	6.49	3.44	2.43	0.27	2.45	0.15	2.30	0.00	26.04	74.00	0.00	0.00	12.10
210000	2.16	2.78	6.23	3.43	2.26	0.25	2.45	0.16	2.29	0.00	26.04	74.00	0.00	0.00	13.03
220000	2.13	3.11	6.88	3.74	1.98	0.29	2.49	0.15	2.34	0.00	26.04	74.00	0.00	0.00	16.46
230000	2.13	2.79	5.79	2.98	2.01	0.27	2.52	0.14	2.38	0.00	26.04	74.00	0.00	0.00	15.12
極大值	2.20	3.30	7.05	4.39	18.03	0.33	2.52	0.20	2.38	0.00	26.04	74.00	0.00	0.00	696.14
極小值	2.06	2.54	3.79	1.15	1.98	0.00	2.24	0.14	2.08	0.00	26.04	74.00	0.00	0.00	7.12
平均值	2.14	2.77	5.25	2.46	9.34	0.22	2.34	0.17	2.18	0.00	26.04	74.00	0.00	0.00	53.70
標準差	0.04	0.19	1.13	1.08	4.96	0.12	0.09	0.02	0.1	0	0	0	0	0	149.63

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.09	3.10	6.47	3.37	1.75	0.00	2.60	0.14	2.46	0.00	26.04	74.00	0.00	0.00	312.96
010000	2.12	4.05	7.62	3.49	1.53	0.00	2.65	0.16	2.49	0.00	26.04	74.00	0.00	0.00	688.42
020000	2.08	3.16	6.48	3.30	1.58	0.27	2.64	0.14	2.50	0.00	26.04	74.00	0.00	0.00	13.57
030000	2.14	3.57	7.27	3.65	1.87	0.00	3.03	0.15	2.88	0.00	26.04	74.00	0.00	0.00	16.72
040000	2.11	3.05	5.51	2.46	2.38	0.32	2.70	0.16	2.54	0.00	26.04	74.00	0.00	0.00	20.15
050000	2.07	2.77	5.27	2.49	3.31	0.30	2.37	0.14	2.23	0.00	26.04	74.00	0.00	0.00	13.08
060000	2.10	3.88	7.00	3.06	2.77	0.29	2.45	0.14	2.31	0.00	26.04	74.00	0.00	0.00	13.58
070000	2.12	6.90	10.72	3.92	2.72	0.30	2.55	0.17	2.38	0.00	26.04	74.00	0.00	0.00	14.03
080000	2.11	5.18	8.40	3.16	5.66	0.28	2.50	0.18	2.32	0.00	26.04	74.00	0.00	0.00	289.54
090000	2.16	3.57	6.29	2.68	7.57	0.00	2.35	0.19	2.16	0.00	26.04	74.00	0.00	0.00	685.09
100000	2.09	3.27	5.07	1.78	7.14	0.30	2.32	0.20	2.12	0.00	26.04	74.00	0.00	0.00	5.25
110000	2.14	3.02	4.55	1.50	7.52	0.31	2.29	0.20	2.09	0.00	26.04	74.00	0.00	0.00	9.39
120000	2.14	2.95	4.55	1.53	8.70	0.24	2.29	0.21	2.08	0.00	26.04	74.00	0.00	0.00	4.97
130000	2.10	3.08	4.50	1.35	9.13	0.31	2.29	0.21	2.08	0.00	26.04	74.00	0.00	0.00	2.76
140000	2.13	2.92	4.36	1.37	11.23	0.32	2.27	0.19	2.08	0.00	26.04	74.00	0.00	0.00	3.28
150000	2.18	3.11	4.68	1.54	13.04	0.30	2.26	0.17	2.09	0.00	26.04	74.00	0.00	0.00	5.48
160000	2.21	3.12	5.00	1.83	13.31	0.28	2.25	0.15	2.10	0.00	26.04	74.00	0.00	0.00	8.42
170000	2.17	3.10	5.39	2.25	12.61	0.27	2.26	0.16	2.10	0.00	26.04	74.00	0.00	0.00	9.70
180000	2.17	3.30	6.46	3.13	11.08	0.30	2.27	0.16	2.11	0.00	26.04	74.00	0.00	0.00	11.19
190000	2.28	3.74	7.55	3.73	9.38	0.00	2.30	0.17	2.13	0.00	26.04	74.00	0.00	0.00	14.32
200000	2.17	3.12	7.32	4.17	8.59	0.26	2.32	0.17	2.15	0.00	26.04	74.00	0.00	0.00	14.02
210000	2.19	3.52	9.11	5.54	6.47	0.33	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	15.78
220000	2.23	3.74	10.30	6.52	4.09	0.00	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	21.72
230000	2.19	2.98	7.36	4.37	5.89	0.29	2.49	0.17	2.32	0.00	26.04	74.00	0.00	0.00	18.33
極大值	2.28	6.90	10.72	6.52	13.31	0.33	3.03	0.21	2.88	0.00	26.04	74.00	0.00	0.00	688.42
極小值	2.07	2.77	4.36	1.35	1.53	0.00	2.25	0.14	2.08	0.00	26.04	74.00	0.00	0.00	2.76
平均值	2.15	3.51	6.55	3.01	6.64	0.22	2.43	0.17	2.26	0.00	26.04	74.00	0.00	0.00	92.16
標準差	0.05	0.88	1.8	1.33	3.91	0.13	0.19	0.02	0.2	0	0	0	0	0	200.5

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.20	3.05	7.64	4.58	4.05	0.31	2.62	0.14	2.48	0.00	26.04	74.00	0.00	0.00	285.41
010000	2.18	2.98	7.97	4.97	3.28	0.33	2.58	0.14	2.44	0.00	26.04	74.00	0.00	0.00	705.57
020000	2.16	3.10	7.08	3.94	3.26	0.29	2.58	0.12	2.46	0.00	26.04	74.00	0.00	0.00	17.49
030000	2.19	3.10	6.62	3.50	3.65	0.29	2.51	0.13	2.38	0.00	26.04	74.00	0.00	0.00	15.30
040000	2.21	5.04	9.96	4.88	3.41	0.00	2.57	0.13	2.44	0.00	26.04	74.00	0.00	0.00	16.99
050000	2.16	3.95	9.27	5.29	2.87	0.33	2.58	0.14	2.44	0.00	26.04	74.00	0.00	0.00	19.37
060000	2.20	5.58	9.89	4.29	3.61	0.32	2.55	0.15	2.40	0.00	26.04	74.00	0.00	0.00	16.50
070000	2.19	5.17	9.11	3.92	5.63	0.33	2.48	0.16	2.32	0.00	26.04	74.00	0.00	0.00	14.12
080000	2.17	4.05	7.59	3.51	10.30	0.00	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	17.06
090000	2.24	3.20	5.92	2.71	14.45	0.32	2.32	0.19	2.13	0.00	26.04	74.00	0.00	0.00	13.70
100000	2.19	3.35	7.06	3.66	18.45	0.00	2.36	0.23	2.13	0.00	26.04	74.00	0.00	0.00	11.09
110000	2.26	3.39	7.95	4.50	21.10	0.33	2.40	0.27	2.13	0.00	26.04	74.00	0.00	0.00	10.88
120000	2.27	3.21	6.38	3.12	18.07	0.28	2.42	0.26	2.16	0.00	26.04	74.00	0.00	0.00	11.65
130000	2.27	3.54	6.90	3.28	14.85	0.27	2.38	0.23	2.15	0.00	26.04	74.00	0.00	0.00	7.54
140000	2.29	4.26	9.43	5.16	15.21	0.30	2.39	0.26	2.13	0.00	26.04	74.00	0.00	0.00	6.55
150000	2.29	4.26	9.47	5.18	12.61	0.32	2.42	0.29	2.13	0.00	26.04	74.00	0.00	0.00	11.13
160000	2.30	4.91	12.34	7.41	10.61	0.29	2.40	0.25	2.15	0.00	26.04	74.00	0.00	0.00	12.74
170000	2.26	4.55	16.41	11.79	7.31	0.00	2.40	0.25	2.15	0.00	26.04	74.00	0.00	0.00	13.07
180000	2.34	3.04	16.49	13.39	6.88	0.31	2.42	0.24	2.18	0.00	26.04	74.00	0.00	0.00	18.07
190000	2.21	2.85	11.83	8.94	6.44	0.27	2.50	0.25	2.25	0.00	26.04	74.00	0.00	0.00	31.62
200000	2.20	3.31	10.49	7.13	4.94	0.26	2.49	0.19	2.30	0.00	26.04	74.00	0.00	0.00	34.67
210000	2.20	3.24	11.10	7.81	4.19	0.28	2.51	0.20	2.31	0.00	26.04	74.00	0.00	0.00	15.86
220000	2.21	2.94	9.50	6.49	4.43	0.00	2.52	0.20	2.32	0.00	26.04	74.00	0.00	0.00	16.76
230000	2.18	2.87	9.24	6.31	4.27	0.25	2.52	0.18	2.34	0.00	26.04	74.00	0.00	0.00	13.88
極大值	2.34	5.58	16.49	13.39	21.10	0.33	2.62	0.29	2.48	0.00	26.04	74.00	0.00	0.00	705.57
極小值	2.16	2.85	5.92	2.71	2.87	0.00	2.32	0.12	2.13	0.00	26.04	74.00	0.00	0.00	6.55
平均值	2.22	3.71	9.40	5.66	8.49	0.24	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	55.71
標準差	0.05	0.83	2.76	2.68	5.73	0.13	0.08	0.05	0.13	0	0	0	0	0	149.08

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.17	3.16	9.80	6.56	3.87	0.00	2.51	0.19	2.32	0.00	26.04	74.00	0.00	0.00	308.11
010000	2.14	2.87	8.72	5.80	3.49	0.29	2.49	0.17	2.32	0.00	26.04	74.00	0.00	0.00	694.23
020000	2.17	4.56	10.77	6.16	3.32	0.28	2.73	0.16	2.57	0.00	26.04	74.00	0.00	0.00	26.08
030000	2.19	4.16	10.34	6.11	3.76	0.29	2.80	0.16	2.64	0.00	26.04	74.00	0.00	0.00	13.02
040000	2.15	3.81	9.97	6.08	3.54	0.00	2.80	0.17	2.63	0.00	26.04	74.00	0.00	0.00	13.69
050000	2.16	5.15	10.53	5.37	3.72	0.33	3.00	0.15	2.85	0.00	26.04	74.00	0.00	0.00	15.15
060000	2.14	6.74	10.59	3.84	4.10	0.34	2.89	0.16	2.73	0.00	26.04	74.00	0.00	0.00	17.60
070000	2.17	5.28	8.42	3.13	3.81	0.26	2.61	0.17	2.44	0.00	26.04	74.00	0.00	0.00	20.14
080000	2.18	4.24	7.79	3.52	8.67	0.32	2.44	0.17	2.27	0.00	26.04	74.00	0.00	0.00	21.09
090000	2.19	3.02	5.76	2.75	16.26	0.28	2.41	0.17	2.24	0.00	26.04	74.00	0.00	0.00	16.89
100000	2.23	2.90	6.14	3.26	23.52	0.26	2.39	0.19	2.20	0.00	26.04	74.00	0.00	0.00	16.17
110000	2.28	3.00	8.64	5.63	41.35	0.00	2.43	0.23	2.20	0.00	26.04	74.00	0.00	0.00	11.16
120000	2.33	2.83	7.22	4.39	40.72	0.00	2.41	0.23	2.18	0.00	26.04	74.00	0.00	0.00	19.25
130000	2.29	2.87	6.65	3.80	35.58	0.28	2.37	0.22	2.15	0.00	26.04	74.00	0.00	0.00	18.76
140000	2.23	2.70	5.57	2.85	26.06	0.27	2.35	0.21	2.14	0.00	26.04	74.00	0.00	0.00	16.35
150000	2.17	2.54	6.35	3.79	19.49	0.29	2.34	0.18	2.16	0.00	26.04	74.00	0.00	0.00	15.96
160000	2.22	2.53	6.91	4.38	22.04	0.32	2.29	0.15	2.14	0.00	26.04	74.00	0.00	0.00	29.46
170000	2.22	2.76	9.16	6.41	16.67	0.26	2.38	0.17	2.21	0.00	26.04	74.00	0.00	0.00	43.79
180000	2.24	2.77	9.15	6.44	13.28	0.26	2.48	0.17	2.31	0.00	26.04	74.00	0.00	0.00	10.02
190000	2.18	2.88	10.58	7.70	8.88	0.26	2.48	0.17	2.31	0.00	26.04	74.00	0.00	0.00	13.32
200000	2.15	2.87	9.85	6.97	6.48	0.29	2.51	0.18	2.33	0.00	26.04	74.00	0.00	0.00	16.73
210000	2.18	3.06	9.77	6.69	4.91	0.28	2.70	0.16	2.54	0.00	26.04	74.00	0.00	0.00	19.47
220000	2.20	4.08	11.89	7.80	3.87	0.30	2.79	0.17	2.62	0.00	26.04	74.00	0.00	0.00	20.17
230000	2.22	3.59	11.05	7.41	3.68	0.27	2.75	0.18	2.57	0.00	26.04	74.00	0.00	0.00	16.29
極大值	2.33	6.74	11.89	7.80	41.35	0.34	3.00	0.23	2.85	0.00	26.04	74.00	0.00	0.00	694.23
極小值	2.14	2.53	5.57	2.75	3.32	0.00	2.29	0.15	2.14	0.00	26.04	74.00	0.00	0.00	10.02
平均值	2.20	3.52	8.82	5.28	13.38	0.24	2.56	0.18	2.38	0.00	26.04	74.00	0.00	0.00	58.87
標準差	0.05	1.06	1.86	1.62	12.36	0.11	0.2	0.02	0.21	0	0	0	0	0	147.8

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.18	3.07	9.77	6.62	3.92	0.32	2.88	0.17	2.71	0.00	26.04	74.00	0.00	0.00	322.47
010000	2.20	3.19	8.32	5.12	3.59	0.35	2.84	0.16	2.68	0.00	26.04	74.00	0.00	0.00	690.14
020000	2.16	3.28	7.92	4.60	3.63	0.00	2.67	0.16	2.51	0.00	26.04	74.00	0.00	0.00	19.46
030000	2.10	3.72	8.77	5.03	3.27	0.26	3.07	0.14	2.93	0.00	26.04	74.00	0.00	0.00	19.44
040000	2.14	3.88	9.19	5.27	3.02	0.31	3.33	0.13	3.20	0.00	26.04	74.00	0.00	0.00	14.98
050000	2.15	3.73	8.52	4.76	2.81	0.27	3.20	0.13	3.07	0.00	26.04	74.00	0.00	0.00	14.24
060000	2.22	6.04	9.52	3.48	3.42	0.27	3.08	0.16	2.92	0.00	26.04	74.00	0.00	0.00	18.75
070000	2.14	5.74	9.16	3.38	3.15	0.25	2.70	0.17	2.53	0.00	26.04	74.00	0.00	0.00	22.98
080000	2.19	4.51	7.71	3.28	7.33	0.28	2.54	0.20	2.34	0.00	26.04	74.00	0.00	0.00	21.62
090000	2.19	3.23	6.39	3.11	15.51	0.00	2.41	0.19	2.22	0.00	26.04	74.00	0.00	0.00	17.51
100000	2.20	3.70	6.93	3.27	20.08	0.30	2.38	0.20	2.18	0.00	26.04	74.00	0.00	0.00	13.33
110000	2.21	2.93	8.07	5.08	35.08	0.34	2.36	0.22	2.14	0.00	26.04	74.00	0.00	0.00	13.23
120000	2.31	2.84	8.54	5.67	45.43	0.33	2.37	0.23	2.14	0.00	26.04	74.00	0.00	0.00	11.63
130000	2.29	2.85	6.88	4.02	36.48	0.36	2.36	0.24	2.12	0.00	26.04	74.00	0.00	0.00	15.31
140000	2.25	2.98	6.73	3.73	33.26	0.00	2.30	0.20	2.10	0.00	26.04	74.00	0.00	0.00	14.66
150000	2.24	2.91	6.11	3.17	29.55	0.00	2.29	0.19	2.10	0.00	26.04	74.00	0.00	0.00	12.03
160000	2.24	2.85	5.94	3.06	30.36	0.34	2.30	0.18	2.12	0.00	26.04	74.00	0.00	0.00	12.89
170000	2.24	2.51	6.25	3.72	28.66	0.00	2.32	0.17	2.15	0.00	26.04	74.00	0.00	0.00	12.64
180000	2.24	2.52	7.77	5.22	24.60	0.33	2.40	0.18	2.22	0.00	26.04	74.00	0.00	0.00	12.10
190000	2.27	2.54	9.10	6.54	19.00	0.26	2.42	0.19	2.23	0.00	26.04	74.00	0.00	0.00	17.31
200000	2.20	2.85	10.23	7.37	14.43	0.28	2.36	0.17	2.19	0.00	26.04	74.00	0.00	0.00	19.59
210000	2.25	2.92	10.43	7.53	11.99	0.25	2.42	0.17	2.25	0.00	26.04	74.00	0.00	0.00	18.40
220000	2.19	2.83	8.25	5.40	9.78	0.31	2.49	0.17	2.32	0.00	26.04	74.00	0.00	0.00	16.61
230000	2.21	3.23	11.41	8.13	6.22	0.33	2.62	0.17	2.45	0.00	26.04	74.00	0.00	0.00	14.23
極大值	2.31	6.04	11.41	8.13	45.43	0.36	3.33	0.24	3.20	0.00	26.04	74.00	0.00	0.00	690.14
極小值	2.10	2.51	5.94	3.06	2.81	0.00	2.29	0.13	2.10	0.00	26.04	74.00	0.00	0.00	11.63
平均值	2.21	3.37	8.25	4.86	16.44	0.24	2.59	0.18	2.41	0.00	26.04	74.00	0.00	0.00	56.90
標準差	0.05	0.91	1.47	1.52	13.35	0.13	0.31	0.03	0.34	0	0	0	0	0	148.69

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.23	3.80	11.32	7.48	5.55	0.30	2.99	0.17	2.82	0.00	26.04	74.00	0.00	0.00	288.04
010000	2.25	3.60	10.13	6.48	4.36	0.25	2.96	0.17	2.79	0.00	26.04	74.00	0.00	0.00	692.32
020000	2.23	3.60	9.54	5.90	3.73	0.37	2.85	0.16	2.69	0.00	26.04	74.00	0.00	0.00	23.10
030000	2.24	3.28	9.89	6.51	4.31	0.29	2.99	0.16	2.83	0.00	26.04	74.00	0.00	0.00	18.14
040000	2.18	3.04	8.11	5.01	4.49	0.29	2.82	0.17	2.65	0.00	26.04	74.00	0.00	0.00	20.29
050000	2.21	4.30	9.42	5.07	4.19	0.34	2.64	0.16	2.48	0.00	26.04	74.00	0.00	0.00	23.23
060000	2.21	6.23	11.31	5.05	4.02	0.29	2.84	0.17	2.67	0.00	26.04	74.00	0.00	0.00	22.76
070000	2.23	6.13	11.36	5.21	5.19	0.34	2.88	0.18	2.70	0.00	26.04	74.00	0.00	0.00	18.70
080000	2.30	4.41	9.22	4.79	12.54	0.32	2.78	0.18	2.60	0.00	26.04	74.00	0.00	0.00	25.04
090000	2.31	3.06	7.01	3.92	22.89	0.29	2.55	0.19	2.36	0.00	26.04	74.00	0.00	0.00	23.20
100000	2.28	2.73	6.49	3.75	34.32	0.24	2.44	0.19	2.25	0.00	26.04	74.00	0.00	0.00	16.07
110000	2.36	2.69	7.69	4.97	46.46	0.29	2.44	0.22	2.22	0.00	26.04	74.00	0.00	0.00	17.50
120000	2.43	2.73	8.50	5.73	54.16	0.00	2.43	0.25	2.18	0.00	26.04	74.00	0.00	0.00	24.58
130000	2.39	2.86	7.61	4.72	41.28	0.00	2.40	0.23	2.17	0.00	26.04	74.00	0.00	0.00	24.21
140000	2.41	2.80	6.88	4.07	40.73	0.35	2.38	0.22	2.16	0.00	26.04	74.00	0.00	0.00	16.87
150000	2.42	2.61	6.56	3.93	34.22	0.30	2.33	0.19	2.14	0.00	26.04	74.00	0.00	0.00	11.02
160000	2.33	2.80	9.89	7.04	27.41	0.30	2.41	0.17	2.24	0.00	26.04	74.00	0.00	0.00	12.59
170000	2.39	2.76	13.77	10.98	26.54	0.00	2.51	0.20	2.31	0.00	26.04	74.00	0.00	0.00	18.52
180000	2.34	2.75	13.01	10.21	19.65	0.29	2.53	0.19	2.34	0.00	26.04	74.00	0.00	0.00	22.69
190000	2.24	2.64	11.34	8.66	17.63	0.00	2.60	0.18	2.42	0.00	26.04	74.00	0.00	0.00	20.81
200000	2.22	2.99	12.29	9.27	11.05	0.30	2.80	0.17	2.63	0.00	26.04	74.00	0.00	0.00	18.54
210000	2.28	3.15	12.86	9.64	7.71	0.30	3.01	0.17	2.84	0.00	26.04	74.00	0.00	0.00	18.93
220000	2.27	3.21	13.20	9.91	5.21	0.30	3.09	0.18	2.91	0.00	26.04	74.00	0.00	0.00	25.16
230000	2.22	3.21	13.31	10.04	4.79	0.31	3.30	0.17	3.13	0.00	26.04	74.00	0.00	0.00	29.45
極大值	2.43	6.23	13.77	10.98	54.16	0.37	3.30	0.25	3.13	0.00	26.04	74.00	0.00	0.00	692.32
極小值	2.18	2.61	6.49	3.75	3.73	0.00	2.33	0.16	2.14	0.00	26.04	74.00	0.00	0.00	11.02
平均值	2.29	3.39	10.03	6.60	18.43	0.25	2.71	0.18	2.52	0.00	26.04	74.00	0.00	0.00	59.66
標準差	0.08	0.99	2.34	2.33	15.98	0.12	0.27	0.02	0.29	0	0	0	0	0	145.44

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.34	3.02	10.18	7.11	6.39	0.27	3.23	0.16	3.07	0.00	26.04	74.00	0.00	0.00	312.51
010000	2.28	2.82	9.87	7.02	6.30	0.26	3.08	0.16	2.92	0.00	26.04	74.00	0.00	0.00	727.11
020000	2.26	2.99	9.54	6.46	5.18	0.28	3.26	0.15	3.11	0.00	26.04	74.00	0.00	0.00	28.09
030000	2.26	3.20	8.78	5.52	4.27	0.00	3.33	0.14	3.19	0.00	26.04	74.00	0.00	0.00	28.67
040000	2.28	2.91	7.50	4.54	3.94	0.24	3.12	0.14	2.98	0.00	26.04	74.00	0.00	0.00	27.79
050000	2.29	3.27	7.96	4.62	4.24	0.27	2.99	0.14	2.85	0.00	26.04	74.00	0.00	0.00	26.71
060000	2.29	5.81	11.53	5.67	3.90	0.28	3.10	0.18	2.92	0.00	26.04	74.00	0.00	0.00	25.20
070000	2.26	5.97	11.75	5.73	6.79	0.30	3.00	0.17	2.83	0.00	26.04	74.00	0.00	0.00	23.06
080000	2.25	3.57	7.74	4.12	16.09	0.25	2.55	0.18	2.37	0.00	26.04	74.00	0.00	0.00	27.23
090000	2.24	2.89	5.92	3.00	21.93	0.29	2.36	0.18	2.18	0.00	26.04	74.00	0.00	0.00	21.83
100000	2.25	2.77	5.58	2.81	25.85	0.24	2.32	0.17	2.15	0.00	26.04	74.00	0.00	0.00	11.19
110000	2.28	2.80	6.36	3.56	29.55	0.27	2.33	0.18	2.15	0.00	26.04	74.00	0.00	0.00	11.03
120000	2.30	3.23	8.10	4.82	26.31	0.31	2.35	0.22	2.13	0.00	26.04	74.00	0.00	0.00	9.59
130000	2.32	3.27	8.76	5.43	24.45	0.28	2.36	0.23	2.13	0.00	26.04	74.00	0.00	0.00	12.77
140000	2.28	2.94	6.18	3.28	16.50	0.25	2.33	0.22	2.11	0.00	26.04	74.00	0.00	0.00	15.45
150000	2.27	2.96	6.09	3.16	16.64	0.30	2.32	0.19	2.13	0.00	26.04	74.00	0.00	0.00	16.19
160000	2.20	2.75	5.59	2.91	16.93	0.28	2.32	0.17	2.15	0.00	26.04	74.00	0.00	0.00	8.09
170000	2.21	2.66	5.65	3.04	14.28	0.32	2.31	0.17	2.14	0.00	26.04	74.00	0.00	0.00	8.42
180000	2.24	2.82	7.93	5.12	10.67	0.28	2.35	0.18	2.17	0.00	26.04	74.00	0.00	0.00	8.07
190000	2.26	2.85	10.42	7.57	6.53	0.00	2.50	0.23	2.27	0.00	26.04	74.00	0.00	0.00	7.56
200000	2.29	2.82	9.31	6.49	5.19	0.26	2.67	0.34	2.33	0.00	26.04	74.00	0.00	0.00	17.04
210000	2.28	2.97	10.34	7.39	5.75	0.31	2.79	0.22	2.57	0.00	26.04	74.00	0.00	0.00	21.24
220000	2.26	3.35	11.13	7.77	4.99	0.28	3.03	0.20	2.83	0.00	26.04	74.00	0.00	0.00	21.04
230000	2.26	2.94	8.44	5.49	4.47	0.25	2.84	0.24	2.60	0.00	26.04	74.00	0.00	0.00	23.72
極大值	2.34	5.97	11.75	7.77	29.55	0.32	3.33	0.34	3.19	0.00	26.04	74.00	0.00	0.00	727.11
極小值	2.20	2.66	5.58	2.81	3.90	0.00	2.31	0.14	2.11	0.00	26.04	74.00	0.00	0.00	7.56
平均值	2.27	3.23	8.36	5.11	11.96	0.25	2.70	0.19	2.51	0.00	26.04	74.00	0.00	0.00	59.98
標準差	0.03	0.85	1.98	1.63	8.49	0.08	0.37	0.04	0.39	0	0	0	0	0	154.43

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.25	3.02	9.07	6.04	4.69	0.33	3.11	0.18	2.93	0.00	26.04	74.00	0.00	0.00	319.54
010000	2.23	3.02	8.54	5.51	4.14	0.00	3.06	0.19	2.87	0.00	26.04	74.00	0.00	0.00	701.69
020000	2.23	2.93	7.71	4.78	4.29	0.26	3.05	0.17	2.88	0.00	26.04	74.00	0.00	0.00	21.24
030000	2.21	3.36	8.49	5.13	4.42	0.31	2.96	0.19	2.77	0.00	26.04	74.00	0.00	0.00	20.46
040000	2.11	3.01	7.42	4.40	3.92	0.32	2.95	0.17	2.78	0.00	26.04	74.00	0.00	0.00	23.38
050000	2.12	3.27	7.12	3.82	4.50	0.30	2.69	0.16	2.53	0.00	26.04	74.00	0.00	0.00	21.31
060000	2.13	3.96	7.55	3.56	4.60	0.24	2.75	0.15	2.60	0.00	26.04	74.00	0.00	0.00	22.07
070000	2.22	4.62	8.74	4.09	6.48	0.00	3.22	0.16	3.06	0.00	26.04	74.00	0.00	0.00	21.67
080000	2.20	3.09	6.17	3.10	16.42	0.35	2.55	0.18	2.37	0.00	26.04	74.00	0.00	0.00	20.83
090000	2.29	2.77	6.30	3.54	27.57	0.32	2.41	0.19	2.22	0.00	26.04	74.00	0.00	0.00	20.19
100000	2.49	3.06	9.25	6.19	37.96	0.35	2.42	0.21	2.21	0.00	26.04	74.00	0.00	0.00	18.29
110000	2.47	2.84	7.42	4.59	42.14	0.35	2.40	0.22	2.18	0.00	26.04	74.00	0.00	0.00	22.67
120000	2.49	2.61	6.20	3.61	44.83	0.32	2.39	0.21	2.18	0.00	26.04	74.00	0.00	0.00	22.35
130000	2.30	2.73	5.54	2.89	30.10	0.00	2.36	0.22	2.14	0.00	26.04	74.00	0.00	0.00	21.71
140000	2.25	2.71	5.28	2.60	27.62	0.32	2.35	0.22	2.13	0.00	26.04	74.00	0.00	0.00	7.50
150000	2.26	2.70	5.49	2.82	26.71	0.36	2.35	0.21	2.14	0.00	26.04	74.00	0.00	0.00	9.74
160000	2.32	2.54	7.12	4.57	42.36	0.32	2.38	0.19	2.19	0.00	26.04	74.00	0.00	0.00	14.26
170000	2.23	2.53	6.37	3.81	32.66	0.00	2.36	0.16	2.20	0.00	26.04	74.00	0.00	0.00	14.67
180000	2.20	2.46	6.27	3.79	23.76	0.33	2.42	0.16	2.26	0.00	26.04	74.00	0.00	0.00	11.80
190000	2.15	2.56	6.82	4.24	17.02	0.00	2.46	0.16	2.30	0.00	26.04	74.00	0.00	0.00	12.59
200000	2.16	2.57	8.05	5.43	13.77	0.35	2.50	0.16	2.34	0.00	26.04	74.00	0.00	0.00	14.08
210000	2.18	2.57	8.37	5.79	13.57	0.32	2.47	0.17	2.30	0.00	26.04	74.00	0.00	0.00	12.58
220000	2.14	2.67	8.90	6.20	11.10	0.30	2.63	0.15	2.48	0.00	26.04	74.00	0.00	0.00	10.08
230000	2.18	2.56	7.67	5.08	10.78	0.28	2.74	0.15	2.59	0.00	26.04	74.00	0.00	0.00	10.86
極大值	2.49	4.62	9.25	6.20	44.83	0.36	3.22	0.22	3.06	0.00	26.04	74.00	0.00	0.00	701.69
極小值	2.11	2.46	5.28	2.60	3.92	0.00	2.35	0.15	2.13	0.00	26.04	74.00	0.00	0.00	7.50
平均值	2.24	2.92	7.33	4.40	18.98	0.25	2.62	0.18	2.44	0.00	26.04	74.00	0.00	0.00	58.15
標準差	0.11	0.5	1.19	1.09	13.99	0.13	0.29	0.02	0.3	0	0	0	0	0	150.4

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.16	2.58	7.43	4.82	8.86	0.29	2.76	0.15	2.61	0.00	26.04	74.00	0.00	0.00	314.88
010000	2.19	4.00	11.49	7.47	4.95	0.33	2.80	0.16	2.64	0.00	26.04	74.00	0.00	0.00	700.12
020000	2.16	3.03	9.07	6.00	4.87	0.29	2.72	0.17	2.55	0.00	26.04	74.00	0.00	0.00	17.44
030000	2.19	2.73	7.87	5.17	4.81	0.00	2.90	0.15	2.75	0.00	26.04	74.00	0.00	0.00	18.59
040000	2.18	2.67	6.58	3.91	4.93	0.30	2.96	0.14	2.82	0.00	26.04	74.00	0.00	0.00	19.13
050000	2.19	2.89	7.23	4.28	4.94	0.00	2.98	0.14	2.84	0.00	26.04	74.00	0.00	0.00	17.73
060000	2.26	5.06	10.38	5.26	5.44	0.28	2.84	0.15	2.69	0.00	26.04	74.00	0.00	0.00	18.23
070000	2.20	3.80	7.47	3.58	9.48	0.26	2.55	0.18	2.37	0.00	26.04	74.00	0.00	0.00	23.31
080000	2.21	3.47	7.12	3.60	15.47	0.29	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	18.54
090000	2.24	2.95	6.53	3.54	24.83	0.34	2.39	0.21	2.18	0.00	26.04	74.00	0.00	0.00	13.82
100000	2.37	2.73	8.39	5.63	47.56	0.31	2.55	0.34	2.21	0.00	26.04	74.00	0.00	0.00	15.87
110000	2.67	2.80	12.63	9.82	70.40	0.00	2.68	0.43	2.25	0.00	26.04	74.00	0.00	0.00	25.84
120000	2.62	2.80	12.17	9.33	64.25	0.00	2.59	0.37	2.22	0.00	26.04	74.00	0.00	0.00	34.17
130000	2.64	2.70	11.27	8.54	76.60	0.34	2.58	0.33	2.25	0.00	26.04	74.00	0.00	0.00	38.66
140000	2.47	2.55	8.40	5.83	71.88	0.30	2.53	0.26	2.27	0.00	26.04	74.00	0.00	0.00	36.81
150000	2.52	2.47	6.97	4.49	71.50	0.37	2.54	0.23	2.31	0.00	26.04	74.00	0.00	0.00	33.95
160000	2.38	2.55	6.23	3.65	49.07	0.00	2.45	0.20	2.25	0.00	26.04	74.00	0.00	0.00	34.29
170000	2.24	2.61	7.74	5.10	36.90	0.00	2.42	0.19	2.23	0.00	26.04	74.00	0.00	0.00	25.35
180000	2.27	2.67	12.97	10.25	24.58	0.00	2.44	0.21	2.23	0.00	26.04	74.00	0.00	0.00	20.21
190000	2.19	2.66	12.19	9.49	20.84	0.32	2.53	0.19	2.34	0.00	26.04	74.00	0.00	0.00	22.66
200000	2.22	2.68	12.73	10.00	18.58	0.37	2.66	0.22	2.44	0.00	26.04	74.00	0.00	0.00	23.77
210000	2.29	2.92	11.22	8.30	20.48	0.00	2.73	0.20	2.53	0.00	26.04	74.00	0.00	0.00	32.44
220000	2.24	2.65	9.78	7.07	16.01	0.00	2.77	0.19	2.58	0.00	26.04	74.00	0.00	0.00	32.38
230000	2.25	2.76	9.53	6.71	13.38	0.30	2.91	0.17	2.74	0.00	26.04	74.00	0.00	0.00	25.67
極大值	2.67	5.06	12.97	10.25	76.60	0.37	2.98	0.43	2.84	0.00	26.04	74.00	0.00	0.00	700.12
極小值	2.16	2.47	6.23	3.54	4.81	0.00	2.39	0.14	2.18	0.00	26.04	74.00	0.00	0.00	13.82
平均值	2.31	2.95	9.31	6.33	28.78	0.20	2.65	0.22	2.44	0.00	26.04	74.00	0.00	0.00	65.16
標準差	0.16	0.59	2.27	2.3	25.37	0.16	0.18	0.08	0.22	0	0	0	0	0	147.78

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.23	2.97	12.16	9.16	11.29	0.00	2.85	0.18	2.67	0.00	26.04	74.00	0.00	0.00	325.16
010000	2.23	3.11	12.91	9.75	8.04	0.31	2.84	0.19	2.65	0.00	26.04	74.00	0.00	0.00	733.16
020000	2.17	2.79	9.77	6.96	9.21	0.30	2.97	0.17	2.80	0.00	26.04	74.00	0.00	0.00	32.11
030000	2.24	2.78	9.62	6.80	8.02	0.31	3.03	0.15	2.88	0.00	26.04	74.00	0.00	0.00	32.75
040000	2.24	3.02	9.84	6.78	5.50	0.25	3.26	0.17	3.09	0.00	26.04	74.00	0.00	0.00	36.43
050000	2.25	3.60	10.92	7.26	5.36	0.25	3.28	0.17	3.11	0.00	26.04	74.00	0.00	0.00	35.62
060000	2.24	4.70	11.64	6.91	5.90	0.24	3.00	0.11	2.89	0.00	26.04	74.00	0.00	0.00	35.07
070000	2.27	4.70	11.58	6.83	9.67	0.29	2.91	0.20	2.71	0.00	26.04	74.00	0.00	0.00	32.40
080000	2.45	4.37	13.13	8.71	16.90	0.25	2.76	0.20	2.56	0.00	26.04	74.00	0.00	0.00	33.79
090000	2.42	3.25	12.12	8.79	28.31	0.26	2.71	0.23	2.48	0.00	26.04	74.00	0.00	0.00	39.82
100000	2.42	3.08	12.61	9.42	38.59	0.00	2.82	0.29	2.53	0.00	26.04	74.00	0.00	0.00	44.37
110000	2.57	2.74	12.86	10.06	55.40	0.30	2.90	0.36	2.54	0.00	26.04	74.00	0.00	0.00	49.74
120000	2.53	2.93	14.47	11.52	51.96	0.26	2.77	0.30	2.47	0.00	26.04	74.00	0.00	0.00	49.26
130000	2.45	2.60	9.18	6.55	55.37	0.32	2.54	0.24	2.30	0.00	26.04	74.00	0.00	0.00	47.75
140000	2.35	2.54	7.45	4.90	42.06	0.31	2.40	0.18	2.22	0.00	26.04	74.00	0.00	0.00	44.19
150000	2.28	2.65	10.00	7.33	38.42	0.36	2.41	0.22	2.19	0.00	26.04	74.00	0.00	0.00	41.98
160000	2.24	2.77	11.56	8.76	33.74	0.33	2.43	0.22	2.21	0.00	26.04	74.00	0.00	0.00	37.72
170000	2.22	2.52	9.57	7.05	34.65	0.32	2.40	0.19	2.21	0.00	26.04	74.00	0.00	0.00	29.62
180000	2.14	2.63	11.94	9.28	29.07	0.28	2.39	0.17	2.22	0.00	26.04	74.00	0.00	0.00	26.41
190000	2.18	2.48	10.52	8.02	25.11	0.27	2.49	0.19	2.30	0.00	26.04	74.00	0.00	0.00	31.11
200000	2.20	2.80	13.20	10.35	14.09	0.00	2.63	0.21	2.42	0.00	26.04	74.00	0.00	0.00	33.37
210000	2.25	3.00	13.34	10.31	12.57	0.00	2.69	0.19	2.50	0.00	26.04	74.00	0.00	0.00	42.11
220000	2.26	2.90	11.10	8.16	11.68	0.24	2.82	0.17	2.65	0.00	26.04	74.00	0.00	0.00	43.94
230000	2.28	2.80	9.66	6.81	12.08	0.24	2.83	0.17	2.66	0.00	26.04	74.00	0.00	0.00	40.73
極大值	2.57	4.70	14.47	11.52	55.40	0.36	3.28	0.36	3.11	0.00	26.04	74.00	0.00	0.00	733.16
極小值	2.14	2.48	7.45	4.90	5.36	0.00	2.39	0.11	2.19	0.00	26.04	74.00	0.00	0.00	26.41
平均值	2.30	3.07	11.30	8.19	23.46	0.24	2.76	0.20	2.55	0.00	26.04	74.00	0.00	0.00	79.11
標準差	0.12	0.64	1.68	1.59	16.72	0.11	0.26	0.05	0.27	0	0	0	0	0	151.24

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.27	2.62	8.32	5.68	16.31	0.23	2.66	0.17	2.49	0.00	26.04	74.00	0.00	0.00	345.90
010000	2.25	2.82	10.14	7.31	10.08	0.26	2.67	0.18	2.49	0.00	26.04	74.00	0.00	0.00	701.95
020000	2.29	2.82	9.85	7.00	11.34	0.26	2.73	0.19	2.54	0.00	26.04	74.00	0.00	0.00	39.68
030000	2.32	2.75	9.80	7.02	12.18	0.00	2.72	0.22	2.50	0.00	26.04	74.00	0.00	0.00	42.10
040000	2.28	2.80	9.44	6.59	10.68	0.27	2.75	0.21	2.54	0.00	26.04	74.00	0.00	0.00	46.37
050000	2.28	2.66	8.13	5.45	9.48	0.24	2.68	0.21	2.47	0.00	26.04	74.00	0.00	0.00	43.43
060000	2.31	3.63	11.47	7.78	7.42	0.27	2.66	0.21	2.45	0.00	26.04	74.00	0.00	0.00	42.91
070000	2.32	7.30	16.90	9.54	6.91	0.36	2.64	0.22	2.42	0.00	26.04	74.00	0.00	0.00	43.79
080000	2.31	5.42	16.07	10.61	7.04	0.34	2.64	0.24	2.40	0.00	26.04	74.00	0.00	0.00	40.06
090000	2.27	5.87	16.68	10.78	8.42	0.33	2.77	0.22	2.55	0.00	26.04	74.00	0.00	0.00	37.55
100000	2.26	4.11	10.97	6.81	15.83	0.27	2.60	0.20	2.40	0.00	26.04	74.00	0.00	0.00	36.16
110000	2.34	3.13	7.32	4.14	25.96	0.30	2.44	0.19	2.25	0.00	26.04	74.00	0.00	0.00	29.99
120000	2.28	2.62	6.19	3.56	34.63	0.00	2.41	0.19	2.22	0.00	26.04	74.00	0.00	0.00	27.42
130000	2.40	2.56	8.98	6.39	54.60	0.30	2.52	0.27	2.25	0.00	26.04	74.00	0.00	0.00	25.38
140000	2.42	2.85	11.40	8.51	53.83	0.32	2.57	0.33	2.24	0.00	26.04	74.00	0.00	0.00	36.32
150000	2.52	2.95	11.38	8.37	37.07	0.28	2.88	0.68	2.20	0.00	26.04	74.00	0.00	0.00	46.94
160000	2.47	2.47	6.59	4.11	26.54	0.26	3.14	0.97	2.17	0.00	26.04	74.00	0.00	0.00	46.28
170000	2.23	2.46	7.14	4.68	30.66	0.00	2.42	0.26	2.16	0.00	26.04	74.00	0.00	0.00	69.19
180000	2.29	2.51	7.44	4.90	37.02	0.33	2.46	0.21	2.25	0.00	26.04	74.00	0.00	0.00	24.64
190000	2.20	2.80	11.66	8.85	13.45	0.00	2.46	0.19	2.27	0.00	26.04	74.00	0.00	0.00	28.60
200000	2.15	2.79	12.48	9.67	13.30	0.28	2.54	0.21	2.33	0.00	26.04	74.00	0.00	0.00	26.42
210000	2.22	2.81	10.55	7.72	12.43	0.29	2.61	0.18	2.43	0.00	26.04	74.00	0.00	0.00	22.10
220000	2.16	3.05	11.21	8.14	8.93	0.35	2.72	0.20	2.52	0.00	26.04	74.00	0.00	0.00	25.90
230000	2.21	3.49	12.26	8.74	8.19	0.31	2.71	0.25	2.46	0.00	26.04	74.00	0.00	0.00	29.92
極大值	2.52	7.30	16.90	10.78	54.60	0.36	3.14	0.97	2.55	0.00	26.04	74.00	0.00	0.00	701.95
極小值	2.15	2.46	6.19	3.56	6.91	0.00	2.41	0.17	2.16	0.00	26.04	74.00	0.00	0.00	22.10
平均值	2.29	3.30	10.52	7.18	19.68	0.24	2.64	0.27	2.38	0.00	26.04	74.00	0.00	0.00	77.46
標準差	0.09	1.22	2.96	2.04	14.49	0.12	0.16	0.18	0.13	0	0	0	0	0	147.56

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.19	3.20	11.47	8.19	9.09	0.28	2.54	0.18	2.36	0.00	26.04	74.00	0.00	0.00	323.73
010000	2.16	2.84	9.64	6.76	7.87	0.31	2.52	0.19	2.33	0.00	26.04	74.00	0.00	0.00	709.63
020000	2.12	3.37	9.73	6.31	7.59	0.33	2.56	0.18	2.38	0.00	26.04	74.00	0.00	0.00	23.64
030000	2.20	3.63	10.57	6.88	6.93	0.31	2.67	0.18	2.49	0.00	26.04	74.00	0.00	0.00	31.98
040000	2.21	3.27	9.20	5.88	7.19	0.26	2.65	0.17	2.48	0.00	26.04	74.00	0.00	0.00	28.91
050000	2.20	3.15	8.91	5.73	6.94	0.24	2.58	0.17	2.41	0.00	26.04	74.00	0.00	0.00	24.77
060000	2.13	4.72	11.03	6.24	6.87	0.26	2.61	0.17	2.44	0.00	26.04	74.00	0.00	0.00	21.96
070000	2.18	6.53	14.18	7.62	6.92	0.26	2.59	0.20	2.39	0.00	26.04	74.00	0.00	0.00	25.36
080000	2.17	7.06	15.45	8.35	7.16	0.25	2.63	0.22	2.41	0.00	26.04	74.00	0.00	0.00	38.47
090000	2.19	3.65	7.65	3.98	7.71	0.29	2.51	0.20	2.31	0.00	26.04	74.00	0.00	0.00	35.03
100000	2.13	3.28	6.22	2.91	7.89	0.28	2.28	0.16	2.12	0.00	26.04	74.00	0.00	0.00	22.22
110000	2.15	4.18	9.72	5.50	7.94	0.25	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	14.44
120000	2.14	4.86	11.29	6.42	8.25	0.22	2.49	0.19	2.30	0.00	26.04	74.00	0.00	0.00	15.39
130000	2.15	4.51	10.38	5.83	9.56	0.26	2.47	0.18	2.29	0.00	26.04	74.00	0.00	0.00	16.50
140000	2.14	3.08	7.32	4.19	13.94	0.24	2.41	0.17	2.24	0.00	26.04	74.00	0.00	0.00	16.72
150000	2.23	2.92	8.48	5.50	16.41	0.30	2.38	0.17	2.21	0.00	26.04	74.00	0.00	0.00	17.57
160000	2.19	2.78	7.50	4.70	15.03	0.00	2.36	0.17	2.19	0.00	26.04	74.00	0.00	0.00	19.14
170000	2.18	2.79	7.34	4.56	8.79	0.00	2.32	0.15	2.17	0.00	26.04	74.00	0.00	0.00	19.68
180000	2.12	2.74	6.91	4.16	7.78	0.00	2.31	0.15	2.16	0.00	26.04	74.00	0.00	0.00	13.42
190000	2.14	3.27	10.08	6.78	5.89	0.26	2.34	0.16	2.18	0.00	26.04	74.00	0.00	0.00	11.61
200000	2.13	3.71	9.82	6.06	5.34	0.30	2.46	0.18	2.28	0.00	26.04	74.00	0.00	0.00	10.73
210000	2.19	3.95	9.79	5.81	5.09	0.27	2.52	0.17	2.35	0.00	26.04	74.00	0.00	0.00	13.66
220000	2.14	3.10	8.48	5.32	5.38	0.24	2.47	0.17	2.30	0.00	26.04	74.00	0.00	0.00	15.19
230000	2.12	3.30	8.21	4.85	4.95	0.25	2.59	0.16	2.43	0.00	26.04	74.00	0.00	0.00	15.88
極大值	2.23	7.06	15.45	8.35	16.41	0.33	2.67	0.22	2.49	0.00	26.04	74.00	0.00	0.00	709.63
極小值	2.12	2.74	6.22	2.91	4.95	0.00	2.28	0.15	2.12	0.00	26.04	74.00	0.00	0.00	10.73
平均值	2.16	3.75	9.56	5.77	8.19	0.24	2.48	0.18	2.31	0.00	26.04	74.00	0.00	0.00	61.90
標準差	0.03	1.12	2.16	1.33	2.96	0.09	0.12	0.02	0.11	0	0	0	0	0	151.36

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.14	3.15	7.24	4.03	5.01	0.25	2.71	0.14	2.57	0.00	26.04	74.00	0.00	0.00	335.22
010000	2.14	2.95	6.95	3.95	4.84	0.23	2.58	0.16	2.42	0.00	26.04	74.00	0.00	0.00	693.63
020000	2.17	3.03	7.12	4.02	5.07	0.27	2.58	0.12	2.46	0.00	26.04	74.00	0.00	0.00	15.82
030000	2.20	3.02	6.79	3.71	4.98	0.26	2.63	0.15	2.48	0.00	26.04	74.00	0.00	0.00	22.67
040000	2.13	3.38	7.31	3.85	4.73	0.23	2.69	0.14	2.55	0.00	26.04	74.00	0.00	0.00	20.64
050000	2.16	5.56	10.09	4.52	4.54	0.31	2.95	0.14	2.81	0.00	26.04	74.00	0.00	0.00	18.18
060000	2.24	9.06	12.84	3.74	5.07	0.27	3.12	0.16	2.96	0.00	26.04	74.00	0.00	0.00	18.93
070000	2.21	6.87	10.40	3.44	5.49	0.31	3.18	0.19	2.99	0.00	26.04	74.00	0.00	0.00	22.89
080000	2.25	7.14	13.69	6.50	5.72	0.32	2.77	0.21	2.56	0.00	26.04	74.00	0.00	0.00	21.07
090000	2.30	4.95	13.82	8.84	15.50	0.25	2.69	0.26	2.43	0.00	26.04	74.00	0.00	0.00	24.00
100000	2.35	3.23	9.31	6.03	27.22	0.23	2.53	0.26	2.27	0.00	26.04	74.00	0.00	0.00	27.27
110000	2.25	2.85	6.32	3.45	19.86	0.22	2.38	0.19	2.19	0.00	26.04	74.00	0.00	0.00	19.84
120000	2.21	2.99	5.24	2.21	8.93	0.22	2.33	0.18	2.15	0.00	26.04	74.00	0.00	0.00	14.75
130000	2.15	3.09	5.32	2.21	8.16	0.00	2.29	0.17	2.12	0.00	26.04	74.00	0.00	0.00	10.37
140000	2.19	2.88	5.33	2.44	11.05	0.20	2.34	0.17	2.17	0.00	26.04	74.00	0.00	0.00	6.27
150000	2.13	3.17	5.50	2.30	6.29	0.24	2.31	0.16	2.15	0.00	26.04	74.00	0.00	0.00	6.11
160000	2.11	3.03	5.46	2.42	5.72	0.22	2.27	0.15	2.12	0.00	26.04	74.00	0.00	0.00	9.87
170000	2.19	3.17	7.59	4.36	5.64	0.26	2.29	0.16	2.13	0.00	26.04	74.00	0.00	0.00	12.27
180000	2.22	5.27	12.26	6.93	4.74	0.32	2.36	0.18	2.18	0.00	26.04	74.00	0.00	0.00	11.66
190000	2.22	8.46	16.72	8.21	4.94	0.34	2.50	0.20	2.30	0.00	26.04	74.00	0.00	0.00	16.90
200000	2.21	3.71	10.97	7.22	5.31	0.26	2.60	0.19	2.41	0.00	26.04	74.00	0.00	0.00	18.20
210000	2.23	6.25	13.85	7.58	5.26	0.31	2.54	0.19	2.35	0.00	26.04	74.00	0.00	0.00	12.08
220000	2.19	4.78	10.43	5.63	4.93	0.30	2.47	0.18	2.29	0.00	26.04	74.00	0.00	0.00	15.23
230000	2.17	4.52	8.82	4.24	4.27	0.00	2.67	0.15	2.52	0.00	26.04	74.00	0.00	0.00	15.84
極大值	2.35	9.06	16.72	8.84	27.22	0.34	3.18	0.26	2.99	0.00	26.04	74.00	0.00	0.00	693.63
極小值	2.11	2.85	5.24	2.21	4.27	0.00	2.27	0.12	2.12	0.00	26.04	74.00	0.00	0.00	6.11
平均值	2.20	4.44	9.14	4.66	7.64	0.24	2.57	0.18	2.40	0.00	26.04	74.00	0.00	0.00	57.90
標準差	0.06	1.88	3.34	1.99	5.61	0.08	0.25	0.03	0.25	0	0	0	0	0	150.31

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.19	3.25	7.72	4.42	4.64	0.32	2.70	0.15	2.55	0.00	26.04	74.00	0.00	0.00	328.65
010000	2.20	3.82	8.66	4.79	4.33	0.33	2.66	0.15	2.51	0.00	26.04	74.00	0.00	0.00	688.89
020000	2.20	4.31	9.61	5.25	4.33	0.00	2.94	0.15	2.79	0.00	26.04	74.00	0.00	0.00	20.44
030000	2.20	3.43	7.65	4.20	4.46	0.37	2.87	0.15	2.72	0.00	26.04	74.00	0.00	0.00	27.07
040000	2.27	3.22	7.37	4.13	4.22	0.32	2.64	0.15	2.49	0.00	26.04	74.00	0.00	0.00	25.48
050000	2.23	3.96	7.98	3.97	4.15	0.33	2.58	0.15	2.43	0.00	26.04	74.00	0.00	0.00	22.75
060000	2.20	7.32	11.85	4.51	4.31	0.36	2.75	0.14	2.61	0.00	26.04	74.00	0.00	0.00	22.60
070000	2.23	5.01	9.09	4.06	5.77	0.00	2.72	0.16	2.56	0.00	26.04	74.00	0.00	0.00	23.15
080000	2.20	3.52	7.10	3.49	10.47	0.29	2.50	0.17	2.33	0.00	26.04	74.00	0.00	0.00	23.05
090000	2.23	3.01	6.98	3.89	19.71	0.33	2.45	0.19	2.26	0.00	26.04	74.00	0.00	0.00	20.89
100000	2.25	2.84	6.58	3.70	26.01	0.31	2.48	0.19	2.29	0.00	26.04	74.00	0.00	0.00	20.04
110000	2.35	2.77	7.37	4.61	38.34	0.00	2.45	0.22	2.23	0.00	26.04	74.00	0.00	0.00	23.07
120000	2.58	2.91	11.98	9.06	54.46	0.00	2.49	0.25	2.24	0.00	26.04	74.00	0.00	0.00	27.40
130000	2.55	2.77	9.41	6.63	53.14	0.00	2.44	0.25	2.19	0.00	26.04	74.00	0.00	0.00	30.80
140000	2.43	3.00	8.84	5.77	34.45	0.33	2.38	0.23	2.15	0.00	26.04	74.00	0.00	0.00	27.49
150000	2.43	2.72	9.74	7.00	40.51	0.28	2.40	0.20	2.20	0.00	26.04	74.00	0.00	0.00	23.31
160000	2.33	2.58	9.72	7.10	36.84	0.00	2.46	0.20	2.26	0.00	26.04	74.00	0.00	0.00	32.76
170000	2.29	2.59	9.18	6.59	29.30	0.00	2.44	0.20	2.24	0.00	26.04	74.00	0.00	0.00	28.48
180000	2.23	2.67	8.87	6.24	21.13	0.26	2.46	0.18	2.28	0.00	26.04	74.00	0.00	0.00	24.38
190000	2.20	2.64	8.47	5.82	19.46	0.31	2.42	0.17	2.25	0.00	26.04	74.00	0.00	0.00	17.11
200000	2.20	2.61	8.48	5.87	18.86	0.31	2.45	0.17	2.28	0.00	26.04	74.00	0.00	0.00	22.47
210000	2.13	2.82	9.35	6.48	11.89	0.31	2.40	0.17	2.23	0.00	26.04	74.00	0.00	0.00	20.84
220000	2.20	3.07	10.88	7.77	7.97	0.33	2.44	0.09	2.35	0.00	26.04	74.00	0.00	0.00	22.67
230000	2.21	3.45	11.29	7.80	6.52	0.00	2.51	0.18	2.33	0.00	26.04	74.00	0.00	0.00	25.05
極大值	2.58	7.32	11.98	9.06	54.46	0.37	2.94	0.25	2.79	0.00	26.04	74.00	0.00	0.00	688.89
極小值	2.13	2.58	6.58	3.49	4.15	0.00	2.38	0.09	2.15	0.00	26.04	74.00	0.00	0.00	17.11
平均值	2.27	3.35	8.92	5.55	19.39	0.21	2.54	0.18	2.37	0.00	26.04	74.00	0.00	0.00	64.54
標準差	0.12	1.04	1.5	1.53	16.22	0.15	0.15	0.04	0.18	0	0	0	0	0	146.81

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.21	3.03	9.01	5.95	6.95	0.32	2.74	0.18	2.56	0.00	26.04	74.00	0.00	0.00	330.88
010000	2.21	3.31	9.35	5.97	6.48	0.00	3.13	0.14	2.99	0.00	26.04	74.00	0.00	0.00	690.06
020000	2.21	3.56	9.30	5.66	5.45	0.34	3.13	0.13	3.00	0.00	26.04	74.00	0.00	0.00	19.31
030000	2.18	2.92	7.85	4.88	6.02	0.00	2.88	0.14	2.74	0.00	26.04	74.00	0.00	0.00	20.67
040000	2.16	3.12	7.67	4.53	5.73	0.29	2.70	0.15	2.55	0.00	26.04	74.00	0.00	0.00	20.87
050000	2.22	3.80	8.93	5.10	5.27	0.29	2.85	0.16	2.69	0.00	26.04	74.00	0.00	0.00	23.04
060000	2.23	4.80	8.94	4.10	5.90	0.36	2.94	0.16	2.78	0.00	26.04	74.00	0.00	0.00	25.10
070000	2.22	3.82	6.58	2.73	6.83	0.29	2.86	0.17	2.69	0.00	26.04	74.00	0.00	0.00	26.54
080000	2.21	2.92	5.15	2.20	11.05	0.31	2.54	0.16	2.38	0.00	26.04	74.00	0.00	0.00	21.58
090000	2.19	2.66	4.75	2.04	17.25	0.29	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	17.55
100000	2.28	2.68	5.48	2.76	24.98	0.00	2.44	0.19	2.25	0.00	26.04	74.00	0.00	0.00	20.77
110000	2.32	2.62	5.96	3.31	35.62	0.00	2.46	0.21	2.25	0.00	26.04	74.00	0.00	0.00	21.57
120000	2.46	2.54	6.55	3.98	55.59	0.35	2.50	0.22	2.28	0.00	26.04	74.00	0.00	0.00	18.05
130000	2.39	2.53	5.62	3.04	47.78	0.36	2.43	0.21	2.22	0.00	26.04	74.00	0.00	0.00	22.98
140000	2.26	2.50	5.11	2.57	37.68	0.00	2.34	0.19	2.15	0.00	26.04	74.00	0.00	0.00	22.08
150000	2.28	2.52	4.96	2.39	33.48	0.30	2.30	0.17	2.13	0.00	26.04	74.00	0.00	0.00	17.29
160000	2.32	3.04	9.81	6.70	26.69	0.29	2.40	0.21	2.19	0.00	26.04	74.00	0.00	0.00	19.39
170000	2.25	2.71	8.53	5.81	20.53	0.33	2.48	0.19	2.29	0.00	26.04	74.00	0.00	0.00	20.42
180000	2.22	2.48	8.24	5.75	17.77	0.39	2.52	0.18	2.34	0.00	26.04	74.00	0.00	0.00	13.97
190000	2.21	2.63	8.37	5.72	16.52	0.39	2.55	0.17	2.38	0.00	26.04	74.00	0.00	0.00	15.62
200000	2.24	2.78	10.89	8.08	10.71	0.30	2.63	0.17	2.46	0.00	26.04	74.00	0.00	0.00	13.28
210000	2.20	2.68	11.18	8.45	8.69	0.00	2.89	0.17	2.72	0.00	26.04	74.00	0.00	0.00	15.81
220000	2.29	3.20	12.07	8.78	6.30	0.00	3.19	0.17	3.02	0.00	26.04	74.00	0.00	0.00	21.44
230000	2.27	3.16	10.84	7.63	6.84	0.33	3.26	0.17	3.09	0.00	26.04	74.00	0.00	0.00	28.98
極大值	2.46	4.80	12.07	8.78	55.59	0.39	3.26	0.22	3.09	0.00	26.04	74.00	0.00	0.00	690.06
極小值	2.16	2.48	4.75	2.04	5.27	0.00	2.30	0.13	2.13	0.00	26.04	74.00	0.00	0.00	13.28
平均值	2.25	3.00	7.96	4.92	17.75	0.23	2.69	0.17	2.52	0.00	26.04	74.00	0.00	0.00	61.14
標準差	0.07	0.55	2.18	2.06	14.68	0.15	0.29	0.02	0.3	0	0	0	0	0	148.23

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.30	3.62	7.86	4.19	6.86	0.30	3.12	0.17	2.95	0.00	26.04	74.00	0.00	0.00	339.87
010000	2.28	4.36	10.25	5.88	6.88	0.32	3.23	0.16	3.07	0.00	26.04	74.00	0.00	0.00	689.09
020000	2.29	4.43	9.64	5.18	7.14	0.00	2.81	0.17	2.64	0.00	26.04	74.00	0.00	0.00	30.74
030000	2.27	4.32	7.61	3.24	7.28	0.31	2.70	0.16	2.54	0.00	26.04	74.00	0.00	0.00	26.60
040000	2.31	4.23	7.75	3.47	6.61	0.30	2.75	0.16	2.59	0.00	26.04	74.00	0.00	0.00	25.80
050000	2.25	4.95	8.66	3.66	6.14	0.34	3.10	0.15	2.95	0.00	26.04	74.00	0.00	0.00	24.43
060000	2.23	5.59	8.38	2.78	6.30	0.29	3.52	0.15	3.37	0.00	26.04	74.00	0.00	0.00	26.70
070000	2.28	5.51	7.83	2.35	6.77	0.31	3.35	0.16	3.19	0.00	26.04	74.00	0.00	0.00	28.30
080000	2.26	3.91	5.57	1.62	6.70	0.37	3.06	0.19	2.87	0.00	26.04	74.00	0.00	0.00	27.99
090000	2.27	3.44	5.62	2.13	7.33	0.36	3.15	0.19	2.96	0.00	26.04	74.00	0.00	0.00	33.68
100000	2.31	3.41	6.91	3.45	12.64	0.30	2.75	0.21	2.54	0.00	26.04	74.00	0.00	0.00	37.69
110000	2.26	3.32	5.86	2.48	20.12	0.34	2.85	0.26	2.59	0.00	26.04	74.00	0.00	0.00	36.97
120000	2.40	3.16	4.79	1.57	44.29	0.31	2.86	0.40	2.46	0.00	26.04	74.00	0.00	0.00	47.05
130000	2.33	3.32	4.66	1.28	33.38	0.32	2.60	0.28	2.32	0.00	26.04	74.00	0.00	0.00	53.57
140000	2.25	3.43	4.25	0.78	21.89	0.28	2.52	0.23	2.29	0.00	26.04	74.00	0.00	0.00	37.04
150000	2.28	3.42	3.78	0.44	27.24	0.28	2.52	0.20	2.32	0.00	26.04	74.00	0.00	0.00	30.36
160000	2.28	3.42	3.94	0.48	20.34	0.00	2.49	0.19	2.30	0.00	26.04	74.00	0.00	0.00	37.70
170000	2.18	3.61	4.01	0.38	10.91	0.34	2.44	0.17	2.27	0.00	26.04	74.00	0.00	0.00	26.70
180000	2.18	3.59	4.05	0.46	8.30	0.35	2.45	0.17	2.28	0.00	26.04	74.00	0.00	0.00	18.02
190000	2.20	3.61	4.05	0.49	8.06	0.00	2.45	0.18	2.27	0.00	26.04	74.00	0.00	0.00	17.78
200000	2.18	3.66	3.93	0.29	8.85	0.32	2.51	0.21	2.30	0.00	26.04	74.00	0.00	0.00	18.26
210000	2.23	3.82	4.41	0.59	8.65	0.28	2.55	0.26	2.29	0.00	26.04	74.00	0.00	0.00	21.83
220000	2.18	4.21	6.19	1.97	8.51	0.00	2.41	0.17	2.24	0.00	26.04	74.00	0.00	0.00	14.29
230000	2.08	4.87	7.32	2.47	11.27	0.00	2.31	0.15	2.16	0.00	26.04	74.00	0.00	0.00	11.72
極大值	2.40	5.59	10.25	5.88	44.29	0.37	3.52	0.40	3.37	0.00	26.04	74.00	0.00	0.00	689.09
極小值	2.08	3.16	3.78	0.29	6.14	0.00	2.31	0.15	2.16	0.00	26.04	74.00	0.00	0.00	11.72
平均值	2.25	3.97	6.14	2.15	13.02	0.25	2.77	0.20	2.57	0.00	26.04	74.00	0.00	0.00	69.26
標準差	0.06	0.69	2.01	1.59	9.95	0.13	0.34	0.06	0.35	0	0	0	0	0	146.8

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.14	2.48	5.62	3.10	8.64	0.36	2.38	0.15	2.23	0.00	26.04	74.00	0.00	0.00	328.75
010000	2.15	2.49	5.92	3.39	8.03	0.00	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	667.59
020000	2.17	2.64	5.67	3.01	9.85	0.00	2.38	0.17	2.21	0.00	26.04	74.00	0.00	0.00	4.06
030000	2.17	2.51	5.88	3.32	8.12	0.00	2.47	0.18	2.29	0.00	26.04	74.00	0.00	0.00	6.54
040000	2.18	2.61	5.58	2.96	6.79	0.30	2.58	0.17	2.41	0.00	26.04	74.00	0.00	0.00	7.21
050000	2.17	2.63	5.46	2.78	7.74	0.28	2.50	0.16	2.34	0.00	26.04	74.00	0.00	0.00	9.25
060000	2.20	2.47	5.04	2.52	9.30	0.27	2.39	0.15	2.24	0.00	26.04	74.00	0.00	0.00	9.72
070000	2.18	3.01	7.80	4.76	7.26	0.00	2.44	0.16	2.28	0.00	26.04	74.00	0.00	0.00	11.83
080000	2.19	3.52	8.66	5.11	8.05	0.00	2.43	0.16	2.27	0.00	26.04	74.00	0.00	0.00	11.01
090000	2.15	3.51	7.75	4.21	10.21	0.30	2.32	0.14	2.18	0.00	26.04	74.00	0.00	0.00	7.95
100000	2.15	3.86	7.36	3.47	9.90	0.00	2.33	0.14	2.19	0.00	26.04	74.00	0.00	0.00	7.16
110000	2.12	3.14	5.51	2.38	12.29	0.00	2.31	0.14	2.17	0.00	26.04	74.00	0.00	0.00	7.89
120000	2.11	3.15	5.80	2.63	12.09	0.32	2.31	0.14	2.17	0.00	26.04	74.00	0.00	0.00	7.51
130000	2.14	3.29	5.88	2.58	10.38	0.28	2.35	0.14	2.21	0.00	26.04	74.00	0.00	0.00	4.80
140000	2.15	3.09	6.51	3.43	9.36	0.28	2.34	0.14	2.20	0.00	26.04	74.00	0.00	0.00	3.06
150000	2.13	3.05	7.05	4.00	8.82	0.00	2.34	0.14	2.20	0.00	26.04	74.00	0.00	0.00	4.57
160000	2.12	3.03	8.02	4.99	8.59	0.00	2.36	0.14	2.22	0.00	26.04	74.00	0.00	0.00	6.27
170000	2.10	2.64	6.48	3.86	9.68	0.32	2.31	0.14	2.17	0.00	26.04	74.00	0.00	0.00	5.32
180000	2.14	2.63	6.88	4.27	8.41	0.33	2.33	0.15	2.18	0.00	26.04	74.00	0.00	0.00	4.54
190000	2.13	2.61	6.38	3.78	7.84	0.30	2.34	0.15	2.19	0.00	26.04	74.00	0.00	0.00	6.09
200000	2.15	2.57	5.80	3.23	7.89	0.32	2.38	0.15	2.23	0.00	26.04	74.00	0.00	0.00	7.47
210000	2.11	2.60	5.41	2.83	7.46	0.27	2.47	0.14	2.33	0.00	26.04	74.00	0.00	0.00	8.24
220000	2.08	2.58	5.71	3.15	7.14	0.29	2.43	0.14	2.29	0.00	26.04	74.00	0.00	0.00	14.64
230000	2.14	2.62	5.58	2.97	6.82	0.00	2.49	0.15	2.34	0.00	26.04	74.00	0.00	0.00	25.12
極大值	2.20	3.86	8.66	5.11	12.29	0.36	2.58	0.18	2.41	0.00	26.04	74.00	0.00	0.00	667.59
極小值	2.08	2.47	5.04	2.38	6.79	0.00	2.31	0.14	2.17	0.00	26.04	74.00	0.00	0.00	3.06
平均值	2.14	2.86	6.32	3.45	8.78	0.18	2.39	0.15	2.24	0.00	26.04	74.00	0.00	0.00	49.02
標準差	0.03	0.39	0.98	0.78	1.49	0.15	0.07	0.01	0.06	0	0	0	0	0	147.15

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.13	2.55	6.07	3.49	7.24	0.29	2.53	0.14	2.39	0.00	26.04	74.00	0.00	0.00	331.25
010000	2.14	2.41	4.84	2.44	6.90	0.28	2.42	0.15	2.27	0.00	26.04	74.00	0.00	0.00	684.60
020000	2.14	2.38	3.98	1.61	10.92	0.00	2.35	0.13	2.22	0.00	26.04	74.00	0.00	0.00	4.33
030000	2.14	2.39	3.79	1.39	12.02	0.00	2.30	0.13	2.17	0.00	26.04	74.00	0.00	0.00	4.99
040000	2.13	2.41	3.67	1.25	9.97	0.00	2.35	0.14	2.21	0.00	26.04	74.00	0.00	0.00	4.87
050000	2.12	2.45	3.85	1.40	13.64	0.30	2.30	0.14	2.16	0.00	26.04	74.00	0.00	0.00	7.10
060000	2.18	2.42	4.25	1.83	13.21	0.28	2.24	0.13	2.11	0.00	26.04	74.00	0.00	0.00	11.17
070000	2.14	2.44	4.20	1.75	13.97	0.30	2.23	0.13	2.10	0.00	26.04	74.00	0.00	0.00	6.05
080000	2.12	2.54	5.40	2.86	11.51	0.00	2.28	0.14	2.14	0.00	26.04	74.00	0.00	0.00	3.33
090000	2.18	3.69	9.40	5.70	8.65	0.28	2.32	0.15	2.17	0.00	26.04	74.00	0.00	0.00	7.27
100000	2.19	5.77	14.25	8.45	7.05	0.31	2.43	0.16	2.27	0.00	26.04	74.00	0.00	0.00	12.24
110000	2.16	5.62	11.92	6.27	8.42	0.34	2.44	0.17	2.27	0.00	26.04	74.00	0.00	0.00	10.45
120000	2.15	4.18	8.17	3.96	9.13	0.00	2.43	0.16	2.27	0.00	26.04	74.00	0.00	0.00	9.04
130000	2.15	3.52	6.65	3.14	11.66	0.27	2.39	0.16	2.23	0.00	26.04	74.00	0.00	0.00	7.99
140000	2.19	2.70	4.72	1.99	13.38	0.34	2.33	0.16	2.17	0.00	26.04	74.00	0.00	0.00	6.10
150000	2.16	2.90	5.92	3.00	13.58	0.00	2.29	0.16	2.13	0.00	26.04	74.00	0.00	0.00	7.48
160000	2.14	2.68	4.56	1.85	11.91	0.36	2.31	0.17	2.14	0.00	26.04	74.00	0.00	0.00	10.32
170000	2.16	2.40	3.96	1.55	13.50	0.31	2.24	0.15	2.09	0.00	26.04	74.00	0.00	0.00	10.26
180000	2.16	2.42	4.58	2.12	12.40	0.32	2.24	0.15	2.09	0.00	26.04	74.00	0.00	0.00	15.63
190000	2.14	2.34	6.15	3.77	9.64	0.00	2.33	0.16	2.17	0.00	26.04	74.00	0.00	0.00	18.30
200000	2.17	2.47	7.01	4.52	7.81	0.29	2.41	0.18	2.23	0.00	26.04	74.00	0.00	0.00	14.15
210000	2.23	2.42	6.50	4.09	7.71	0.32	2.43	0.19	2.24	0.00	26.04	74.00	0.00	0.00	10.59
220000	2.14	2.46	5.65	3.16	7.75	0.33	2.41	0.18	2.23	0.00	26.04	74.00	0.00	0.00	10.26
230000	2.15	2.48	6.06	3.57	7.76	0.28	2.42	0.17	2.25	0.00	26.04	74.00	0.00	0.00	10.44
極大值	2.23	5.77	14.25	8.45	13.97	0.36	2.53	0.19	2.39	0.00	26.04	74.00	0.00	0.00	684.60
極小值	2.12	2.34	3.67	1.25	6.90	0.00	2.23	0.13	2.09	0.00	26.04	74.00	0.00	0.00	3.33
平均值	2.15	2.92	6.06	3.13	10.41	0.22	2.35	0.15	2.20	0.00	26.04	74.00	0.00	0.00	50.76
標準差	0.03	0.97	2.62	1.76	2.49	0.14	0.08	0.02	0.07	0	0	0	0	0	150.18

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.14	2.54	6.28	3.73	7.57	0.00	2.64	0.15	2.49	0.00	26.04	74.00	0.00	0.00	330.24
010000	2.20	2.44	5.03	2.54	6.20	0.27	2.55	0.16	2.39	0.00	26.04	74.00	0.00	0.00	717.11
020000	2.18	2.59	5.68	3.07	6.00	0.29	2.52	0.17	2.35	0.00	26.04	74.00	0.00	0.00	11.17
030000	2.16	2.71	6.08	3.38	5.51	0.25	2.56	0.16	2.40	0.00	26.04	74.00	0.00	0.00	14.61
040000	2.20	2.81	6.38	3.57	5.09	0.27	2.68	0.16	2.52	0.00	26.04	74.00	0.00	0.00	18.10
050000	2.16	3.49	6.97	3.47	5.43	0.30	2.84	0.15	2.69	0.00	26.04	74.00	0.00	0.00	19.92
060000	2.21	6.32	9.21	2.88	5.94	0.27	3.20	0.14	3.06	0.00	26.04	74.00	0.00	0.00	13.63
070000	2.21	9.33	13.48	4.12	5.58	0.39	3.02	0.17	2.85	0.00	26.04	74.00	0.00	0.00	17.36
080000	2.22	4.47	7.79	3.28	9.64	0.29	2.66	0.17	2.49	0.00	26.04	74.00	0.00	0.00	20.57
090000	2.32	3.95	11.33	7.34	25.02	0.00	2.71	0.30	2.41	0.00	26.04	74.00	0.00	0.00	23.23
100000	2.33	3.08	10.87	7.79	43.96	0.31	2.69	0.34	2.35	0.00	26.04	74.00	0.00	0.00	33.84
110000	2.36	2.68	8.55	5.87	50.97	0.30	2.53	0.31	2.22	0.00	26.04	74.00	0.00	0.00	32.07
120000	2.38	2.76	9.50	6.72	52.35	0.00	2.48	0.29	2.19	0.00	26.04	74.00	0.00	0.00	25.95
130000	2.47	2.95	10.32	7.34	47.73	0.34	2.46	0.28	2.18	0.00	26.04	74.00	0.00	0.00	30.98
140000	2.43	2.78	9.63	6.82	49.47	0.32	2.50	0.32	2.18	0.00	26.04	74.00	0.00	0.00	30.10
150000	2.54	3.14	12.73	9.52	43.37	0.30	2.50	0.27	2.23	0.00	26.04	74.00	0.00	0.00	26.32
160000	2.44	2.81	10.40	7.57	38.16	0.29	2.46	0.25	2.21	0.00	26.04	74.00	0.00	0.00	30.34
170000	2.32	2.53	9.79	7.25	31.72	0.30	2.33	0.20	2.13	0.00	26.04	74.00	0.00	0.00	29.66
180000	2.28	2.54	11.79	9.22	26.83	0.34	2.34	0.22	2.12	0.00	26.04	74.00	0.00	0.00	22.92
190000	2.33	2.55	11.23	8.66	24.07	0.00	2.38	0.26	2.12	0.00	26.04	74.00	0.00	0.00	26.79
200000	2.25	2.45	10.87	8.39	20.55	0.00	2.42	0.26	2.16	0.00	26.04	74.00	0.00	0.00	29.96
210000	2.31	2.57	10.92	8.32	13.02	0.34	2.53	0.26	2.27	0.00	26.04	74.00	0.00	0.00	28.57
220000	2.27	2.67	8.50	5.81	11.91	0.30	2.74	0.17	2.57	0.00	26.04	74.00	0.00	0.00	28.25
230000	2.23	2.54	7.08	4.56	13.48	0.27	2.52	0.15	2.37	0.00	26.04	74.00	0.00	0.00	26.66
極大值	2.54	9.33	13.48	9.52	52.35	0.39	3.20	0.34	3.06	0.00	26.04	74.00	0.00	0.00	717.11
極小值	2.14	2.44	5.03	2.54	5.09	0.00	2.33	0.14	2.12	0.00	26.04	74.00	0.00	0.00	11.17
平均值	2.29	3.28	9.18	5.88	22.90	0.24	2.59	0.22	2.37	0.00	26.04	74.00	0.00	0.00	66.18
標準差	0.11	1.55	2.34	2.29	17.41	0.13	0.2	0.07	0.24	0	0	0	0	0	152.14

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.22	2.48	7.05	4.58	11.90	0.00	2.44	0.16	2.28	0.00	26.04	74.00	0.00	0.00	336.78
010000	2.20	2.62	6.80	4.21	9.89	0.28	2.50	0.16	2.34	0.00	26.04	74.00	0.00	0.00	679.30
020000	2.23	2.55	6.38	3.85	8.06	0.24	2.67	0.14	2.53	0.00	26.04	74.00	0.00	0.00	22.20
030000	2.19	2.53	6.58	4.07	8.43	0.00	2.96	0.13	2.83	0.00	26.04	74.00	0.00	0.00	24.83
040000	2.23	2.58	6.80	4.23	8.16	0.00	2.76	0.15	2.61	0.00	26.04	74.00	0.00	0.00	23.56
050000	2.23	2.68	8.25	5.55	7.81	0.32	2.74	0.17	2.57	0.00	26.04	74.00	0.00	0.00	21.88
060000	2.21	3.46	9.51	6.02	8.09	0.31	2.92	0.20	2.72	0.00	26.04	74.00	0.00	0.00	24.10
070000	2.23	3.88	9.70	5.80	7.91	0.28	2.87	0.21	2.66	0.00	26.04	74.00	0.00	0.00	29.08
080000	2.36	4.11	11.19	7.05	15.39	0.31	2.71	0.22	2.49	0.00	26.04	74.00	0.00	0.00	35.81
090000	2.32	3.31	9.71	6.36	24.29	0.26	2.58	0.20	2.38	0.00	26.04	74.00	0.00	0.00	37.17
100000	2.41	3.26	10.52	7.21	32.05	0.27	2.62	0.20	2.42	0.00	26.04	74.00	0.00	0.00	38.39
110000	2.46	2.98	10.33	7.36	45.01	0.31	2.61	0.22	2.39	0.00	26.04	74.00	0.00	0.00	39.16
120000	2.45	2.68	8.21	5.55	55.73	0.27	2.49	0.21	2.28	0.00	26.04	74.00	0.00	0.00	42.11
130000	2.46	2.48	6.40	3.93	53.13	0.26	2.42	0.19	2.23	0.00	26.04	74.00	0.00	0.00	44.51
140000	2.52	2.50	5.90	3.37	55.06	0.00	2.40	0.18	2.22	0.00	26.04	74.00	0.00	0.00	42.69
150000	2.48	2.53	9.82	7.26	58.07	0.30	2.39	0.21	2.18	0.00	26.04	74.00	0.00	0.00	33.27
160000	2.38	2.88	13.81	10.91	32.59	0.29	2.44	0.26	2.18	0.00	26.04	74.00	0.00	0.00	33.00
170000	2.34	2.80	16.88	14.03	20.76	0.00	2.47	0.30	2.17	0.00	26.04	74.00	0.00	0.00	30.31
180000	2.23	2.76	10.15	7.37	24.15	0.27	2.32	0.20	2.12	0.00	26.04	74.00	0.00	0.00	23.90
190000	2.23	2.37	7.42	5.02	22.65	0.25	2.29	0.17	2.12	0.00	26.04	74.00	0.00	0.00	18.74
200000	2.20	2.38	7.15	4.75	22.28	0.28	2.27	0.16	2.11	0.00	26.04	74.00	0.00	0.00	18.17
210000	2.19	2.43	7.72	5.30	21.29	0.25	2.28	0.16	2.12	0.00	26.04	74.00	0.00	0.00	14.36
220000	2.21	2.52	7.89	5.38	14.80	0.00	2.43	0.17	2.26	0.00	26.04	74.00	0.00	0.00	16.01
230000	2.24	2.54	7.95	5.41	10.76	0.28	2.58	0.15	2.43	0.00	26.04	74.00	0.00	0.00	17.90
極大值	2.52	4.11	16.88	14.03	58.07	0.32	2.96	0.30	2.83	0.00	26.04	74.00	0.00	0.00	679.30
極小值	2.19	2.37	5.90	3.37	7.81	0.00	2.27	0.13	2.11	0.00	26.04	74.00	0.00	0.00	14.36
平均值	2.30	2.80	8.84	6.02	24.09	0.21	2.55	0.19	2.36	0.00	26.04	74.00	0.00	0.00	68.63
標準差	0.11	0.47	2.56	2.37	17.17	0.13	0.2	0.04	0.21	0	0	0	0	0	144.73

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.18	2.60	7.81	5.22	11.42	0.21	2.38	0.16	2.22	0.00	26.04	74.00	0.00	0.00	324.00
010000	2.23	2.43	7.32	4.91	10.72	0.28	2.38	0.17	2.21	0.00	26.04	74.00	0.00	0.00	674.64
020000	2.27	2.54	7.12	4.60	9.19	0.00	2.51	0.18	2.33	0.00	26.04	74.00	0.00	0.00	23.51
030000	2.23	2.61	6.97	4.40	9.62	0.28	2.67	0.17	2.50	0.00	26.04	74.00	0.00	0.00	24.49
040000	2.22	2.48	6.83	4.37	9.21	0.25	2.66	0.17	2.49	0.00	26.04	74.00	0.00	0.00	27.11
050000	2.23	2.69	8.04	5.36	8.98	0.26	2.64	0.18	2.46	0.00	26.04	74.00	0.00	0.00	25.70
060000	2.24	4.63	10.70	6.06	8.44	0.30	2.77	0.19	2.58	0.00	26.04	74.00	0.00	0.00	28.77
070000	2.24	5.13	10.52	5.39	7.43	0.27	2.96	0.19	2.77	0.00	26.04	74.00	0.00	0.00	29.51
080000	2.22	3.44	7.01	3.55	15.62	0.31	2.67	0.18	2.49	0.00	26.04	74.00	0.00	0.00	32.79
090000	2.32	2.81	6.15	3.33	26.78	0.28	2.47	0.18	2.29	0.00	26.04	74.00	0.00	0.00	28.26
100000	2.33	2.86	8.59	5.69	33.92	0.33	2.53	0.24	2.29	0.00	26.04	74.00	0.00	0.00	28.13
110000	2.36	2.90	8.47	5.52	35.52	0.29	2.45	0.25	2.20	0.00	26.04	74.00	0.00	0.00	29.41
120000	2.38	2.83	7.33	4.45	35.82	0.35	2.40	0.25	2.15	0.00	26.04	74.00	0.00	0.00	24.79
130000	2.39	2.57	5.93	3.35	41.54	0.32	2.41	0.26	2.15	0.00	26.04	74.00	0.00	0.00	23.46
140000	2.30	2.44	5.04	2.55	39.90	0.26	2.37	0.23	2.14	0.00	26.04	74.00	0.00	0.00	22.36
150000	2.32	2.49	4.73	2.20	38.39	0.30	2.33	0.20	2.13	0.00	26.04	74.00	0.00	0.00	21.87
160000	2.26	2.48	5.42	2.90	31.28	0.30	2.32	0.19	2.13	0.00	26.04	74.00	0.00	0.00	19.31
170000	2.29	2.49	7.02	4.50	30.35	0.33	2.35	0.20	2.15	0.00	26.04	74.00	0.00	0.00	19.64
180000	2.30	2.38	5.21	2.82	28.76	0.32	2.38	0.21	2.17	0.00	26.04	74.00	0.00	0.00	20.44
190000	2.29	2.35	5.76	3.41	26.40	0.00	2.41	0.21	2.20	0.00	26.04	74.00	0.00	0.00	23.90
200000	2.31	2.38	6.92	4.53	21.61	0.00	2.45	0.20	2.25	0.00	26.04	74.00	0.00	0.00	33.22
210000	2.28	2.39	7.27	4.84	18.87	0.00	2.78	0.17	2.61	0.00	26.04	74.00	0.00	0.00	43.65
220000	2.29	2.49	7.51	4.97	14.51	0.00	2.79	0.16	2.63	0.00	26.04	74.00	0.00	0.00	29.46
230000	2.29	2.47	8.44	5.93	12.54	0.00	2.59	0.18	2.41	0.00	26.04	74.00	0.00	0.00	33.69
極大值	2.39	5.13	10.70	6.06	41.54	0.35	2.96	0.26	2.77	0.00	26.04	74.00	0.00	0.00	674.64
極小值	2.18	2.35	4.73	2.20	7.43	0.00	2.32	0.16	2.13	0.00	26.04	74.00	0.00	0.00	19.31
平均值	2.28	2.79	7.17	4.37	21.95	0.22	2.53	0.20	2.33	0.00	26.04	74.00	0.00	0.00	66.34
標準差	0.05	0.69	1.51	1.11	11.82	0.13	0.18	0.03	0.19	0	0	0	0	0	143.13

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.24	2.48	8.24	5.71	10.73	0.30	2.59	0.17	2.42	0.00	26.04	74.00	0.00	0.00	337.85
010000	2.21	2.53	7.22	4.67	9.75	0.28	2.71	0.19	2.52	0.00	26.04	74.00	0.00	0.00	710.79
020000	2.25	2.61	7.76	5.18	10.10	0.31	2.80	0.19	2.61	0.00	26.04	74.00	0.00	0.00	29.53
030000	2.28	2.59	8.35	5.78	9.40	0.25	2.76	0.19	2.57	0.00	26.04	74.00	0.00	0.00	29.02
040000	2.23	2.76	8.08	5.37	9.14	0.00	3.09	0.17	2.92	0.00	26.04	74.00	0.00	0.00	32.26
050000	2.27	2.81	8.27	5.50	7.51	0.28	3.04	0.17	2.87	0.00	26.04	74.00	0.00	0.00	33.33
060000	2.29	3.81	8.09	4.24	8.87	0.29	2.81	0.19	2.62	0.00	26.04	74.00	0.00	0.00	33.36
070000	2.27	3.89	8.20	4.28	11.02	0.00	2.78	0.20	2.58	0.00	26.04	74.00	0.00	0.00	34.90
080000	2.30	2.65	4.95	2.35	20.01	0.00	2.53	0.20	2.33	0.00	26.04	74.00	0.00	0.00	35.17
090000	2.32	2.50	4.83	2.34	25.75	0.30	2.45	0.20	2.25	0.00	26.04	74.00	0.00	0.00	25.89
100000	2.29	2.48	5.00	2.51	33.66	0.29	2.46	0.21	2.25	0.00	26.04	74.00	0.00	0.00	19.91
110000	2.37	2.45	5.51	3.08	44.47	0.31	2.47	0.21	2.26	0.00	26.04	74.00	0.00	0.00	28.18
120000	2.36	2.55	5.51	2.98	52.34	0.37	2.47	0.20	2.27	0.00	26.04	74.00	0.00	0.00	32.19
130000	2.45	2.49	5.35	2.83	49.69	0.31	2.44	0.18	2.26	0.00	26.04	74.00	0.00	0.00	29.30
140000	2.46	2.65	7.14	4.45	47.52	0.30	2.44	0.20	2.24	0.00	26.04	74.00	0.00	0.00	27.99
150000	2.34	2.61	6.96	4.32	37.12	0.00	2.42	0.18	2.24	0.00	26.04	74.00	0.00	0.00	28.78
160000	2.46	3.45	11.53	8.02	23.66	0.31	2.48	0.21	2.27	0.00	26.04	74.00	0.00	0.00	22.63
170000	2.48	2.56	6.78	4.24	22.88	0.33	2.46	0.18	2.28	0.00	26.04	74.00	0.00	0.00	27.68
180000	2.31	2.37	5.60	3.25	22.61	0.37	2.49	0.16	2.33	0.00	26.04	74.00	0.00	0.00	20.71
190000	2.24	2.39	7.15	4.75	19.33	0.00	2.44	0.16	2.28	0.00	26.04	74.00	0.00	0.00	18.64
200000	2.27	2.38	6.82	4.40	17.39	0.00	2.46	0.17	2.29	0.00	26.04	74.00	0.00	0.00	16.58
210000	2.23	2.38	7.14	4.71	15.20	0.00	2.53	0.16	2.37	0.00	26.04	74.00	0.00	0.00	17.33
220000	2.24	2.48	7.08	4.56	14.52	0.32	2.57	0.16	2.41	0.00	26.04	74.00	0.00	0.00	20.25
230000	2.20	2.47	7.53	5.01	11.93	0.00	2.80	0.14	2.66	0.00	26.04	74.00	0.00	0.00	18.17
極大值	2.48	3.89	11.53	8.02	52.34	0.37	3.09	0.21	2.92	0.00	26.04	74.00	0.00	0.00	710.79
極小值	2.20	2.37	4.83	2.34	7.51	0.00	2.42	0.14	2.24	0.00	26.04	74.00	0.00	0.00	16.58
平均值	2.31	2.68	7.05	4.36	22.28	0.20	2.60	0.18	2.42	0.00	26.04	74.00	0.00	0.00	67.94
標準差	0.08	0.42	1.51	1.31	14.3	0.15	0.2	0.02	0.2	0	0	0	0	0	151.05

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.17	2.55	8.19	5.63	10.79	0.24	2.95	0.15	2.80	0.00	26.04	74.00	0.00	0.00	324.21
010000	2.21	2.57	6.50	3.90	9.37	0.29	2.72	0.15	2.57	0.00	26.04	74.00	0.00	0.00	678.24
020000	2.23	2.50	5.68	3.20	10.51	0.24	2.70	0.15	2.55	0.00	26.04	74.00	0.00	0.00	20.08
030000	2.27	2.59	6.07	3.52	10.46	0.27	2.77	0.13	2.64	0.00	26.04	74.00	0.00	0.00	23.38
040000	2.23	2.62	6.48	3.86	9.09	0.28	2.90	0.13	2.77	0.00	26.04	74.00	0.00	0.00	18.07
050000	2.21	2.68	6.68	4.01	8.82	0.28	2.96	0.13	2.83	0.00	26.04	74.00	0.00	0.00	15.20
060000	2.20	3.75	8.75	4.96	9.34	0.00	2.68	0.14	2.54	0.00	26.04	74.00	0.00	0.00	19.54
070000	2.23	3.90	8.04	4.09	10.45	0.28	2.50	0.17	2.33	0.00	26.04	74.00	0.00	0.00	23.51
080000	2.22	2.82	5.02	2.21	17.77	0.29	2.46	0.18	2.28	0.00	26.04	74.00	0.00	0.00	24.20
090000	2.23	2.50	4.64	2.10	25.64	0.25	2.49	0.20	2.29	0.00	26.04	74.00	0.00	0.00	19.44
100000	2.33	2.69	7.07	4.34	35.35	0.26	2.53	0.24	2.29	0.00	26.04	74.00	0.00	0.00	21.97
110000	2.40	2.74	7.21	4.44	40.69	0.33	2.49	0.22	2.27	0.00	26.04	74.00	0.00	0.00	27.40
120000	2.38	2.53	5.84	3.30	44.56	0.00	2.44	0.20	2.24	0.00	26.04	74.00	0.00	0.00	26.78
130000	2.36	2.51	5.10	2.57	45.01	0.35	2.44	0.19	2.25	0.00	26.04	74.00	0.00	0.00	23.61
140000	2.33	2.67	5.42	2.79	36.56	0.28	2.42	0.18	2.24	0.00	26.04	74.00	0.00	0.00	24.67
150000	2.34	2.59	5.89	3.35	32.61	0.00	2.37	0.17	2.20	0.00	26.04	74.00	0.00	0.00	20.92
160000	2.27	2.55	6.31	3.75	27.65	0.23	2.35	0.16	2.19	0.00	26.04	74.00	0.00	0.00	19.04
170000	2.25	2.53	8.03	5.51	25.24	0.23	2.43	0.18	2.25	0.00	26.04	74.00	0.00	0.00	18.29
180000	2.25	2.53	8.03	5.52	20.44	0.00	2.50	0.18	2.32	0.00	26.04	74.00	0.00	0.00	21.33
190000	2.32	2.59	8.61	6.03	19.84	0.24	2.54	0.17	2.37	0.00	26.04	74.00	0.00	0.00	22.65
200000	2.28	2.45	8.25	5.82	16.36	0.28	2.53	0.17	2.36	0.00	26.04	74.00	0.00	0.00	19.67
210000	2.20	2.50	8.00	5.55	13.99	0.24	2.51	0.18	2.33	0.00	26.04	74.00	0.00	0.00	20.87
220000	2.19	2.58	7.36	4.79	12.91	0.25	2.53	0.17	2.36	0.00	26.04	74.00	0.00	0.00	23.07
230000	2.23	2.45	6.14	3.70	12.53	0.00	2.54	0.15	2.39	0.00	26.04	74.00	0.00	0.00	23.64
極大值	2.40	3.90	8.75	6.03	45.01	0.35	2.96	0.24	2.83	0.00	26.04	74.00	0.00	0.00	678.24
極小值	2.17	2.45	4.64	2.10	8.82	0.00	2.35	0.13	2.19	0.00	26.04	74.00	0.00	0.00	15.20
平均值	2.26	2.68	6.80	4.12	21.08	0.21	2.57	0.17	2.40	0.00	26.04	74.00	0.00	0.00	61.66
標準差	0.06	0.36	1.23	1.16	12.16	0.12	0.18	0.03	0.19	0	0	0	0	0	145.13

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	2.22	2.45	6.24	3.79	11.96	0.27	2.57	0.14	2.43	0.00	26.04	74.00	0.00	0.00	334.59
010000	2.19	2.66	7.77	5.12	9.86	0.24	3.05	0.11	2.94	0.00	26.04	74.00	0.00	0.00	712.91
020000	2.22	2.56	7.08	4.54	10.82	0.00	2.77	0.14	2.63	0.00	26.04	74.00	0.00	0.00	22.23
030000	2.27	2.48	5.82	3.36	12.66	0.30	2.77	0.16	2.61	0.00	26.04	74.00	0.00	0.00	25.38
040000	2.24	2.58	5.96	3.39	11.46	0.35	2.70	0.18	2.52	0.00	26.04	74.00	0.00	0.00	23.35
050000	2.29	2.53	6.80	4.23	10.85	0.00	2.57	0.17	2.40	0.00	26.04	74.00	0.00	0.00	22.11
060000	2.25	4.24	9.81	5.55	10.62	0.29	2.66	0.19	2.47	0.00	26.04	74.00	0.00	0.00	22.45
070000	2.31	4.07	7.83	3.75	10.76	0.28	2.45	0.17	2.28	0.00	26.04	74.00	0.00	0.00	21.72
080000	2.52	3.19	6.69	3.44	18.46	0.00	2.38	0.14	2.24	0.00	26.04	74.00	0.00	0.00	23.60
090000	2.49	2.90	6.26	3.38	26.95	0.26	2.42	0.18	2.24	0.00	26.04	74.00	0.00	0.00	21.09
100000	2.41	2.58	4.95	2.42	34.91	0.25	2.46	0.20	2.26	0.00	26.04	74.00	0.00	0.00	22.07
110000	2.51	2.59	6.27	3.70	46.52	0.23	2.49	0.22	2.27	0.00	26.04	74.00	0.00	0.00	27.26
120000	2.45	2.57	6.97	4.40	57.53	0.30	2.55	0.23	2.32	0.00	26.04	74.00	0.00	0.00	29.88
130000	2.45	2.49	5.51	3.06	53.04	0.28	2.52	0.21	2.31	0.00	26.04	74.00	0.00	0.00	32.81
140000	2.35	2.69	5.59	2.97	42.36	0.29	2.43	0.20	2.23	0.00	26.04	74.00	0.00	0.00	29.10
150000	2.31	3.03	7.19	4.19	35.58	0.24	2.38	0.19	2.19	0.00	26.04	74.00	0.00	0.00	21.20
160000	2.30	2.50	6.11	3.63	35.87	0.21	2.37	0.18	2.19	0.00	26.04	74.00	0.00	0.00	17.97
170000	2.27	2.48	6.65	4.19	34.77	0.31	2.41	0.18	2.23	0.00	26.04	74.00	0.00	0.00	17.81
180000	2.31	2.62	10.54	7.92	25.74	0.26	2.52	0.21	2.31	0.00	26.04	74.00	0.00	0.00	22.15
190000	2.28	2.40	9.25	6.88	23.83	0.22	2.53	0.21	2.32	0.00	26.04	74.00	0.00	0.00	28.91
200000	2.23	2.40	5.31	2.95	26.95	0.23	2.57	0.16	2.41	0.00	26.04	74.00	0.00	0.00	24.77
210000	2.24	2.40	6.56	4.19	24.25	0.00	2.59	0.14	2.45	0.00	26.04	74.00	0.00	0.00	16.80
220000	2.25	2.43	6.85	4.41	19.97	0.00	2.56	0.14	2.42	0.00	26.04	74.00	0.00	0.00	16.43
230000	2.22	2.54	8.91	6.39	12.63	0.25	2.56	0.14	2.42	0.00	26.04	74.00	0.00	0.00	17.61
極大值	2.52	4.24	10.54	7.92	57.53	0.35	3.05	0.23	2.94	0.00	26.04	74.00	0.00	0.00	712.91
極小值	2.19	2.40	4.95	2.42	9.86	0.00	2.37	0.11	2.19	0.00	26.04	74.00	0.00	0.00	16.43
平均值	2.32	2.72	6.96	4.24	25.35	0.21	2.55	0.17	2.38	0.00	26.04	74.00	0.00	0.00	64.76
標準差	0.1	0.48	1.43	1.31	14.46	0.11	0.15	0.03	0.17	0	0	0	0	0	152.03

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.21	2.72	6.91	4.28	11.38	0.51	2.12	0.22	1.90	0.00	19.14	69.43	0.00	0.00	23.33
010000	5.26	2.83	6.76	4.02	10.88	0.50	2.13	0.22	1.91	0.00	19.12	69.46	0.00	0.00	25.40
020000	5.34	2.89	6.71	3.89	11.41	0.49	2.24	0.23	2.01	0.00	19.10	69.42	0.00	0.00	28.02
030000	5.33	2.90	6.35	3.51	10.89	0.49	2.28	0.23	2.05	0.00	19.14	69.46	0.00	0.00	20.33
040000	5.29	2.92	6.57	3.71	9.69	0.50	2.35	0.24	2.11	0.00	19.14	69.41	0.00	0.00	21.02
050000	5.25	3.53	9.03	5.62	10.19	0.52	2.37	0.24	2.13	0.00	19.16	69.40	0.00	0.00	28.06
060000	5.37	4.63	9.33	4.85	10.00	0.57	2.34	0.25	2.09	0.00	19.15	69.44	0.00	0.00	28.42
070000	5.38	5.39	10.45	5.25	10.82	0.58	2.23	0.24	1.99	0.00	19.15	69.39	0.00	0.00	37.18
080000	5.43	3.72	8.35	4.76	15.34	0.57	2.15	0.25	1.90	0.00	19.01	69.33	0.00	0.00	26.77
090000	5.32	2.86	6.27	3.48	23.55	0.55	2.12	0.22	1.90	0.00	19.00	69.32	0.00	0.00	26.39
100000	5.28	2.55	5.15	2.63	24.69	0.54	2.09	0.20	1.89	0.00	19.00	69.26	0.00	0.00	21.35
110000	5.34	2.60	5.73	3.20	31.18	0.56	2.10	0.23	1.87	0.00	19.03	69.40	0.00	0.00	19.27
120000	5.31	2.97	8.33	5.45	34.60	0.68	2.09	0.24	1.85	0.00	19.22	69.82	0.00	0.00	24.80
130000	5.54	3.79	12.47	8.89	29.14	0.73	2.06	0.25	1.81	0.00	19.17	69.86	0.00	0.00	21.84
140000	5.64	3.34	12.26	9.13	32.16	0.70	2.05	0.27	1.78	0.00	19.19	69.87	0.00	0.00	17.28
150000	5.54	2.91	9.02	6.26	28.26	0.59	2.05	0.21	1.84	0.00	19.19	69.82	0.00	0.00	28.18
160000	5.34	2.96	8.44	5.58	21.88	0.58	2.04	0.20	1.84	0.00	19.13	69.75	0.00	0.00	19.43
170000	5.27	2.79	8.72	6.04	18.94	0.62	2.04	0.21	1.83	0.00	19.07	69.75	0.00	0.00	13.41
180000	5.29	2.88	9.98	7.27	16.85	0.62	2.06	0.18	1.88	0.00	19.05	69.75	0.00	0.00	17.70
190000	5.30	2.78	10.92	8.32	13.71	0.64	2.10	0.19	1.91	0.00	19.03	69.75	0.00	0.00	17.44
200000	5.30	2.78	9.74	7.12	12.78	0.64	2.14	0.22	1.92	0.00	19.04	69.75	0.00	0.00	32.85
210000	5.33	2.64	6.39	3.84	13.91	0.58	2.17	0.17	2.00	0.00	19.02	69.80	0.00	0.00	26.40
220000	5.22	2.65	6.47	3.91	12.37	0.56	2.14	0.16	1.98	0.00	19.08	69.82	0.00	0.00	17.54
230000	5.24	2.75	6.76	4.09	11.29	0.54	2.34	0.17	2.17	0.00	19.09	69.67	0.00	0.00	15.14
極大值	5.64	5.39	12.47	9.13	34.60	0.73	2.37	0.27	2.17	0.00	19.22	69.87	0.00	0.00	37.18
極小值	5.21	2.55	5.15	2.63	9.69	0.49	2.04	0.16	1.78	0.00	19.00	69.26	0.00	0.00	13.41
平均值	5.34	3.12	8.21	5.21	17.75	0.58	2.16	0.22	1.94	0.00	19.10	69.59	0.00	0.00	23.23
標準差	0.11	0.68	2.03	1.83	8.21	0.07	0.11	0.03	0.11	0	0.07	0.21	0	0	5.78

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.24	2.75	7.08	4.43	9.42	0.51	2.73	0.19	2.54	0.00	18.98	69.47	0.00	0.00	14.66
010000	5.28	2.93	7.40	4.55	11.44	0.50	2.58	0.20	2.38	0.00	18.99	69.47	0.00	0.00	19.69
020000	5.37	3.28	8.30	5.13	9.50	0.51	2.49	0.22	2.27	0.00	19.04	69.47	0.00	0.00	23.58
030000	5.37	3.33	8.68	5.49	10.95	0.51	2.43	0.23	2.20	0.00	19.00	69.47	0.00	0.00	29.63
040000	5.37	3.20	7.95	4.84	11.50	0.50	2.43	0.24	2.19	0.00	19.03	69.47	0.00	0.00	21.16
050000	5.40	3.45	8.85	5.53	11.53	0.51	2.42	0.24	2.18	0.00	19.02	69.47	0.00	0.00	22.28
060000	5.25	4.44	9.29	5.01	9.87	0.54	2.38	0.25	2.13	0.00	19.03	69.39	0.00	0.00	34.13
070000	5.34	5.01	10.44	5.62	10.57	0.54	2.37	0.26	2.11	0.00	19.01	69.33	0.00	0.00	33.30
080000	4.84	4.27	9.95	5.87	12.57	0.55	2.26	0.23	2.03	0.00	19.03	69.33	0.00	0.00	33.19
090000	4.34	3.69	9.93	6.39	15.34	0.61	2.13	0.22	1.91	0.00	19.03	69.33	0.00	0.00	32.00
100000	5.63	3.82	12.38	8.81	20.99	0.77	2.20	0.27	1.93	0.00	19.00	69.30	0.00	0.00	38.61
110000	5.53	3.18	11.65	8.68	21.46	0.72	2.18	0.30	1.88	0.00	19.06	69.39	0.00	0.00	55.04
120000	4.74	2.79	7.05	4.33	18.11	0.61	2.11	0.26	1.85	0.00	19.23	69.81	0.00	0.00	44.63
130000	4.50	2.98	8.10	5.22	15.90	0.59	2.08	0.22	1.86	0.00	19.28	69.89	0.00	0.00	23.19
140000	4.42	2.86	8.18	5.44	11.78	0.57	2.08	0.20	1.88	0.00	19.29	69.87	0.00	0.00	24.93
150000	4.36	2.76	6.87	4.19	10.03	0.58	2.11	0.20	1.91	0.00	19.30	69.84	0.00	0.00	23.10
160000	4.29	2.61	5.98	3.45	14.44	0.55	2.10	0.20	1.90	0.00	19.36	69.89	0.00	0.00	21.15
170000	4.28	2.63	7.66	5.12	11.11	0.57	2.10	0.20	1.90	0.00	19.36	69.89	0.00	0.00	18.41
180000	4.27	2.66	10.80	8.33	8.83	0.60	2.11	0.21	1.90	0.00	19.32	69.89	0.00	0.00	13.97
190000	4.36	2.72	10.84	8.30	13.58	0.63	2.13	0.23	1.90	0.00	19.30	69.88	0.00	0.00	17.75
200000	4.37	2.89	10.44	7.71	7.26	0.65	2.20	0.23	1.97	0.00	19.29	69.87	0.00	0.00	28.51
210000	4.27	2.86	10.16	7.45	6.36	0.60	2.26	0.22	2.04	0.00	19.24	69.79	0.00	0.00	30.49
220000	4.20	2.96	9.98	7.16	6.54	0.58	2.23	0.20	2.03	0.00	19.24	69.75	0.00	0.00	21.32
230000	4.32	2.80	8.03	5.33	5.98	0.56	2.24	0.21	2.03	0.00	19.17	69.59	0.00	0.00	27.01
極大值	5.63	5.01	12.38	8.81	21.46	0.77	2.73	0.30	2.54	0.00	19.36	69.89	0.00	0.00	55.04
極小值	4.20	2.61	5.98	3.45	5.98	0.50	2.08	0.19	1.85	0.00	18.98	69.30	0.00	0.00	13.97
平均值	4.81	3.20	9.00	5.93	11.88	0.58	2.26	0.23	2.04	0.00	19.15	69.62	0.00	0.00	27.16
標準差	0.52	0.63	1.66	1.55	4.16	0.07	0.18	0.03	0.18	0	0.14	0.23	0	0	9.58

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.20	2.79	7.09	4.37	11.45	0.53	2.21	0.22	1.99	0.00	19.07	69.36	0.00	0.00	19.18
010000	4.18	3.02	8.03	5.10	9.61	0.54	2.25	0.24	2.01	0.00	19.05	69.44	0.00	0.00	23.37
020000	4.21	3.06	8.87	5.91	9.60	0.54	2.32	0.24	2.08	0.00	19.06	69.41	0.00	0.00	20.81
030000	4.22	3.31	9.14	5.97	7.04	0.55	2.41	0.25	2.16	0.00	19.09	69.43	0.00	0.00	21.66
040000	4.41	4.46	10.97	6.72	6.45	0.58	2.62	0.26	2.36	0.00	19.09	69.42	0.00	0.00	20.14
050000	4.46	5.06	11.20	6.33	7.91	0.57	2.80	0.26	2.54	0.00	19.07	69.41	0.00	0.00	22.14
060000	4.37	9.07	14.35	5.57	10.63	0.58	2.77	0.26	2.51	0.00	19.07	69.45	0.00	0.00	22.96
070000	4.46	7.72	13.11	5.63	10.90	0.57	2.62	0.26	2.36	0.00	19.05	69.38	0.00	0.00	21.35
080000	4.29	4.40	9.30	5.05	13.56	0.54	2.37	0.25	2.12	0.00	19.04	69.33	0.00	0.00	20.94
090000	4.24	2.98	6.63	3.71	19.22	0.54	2.16	0.22	1.94	0.00	19.05	69.33	0.00	0.00	22.21
100000	4.22	2.73	6.19	3.55	15.58	0.55	2.10	0.22	1.88	0.00	19.05	69.33	0.00	0.00	21.80
110000	4.31	2.64	5.57	2.99	15.35	0.54	2.07	0.22	1.85	0.00	19.06	69.50	0.00	0.00	20.35
120000	4.29	2.69	6.62	4.01	15.89	0.59	2.07	0.22	1.85	0.00	19.22	69.89	0.00	0.00	16.98
130000	4.27	2.79	7.72	5.06	12.16	0.59	2.08	0.24	1.84	0.00	19.24	69.89	0.00	0.00	23.68
140000	4.33	2.96	7.51	4.65	14.19	0.57	2.05	0.24	1.81	0.00	19.31	69.89	0.00	0.00	32.34
150000	4.33	2.78	7.22	4.52	21.42	0.58	2.05	0.23	1.82	0.00	19.28	69.89	0.00	0.00	26.70
160000	4.32	2.79	7.74	5.07	17.91	0.58	2.05	0.22	1.83	0.00	19.29	69.89	0.00	0.00	23.91
170000	4.33	2.78	8.39	5.71	13.11	0.58	2.04	0.20	1.84	0.00	19.27	69.89	0.00	0.00	21.42
180000	4.45	2.91	8.93	6.15	9.34	0.58	2.03	0.19	1.84	0.00	19.31	69.89	0.00	0.00	18.32
190000	4.47	2.73	9.61	7.02	11.92	0.60	2.07	0.20	1.87	0.00	19.30	69.86	0.00	0.00	19.21
200000	4.31	2.81	9.93	7.30	11.57	0.62	2.09	0.20	1.89	0.00	19.30	69.75	0.00	0.00	23.42
210000	4.47	2.70	9.47	6.94	11.19	0.62	2.16	0.21	1.95	0.00	19.28	69.75	0.00	0.00	26.33
220000	4.54	2.84	10.65	7.98	9.95	0.61	2.25	0.21	2.04	0.00	19.30	69.75	0.00	0.00	22.95
230000	4.53	3.22	14.38	11.44	10.03	0.59	2.32	0.22	2.10	0.00	19.29	69.59	0.00	0.00	21.27
極大值	4.54	9.07	14.38	11.44	21.42	0.62	2.80	0.26	2.54	0.00	19.31	69.89	0.00	0.00	32.34
極小值	4.18	2.64	5.57	2.99	6.45	0.53	2.03	0.19	1.81	0.00	19.04	69.33	0.00	0.00	16.98
平均值	4.34	3.55	9.11	5.70	12.33	0.57	2.25	0.23	2.02	0.00	19.17	69.61	0.00	0.00	22.23
標準差	0.11	1.63	2.39	1.75	3.75	0.03	0.24	0.02	0.22	0	0.11	0.23	0	0	3.12

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.50	2.96	9.81	7.03	10.97	0.58	2.39	0.24	2.15	0.00	19.24	69.33	0.00	0.00	20.27
010000	4.45	3.26	11.16	8.09	10.11	0.57	2.46	0.26	2.20	0.00	19.24	69.33	0.00	0.00	20.92
020000	4.56	3.33	11.17	8.03	9.43	0.57	2.56	0.26	2.30	0.00	19.21	69.33	0.00	0.00	21.27
030000	4.46	3.16	8.89	5.85	7.15	0.54	2.59	0.26	2.33	0.00	19.23	69.33	0.00	0.00	21.90
040000	4.40	3.25	9.34	6.21	8.61	0.53	2.49	0.27	2.22	0.00	19.20	69.33	0.00	0.00	19.43
050000	4.37	4.13	10.55	6.60	7.22	0.54	2.41	0.26	2.15	0.00	19.17	69.33	0.00	0.00	18.37
060000	4.51	5.38	11.42	6.23	10.44	0.57	2.56	0.25	2.31	0.00	19.21	69.33	0.00	0.00	20.53
070000	4.55	6.12	12.40	6.50	9.86	0.61	2.62	0.25	2.37	0.00	19.23	69.33	0.00	0.00	25.15
080000	4.50	3.97	8.25	4.44	11.45	0.56	2.32	0.23	2.09	0.00	19.20	69.33	0.00	0.00	26.30
090000	4.40	3.08	7.00	4.00	11.64	0.60	2.14	0.22	1.92	0.00	19.16	69.33	0.00	0.00	19.48
100000	4.42	2.73	6.85	4.19	18.18	0.61	2.10	0.23	1.87	0.00	19.16	69.30	0.00	0.00	23.97
110000	4.59	2.61	6.15	3.63	14.93	0.60	2.09	0.25	1.84	0.00	19.24	69.46	0.00	0.00	25.32
120000	4.86	3.04	11.00	8.12	11.69	0.79	2.09	0.27	1.82	0.00	19.35	69.83	0.00	0.00	28.12
130000	4.91	3.04	10.56	7.69	12.98	0.75	2.09	0.24	1.85	0.00	19.35	69.89	0.00	0.00	32.37
140000	4.49	3.01	10.61	7.79	9.88	0.72	2.09	0.23	1.86	0.00	19.39	69.82	0.00	0.00	33.61
150000	4.60	2.86	10.45	7.77	9.13	0.69	2.13	0.22	1.91	0.00	19.34	69.80	0.00	0.00	31.61
160000	4.35	2.67	8.22	5.67	14.31	0.65	2.10	0.19	1.91	0.00	19.29	69.75	0.00	0.00	30.94
170000	4.42	2.66	9.30	6.80	10.19	0.66	2.07	0.19	1.88	0.00	19.31	69.75	0.00	0.00	22.01
180000	4.38	2.50	7.67	5.29	9.28	0.65	2.06	0.17	1.89	0.00	19.28	69.75	0.00	0.00	22.01
190000	4.34	2.55	7.66	5.23	7.17	0.66	2.06	0.19	1.87	0.00	19.31	69.75	0.00	0.00	19.19
200000	4.40	2.65	9.36	6.88	9.50	0.66	2.07	0.22	1.85	0.00	19.30	69.75	0.00	0.00	26.26
210000	4.41	2.73	9.11	6.50	8.27	0.64	2.14	0.24	1.90	0.00	19.25	69.75	0.00	0.00	27.68
220000	4.50	2.67	8.34	5.79	8.75	0.63	2.22	0.22	2.00	0.00	19.27	69.75	0.00	0.00	32.76
230000	4.58	2.66	7.21	4.65	9.52	0.63	2.46	0.21	2.25	0.00	19.29	69.75	0.00	0.00	28.64
極大值	4.91	6.12	12.40	8.12	18.18	0.79	2.62	0.27	2.37	0.00	19.39	69.89	0.00	0.00	33.61
極小值	4.34	2.50	6.15	3.63	7.15	0.53	2.06	0.17	1.82	0.00	19.16	69.30	0.00	0.00	18.37
平均值	4.50	3.21	9.27	6.21	10.44	0.63	2.26	0.23	2.03	0.00	19.26	69.56	0.00	0.00	24.92
標準差	0.14	0.89	1.68	1.37	2.6	0.07	0.2	0.03	0.19	0	0.06	0.23	0	0	4.85

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.42	2.63	6.89	4.36	6.10	0.60	2.46	0.20	2.26	0.00	19.25	69.75	0.00	0.00	30.12
010000	4.33	2.71	7.41	4.81	6.62	0.59	2.36	0.20	2.16	0.00	19.23	69.75	0.00	0.00	26.45
020000	4.42	2.69	6.23	3.61	5.95	0.59	2.40	0.19	2.21	0.00	19.22	69.75	0.00	0.00	27.06
030000	4.35	2.71	6.66	4.02	6.07	0.58	2.33	0.19	2.14	0.00	19.26	69.75	0.00	0.00	20.49
040000	4.36	2.77	7.18	4.52	6.11	0.58	2.33	0.20	2.13	0.00	19.29	69.75	0.00	0.00	25.02
050000	4.58	3.31	9.01	5.85	7.43	0.65	2.55	0.21	2.34	0.00	19.29	69.75	0.00	0.00	25.86
060000	4.59	5.06	10.72	5.85	7.50	0.68	2.59	0.22	2.37	0.00	19.30	69.75	0.00	0.00	28.93
070000	4.56	5.50	11.65	6.35	7.27	0.70	2.53	0.23	2.30	0.00	19.28	69.75	0.00	0.00	24.43
080000	4.50	3.81	8.88	5.23	8.13	0.66	2.36	0.24	2.12	0.00	19.33	69.83	0.00	0.00	24.61
090000	4.49	2.79	6.27	3.55	6.67	0.64	2.22	0.25	1.97	0.00	19.28	69.89	0.00	0.00	22.25
100000	4.44	2.76	6.16	3.50	8.36	0.65	2.16	0.25	1.91	0.00	19.30	69.89	0.00	0.00	24.17
110000	4.40	2.76	7.46	4.78	8.49	0.71	2.16	0.23	1.93	0.00	19.37	69.89	0.00	0.00	28.10
120000	4.33	2.68	6.49	3.89	8.45	0.68	2.14	0.20	1.94	0.00	19.28	69.89	0.00	0.00	32.55
130000	4.34	2.62	6.47	3.93	8.31	0.69	2.13	0.19	1.94	0.00	19.27	69.89	0.00	0.00	31.63
140000	4.34	2.96	8.31	5.47	9.01	0.71	2.14	0.20	1.94	0.00	19.30	69.89	0.00	0.00	30.44
150000	4.89	2.99	12.33	9.56	11.14	0.74	2.10	0.20	1.90	0.00	19.28	69.87	0.00	0.00	36.96
160000	6.38	3.15	18.52	15.72	9.26	0.78	2.08	0.32	1.76	0.00	19.29	69.82	0.00	0.00	21.36
170000	5.73	3.02	16.39	13.70	7.96	0.79	2.08	0.31	1.77	0.00	19.27	69.76	0.00	0.00	28.06
180000	5.08	2.79	13.52	10.96	8.21	0.71	2.08	0.27	1.81	0.00	19.26	69.75	0.00	0.00	29.47
190000	4.68	2.60	9.01	6.55	7.51	0.66	2.07	0.24	1.83	0.00	19.21	69.75	0.00	0.00	27.29
200000	4.47	2.51	6.97	4.54	8.60	0.64	2.06	0.21	1.85	0.00	19.16	69.75	0.00	0.00	25.64
210000	4.43	2.61	8.24	5.76	7.21	0.65	2.08	0.21	1.87	0.00	19.14	69.75	0.00	0.00	19.35
220000	4.59	2.70	8.12	5.51	6.37	0.64	2.21	0.21	2.00	0.00	19.17	69.75	0.00	0.00	19.24
230000	4.42	2.55	7.07	4.60	6.58	0.63	2.17	0.20	1.97	0.00	19.19	69.75	0.00	0.00	25.93
極大值	6.38	5.50	18.52	15.72	11.14	0.79	2.59	0.32	2.37	0.00	19.37	69.89	0.00	0.00	36.96
極小值	4.33	2.51	6.16	3.50	5.95	0.58	2.06	0.19	1.76	0.00	19.14	69.75	0.00	0.00	19.24
平均值	4.63	3.03	9.00	6.11	7.64	0.66	2.24	0.22	2.02	0.00	19.26	69.80	0.00	0.00	26.48
標準差	0.48	0.75	3.3	3.2	1.25	0.06	0.17	0.04	0.18	0	0.05	0.06	0	0	4.29

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.64	2.64	6.34	3.76	6.92	0.60	2.20	0.19	2.01	0.00	19.17	69.75	0.00	0.00	23.89
010000	4.51	2.69	7.00	4.40	6.68	0.60	2.49	0.18	2.31	0.00	19.17	69.75	0.00	0.00	23.33
020000	4.51	2.69	6.61	4.02	7.18	0.59	2.67	0.17	2.50	0.00	19.11	69.75	0.00	0.00	25.59
030000	4.60	2.64	6.97	4.39	6.31	0.60	2.65	0.18	2.47	0.00	19.09	69.75	0.00	0.00	17.17
040000	4.49	2.76	7.94	5.28	6.44	0.63	2.54	0.20	2.34	0.00	19.12	69.75	0.00	0.00	15.72
050000	4.45	2.81	7.88	5.16	8.80	0.67	2.45	0.20	2.25	0.00	19.09	69.75	0.00	0.00	27.50
060000	4.55	4.04	10.40	6.52	10.58	0.73	2.42	0.23	2.19	0.00	19.03	69.81	0.00	0.00	33.35
070000	4.51	3.56	8.55	5.08	12.23	0.68	2.34	0.24	2.10	0.00	19.08	69.89	0.00	0.00	33.63
080000	4.41	2.84	5.94	3.15	12.33	0.64	2.19	0.23	1.96	0.00	19.11	69.89	0.00	0.00	34.77
090000	4.35	2.78	5.71	3.01	11.27	0.65	2.11	0.22	1.89	0.00	19.11	69.89	0.00	0.00	29.08
100000	4.33	2.75	5.71	3.03	9.69	0.64	2.07	0.21	1.86	0.00	19.13	69.89	0.00	0.00	29.36
110000	4.35	2.73	5.29	2.62	8.05	0.64	2.07	0.22	1.85	0.00	19.10	69.89	0.00	0.00	19.21
120000	4.36	2.71	4.90	2.25	7.28	0.62	2.04	0.18	1.86	0.00	19.11	69.89	0.00	0.00	17.59
130000	4.34	2.72	5.60	2.94	7.18	0.63	2.03	0.18	1.85	0.00	19.08	69.89	0.00	0.00	15.60
140000	4.57	3.22	7.23	4.11	7.83	0.66	2.02	0.20	1.82	0.00	19.07	69.85	0.00	0.00	14.70
150000	5.03	3.33	8.70	5.50	7.49	0.67	2.02	0.19	1.83	0.00	19.06	69.80	0.00	0.00	18.70
160000	4.76	2.92	8.40	5.59	7.10	0.62	2.02	0.18	1.84	0.00	19.08	69.78	0.00	0.00	20.89
170000	4.42	2.61	4.44	1.87	10.59	0.57	2.01	0.15	1.86	0.00	19.05	69.76	0.00	0.00	17.05
180000	4.32	2.90	5.40	2.56	8.74	0.57	2.00	0.12	1.88	0.00	18.98	69.75	0.00	0.00	10.39
190000	4.36	2.80	5.59	2.84	7.15	0.57	2.00	0.12	1.88	0.00	19.00	69.75	0.00	0.00	13.35
200000	4.33	2.62	4.81	2.23	6.44	0.56	2.02	0.13	1.89	0.00	19.03	69.75	0.00	0.00	9.63
210000	4.29	2.51	4.66	2.19	5.67	0.55	2.01	0.14	1.87	0.00	18.97	69.75	0.00	0.00	7.12
220000	4.23	2.54	4.45	1.95	5.79	0.55	2.01	0.13	1.88	0.00	18.99	69.75	0.00	0.00	11.40
230000	4.35	2.59	5.60	3.09	5.85	0.55	2.02	0.13	1.89	0.00	18.91	69.63	0.00	0.00	13.74
極大值	5.03	4.04	10.40	6.52	12.33	0.73	2.67	0.24	2.50	0.00	19.17	69.89	0.00	0.00	34.77
極小值	4.23	2.51	4.44	1.87	5.67	0.55	2.00	0.12	1.82	0.00	18.91	69.63	0.00	0.00	7.12
平均值	4.46	2.85	6.42	3.65	8.07	0.62	2.18	0.18	2.00	0.00	19.07	69.80	0.00	0.00	20.12
標準差	0.18	0.36	1.57	1.33	2.02	0.05	0.23	0.04	0.22	0	0.06	0.07	0	0	8.02

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.28	2.44	5.32	2.94	9.52	0.53	2.07	0.15	1.92	0.00	18.81	69.46	0.00	0.00	12.76
010000	4.59	2.57	5.80	3.29	11.29	0.51	2.19	0.16	2.03	0.00	18.80	69.43	0.00	0.00	9.71
020000	4.45	2.65	5.51	2.92	12.45	0.50	2.16	0.14	2.02	0.00	18.78	69.44	0.00	0.00	9.63
030000	4.26	2.52	4.45	1.96	13.46	0.49	2.16	0.14	2.02	0.00	18.79	69.45	0.00	0.00	7.86
040000	4.25	2.52	4.41	1.92	13.69	0.49	2.22	0.13	2.09	0.00	18.81	69.40	0.00	0.00	7.75
050000	4.23	2.48	4.31	1.86	13.50	0.49	2.12	0.13	1.99	0.00	18.79	69.40	0.00	0.00	13.80
060000	4.09	2.84	5.40	2.63	13.87	0.50	2.10	0.14	1.96	0.00	18.74	69.44	0.00	0.00	13.78
070000	4.31	3.18	6.01	2.89	14.50	0.52	2.06	0.16	1.90	0.00	18.75	69.45	0.00	0.00	10.38
080000	4.21	2.72	4.30	1.60	15.80	0.50	2.02	0.17	1.85	0.00	18.77	69.36	0.00	0.00	12.80
090000	4.06	2.72	4.08	1.40	17.11	0.51	2.00	0.18	1.82	0.00	18.76	69.33	0.00	0.00	17.55
100000	4.16	2.62	4.01	1.43	17.72	0.52	1.99	0.18	1.81	0.00	18.78	69.33	0.00	0.00	15.10
110000	4.14	2.64	4.03	1.41	17.35	0.52	1.99	0.18	1.81	0.00	18.82	69.47	0.00	0.00	14.53
120000	4.10	2.68	4.08	1.40	14.52	0.55	1.99	0.17	1.82	0.00	18.97	69.82	0.00	0.00	7.68
130000	4.16	2.67	3.99	1.32	11.08	0.55	1.99	0.16	1.83	0.00	18.99	69.89	0.00	0.00	8.71
140000	4.10	2.72	3.91	1.20	12.38	0.55	1.99	0.16	1.83	0.00	19.02	69.89	0.00	0.00	11.87
150000	4.13	2.81	4.32	1.50	10.03	0.56	1.98	0.13	1.85	0.00	19.03	69.86	0.00	0.00	14.03
160000	4.19	2.76	4.62	1.91	8.46	0.55	1.98	0.13	1.85	0.00	19.02	69.77	0.00	0.00	14.01
170000	4.08	2.67	4.44	1.80	8.06	0.56	1.98	0.14	1.84	0.00	19.02	69.75	0.00	0.00	16.67
180000	4.18	2.81	5.93	3.21	7.76	0.58	1.99	0.15	1.84	0.00	19.03	69.75	0.00	0.00	14.70
190000	4.28	2.66	7.42	4.87	6.27	0.59	2.05	0.17	1.88	0.00	19.05	69.75	0.00	0.00	20.66
200000	4.30	2.95	7.64	4.80	6.69	0.69	2.12	0.17	1.95	0.00	19.03	69.75	0.00	0.00	14.33
210000	4.29	2.93	7.47	4.62	5.87	0.59	2.13	0.18	1.95	0.00	19.05	69.75	0.00	0.00	12.28
220000	4.35	2.96	7.02	4.14	5.85	0.57	2.16	0.18	1.98	0.00	19.03	69.75	0.00	0.00	12.51
230000	4.26	2.89	6.13	3.30	6.65	0.54	2.16	0.18	1.98	0.00	18.98	69.59	0.00	0.00	9.47
極大值	4.59	3.18	7.64	4.87	17.72	0.69	2.22	0.18	2.09	0.00	19.05	69.89	0.00	0.00	20.66
極小值	4.06	2.44	3.91	1.20	5.85	0.49	1.98	0.13	1.81	0.00	18.74	69.33	0.00	0.00	7.68
平均值	4.23	2.73	5.19	2.51	11.41	0.54	2.07	0.16	1.91	0.00	18.90	69.60	0.00	0.00	12.61
標準差	0.12	0.17	1.23	1.18	3.84	0.05	0.08	0.02	0.08	0	0.12	0.2	0	0	3.29

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.28	3.01	6.68	3.71	8.41	0.52	2.19	0.19	2.00	0.00	18.93	69.36	0.00	0.00	9.36
010000	4.32	3.32	7.30	4.04	10.20	0.51	2.23	0.21	2.02	0.00	18.94	69.43	0.00	0.00	14.58
020000	4.35	3.30	7.01	3.77	10.64	0.52	2.26	0.21	2.05	0.00	18.98	69.40	0.00	0.00	10.81
030000	4.43	3.34	7.88	4.65	11.34	0.53	2.43	0.22	2.21	0.00	18.97	69.44	0.00	0.00	11.55
040000	4.32	2.89	5.45	2.59	10.76	0.51	2.34	0.19	2.15	0.00	18.93	69.41	0.00	0.00	16.92
050000	4.25	2.89	6.57	3.74	12.10	0.51	2.20	0.20	2.00	0.00	18.90	69.39	0.00	0.00	15.27
060000	4.21	4.21	8.80	4.72	11.44	0.53	2.19	0.21	1.98	0.00	18.91	69.45	0.00	0.00	10.59
070000	4.25	6.17	10.42	4.42	10.13	0.55	2.24	0.22	2.02	0.00	18.92	69.41	0.00	0.00	9.56
080000	4.20	4.52	7.67	3.26	12.04	0.54	2.20	0.22	1.98	0.00	18.92	69.36	0.00	0.00	16.83
090000	4.22	3.22	6.12	2.97	13.70	0.53	2.08	0.23	1.85	0.00	18.92	69.33	0.00	0.00	14.14
100000	4.12	2.92	4.80	1.89	10.64	0.53	2.04	0.24	1.80	0.00	18.94	69.33	0.00	0.00	13.77
110000	4.18	2.80	4.60	1.79	12.78	0.52	2.00	0.23	1.77	0.00	19.00	69.49	0.00	0.00	16.06
120000	4.14	2.81	4.60	1.83	14.82	0.54	1.99	0.23	1.76	0.00	19.13	69.89	0.00	0.00	1.74
130000	4.14	2.79	4.47	1.72	14.55	0.55	1.99	0.22	1.77	0.00	19.15	69.89	0.00	0.00	4.68
140000	4.21	2.72	4.47	1.76	14.69	0.56	1.99	0.21	1.78	0.00	19.14	69.89	0.00	0.00	5.08
150000	4.30	2.69	4.54	1.88	14.95	0.57	1.99	0.20	1.79	0.00	19.15	69.89	0.00	0.00	6.90
160000	4.24	2.73	4.64	1.93	13.11	0.58	1.99	0.22	1.77	0.00	19.15	69.89	0.00	0.00	12.17
170000	4.20	2.87	5.35	2.54	8.61	0.59	1.99	0.20	1.79	0.00	19.11	69.89	0.00	0.00	14.02
180000	4.24	2.76	5.17	2.48	6.35	0.59	1.99	0.19	1.80	0.00	19.07	69.77	0.00	0.00	17.92
190000	4.21	2.72	6.13	3.47	6.92	0.59	2.01	0.17	1.84	0.00	19.05	69.75	0.00	0.00	20.59
200000	4.30	2.80	7.35	4.64	8.23	0.60	2.05	0.16	1.89	0.00	19.03	69.75	0.00	0.00	27.00
210000	4.49	3.07	8.63	5.65	8.81	0.62	2.12	0.17	1.95	0.00	19.06	69.75	0.00	0.00	27.51
220000	4.56	3.05	7.68	4.72	6.33	0.58	2.17	0.16	2.01	0.00	19.09	69.75	0.00	0.00	31.67
230000	4.51	2.93	6.63	3.77	5.78	0.57	2.19	0.16	2.03	0.00	19.01	69.58	0.00	0.00	16.75
極大值	4.56	6.17	10.42	5.65	14.95	0.62	2.43	0.24	2.21	0.00	19.15	69.89	0.00	0.00	31.67
極小值	4.12	2.69	4.47	1.72	5.78	0.51	1.99	0.16	1.76	0.00	18.90	69.33	0.00	0.00	1.74
平均值	4.28	3.19	6.37	3.25	10.72	0.55	2.12	0.20	1.92	0.00	19.02	69.60	0.00	0.00	14.39
標準差	0.12	0.78	1.63	1.19	2.84	0.03	0.13	0.02	0.13	0	0.09	0.22	0	0	7.19

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.58	3.22	8.12	5.00	5.76	0.55	2.28	0.18	2.10	0.00	18.92	69.33	0.00	0.00	15.29
010000	4.40	3.48	7.97	4.58	10.74	0.53	2.27	0.19	2.08	0.00	18.90	69.33	0.00	0.00	9.64
020000	4.50	3.59	8.05	4.56	10.42	0.52	2.23	0.20	2.03	0.00	18.91	69.33	0.00	0.00	18.83
030000	4.27	3.79	7.90	4.23	10.58	0.52	2.26	0.21	2.05	0.00	18.92	69.36	0.00	0.00	15.29
040000	4.26	4.00	7.67	3.77	9.50	0.51	2.24	0.21	2.03	0.00	18.94	69.38	0.00	0.00	12.76
050000	4.25	4.30	9.35	5.21	8.46	0.52	2.22	0.21	2.01	0.00	18.93	69.42	0.00	0.00	11.83
060000	4.29	5.25	9.26	4.15	7.66	0.54	2.19	0.22	1.97	0.00	18.88	69.45	0.00	0.00	13.80
070000	4.40	5.50	10.13	4.79	11.93	0.55	2.16	0.24	1.92	0.00	18.88	69.34	0.00	0.00	16.02
080000	4.23	3.76	7.41	3.77	15.47	0.55	2.08	0.26	1.82	0.00	18.86	69.33	0.00	0.00	18.33
090000	4.21	2.97	6.23	3.30	17.49	0.56	2.03	0.26	1.77	0.00	18.87	69.29	0.00	0.00	15.74
100000	4.33	2.94	6.98	4.10	18.57	0.60	2.01	0.26	1.75	0.00	18.80	69.25	0.00	0.00	12.75
110000	4.66	3.00	7.79	4.87	14.60	0.65	2.01	0.26	1.75	0.00	18.88	69.43	0.00	0.00	18.29
120000	4.84	3.08	7.45	4.42	16.13	0.64	2.02	0.22	1.80	0.00	18.91	69.84	0.00	0.00	19.41
130000	4.71	3.24	7.25	4.09	13.15	0.66	2.01	0.20	1.81	0.00	18.99	69.89	0.00	0.00	9.05
140000	4.93	3.57	8.86	5.40	9.53	0.72	2.00	0.22	1.78	0.00	19.04	69.89	0.00	0.00	9.90
150000	4.93	3.88	9.45	5.71	9.30	0.72	2.00	0.22	1.78	0.00	19.06	69.89	0.00	0.00	13.68
160000	4.87	4.31	11.68	7.55	9.48	0.69	2.00	0.23	1.77	0.00	19.03	69.89	0.00	0.00	14.52
170000	5.64	3.96	14.79	11.10	9.04	0.81	1.99	0.24	1.75	0.00	19.03	69.89	0.00	0.00	14.57
180000	5.38	3.30	14.10	11.02	8.35	0.71	2.00	0.24	1.76	0.00	19.04	69.89	0.00	0.00	17.45
190000	4.86	3.34	11.41	8.25	7.51	0.64	2.01	0.24	1.77	0.00	19.03	69.89	0.00	0.00	21.27
200000	4.82	3.30	9.81	6.64	7.45	0.65	2.04	0.23	1.81	0.00	18.95	69.82	0.00	0.00	23.67
210000	4.83	3.29	10.51	7.35	9.45	0.64	2.08	0.21	1.87	0.00	18.94	69.85	0.00	0.00	20.62
220000	4.54	3.25	9.12	5.99	6.78	0.61	2.09	0.22	1.87	0.00	18.94	69.89	0.00	0.00	14.46
230000	4.54	3.48	9.73	6.36	8.95	0.62	2.11	0.21	1.90	0.00	18.94	69.68	0.00	0.00	18.31
極大值	5.64	5.50	14.79	11.10	18.57	0.81	2.28	0.26	2.10	0.00	19.06	69.89	0.00	0.00	23.67
極小值	4.21	2.94	6.23	3.30	5.76	0.51	1.99	0.18	1.75	0.00	18.80	69.25	0.00	0.00	9.05
平均值	4.64	3.66	9.21	5.68	10.68	0.61	2.10	0.22	1.87	0.00	18.94	69.61	0.00	0.00	15.64
標準差	0.37	0.66	2.12	2.1	3.47	0.08	0.1	0.02	0.12	0	0.07	0.26	0	0	3.76

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.58	3.83	9.88	6.23	8.87	0.59	2.16	0.22	1.94	0.00	18.85	69.46	0.00	0.00	18.66
010000	4.41	4.09	9.63	5.71	8.87	0.59	2.17	0.23	1.94	0.00	18.84	69.44	0.00	0.00	20.73
020000	4.56	4.83	10.78	6.17	7.90	0.59	2.21	0.24	1.97	0.00	18.86	69.41	0.00	0.00	21.00
030000	4.51	5.13	11.07	6.15	5.59	0.58	2.28	0.25	2.03	0.00	18.89	69.42	0.00	0.00	16.92
040000	4.51	5.82	11.32	5.73	5.80	0.58	2.36	0.26	2.10	0.00	18.92	69.43	0.00	0.00	13.68
050000	4.57	6.12	11.20	5.29	5.79	0.59	2.45	0.26	2.19	0.00	18.92	69.42	0.00	0.00	16.72
060000	4.56	7.05	10.50	3.68	5.74	0.59	2.44	0.25	2.19	0.00	18.94	69.45	0.00	0.00	12.32
070000	4.49	6.52	10.41	4.07	7.34	0.58	2.32	0.24	2.08	0.00	18.94	69.34	0.00	0.00	15.11
080000	4.55	4.39	8.38	4.11	7.79	0.58	2.21	0.25	1.96	0.00	18.88	69.32	0.00	0.00	15.73
090000	4.59	3.07	6.51	3.52	7.22	0.59	2.12	0.25	1.87	0.00	18.84	69.26	0.00	0.00	16.34
100000	4.50	2.75	6.07	3.36	9.52	0.61	2.09	0.26	1.83	0.00	18.84	69.21	0.00	0.00	15.70
110000	4.68	2.65	7.23	4.65	30.60	0.66	2.09	0.22	1.87	0.00	18.91	69.42	0.00	0.00	17.98
120000	4.51	2.75	6.50	3.81	24.11	0.64	2.07	0.20	1.87	0.00	19.03	69.85	0.00	0.00	22.27
130000	4.48	2.72	5.89	3.21	21.90	0.62	2.04	0.16	1.88	0.00	19.06	69.89	0.00	0.00	16.06
140000	4.58	2.60	5.70	3.17	23.76	0.63	2.03	0.13	1.90	0.00	19.06	69.89	0.00	0.00	13.21
150000	4.46	2.64	6.71	4.15	13.95	0.62	2.03	0.13	1.90	0.00	19.09	69.76	0.00	0.00	11.82
160000	4.47	2.75	7.54	4.88	8.02	0.61	2.03	0.12	1.91	0.00	19.12	69.75	0.00	0.00	11.50
170000	4.56	2.89	9.84	7.08	8.11	0.64	2.05	0.16	1.89	0.00	19.12	69.75	0.00	0.00	9.88
180000	4.59	3.18	9.82	6.79	6.37	0.63	2.10	0.17	1.93	0.00	19.13	69.75	0.00	0.00	6.46
190000	4.54	3.01	8.66	5.77	6.37	0.63	2.11	0.18	1.93	0.00	19.16	69.75	0.00	0.00	7.47
200000	4.42	3.36	9.50	6.27	9.50	0.64	2.11	0.20	1.91	0.00	19.10	69.75	0.00	0.00	8.88
210000	4.76	3.71	10.67	7.13	6.90	0.66	2.22	0.22	2.00	0.00	19.04	69.76	0.00	0.00	12.54
220000	4.65	4.18	11.37	7.38	6.70	0.66	2.29	0.23	2.06	0.00	19.04	69.77	0.00	0.00	13.41
230000	4.53	4.05	10.08	6.20	6.29	0.63	2.26	0.22	2.04	0.00	18.98	69.64	0.00	0.00	8.42
極大值	4.76	7.05	11.37	7.38	30.60	0.66	2.45	0.26	2.19	0.00	19.16	69.89	0.00	0.00	22.27
極小值	4.41	2.60	5.70	3.17	5.59	0.58	2.03	0.12	1.83	0.00	18.84	69.21	0.00	0.00	6.46
平均值	4.54	3.92	8.97	5.19	10.54	0.61	2.18	0.21	1.97	0.00	18.98	69.58	0.00	0.00	14.28
標準差	0.08	1.35	1.94	1.37	7.01	0.03	0.13	0.04	0.1	0	0.11	0.21	0	0	4.28

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.64	4.66	11.70	7.26	6.99	0.64	2.30	0.23	2.07	0.00	18.88	69.47	0.00	0.00	15.00
010000	4.61	4.38	8.75	4.53	6.75	0.58	2.40	0.23	2.17	0.00	18.91	69.47	0.00	0.00	19.15
020000	4.52	4.31	8.83	4.67	10.25	0.57	2.39	0.22	2.17	0.00	18.91	69.46	0.00	0.00	17.19
030000	4.58	4.56	9.17	4.78	12.36	0.58	2.41	0.23	2.18	0.00	18.87	69.47	0.00	0.00	16.90
040000	4.70	5.12	10.67	5.73	12.76	0.58	2.52	0.23	2.29	0.00	18.88	69.47	0.00	0.00	18.14
050000	4.57	5.85	10.86	5.17	11.44	0.60	2.59	0.23	2.36	0.00	18.88	69.45	0.00	0.00	12.26
060000	4.66	7.68	11.57	4.10	11.58	0.60	2.64	0.23	2.41	0.00	18.89	69.47	0.00	0.00	17.25
070000	4.61	8.08	12.57	4.74	10.64	0.62	2.49	0.24	2.25	0.00	18.88	69.36	0.00	0.00	21.61
080000	4.59	5.68	10.10	4.61	12.15	0.59	2.36	0.24	2.12	0.00	18.87	69.33	0.00	0.00	17.70
090000	4.47	3.39	7.01	3.70	15.93	0.59	2.18	0.23	1.95	0.00	18.85	69.33	0.00	0.00	16.96
100000	4.50	2.90	6.50	3.66	20.45	0.60	2.10	0.24	1.86	0.00	18.87	69.33	0.00	0.00	14.34
110000	4.54	2.84	6.93	4.18	27.30	0.63	2.06	0.25	1.81	0.00	18.92	69.51	0.00	0.00	12.05
120000	4.61	2.76	7.21	4.54	37.63	0.65	2.05	0.22	1.83	0.00	19.01	69.89	0.00	0.00	13.21
130000	4.64	2.70	6.26	3.63	31.83	0.61	2.03	0.19	1.84	0.00	19.08	69.89	0.00	0.00	17.05
140000	4.52	2.68	5.77	3.15	30.33	0.61	2.01	0.18	1.83	0.00	19.07	69.89	0.00	0.00	12.32
150000	4.52	2.72	5.55	2.89	27.97	0.61	2.00	0.16	1.84	0.00	19.16	69.89	0.00	0.00	12.31
160000	4.59	2.69	5.80	3.18	25.13	0.61	2.01	0.17	1.84	0.00	19.15	69.89	0.00	0.00	10.18
170000	4.55	2.63	6.90	4.36	24.65	0.67	2.02	0.17	1.85	0.00	19.13	69.83	0.00	0.00	11.08
180000	4.63	2.73	8.18	5.57	20.66	0.65	2.05	0.19	1.86	0.00	19.11	69.75	0.00	0.00	12.72
190000	4.62	2.79	8.54	5.89	17.62	0.66	2.08	0.19	1.89	0.00	19.08	69.75	0.00	0.00	14.79
200000	4.62	2.86	8.67	5.96	15.99	0.67	2.08	0.19	1.89	0.00	19.06	69.75	0.00	0.00	12.85
210000	4.65	3.04	9.65	6.77	12.98	0.66	2.13	0.20	1.93	0.00	19.08	69.75	0.00	0.00	13.96
220000	4.63	3.02	8.31	5.40	7.51	0.66	2.18	0.20	1.98	0.00	19.11	69.75	0.00	0.00	14.80
230000	4.74	3.55	10.53	7.14	7.66	0.68	2.23	0.21	2.02	0.00	19.08	69.75	0.00	0.00	16.53
極大值	4.74	8.08	12.57	7.26	37.63	0.68	2.64	0.25	2.41	0.00	19.16	69.89	0.00	0.00	21.61
極小值	4.47	2.63	5.55	2.89	6.75	0.57	2.00	0.16	1.81	0.00	18.85	69.33	0.00	0.00	10.18
平均值	4.60	3.90	8.58	4.82	17.44	0.62	2.22	0.21	2.01	0.00	18.99	69.62	0.00	0.00	15.01
標準差	0.06	1.59	2.05	1.22	8.86	0.03	0.2	0.03	0.19	0	0.11	0.21	0	0	2.84

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.94	3.71	10.85	7.29	7.11	0.69	2.43	0.22	2.21	0.00	19.10	69.75	0.00	0.00	23.91
010000	4.79	3.93	9.76	5.96	7.44	0.65	2.47	0.23	2.24	0.00	19.06	69.75	0.00	0.00	21.45
020000	4.80	3.99	9.17	5.28	6.60	0.66	2.47	0.23	2.24	0.00	19.07	69.75	0.00	0.00	10.11
030000	4.65	4.17	9.42	5.40	6.13	0.64	2.45	0.23	2.22	0.00	19.03	69.75	0.00	0.00	14.70
040000	4.52	3.87	8.19	4.45	6.07	0.62	2.34	0.22	2.12	0.00	18.92	69.75	0.00	0.00	20.28
050000	4.68	4.66	9.71	5.22	6.22	0.63	2.33	0.23	2.10	0.00	18.88	69.75	0.00	0.00	23.47
060000	4.63	7.19	12.24	5.25	6.63	0.67	2.42	0.23	2.19	0.00	18.83	69.75	0.00	0.00	20.52
070000	4.66	7.06	13.08	6.28	7.28	0.70	2.46	0.24	2.22	0.00	18.86	69.75	0.00	0.00	22.04
080000	4.60	5.21	11.68	6.71	13.34	0.68	2.39	0.26	2.13	0.00	18.90	69.89	0.00	0.00	24.00
090000	4.58	2.94	7.08	4.23	19.96	0.62	2.24	0.24	2.00	0.00	18.93	69.89	0.00	0.00	19.54
100000	4.41	2.70	6.38	3.74	19.19	0.63	2.13	0.23	1.90	0.00	18.96	69.89	0.00	0.00	14.69
110000	4.57	2.67	6.75	4.16	17.19	0.66	2.09	0.24	1.85	0.00	18.92	69.89	0.00	0.00	15.73
120000	4.72	2.64	8.40	5.88	38.37	0.74	2.07	0.24	1.83	0.00	18.91	69.89	0.00	0.00	18.54
130000	4.73	2.68	7.62	5.03	15.70	0.66	2.06	0.18	1.88	0.00	18.94	69.89	0.00	0.00	34.12
140000	4.56	2.71	6.84	4.21	11.97	0.62	2.03	0.20	1.83	0.00	18.96	69.89	0.00	0.00	22.90
150000	4.48	2.69	6.69	4.07	12.08	0.63	2.02	0.18	1.84	0.00	18.90	69.89	0.00	0.00	13.97
160000	4.71	2.72	8.96	6.37	22.40	0.68	2.05	0.19	1.86	0.00	18.89	69.89	0.00	0.00	13.68
170000	4.79	2.80	14.00	11.43	11.41	0.78	2.10	0.21	1.89	0.00	18.90	69.89	0.00	0.00	21.37
180000	4.78	2.80	12.84	10.28	8.81	0.73	2.13	0.23	1.90	0.00	18.90	69.81	0.00	0.00	23.18
190000	4.67	2.82	12.63	10.04	10.18	0.74	2.15	0.23	1.92	0.00	18.93	69.75	0.00	0.00	22.46
200000	4.72	3.00	13.16	10.40	8.77	0.75	2.21	0.23	1.98	0.00	18.97	69.75	0.00	0.00	20.86
210000	5.07	3.31	13.69	10.62	8.83	0.74	2.37	0.25	2.12	0.00	18.92	69.84	0.00	0.00	23.73
220000	4.84	3.72	14.87	11.47	8.70	0.77	2.52	0.26	2.26	0.00	18.91	69.82	0.00	0.00	27.47
230000	4.78	3.68	12.32	8.85	8.15	0.76	2.59	0.25	2.34	0.00	18.91	69.84	0.00	0.00	31.39
極大值	5.07	7.19	14.87	11.47	38.37	0.78	2.59	0.26	2.34	0.00	19.10	69.89	0.00	0.00	34.12
極小值	4.41	2.64	6.38	3.74	6.07	0.62	2.02	0.18	1.83	0.00	18.83	69.75	0.00	0.00	10.11
平均值	4.70	3.65	10.26	6.78	12.02	0.69	2.27	0.23	2.04	0.00	18.94	69.82	0.00	0.00	21.00
標準差	0.15	1.28	2.69	2.59	7.37	0.05	0.18	0.02	0.17	0	0.07	0.07	0	0	5.53

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.69	3.59	10.75	7.34	7.74	0.73	2.70	0.24	2.46	0.00	18.92	69.79	0.00	0.00	30.55
010000	4.57	3.23	8.90	5.80	7.85	0.68	2.63	0.24	2.39	0.00	18.96	69.75	0.00	0.00	29.92
020000	4.63	3.37	9.87	6.66	7.86	0.70	2.52	0.23	2.29	0.00	18.98	69.75	0.00	0.00	25.12
030000	4.86	3.83	10.18	6.52	7.67	0.71	2.64	0.23	2.41	0.00	18.98	69.76	0.00	0.00	26.03
040000	4.91	3.88	9.75	6.01	7.83	0.68	2.72	0.23	2.49	0.00	18.98	69.77	0.00	0.00	23.58
050000	4.73	4.55	11.05	6.69	7.10	0.68	2.70	0.23	2.47	0.00	19.01	69.77	0.00	0.00	19.40
060000	4.70	7.20	13.60	6.66	8.22	0.73	2.76	0.23	2.53	0.00	19.02	69.75	0.00	0.00	22.14
070000	4.59	5.79	12.09	6.56	7.78	0.74	2.66	0.24	2.42	0.00	19.05	69.75	0.00	0.00	23.66
080000	4.46	3.20	7.58	4.46	8.03	0.65	2.29	0.21	2.08	0.00	19.09	69.86	0.00	0.00	21.14
090000	4.40	2.88	6.47	3.64	7.50	0.63	2.11	0.20	1.91	0.00	19.09	69.89	0.00	0.00	12.52
100000	4.50	2.75	6.24	3.57	13.63	0.63	2.06	0.20	1.86	0.00	19.05	69.89	0.00	0.00	11.57
110000	4.44	2.77	6.67	3.98	17.89	0.67	2.05	0.22	1.83	0.00	19.07	69.89	0.00	0.00	10.42
120000	4.56	3.02	8.23	5.32	13.22	0.74	2.03	0.23	1.80	0.00	19.03	69.89	0.00	0.00	12.69
130000	4.73	3.12	9.21	6.21	10.79	0.82	2.02	0.21	1.81	0.00	19.00	69.89	0.00	0.00	12.89
140000	4.47	2.84	6.53	3.75	8.18	0.66	2.00	0.21	1.79	0.00	18.98	69.84	0.00	0.00	13.80
150000	4.59	3.01	6.50	3.56	7.08	0.63	2.02	0.17	1.85	0.00	18.97	69.89	0.00	0.00	8.19
160000	4.61	2.74	5.87	3.20	8.62	0.63	2.04	0.16	1.88	0.00	18.98	69.89	0.00	0.00	5.84
170000	4.56	2.82	6.36	3.59	7.49	0.63	2.09	0.17	1.92	0.00	18.99	69.89	0.00	0.00	6.38
180000	4.53	2.99	8.49	5.62	8.68	0.69	2.20	0.18	2.02	0.00	18.96	69.75	0.00	0.00	8.60
190000	4.79	3.24	10.01	6.89	8.65	0.71	2.35	0.24	2.11	0.00	18.94	69.75	0.00	0.00	9.59
200000	5.08	3.40	9.54	6.28	8.14	0.70	2.26	0.33	1.93	0.00	18.91	69.75	0.00	0.00	12.12
210000	5.21	3.52	10.73	7.37	10.82	0.75	2.28	0.30	1.98	0.00	18.90	69.84	0.00	0.00	13.88
220000	4.85	3.99	9.96	6.16	12.55	0.73	2.34	0.28	2.06	0.00	18.87	69.85	0.00	0.00	18.62
230000	4.83	4.29	9.35	5.19	11.00	0.67	2.35	0.28	2.07	0.00	18.79	69.61	0.00	0.00	14.92
極大值	5.21	7.20	13.60	7.37	17.89	0.82	2.76	0.33	2.53	0.00	19.09	69.89	0.00	0.00	30.55
極小值	4.40	2.74	5.87	3.20	7.08	0.63	2.00	0.16	1.79	0.00	18.79	69.61	0.00	0.00	5.84
平均值	4.68	3.58	8.91	5.46	9.35	0.69	2.33	0.23	2.10	0.00	18.98	69.81	0.00	0.00	16.40
標準差	0.2	1.04	2.06	1.37	2.66	0.05	0.27	0.04	0.26	0	0.07	0.07	0	0	7.36

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.02	5.59	12.29	6.95	10.23	0.73	2.43	0.28	2.15	0.00	18.70	69.39	0.00	0.00	15.55
010000	4.77	4.47	9.87	5.58	6.88	0.67	2.52	0.27	2.25	0.00	18.71	69.44	0.00	0.00	19.51
020000	4.64	4.26	9.06	4.94	6.47	0.66	2.55	0.27	2.28	0.00	18.76	69.44	0.00	0.00	23.96
030000	4.58	4.06	7.80	3.86	6.16	0.61	2.49	0.26	2.23	0.00	18.75	69.45	0.00	0.00	23.33
040000	4.57	4.15	7.94	3.91	5.95	0.61	2.39	0.26	2.13	0.00	18.79	69.42	0.00	0.00	17.30
050000	4.61	4.21	8.09	4.00	5.94	0.60	2.37	0.25	2.12	0.00	18.81	69.42	0.00	0.00	16.92
060000	4.72	5.18	9.00	3.98	6.16	0.62	2.38	0.25	2.13	0.00	18.79	69.44	0.00	0.00	17.53
070000	4.59	5.19	9.80	4.76	6.48	0.65	2.53	0.26	2.27	0.00	18.78	69.34	0.00	0.00	20.19
080000	4.52	3.21	6.94	3.82	6.53	0.63	2.30	0.27	2.03	0.00	18.80	69.33	0.00	0.00	20.69
090000	4.66	2.84	7.00	4.24	7.14	0.72	2.14	0.27	1.87	0.00	18.79	69.33	0.00	0.00	18.54
100000	5.51	2.83	8.71	5.99	9.72	0.96	2.10	0.26	1.84	0.00	18.80	69.33	0.00	0.00	25.11
110000	5.51	2.73	7.39	4.74	8.94	0.83	2.07	0.24	1.83	0.00	18.87	69.51	0.00	0.00	37.77
120000	5.44	2.64	6.69	4.13	9.33	0.85	2.06	0.24	1.82	0.00	19.05	69.89	0.00	0.00	20.07
130000	4.81	2.80	6.43	3.65	9.29	0.72	2.04	0.24	1.80	0.00	19.08	69.89	0.00	0.00	19.20
140000	4.73	2.78	6.12	3.40	9.90	0.70	2.02	0.22	1.80	0.00	19.05	69.89	0.00	0.00	15.91
150000	4.84	2.66	6.51	3.93	7.82	0.76	2.02	0.22	1.80	0.00	19.07	69.89	0.00	0.00	15.36
160000	4.71	2.76	7.37	4.71	7.54	0.73	2.05	0.19	1.86	0.00	19.05	69.89	0.00	0.00	13.80
170000	4.64	2.63	6.48	3.94	6.99	0.67	2.06	0.15	1.91	0.00	19.05	69.89	0.00	0.00	11.04
180000	4.48	2.67	7.86	5.29	6.74	0.66	2.08	0.15	1.93	0.00	19.07	69.89	0.00	0.00	7.28
190000	4.50	2.75	8.38	5.75	6.72	0.67	2.12	0.16	1.96	0.00	19.11	69.88	0.00	0.00	6.55
200000	4.37	2.86	8.57	5.86	6.69	0.69	2.16	0.18	1.98	0.00	19.12	69.86	0.00	0.00	10.31
210000	4.42	2.88	8.81	6.05	6.79	0.67	2.15	0.19	1.96	0.00	19.10	69.85	0.00	0.00	11.34
220000	4.39	3.05	9.88	6.96	6.99	0.70	2.16	0.20	1.96	0.00	19.11	69.79	0.00	0.00	9.10
230000	4.53	2.94	8.38	5.53	6.73	0.68	2.22	0.20	2.02	0.00	19.07	69.66	0.00	0.00	8.60
極大值	5.51	5.59	12.29	6.96	10.23	0.96	2.55	0.28	2.28	0.00	19.12	69.89	0.00	0.00	37.77
極小值	4.37	2.63	6.12	3.40	5.94	0.60	2.02	0.15	1.80	0.00	18.70	69.33	0.00	0.00	6.55
平均值	4.73	3.42	8.14	4.83	7.42	0.70	2.23	0.23	2.00	0.00	18.93	69.63	0.00	0.00	16.87
標準差	0.33	0.95	1.43	1.05	1.35	0.08	0.18	0.04	0.16	0	0.16	0.24	0	0	6.91

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.51	3.24	8.39	5.25	6.51	0.66	2.32	0.22	2.10	0.00	18.98	69.45	0.00	0.00	10.69
010000	4.43	3.65	9.00	5.48	6.39	0.66	2.34	0.24	2.10	0.00	18.94	69.41	0.00	0.00	16.95
020000	4.53	3.84	9.27	5.56	6.28	0.64	2.37	0.24	2.13	0.00	18.93	69.40	0.00	0.00	17.44
030000	4.48	3.63	8.06	4.53	5.94	0.62	2.43	0.23	2.20	0.00	18.99	69.45	0.00	0.00	18.08
040000	4.49	3.46	7.46	4.08	5.85	0.62	2.45	0.22	2.23	0.00	18.99	69.43	0.00	0.00	20.48
050000	4.42	3.61	7.92	4.40	5.98	0.62	2.50	0.23	2.27	0.00	18.97	69.40	0.00	0.00	18.04
060000	4.43	4.82	9.10	4.46	6.07	0.63	2.45	0.24	2.21	0.00	18.97	69.40	0.00	0.00	21.09
070000	4.37	4.39	8.02	3.77	6.09	0.62	2.27	0.26	2.01	0.00	18.95	69.33	0.00	0.00	19.56
080000	4.30	3.63	7.72	4.20	6.37	0.63	2.15	0.27	1.88	0.00	18.92	69.33	0.00	0.00	16.99
090000	4.58	2.84	6.74	3.99	6.70	0.67	2.08	0.27	1.81	0.00	18.93	69.33	0.00	0.00	14.95
100000	5.02	2.69	8.99	6.42	9.24	0.88	2.09	0.37	1.72	0.00	18.94	69.33	0.00	0.00	14.80
110000	6.39	2.71	12.49	9.99	11.81	1.11	2.11	0.44	1.67	0.00	19.03	69.52	0.00	0.00	25.15
120000	6.30	2.85	12.54	9.92	13.05	1.09	2.11	0.39	1.72	0.00	19.19	69.89	0.00	0.00	39.82
130000	5.84	2.75	11.07	8.50	12.87	0.94	2.12	0.27	1.85	0.00	19.18	69.89	0.00	0.00	40.84
140000	4.99	2.77	9.27	6.66	9.10	0.81	2.14	0.20	1.94	0.00	19.15	69.89	0.00	0.00	44.20
150000	4.68	2.73	7.95	5.32	9.32	0.77	2.17	0.18	1.99	0.00	19.13	69.89	0.00	0.00	43.73
160000	4.62	2.65	7.19	4.63	7.63	0.72	2.14	0.17	1.97	0.00	19.10	69.89	0.00	0.00	37.13
170000	4.60	2.65	8.52	5.99	7.40	0.69	2.11	0.19	1.92	0.00	19.08	69.89	0.00	0.00	19.53
180000	5.02	2.80	12.90	10.31	7.97	0.77	2.11	0.21	1.90	0.00	19.11	69.89	0.00	0.00	23.02
190000	4.86	2.86	12.95	10.33	12.68	0.73	2.13	0.22	1.91	0.00	19.12	69.89	0.00	0.00	28.05
200000	4.85	3.01	14.38	11.61	7.84	0.79	2.21	0.24	1.97	0.00	19.09	69.79	0.00	0.00	28.33
210000	4.68	2.79	10.49	7.86	7.28	0.75	2.27	0.23	2.04	0.00	19.11	69.75	0.00	0.00	37.33
220000	4.68	2.88	10.80	8.10	7.25	0.75	2.35	0.22	2.13	0.00	19.09	69.75	0.00	0.00	35.17
230000	4.76	3.02	10.53	7.68	7.09	0.74	2.39	0.23	2.16	0.00	19.04	69.58	0.00	0.00	34.46
極大值	6.39	4.82	14.38	11.61	13.05	1.11	2.50	0.44	2.27	0.00	19.19	69.89	0.00	0.00	44.20
極小值	4.30	2.65	6.74	3.77	5.85	0.62	2.08	0.17	1.67	0.00	18.92	69.33	0.00	0.00	10.69
平均值	4.83	3.18	9.66	6.63	8.03	0.75	2.24	0.25	1.99	0.00	19.04	69.62	0.00	0.00	26.08
標準差	0.57	0.58	2.12	2.42	2.33	0.14	0.14	0.06	0.17	0	0.09	0.24	0	0	10.35

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.67	3.09	9.60	6.66	7.34	0.74	2.38	0.25	2.13	0.00	18.99	69.33	0.00	0.00	18.64
010000	4.51	3.12	10.47	7.48	13.16	0.72	2.35	0.26	2.09	0.00	19.00	69.33	0.00	0.00	17.06
020000	4.53	3.30	10.34	7.21	12.68	0.70	2.38	0.26	2.12	0.00	18.97	69.33	0.00	0.00	16.02
030000	4.87	3.48	11.16	7.87	10.12	0.70	2.51	0.26	2.25	0.00	18.96	69.33	0.00	0.00	14.48
040000	4.76	3.50	9.30	5.95	8.71	0.71	2.59	0.27	2.32	0.00	18.96	69.33	0.00	0.00	11.91
050000	4.72	3.77	10.24	6.64	9.29	0.72	2.62	0.27	2.35	0.00	19.00	69.39	0.00	0.00	13.23
060000	7.21	4.15	10.50	6.54	11.42	0.73	2.57	0.27	2.30	0.00	19.01	69.45	0.00	0.00	14.42
070000	20.59	5.39	13.19	8.04	12.01	0.74	2.51	0.28	2.23	0.00	18.97	69.43	0.00	0.00	23.29
080000	12.97	4.29	13.27	9.19	15.34	0.75	2.40	0.27	2.13	0.00	19.03	69.40	0.00	0.00	29.45
090000	6.65	3.07	10.89	7.98	21.69	0.77	2.29	0.28	2.01	0.00	19.03	69.41	0.00	0.00	34.78
100000	6.51	3.14	13.66	10.76	27.52	0.84	2.32	0.33	1.99	0.00	19.07	69.43	0.00	0.00	42.53
110000	6.33	2.88	14.05	11.41	35.25	0.92	2.37	0.36	2.01	0.00	19.10	69.51	0.00	0.00	37.80
120000	6.18	2.92	14.33	11.68	16.23	0.96	2.35	0.34	2.01	0.00	19.19	69.89	0.00	0.00	34.33
130000	5.59	2.71	10.34	7.81	22.83	0.85	2.23	0.29	1.94	0.00	19.18	69.89	0.00	0.00	33.78
140000	4.97	2.72	8.98	6.40	9.14	0.76	2.15	0.24	1.91	0.00	19.13	69.83	0.00	0.00	36.65
150000	4.87	2.76	9.96	7.37	14.48	0.77	2.11	0.24	1.87	0.00	19.06	69.75	0.00	0.00	29.55
160000	4.81	2.81	10.61	7.98	25.66	0.72	2.08	0.23	1.85	0.00	19.03	69.75	0.00	0.00	36.18
170000	4.85	2.78	10.66	8.06	20.83	0.76	2.07	0.23	1.84	0.00	19.02	69.75	0.00	0.00	43.46
180000	4.77	2.77	10.96	8.36	19.41	0.75	2.07	0.22	1.85	0.00	18.95	69.75	0.00	0.00	31.85
190000	4.77	2.85	10.92	8.24	17.06	0.80	2.10	0.22	1.88	0.00	18.95	69.75	0.00	0.00	28.41
200000	4.85	2.93	10.49	7.72	14.81	0.82	2.21	0.23	1.98	0.00	19.00	69.75	0.00	0.00	24.42
210000	4.83	3.07	10.82	7.93	11.78	0.79	2.25	0.23	2.02	0.00	18.96	69.75	0.00	0.00	21.11
220000	4.90	3.16	9.78	6.74	10.55	0.77	2.35	0.23	2.12	0.00	18.97	69.75	0.00	0.00	17.23
230000	4.90	3.11	9.15	6.19	10.07	0.76	2.38	0.22	2.16	0.00	18.91	69.59	0.00	0.00	14.06
極大值	20.59	5.39	14.33	11.68	35.25	0.96	2.62	0.36	2.35	0.00	19.19	69.89	0.00	0.00	43.46
極小值	4.51	2.71	8.98	5.95	7.34	0.70	2.07	0.22	1.84	0.00	18.91	69.33	0.00	0.00	11.91
平均值	6.19	3.24	10.99	7.93	15.72	0.77	2.32	0.26	2.06	0.00	19.02	69.58	0.00	0.00	26.03
標準差	3.53	0.62	1.55	1.52	6.94	0.07	0.17	0.04	0.16	0	0.07	0.2	0	0	10.05

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.79	3.04	8.25	5.29	11.97	0.76	2.34	0.23	2.11	0.00	18.79	69.33	0.00	0.00	37.76
010000	4.87	3.05	8.26	5.32	13.41	0.81	2.32	0.24	2.08	0.00	18.84	69.33	0.00	0.00	54.12
020000	4.87	3.02	8.25	5.32	13.20	0.84	2.33	0.26	2.07	0.00	18.88	69.39	0.00	0.00	39.18
030000	4.84	3.15	9.00	5.98	12.93	0.83	2.35	0.28	2.07	0.00	18.80	69.46	0.00	0.00	52.06
040000	4.83	3.46	9.36	6.05	13.36	0.81	2.35	0.30	2.05	0.00	18.82	69.46	0.00	0.00	40.58
050000	4.66	3.46	9.35	6.03	12.24	0.80	2.33	0.29	2.04	0.00	18.81	69.46	0.00	0.00	43.67
060000	4.62	3.91	10.55	6.84	9.06	0.81	2.29	0.29	2.00	0.00	18.73	69.35	0.00	0.00	35.20
070000	4.61	5.35	14.16	9.10	8.82	0.83	2.26	0.29	1.97	0.00	18.68	69.33	0.00	0.00	39.31
080000	4.70	5.40	14.78	9.66	8.50	0.84	2.25	0.30	1.95	0.00	18.73	69.33	0.00	0.00	36.55
090000	4.67	6.07	15.07	9.29	8.08	0.77	2.36	0.30	2.06	0.00	18.57	69.33	0.00	0.00	28.15
100000	4.59	4.29	10.74	6.65	6.90	0.71	2.31	0.30	2.01	0.00	18.58	69.33	0.00	0.00	28.16
110000	4.73	3.38	8.91	5.65	6.73	0.68	2.20	0.28	1.92	0.00	18.70	69.52	0.00	0.00	27.53
120000	4.70	2.85	7.48	4.69	6.97	0.70	2.11	0.27	1.84	0.00	18.77	69.89	0.00	0.00	39.30
130000	4.69	2.84	9.43	6.74	8.18	0.79	2.10	0.28	1.82	0.00	18.71	69.89	0.00	0.00	33.45
140000	4.88	2.94	12.54	9.79	8.59	0.82	2.11	0.32	1.79	0.00	18.74	69.89	0.00	0.00	21.50
150000	5.03	2.86	10.90	8.23	7.82	0.75	2.07	0.27	1.80	0.00	18.76	69.89	0.00	0.00	16.29
160000	4.67	2.76	7.89	5.24	6.80	0.67	2.03	0.19	1.84	0.00	18.74	69.89	0.00	0.00	18.31
170000	4.68	2.69	8.02	5.43	7.33	0.72	2.03	0.17	1.86	0.00	18.74	69.89	0.00	0.00	20.84
180000	4.67	2.64	7.92	5.41	7.50	0.75	2.05	0.19	1.86	0.00	18.77	69.89	0.00	0.00	22.25
190000	4.78	2.99	11.98	9.18	7.96	0.79	2.08	0.22	1.86	0.00	18.77	69.85	0.00	0.00	26.77
200000	4.70	2.86	10.04	7.34	6.92	0.73	2.14	0.24	1.90	0.00	18.79	69.84	0.00	0.00	32.64
210000	4.76	2.97	8.93	6.07	7.09	0.73	2.20	0.24	1.96	0.00	18.79	69.80	0.00	0.00	34.36
220000	4.68	3.08	9.44	6.48	6.89	0.74	2.24	0.23	2.01	0.00	18.82	69.81	0.00	0.00	40.81
230000	4.68	3.29	10.65	7.51	7.13	0.73	2.25	0.23	2.02	0.00	18.74	69.65	0.00	0.00	44.89
極大值	5.03	6.07	15.07	9.79	13.41	0.84	2.36	0.32	2.11	0.00	18.88	69.89	0.00	0.00	54.12
極小值	4.59	2.64	7.48	4.69	6.73	0.67	2.03	0.17	1.79	0.00	18.57	69.33	0.00	0.00	16.29
平均值	4.74	3.43	10.08	6.80	8.93	0.77	2.21	0.26	1.95	0.00	18.75	69.62	0.00	0.00	33.90
標準差	0.1	0.93	2.2	1.59	2.42	0.05	0.12	0.04	0.1	0	0.07	0.25	0	0	10.06

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.51	3.28	8.34	5.16	6.57	0.67	2.21	0.24	1.97	0.00	18.62	69.46	0.00	0.00	21.67
010000	4.66	3.53	8.85	5.45	6.31	0.66	2.21	0.25	1.96	0.00	18.61	69.47	0.00	0.00	18.98
020000	4.69	3.90	9.64	5.91	6.45	0.67	2.28	0.26	2.02	0.00	18.62	69.46	0.00	0.00	32.24
030000	4.63	3.94	9.17	5.34	6.90	0.67	2.31	0.26	2.05	0.00	18.64	69.47	0.00	0.00	31.90
040000	4.66	4.17	9.29	5.25	6.49	0.68	2.30	0.26	2.04	0.00	18.63	69.45	0.00	0.00	22.05
050000	4.71	4.41	9.88	5.65	8.54	0.67	2.28	0.27	2.01	0.00	18.62	69.45	0.00	0.00	25.60
060000	4.76	5.59	11.53	6.14	8.40	0.69	2.29	0.27	2.02	0.00	18.63	69.46	0.00	0.00	17.23
070000	4.78	7.00	13.65	6.93	6.97	0.73	2.28	0.27	2.01	0.00	18.64	69.46	0.00	0.00	20.95
080000	4.71	9.14	16.96	8.17	7.67	0.78	2.30	0.28	2.02	0.00	18.61	69.45	0.00	0.00	23.53
090000	4.63	5.27	9.85	4.76	6.01	0.63	2.23	0.24	1.99	0.00	18.61	69.46	0.00	0.00	13.45
100000	4.58	4.59	9.33	4.87	5.78	0.60	2.07	0.16	1.91	0.00	18.59	69.46	0.00	0.00	17.23
110000	4.78	5.23	11.36	6.32	6.51	0.66	2.10	0.19	1.91	0.00	18.63	69.56	0.00	0.00	14.43
120000	4.75	5.46	11.55	6.29	6.73	0.70	2.18	0.21	1.97	0.00	18.72	69.75	0.00	0.00	11.55
130000	4.65	4.92	10.89	6.19	6.77	0.70	2.16	0.22	1.94	0.00	18.71	69.76	0.00	0.00	11.13
140000	4.64	3.35	7.70	4.43	6.40	0.69	2.13	0.20	1.93	0.00	18.71	69.78	0.00	0.00	10.57
150000	4.61	3.13	8.49	5.46	6.93	0.70	2.11	0.19	1.92	0.00	18.74	69.77	0.00	0.00	12.24
160000	4.55	3.19	8.35	5.28	6.85	0.69	2.08	0.19	1.89	0.00	18.70	69.75	0.00	0.00	14.88
170000	4.61	3.28	7.95	4.77	6.36	0.65	2.07	0.19	1.88	0.00	18.74	69.75	0.00	0.00	20.19
180000	4.56	4.26	9.48	5.34	6.32	0.65	2.09	0.19	1.90	0.00	18.73	69.75	0.00	0.00	23.60
190000	4.55	5.23	11.84	6.86	6.41	0.67	2.13	0.21	1.92	0.00	18.73	69.75	0.00	0.00	13.46
200000	4.66	5.14	10.21	5.24	6.37	0.66	2.16	0.22	1.94	0.00	18.70	69.75	0.00	0.00	31.72
210000	4.54	6.38	11.84	5.68	6.50	0.67	2.18	0.22	1.96	0.00	18.71	69.75	0.00	0.00	20.23
220000	4.62	5.21	9.40	4.34	6.12	0.65	2.21	0.23	1.98	0.00	18.69	69.75	0.00	0.00	36.26
230000	4.70	5.49	10.06	4.73	6.34	0.67	2.20	0.23	1.97	0.00	18.64	69.75	0.00	0.00	19.39
極大值	4.78	9.14	16.96	8.17	8.54	0.78	2.31	0.28	2.05	0.00	18.74	69.78	0.00	0.00	36.26
極小值	4.51	3.13	7.70	4.34	5.78	0.60	2.07	0.16	1.88	0.00	18.59	69.45	0.00	0.00	10.57
平均值	4.65	4.80	10.23	5.61	6.70	0.68	2.19	0.23	1.96	0.00	18.67	69.61	0.00	0.00	20.19
標準差	0.08	1.39	2.04	0.89	0.66	0.03	0.08	0.03	0.05	0	0.05	0.15	0	0	7.27

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.51	4.95	8.42	3.65	6.15	0.64	2.20	0.22	1.98	0.00	18.62	69.75	0.00	0.00	21.02
010000	4.61	4.78	7.92	3.32	6.27	0.64	2.18	0.22	1.96	0.00	18.64	69.75	0.00	0.00	20.52
020000	4.56	4.84	8.48	3.81	6.27	0.64	2.18	0.23	1.95	0.00	18.64	69.75	0.00	0.00	19.95
030000	4.53	5.01	8.79	3.96	6.14	0.64	2.20	0.23	1.97	0.00	18.63	69.75	0.00	0.00	19.14
040000	4.51	6.03	10.38	4.55	6.20	0.65	2.21	0.24	1.97	0.00	18.61	69.75	0.00	0.00	20.33
050000	4.62	7.13	11.37	4.46	6.72	0.67	2.25	0.24	2.01	0.00	18.65	69.75	0.00	0.00	19.80
060000	4.88	9.39	13.03	3.90	7.48	0.78	2.45	0.25	2.20	0.00	18.62	69.75	0.00	0.00	19.53
070000	4.90	7.98	11.29	3.54	7.05	0.72	2.60	0.26	2.34	0.00	18.62	69.79	0.00	0.00	18.96
080000	4.95	7.63	14.35	7.03	7.44	0.77	2.40	0.26	2.14	0.00	18.61	69.89	0.00	0.00	21.64
090000	5.24	4.82	13.83	9.28	7.94	0.81	2.27	0.29	1.98	0.00	18.66	69.89	0.00	0.00	24.94
100000	5.18	3.12	9.40	6.40	8.05	0.80	2.16	0.27	1.89	0.00	18.64	69.89	0.00	0.00	28.72
110000	4.94	2.98	7.15	4.24	7.28	0.74	2.09	0.20	1.89	0.00	18.61	69.89	0.00	0.00	31.79
120000	4.83	3.10	6.04	2.97	6.42	0.65	2.05	0.19	1.86	0.00	18.62	69.89	0.00	0.00	31.31
130000	4.78	3.14	5.95	2.84	6.20	0.64	2.02	0.20	1.82	0.00	18.63	69.89	0.00	0.00	31.92
140000	4.77	2.98	6.20	3.25	6.58	0.67	2.06	0.20	1.86	0.00	18.65	69.89	0.00	0.00	32.99
150000	4.69	3.37	6.32	2.98	6.25	0.64	2.04	0.16	1.88	0.00	18.62	69.89	0.00	0.00	33.51
160000	4.67	3.39	6.31	2.96	6.19	0.65	2.01	0.14	1.87	0.00	18.62	69.89	0.00	0.00	31.32
170000	4.82	3.42	7.83	4.48	6.37	0.67	2.01	0.16	1.85	0.00	18.58	69.85	0.00	0.00	26.69
180000	4.81	6.48	13.64	7.44	6.98	0.75	2.06	0.19	1.87	0.00	18.60	69.77	0.00	0.00	24.52
190000	4.82	7.60	14.61	7.31	7.65	0.77	2.14	0.22	1.92	0.00	18.61	69.75	0.00	0.00	21.30
200000	4.75	4.32	9.45	5.28	7.35	0.73	2.16	0.22	1.94	0.00	18.60	69.75	0.00	0.00	22.20
210000	4.68	4.18	8.39	4.37	6.39	0.68	2.14	0.22	1.92	0.00	18.58	69.77	0.00	0.00	20.57
220000	4.73	4.49	8.87	4.55	6.56	0.68	2.18	0.21	1.97	0.00	18.59	69.75	0.00	0.00	20.30
230000	4.67	5.27	9.40	4.31	6.35	0.66	2.29	0.20	2.09	0.00	18.60	69.75	0.00	0.00	20.53
極大值	5.24	9.39	14.61	9.28	8.05	0.81	2.60	0.29	2.34	0.00	18.66	69.89	0.00	0.00	33.51
極小值	4.51	2.98	5.95	2.84	6.14	0.64	2.01	0.14	1.82	0.00	18.58	69.75	0.00	0.00	18.96
平均值	4.77	5.02	9.48	4.62	6.76	0.70	2.18	0.22	1.96	0.00	18.62	69.81	0.00	0.00	24.31
標準差	0.19	1.84	2.77	1.68	0.61	0.06	0.15	0.04	0.12	0	0.02	0.07	0	0	5.2

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.70	4.35	7.94	3.73	6.39	0.66	2.28	0.21	2.07	0.00	18.61	69.75	0.00	0.00	32.03
010000	4.53	4.77	9.21	4.56	6.82	0.69	2.24	0.22	2.02	0.00	18.61	69.75	0.00	0.00	43.57
020000	4.79	4.80	9.51	4.90	6.85	0.70	2.33	0.23	2.10	0.00	18.58	69.75	0.00	0.00	32.20
030000	4.55	4.48	8.31	3.96	6.77	0.67	2.39	0.23	2.16	0.00	18.54	69.75	0.00	0.00	33.05
040000	4.49	4.33	8.07	3.86	6.29	0.65	2.33	0.23	2.10	0.00	18.52	69.75	0.00	0.00	19.93
050000	4.49	5.89	10.43	4.72	6.49	0.67	2.33	0.24	2.09	0.00	18.52	69.75	0.00	0.00	17.19
060000	4.64	7.36	11.52	4.41	6.80	0.70	2.40	0.23	2.17	0.00	18.43	69.75	0.00	0.00	14.25
070000	4.65	5.76	9.99	4.43	6.73	0.69	2.38	0.23	2.15	0.00	18.52	69.82	0.00	0.00	25.73
080000	4.56	3.73	7.75	4.14	6.98	0.69	2.22	0.23	1.99	0.00	18.49	69.89	0.00	0.00	26.92
090000	4.80	3.22	7.63	4.50	7.83	0.79	2.14	0.25	1.89	0.00	18.56	69.89	0.00	0.00	20.54
100000	5.03	3.12	8.09	5.06	7.41	0.72	2.16	0.25	1.91	0.00	18.63	69.89	0.00	0.00	18.56
110000	4.73	3.06	7.78	4.81	7.14	0.71	2.10	0.25	1.85	0.00	18.60	69.89	0.00	0.00	13.81
120000	5.56	2.87	10.58	7.88	9.57	0.94	2.08	0.27	1.81	0.00	18.61	69.89	0.00	0.00	20.22
130000	5.85	2.73	9.96	7.38	9.48	0.88	2.08	0.24	1.84	0.00	18.62	69.89	0.00	0.00	37.32
140000	5.56	2.94	9.01	6.20	8.42	0.81	2.04	0.19	1.85	0.00	18.63	69.89	0.00	0.00	40.43
150000	4.97	2.92	10.21	7.42	8.53	0.81	2.05	0.21	1.84	0.00	18.64	69.89	0.00	0.00	17.02
160000	4.73	2.78	9.88	7.24	8.45	0.82	2.08	0.20	1.88	0.00	18.60	69.89	0.00	0.00	27.20
170000	4.63	2.70	8.81	6.25	7.98	0.78	2.11	0.21	1.90	0.00	18.62	69.89	0.00	0.00	34.60
180000	4.61	2.84	8.64	5.94	7.27	0.75	2.13	0.19	1.94	0.00	18.66	69.84	0.00	0.00	19.02
190000	4.52	2.78	7.59	4.90	7.41	0.73	2.12	0.20	1.92	0.00	18.63	69.86	0.00	0.00	15.51
200000	4.55	2.88	8.30	5.52	7.68	0.75	2.13	0.21	1.92	0.00	18.62	69.80	0.00	0.00	17.73
210000	4.56	2.98	9.19	6.34	7.46	0.76	2.12	0.22	1.90	0.00	18.58	69.76	0.00	0.00	23.84
220000	4.68	3.08	8.96	5.98	7.31	0.74	2.15	0.22	1.93	0.00	18.57	69.75	0.00	0.00	16.39
230000	4.88	3.20	8.66	5.54	7.09	0.74	2.20	0.22	1.98	0.00	18.56	69.56	0.00	0.00	24.97
極大值	5.85	7.36	11.52	7.88	9.57	0.94	2.40	0.27	2.17	0.00	18.66	69.89	0.00	0.00	43.57
極小值	4.49	2.70	7.59	3.73	6.29	0.65	2.04	0.19	1.81	0.00	18.43	69.56	0.00	0.00	13.81
平均值	4.79	3.73	9.00	5.40	7.46	0.74	2.19	0.22	1.97	0.00	18.58	69.81	0.00	0.00	24.67
標準差	0.37	1.24	1.07	1.22	0.89	0.07	0.12	0.02	0.11	0	0.06	0.08	0	0	8.67

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.90	3.24	8.05	4.91	6.95	0.72	2.38	0.21	2.17	0.00	18.47	69.33	0.00	0.00	32.36
010000	4.80	3.52	8.24	4.83	6.86	0.69	2.79	0.22	2.57	0.00	18.47	69.33	0.00	0.00	29.63
020000	4.77	3.81	8.35	4.67	6.25	0.66	2.73	0.22	2.51	0.00	18.48	69.33	0.00	0.00	24.81
030000	4.82	3.94	7.81	3.97	6.22	0.65	2.58	0.23	2.35	0.00	18.50	69.34	0.00	0.00	29.14
040000	4.78	4.23	8.66	4.54	6.34	0.66	2.53	0.23	2.30	0.00	18.47	69.33	0.00	0.00	33.63
050000	4.70	4.89	9.80	5.08	6.64	0.66	2.51	0.24	2.27	0.00	18.38	69.33	0.00	0.00	28.49
060000	4.76	5.94	10.22	4.44	6.70	0.70	2.49	0.25	2.24	0.00	18.43	69.33	0.00	0.00	23.36
070000	4.63	5.32	9.46	4.31	6.82	0.70	2.44	0.27	2.17	0.00	18.39	69.33	0.00	0.00	21.14
080000	4.63	3.87	7.34	3.58	6.56	0.67	2.28	0.27	2.01	0.00	18.39	69.33	0.00	0.00	23.18
090000	4.59	3.05	6.09	3.10	6.98	0.68	2.18	0.26	1.92	0.00	18.36	69.21	0.00	0.00	23.06
100000	4.65	2.81	6.18	3.43	7.12	0.70	2.14	0.27	1.87	0.00	18.30	69.23	0.00	0.00	20.93
110000	4.75	2.79	6.09	3.36	7.44	0.71	2.11	0.25	1.86	0.00	18.41	69.44	0.00	0.00	18.74
120000	4.78	2.88	7.42	4.64	8.41	0.80	2.12	0.24	1.88	0.00	18.49	69.86	0.00	0.00	15.82
130000	4.69	2.83	6.57	3.80	7.98	0.76	2.11	0.23	1.88	0.00	18.49	69.89	0.00	0.00	16.64
140000	4.53	2.81	5.97	3.23	7.86	0.74	2.06	0.19	1.87	0.00	18.48	69.89	0.00	0.00	17.19
150000	4.57	2.77	6.03	3.34	7.37	0.72	2.02	0.17	1.85	0.00	18.50	69.88	0.00	0.00	18.80
160000	4.71	2.97	9.09	6.25	7.79	0.77	2.05	0.20	1.85	0.00	18.46	69.83	0.00	0.00	18.33
170000	4.84	2.81	8.56	5.88	7.93	0.78	2.12	0.20	1.92	0.00	18.47	69.75	0.00	0.00	19.05
180000	4.80	3.09	10.06	7.13	7.42	0.78	2.17	0.21	1.96	0.00	18.44	69.75	0.00	0.00	19.99
190000	4.78	2.95	10.22	7.46	7.87	0.78	2.18	0.21	1.97	0.00	18.47	69.75	0.00	0.00	19.87
200000	4.61	3.16	10.39	7.39	8.00	0.82	2.23	0.23	2.00	0.00	18.51	69.75	0.00	0.00	19.51
210000	4.47	3.34	11.42	8.26	8.09	0.84	2.30	0.23	2.07	0.00	18.57	69.75	0.00	0.00	22.08
220000	4.62	3.41	10.34	7.08	7.84	0.84	2.39	0.24	2.15	0.00	18.48	69.75	0.00	0.00	25.32
230000	4.58	3.66	10.11	6.60	7.72	0.81	2.45	0.24	2.21	0.00	18.41	69.57	0.00	0.00	26.15
極大值	4.90	5.94	11.42	8.26	8.41	0.84	2.79	0.27	2.57	0.00	18.57	69.89	0.00	0.00	33.63
極小值	4.47	2.77	5.97	3.10	6.22	0.65	2.02	0.17	1.85	0.00	18.30	69.21	0.00	0.00	15.82
平均值	4.70	3.50	8.44	5.05	7.30	0.74	2.31	0.23	2.08	0.00	18.45	69.55	0.00	0.00	22.80
標準差	0.11	0.85	1.69	1.57	0.65	0.06	0.22	0.03	0.21	0	0.06	0.25	0	0	4.97

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.56	3.69	9.03	5.47	7.46	0.78	2.46	0.25	2.21	0.00	18.39	69.33	0.00	0.00	12.29
010000	4.51	3.51	8.23	4.84	7.30	0.76	2.48	0.26	2.22	0.00	18.41	69.39	0.00	0.00	11.08
020000	4.44	3.49	7.27	3.86	6.87	0.71	2.43	0.25	2.18	0.00	18.36	69.45	0.00	0.00	13.05
030000	4.46	3.59	8.03	4.52	6.62	0.70	2.38	0.25	2.13	0.00	18.36	69.46	0.00	0.00	12.16
040000	4.43	3.83	8.80	5.09	6.75	0.69	2.40	0.25	2.15	0.00	18.34	69.46	0.00	0.00	10.67
050000	4.43	4.43	10.33	6.08	7.22	0.75	2.47	0.26	2.21	0.00	18.34	69.43	0.00	0.00	10.49
060000	4.70	5.90	11.90	6.20	7.76	0.80	2.63	0.27	2.36	0.00	18.37	69.45	0.00	0.00	10.09
070000	4.63	7.15	13.68	6.79	7.90	0.81	2.69	0.28	2.41	0.00	18.33	69.45	0.00	0.00	10.54
080000	4.78	6.50	14.61	8.41	8.06	0.85	2.64	0.26	2.38	0.00	18.32	69.47	0.00	0.00	10.95
090000	4.84	5.96	14.47	8.80	8.57	0.88	2.69	0.29	2.40	0.00	18.32	69.46	0.00	0.00	11.82
100000	4.77	4.82	14.10	9.57	8.70	0.91	2.51	0.31	2.20	0.00	18.29	69.47	0.00	0.00	11.58
110000	4.78	4.41	14.93	10.82	9.13	0.93	2.45	0.32	2.13	0.00	18.38	69.57	0.00	0.00	13.14
120000	4.83	3.36	16.94	13.91	10.28	1.01	2.36	0.39	1.97	0.00	18.39	69.75	0.00	0.00	12.83
130000	4.60	2.98	12.32	9.53	9.12	0.89	2.25	0.35	1.90	0.00	18.27	69.75	0.00	0.00	17.24
140000	4.58	3.01	10.71	7.89	8.07	0.82	2.17	0.29	1.88	0.00	18.27	69.75	0.00	0.00	16.36
150000	4.57	2.88	9.82	7.11	8.28	0.82	2.16	0.24	1.92	0.00	18.31	69.75	0.00	0.00	16.85
160000	4.46	2.96	9.30	6.48	7.55	0.77	2.15	0.23	1.92	0.00	18.31	69.75	0.00	0.00	13.52
170000	4.65	3.01	8.03	5.12	7.11	0.71	2.12	0.20	1.92	0.00	18.32	69.75	0.00	0.00	10.78
180000	4.59	3.21	8.34	5.25	7.28	0.72	2.10	0.19	1.91	0.00	18.33	69.75	0.00	0.00	13.23
190000	4.65	3.20	8.72	5.64	7.21	0.74	2.11	0.21	1.90	0.00	18.34	69.75	0.00	0.00	13.26
200000	4.78	3.12	10.71	7.75	7.63	0.78	2.11	0.24	1.87	0.00	18.38	69.75	0.00	0.00	13.20
210000	4.69	3.12	9.19	6.21	7.22	0.74	2.11	0.25	1.86	0.00	18.37	69.75	0.00	0.00	13.16
220000	4.49	2.89	5.57	2.74	6.51	0.65	2.08	0.19	1.89	0.00	18.38	69.75	0.00	0.00	12.91
230000	4.46	2.69	4.73	2.10	6.35	0.63	2.03	0.12	1.91	0.00	18.32	69.56	0.00	0.00	13.29
極大值	4.84	7.15	16.94	13.91	10.28	1.01	2.69	0.39	2.41	0.00	18.41	69.75	0.00	0.00	17.24
極小值	4.43	2.69	4.73	2.10	6.35	0.63	2.03	0.12	1.86	0.00	18.27	69.33	0.00	0.00	10.09
平均值	4.61	3.90	10.41	6.67	7.71	0.79	2.33	0.26	2.08	0.00	18.34	69.59	0.00	0.00	12.69
標準差	0.14	1.26	3.12	2.63	0.95	0.09	0.21	0.06	0.19	0	0.04	0.16	0	0	1.93

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.60	2.94	6.44	3.57	6.54	0.65	2.07	0.15	1.92	0.00	18.33	69.34	0.00	0.00	16.93
010000	4.50	3.19	6.51	3.42	6.74	0.66	2.10	0.19	1.91	0.00	18.34	69.34	0.00	0.00	16.36
020000	4.45	3.12	6.26	3.20	6.40	0.65	2.09	0.19	1.90	0.00	18.32	69.34	0.00	0.00	15.67
030000	4.66	3.30	6.96	3.78	6.27	0.64	2.11	0.20	1.91	0.00	18.31	69.33	0.00	0.00	15.98
040000	4.80	3.42	6.55	3.24	6.10	0.62	2.18	0.20	1.98	0.00	18.34	69.33	0.00	0.00	16.55
050000	4.79	3.36	6.21	2.93	5.99	0.62	2.22	0.20	2.02	0.00	18.31	69.33	0.00	0.00	15.46
060000	4.54	3.20	6.08	2.96	6.02	0.62	2.16	0.18	1.98	0.00	18.30	69.33	0.00	0.00	15.46
070000	4.63	3.94	8.30	4.50	6.49	0.66	2.17	0.19	1.98	0.00	18.30	69.33	0.00	0.00	15.75
080000	4.73	3.80	7.92	4.24	6.46	0.67	2.14	0.18	1.96	0.00	18.30	69.33	0.00	0.00	19.39
090000	4.78	3.60	7.28	3.78	6.39	0.64	2.09	0.16	1.93	0.00	18.30	69.33	0.00	0.00	22.83
100000	4.72	4.08	7.78	3.83	6.34	0.64	2.09	0.16	1.93	0.00	18.26	69.33	0.00	0.00	24.65
110000	4.69	3.27	6.12	2.91	6.16	0.63	2.07	0.16	1.91	0.00	18.30	69.45	0.00	0.00	26.03
120000	4.65	3.50	6.80	3.39	6.65	0.68	2.07	0.16	1.91	0.00	18.41	69.75	0.00	0.00	28.06
130000	4.51	3.56	6.63	3.15	6.71	0.68	2.09	0.15	1.94	0.00	18.41	69.75	0.00	0.00	29.66
140000	4.41	3.69	7.49	3.89	6.75	0.69	2.09	0.16	1.93	0.00	18.38	69.75	0.00	0.00	27.58
150000	4.45	3.87	8.43	4.69	6.80	0.70	2.10	0.15	1.95	0.00	18.41	69.75	0.00	0.00	23.36
160000	4.53	3.62	8.54	5.03	7.03	0.71	2.11	0.16	1.95	0.00	18.43	69.75	0.00	0.00	21.00
170000	4.46	3.18	7.28	4.18	7.12	0.70	2.10	0.13	1.97	0.00	18.46	69.75	0.00	0.00	17.92
180000	4.52	3.20	7.49	4.37	6.71	0.71	2.08	0.15	1.93	0.00	18.45	69.75	0.00	0.00	16.11
190000	4.57	3.72	8.16	4.56	7.15	0.70	2.08	0.18	1.90	0.00	18.48	69.75	0.00	0.00	12.99
200000	4.60	3.86	7.55	3.80	6.60	0.69	2.10	0.20	1.90	0.00	18.50	69.75	0.00	0.00	13.19
210000	4.64	3.79	7.10	3.38	6.79	0.68	2.13	0.19	1.94	0.00	18.48	69.75	0.00	0.00	11.87
220000	4.54	4.06	8.23	4.31	6.75	0.70	2.15	0.21	1.94	0.00	18.48	69.75	0.00	0.00	12.65
230000	4.61	4.34	8.40	4.19	6.79	0.68	2.19	0.20	1.99	0.00	18.43	69.59	0.00	0.00	12.10
極大值	4.80	4.34	8.54	5.03	7.15	0.71	2.22	0.21	2.02	0.00	18.50	69.75	0.00	0.00	29.66
極小值	4.41	2.94	6.08	2.91	5.99	0.62	2.07	0.13	1.90	0.00	18.26	69.33	0.00	0.00	11.87
平均值	4.60	3.57	7.27	3.80	6.57	0.67	2.12	0.18	1.94	0.00	18.38	69.54	0.00	0.00	18.65
標準差	0.11	0.36	0.82	0.6	0.32	0.03	0.04	0.02	0.03	0	0.07	0.21	0	0	5.42

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.49	4.30	7.66	3.50	6.17	0.65	2.24	0.21	2.03	0.00	18.38	69.34	0.00	0.00	9.64
010000	4.39	3.83	6.82	3.07	6.10	0.64	2.19	0.20	1.99	0.00	18.38	69.33	0.00	0.00	9.38
020000	4.26	3.19	5.31	2.17	5.97	0.62	2.14	0.17	1.97	0.00	18.40	69.33	0.00	0.00	9.36
030000	4.24	3.12	5.21	2.14	6.02	0.61	2.09	0.16	1.93	0.00	18.37	69.33	0.00	0.00	9.09
040000	4.31	3.47	5.68	2.28	5.91	0.61	2.08	0.19	1.89	0.00	18.36	69.33	0.00	0.00	9.21
050000	4.31	2.94	5.05	2.15	6.30	0.62	2.05	0.14	1.91	0.00	18.32	69.34	0.00	0.00	8.49
060000	4.44	2.90	5.80	2.98	6.54	0.63	2.01	0.11	1.90	0.00	18.26	69.34	0.00	0.00	6.57
070000	4.34	2.94	5.68	2.79	6.39	0.63	2.00	0.08	1.92	0.00	18.27	69.34	0.00	0.00	7.60
080000	4.33	3.35	6.95	3.66	6.16	0.65	2.03	0.13	1.90	0.00	18.31	69.33	0.00	0.00	10.54
090000	4.32	5.11	11.01	6.08	6.48	0.67	2.05	0.17	1.88	0.00	18.33	69.33	0.00	0.00	13.39
100000	4.39	6.24	12.98	6.98	7.19	0.75	2.09	0.21	1.88	0.00	18.32	69.33	0.00	0.00	21.41
110000	4.40	6.52	11.87	5.54	6.76	0.71	2.11	0.22	1.89	0.00	18.34	69.45	0.00	0.00	19.45
120000	4.53	5.16	9.54	4.56	6.76	0.70	2.12	0.21	1.91	0.00	18.47	69.75	0.00	0.00	19.58
130000	4.38	4.51	8.16	3.80	6.76	0.69	2.11	0.21	1.90	0.00	18.55	69.75	0.00	0.00	14.09
140000	4.36	3.52	6.57	3.11	6.75	0.69	2.06	0.18	1.88	0.00	18.57	69.75	0.00	0.00	17.23
150000	4.32	3.43	7.12	3.76	7.20	0.72	2.04	0.18	1.86	0.00	18.55	69.75	0.00	0.00	13.82
160000	4.30	3.42	6.34	2.96	6.87	0.69	2.04	0.18	1.86	0.00	18.55	69.75	0.00	0.00	12.85
170000	4.23	2.89	5.75	2.92	6.89	0.70	2.00	0.13	1.87	0.00	18.63	69.75	0.00	0.00	12.58
180000	4.40	2.96	6.36	3.46	7.43	0.72	2.00	0.13	1.87	0.00	18.62	69.75	0.00	0.00	12.72
190000	4.47	3.21	7.34	4.20	6.80	0.71	2.04	0.15	1.89	0.00	18.62	69.75	0.00	0.00	11.15
200000	4.42	3.88	8.47	4.73	7.38	0.76	2.07	0.18	1.89	0.00	18.62	69.75	0.00	0.00	10.85
210000	4.38	3.79	7.10	3.39	6.91	0.71	2.08	0.21	1.87	0.00	18.58	69.75	0.00	0.00	9.50
220000	4.34	4.03	7.86	3.93	6.74	0.71	2.08	0.22	1.86	0.00	18.66	69.75	0.00	0.00	8.28
230000	4.41	4.45	8.50	4.21	6.80	0.70	2.11	0.22	1.89	0.00	18.66	69.58	0.00	0.00	9.10
極大值	4.53	6.52	12.98	6.98	7.43	0.76	2.24	0.22	2.03	0.00	18.66	69.75	0.00	0.00	21.41
極小值	4.23	2.89	5.05	2.14	5.91	0.61	2.00	0.08	1.86	0.00	18.26	69.33	0.00	0.00	6.57
平均值	4.36	3.88	7.46	3.68	6.64	0.68	2.08	0.17	1.90	0.00	18.46	69.54	0.00	0.00	11.91
標準差	0.08	1.01	2.1	1.23	0.44	0.04	0.06	0.04	0.04	0	0.14	0.2	0	0	4.01

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.38	4.45	7.67	3.36	6.38	0.67	2.16	0.22	1.94	0.00	18.60	69.42	0.00	0.00	27.57
010000	4.33	4.32	6.99	2.80	6.35	0.65	2.18	0.21	1.97	0.00	18.60	69.46	0.00	0.00	22.48
020000	4.30	4.47	7.17	2.80	6.21	0.64	2.17	0.21	1.96	0.00	18.61	69.47	0.00	0.00	20.18
030000	4.21	4.60	8.01	3.54	6.29	0.65	2.19	0.21	1.98	0.00	18.56	69.47	0.00	0.00	20.14
040000	4.34	4.78	8.04	3.39	6.53	0.66	2.22	0.22	2.00	0.00	18.58	69.47	0.00	0.00	20.86
050000	4.33	5.49	9.17	3.85	6.47	0.67	2.27	0.22	2.05	0.00	18.58	69.47	0.00	0.00	17.66
060000	4.54	9.28	12.69	3.65	7.00	0.72	2.41	0.24	2.17	0.00	18.53	69.47	0.00	0.00	14.71
070000	4.62	10.56	14.69	4.46	7.34	0.75	2.41	0.27	2.14	0.00	18.50	69.40	0.00	0.00	13.65
080000	4.64	6.63	10.91	4.49	7.23	0.74	2.33	0.26	2.07	0.00	18.50	69.34	0.00	0.00	24.42
090000	5.36	3.73	11.31	7.78	8.78	0.87	2.28	0.23	2.05	0.00	18.59	69.38	0.00	0.00	27.25
100000	5.15	2.96	10.86	8.07	9.41	0.90	2.26	0.37	1.89	0.00	18.52	69.31	0.00	0.00	40.52
110000	5.13	2.93	9.74	6.96	28.68	0.89	2.18	0.38	1.80	0.00	18.56	69.47	0.00	0.00	43.46
120000	5.29	2.96	10.89	8.07	40.96	0.97	2.12	0.36	1.76	0.00	18.67	69.89	0.00	0.00	40.35
130000	5.90	3.09	11.82	8.94	40.10	0.96	2.10	0.34	1.76	0.00	18.66	69.89	0.00	0.00	41.00
140000	5.50	2.95	10.57	7.78	42.18	0.90	2.09	0.32	1.77	0.00	18.62	69.89	0.00	0.00	39.95
150000	5.91	3.15	12.85	9.93	37.62	0.95	2.12	0.30	1.82	0.00	18.60	69.89	0.00	0.00	41.30
160000	5.09	3.01	10.38	7.54	32.34	0.82	2.12	0.27	1.85	0.00	18.60	69.89	0.00	0.00	47.54
170000	4.78	2.91	9.66	6.87	23.15	0.80	2.06	0.22	1.84	0.00	18.58	69.89	0.00	0.00	43.64
180000	4.86	2.92	11.13	8.38	20.02	0.80	2.04	0.21	1.83	0.00	18.57	69.89	0.00	0.00	39.66
190000	4.79	2.97	11.23	8.42	15.43	0.82	2.03	0.22	1.81	0.00	18.56	69.89	0.00	0.00	34.33
200000	4.70	3.06	10.43	7.55	9.78	0.82	2.04	0.23	1.81	0.00	18.61	69.89	0.00	0.00	30.22
210000	4.84	3.34	10.00	6.80	8.04	0.81	2.15	0.22	1.93	0.00	18.59	69.80	0.00	0.00	24.50
220000	4.84	3.23	8.23	5.11	7.41	0.77	2.31	0.22	2.09	0.00	18.54	69.75	0.00	0.00	26.18
230000	4.72	3.15	7.57	4.52	7.52	0.77	2.25	0.21	2.04	0.00	18.51	69.75	0.00	0.00	25.41
極大值	5.91	10.56	14.69	9.93	42.18	0.97	2.41	0.38	2.17	0.00	18.67	69.89	0.00	0.00	47.54
極小值	4.21	2.91	6.99	2.80	6.21	0.64	2.03	0.21	1.76	0.00	18.50	69.31	0.00	0.00	13.65
平均值	4.86	4.21	10.08	6.04	16.30	0.79	2.19	0.26	1.93	0.00	18.58	69.64	0.00	0.00	30.29
標準差	0.48	2.02	1.96	2.24	13.16	0.1	0.11	0.06	0.13	0	0.04	0.23	0	0	10.32

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.70	3.16	7.83	4.76	7.45	0.78	2.20	0.21	1.99	0.00	18.53	69.75	0.00	0.00	23.01
010000	5.05	3.23	7.43	4.28	7.05	0.75	2.22	0.21	2.01	0.00	18.53	69.75	0.00	0.00	17.71
020000	5.62	3.52	7.90	4.48	7.26	0.76	2.41	0.21	2.20	0.00	18.54	69.75	0.00	0.00	18.04
030000	4.92	3.55	7.69	4.26	7.53	0.77	2.51	0.22	2.29	0.00	18.56	69.75	0.00	0.00	20.32
040000	4.77	3.48	7.61	4.21	7.71	0.79	2.44	0.22	2.22	0.00	18.57	69.75	0.00	0.00	20.74
050000	4.78	3.78	9.09	5.43	8.03	0.84	2.39	0.23	2.16	0.00	18.59	69.75	0.00	0.00	23.11
060000	4.87	5.09	11.63	6.76	9.11	0.94	2.46	0.25	2.21	0.00	18.60	69.75	0.00	0.00	26.46
070000	4.82	5.92	13.45	7.80	9.94	1.04	2.46	0.28	2.18	0.00	18.60	69.75	0.00	0.00	30.13
080000	5.04	4.35	11.09	6.96	9.14	0.93	2.35	0.27	2.08	0.00	18.61	69.83	0.00	0.00	32.17
090000	5.04	3.62	10.99	7.55	9.06	0.92	2.23	0.25	1.98	0.00	18.58	69.89	0.00	0.00	36.68
100000	5.58	3.43	12.02	8.78	9.91	0.98	2.22	0.26	1.96	0.00	18.57	69.89	0.00	0.00	46.74
110000	5.36	3.03	10.64	7.77	9.94	0.99	2.22	0.27	1.95	0.00	18.59	69.89	0.00	0.00	54.46
120000	5.13	2.86	8.92	6.18	9.84	0.94	2.17	0.26	1.91	0.00	18.58	69.89	0.00	0.00	46.47
130000	4.87	2.75	8.38	5.75	9.06	0.85	2.13	0.25	1.88	0.00	18.54	69.89	0.00	0.00	39.46
140000	4.77	2.72	7.59	4.97	8.71	0.83	2.12	0.27	1.85	0.00	18.53	69.89	0.00	0.00	37.41
150000	4.94	2.83	10.63	7.96	9.49	0.90	2.09	0.27	1.82	0.00	18.55	69.89	0.00	0.00	32.45
160000	5.01	3.18	15.41	12.53	9.05	0.89	2.07	0.27	1.80	0.00	18.54	69.89	0.00	0.00	34.81
170000	5.02	3.05	15.52	12.76	8.40	0.85	2.06	0.28	1.78	0.00	18.57	69.89	0.00	0.00	35.49
180000	4.79	2.89	9.78	7.03	7.78	0.75	2.03	0.22	1.81	0.00	18.59	69.89	0.00	0.00	34.91
190000	4.64	2.83	8.17	5.41	7.26	0.75	2.02	0.20	1.82	0.00	18.55	69.89	0.00	0.00	24.45
200000	4.66	2.85	7.47	4.70	7.26	0.74	2.02	0.20	1.82	0.00	18.54	69.89	0.00	0.00	27.48
210000	4.63	2.93	7.53	4.70	7.28	0.74	2.02	0.20	1.82	0.00	18.52	69.84	0.00	0.00	25.95
220000	4.78	3.12	9.69	6.69	7.44	0.77	2.16	0.20	1.96	0.00	18.54	69.76	0.00	0.00	19.87
230000	4.69	3.20	7.81	4.70	7.27	0.78	2.22	0.20	2.02	0.00	18.52	69.75	0.00	0.00	29.23
極大值	5.62	5.92	15.52	12.76	9.94	1.04	2.51	0.28	2.29	0.00	18.61	69.89	0.00	0.00	54.46
極小值	4.63	2.72	7.43	4.21	7.05	0.74	2.02	0.20	1.78	0.00	18.52	69.75	0.00	0.00	17.71
平均值	4.94	3.39	9.76	6.52	8.37	0.84	2.22	0.24	1.98	0.00	18.56	69.83	0.00	0.00	30.73
標準差	0.27	0.77	2.45	2.33	1.03	0.09	0.16	0.03	0.16	0	0.03	0.07	0	0	9.68

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.63	3.13	7.70	4.69	8.03	0.82	2.15	0.20	1.95	0.00	18.50	69.76	0.00	0.00	20.31
010000	4.61	3.20	8.18	5.09	8.31	0.86	2.13	0.21	1.92	0.00	18.46	69.89	0.00	0.00	20.80
020000	4.71	3.32	8.16	4.95	8.48	0.86	2.14	0.22	1.92	0.00	18.49	69.89	0.00	0.00	26.37
030000	4.88	3.47	8.34	4.98	8.68	0.88	2.25	0.23	2.02	0.00	18.55	69.89	0.00	0.00	24.19
040000	4.83	3.52	8.36	4.96	8.34	0.88	2.34	0.23	2.11	0.00	18.52	69.89	0.00	0.00	28.92
050000	4.88	3.99	9.24	5.38	8.83	0.91	2.34	0.24	2.10	0.00	18.46	69.89	0.00	0.00	18.90
060000	4.92	9.20	16.17	7.30	9.20	0.96	2.41	0.26	2.15	0.00	18.43	69.89	0.00	0.00	29.53
070000	5.10	7.15	13.25	6.33	8.85	0.92	2.53	0.27	2.26	0.00	18.48	69.89	0.00	0.00	31.10
080000	4.92	4.16	9.27	5.25	7.80	0.80	2.44	0.25	2.19	0.00	18.49	69.89	0.00	0.00	38.40
090000	4.89	2.97	6.77	3.85	7.80	0.77	2.21	0.24	1.97	0.00	18.45	69.89	0.00	0.00	28.40
100000	4.82	2.91	8.47	5.68	8.41	0.82	2.16	0.27	1.89	0.00	18.46	69.90	0.00	0.00	23.40
110000	4.77	3.02	8.87	5.94	8.44	0.83	2.12	0.28	1.84	0.00	18.47	69.89	0.00	0.00	36.29
120000	5.07	2.98	8.60	5.72	8.82	0.87	2.06	0.23	1.83	0.00	18.43	69.89	0.00	0.00	24.78
130000	5.28	2.86	7.67	4.91	8.80	0.84	2.05	0.21	1.84	0.00	18.49	69.89	0.00	0.00	23.94
140000	4.96	2.70	6.15	3.51	8.44	0.80	2.05	0.19	1.86	0.00	18.47	69.89	0.00	0.00	30.90
150000	5.05	2.72	5.57	2.92	8.40	0.79	2.04	0.20	1.84	0.00	18.50	69.89	0.00	0.00	19.71
160000	4.83	2.73	5.81	3.15	8.24	0.78	2.04	0.20	1.84	0.00	18.51	69.89	0.00	0.00	20.07
170000	4.82	2.80	7.20	4.49	8.10	0.80	2.04	0.20	1.84	0.00	18.51	69.89	0.00	0.00	19.70
180000	4.70	2.75	7.18	4.52	8.19	0.80	2.05	0.21	1.84	0.00	18.52	69.89	0.00	0.00	25.09
190000	4.72	2.78	7.13	4.42	8.09	0.81	2.06	0.22	1.84	0.00	18.55	69.89	0.00	0.00	24.91
200000	4.79	2.85	7.98	5.23	8.18	0.82	2.22	0.21	2.01	0.00	18.57	69.89	0.00	0.00	31.20
210000	4.84	2.86	7.68	4.93	8.44	0.85	2.53	0.21	2.32	0.00	18.48	69.89	0.00	0.00	36.56
220000	4.77	2.99	8.95	6.06	8.84	0.89	2.45	0.22	2.23	0.00	18.42	69.89	0.00	0.00	39.83
230000	4.90	3.06	9.16	6.22	8.71	0.88	2.32	0.23	2.09	0.00	18.38	69.66	0.00	0.00	35.83
極大值	5.28	9.20	16.17	7.30	9.20	0.96	2.53	0.28	2.32	0.00	18.57	69.90	0.00	0.00	39.83
極小值	4.61	2.70	5.57	2.92	7.80	0.77	2.04	0.19	1.83	0.00	18.38	69.66	0.00	0.00	18.90
平均值	4.86	3.50	8.41	5.02	8.43	0.84	2.21	0.23	1.99	0.00	18.48	69.88	0.00	0.00	27.46
標準差	0.15	1.52	2.24	1.02	0.35	0.05	0.17	0.02	0.16	0	0.04	0.05	0	0	6.44

屏東縣崁頂焚化爐空氣品質監
測報表日報(小時數
據)A003 溪北國小
站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.96	3.28	9.59	6.43	8.93	0.86	2.30	0.24	2.06	0.00	18.27	69.33	0.00	0.00	33.86
010000	4.91	3.36	8.26	5.02	8.60	0.85	2.41	0.25	2.16	0.00	18.30	69.33	0.00	0.00	34.68
020000	4.88	3.48	8.70	5.32	8.44	0.87	2.40	0.27	2.13	0.00	18.28	69.33	0.00	0.00	44.43
030000	4.75	3.57	8.89	5.40	8.40	0.86	2.40	0.27	2.13	0.00	18.30	69.33	0.00	0.00	34.85
040000	4.68	3.79	8.76	5.08	8.25	0.84	2.39	0.28	2.11	0.00	18.31	69.33	0.00	0.00	32.58
050000	4.70	4.10	9.10	5.13	7.91	0.84	2.42	0.27	2.15	0.00	18.29	69.33	0.00	0.00	36.81
060000	5.02	5.31	9.96	4.82	8.26	0.85	2.43	0.28	2.15	0.00	18.28	69.33	0.00	0.00	31.85
070000	5.12	4.81	9.73	5.09	8.33	0.83	2.40	0.31	2.09	0.00	18.24	69.33	0.00	0.00	34.82
080000	4.91	3.26	6.91	3.71	8.38	0.78	2.28	0.31	1.97	0.00	18.21	69.33	0.00	0.00	51.59
090000	4.88	2.79	6.29	3.56	7.97	0.79	2.18	0.29	1.89	0.00	18.25	69.33	0.00	0.00	27.82
100000	4.77	2.83	6.43	3.66	8.46	0.82	2.14	0.29	1.85	0.00	18.27	69.28	0.00	0.00	29.14
110000	4.80	2.81	6.86	4.13	8.73	0.83	2.12	0.28	1.84	0.00	18.40	69.55	0.00	0.00	31.41
120000	4.90	2.77	6.98	4.29	9.45	0.86	2.12	0.22	1.90	0.00	18.56	69.89	0.00	0.00	26.10
130000	4.96	2.78	6.35	3.65	9.55	0.91	2.11	0.20	1.91	0.00	18.57	69.89	0.00	0.00	25.37
140000	5.20	2.83	7.49	4.77	10.13	0.97	2.10	0.21	1.89	0.00	18.59	69.89	0.00	0.00	23.81
150000	5.19	2.89	7.50	4.67	15.42	0.90	2.09	0.19	1.90	0.00	18.57	69.89	0.00	0.00	24.77
160000	6.00	3.02	10.35	7.48	9.30	0.92	2.08	0.20	1.88	0.00	18.54	69.89	0.00	0.00	23.05
170000	7.08	2.87	7.77	5.01	7.93	0.81	2.10	0.19	1.91	0.00	18.54	69.89	0.00	0.00	20.07
180000	5.17	2.93	7.74	4.88	8.01	0.80	2.14	0.19	1.95	0.00	18.55	69.89	0.00	0.00	19.90
190000	4.86	2.76	7.03	4.38	7.89	0.80	2.14	0.19	1.95	0.00	18.52	69.89	0.00	0.00	9.08
200000	4.80	2.82	7.79	5.08	8.05	0.81	2.18	0.20	1.98	0.00	18.53	69.89	0.00	0.00	13.43
210000	4.80	2.99	8.34	5.44	8.19	0.82	2.24	0.21	2.03	0.00	18.52	69.89	0.00	0.00	20.18
220000	4.76	3.06	8.44	5.48	8.11	0.83	2.31	0.22	2.09	0.00	18.50	69.89	0.00	0.00	24.98
230000	4.71	3.19	8.62	5.52	8.08	0.81	2.34	0.23	2.11	0.00	18.42	69.66	0.00	0.00	18.43
極大值	7.08	5.31	10.35	7.48	15.42	0.97	2.43	0.31	2.16	0.00	18.59	69.89	0.00	0.00	51.59
極小值	4.68	2.76	6.29	3.56	7.89	0.78	2.08	0.19	1.84	0.00	18.21	69.28	0.00	0.00	9.08
平均值	5.03	3.26	8.08	4.92	8.78	0.84	2.24	0.24	2.00	0.00	18.41	69.61	0.00	0.00	28.04
標準差	0.51	0.66	1.18	0.89	1.53	0.05	0.13	0.04	0.11	0	0.14	0.28	0	0	9.44

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.73	3.29	8.02	4.82	7.67	0.78	2.38	0.23	2.15	0.00	18.32	69.33	0.00	0.00	17.76
010000	4.71	3.28	7.14	3.92	7.07	0.73	2.40	0.23	2.17	0.00	18.33	69.33	0.00	0.00	15.94
020000	4.72	3.40	6.97	3.62	7.35	0.73	2.42	0.23	2.19	0.00	18.37	69.33	0.00	0.00	17.31
030000	4.72	3.45	6.99	3.60	7.18	0.74	2.44	0.24	2.20	0.00	18.38	69.33	0.00	0.00	15.47
040000	4.66	3.65	7.57	3.99	7.04	0.72	2.59	0.24	2.35	0.00	18.43	69.33	0.00	0.00	12.87
050000	4.72	3.90	8.40	4.64	6.95	0.71	2.62	0.24	2.38	0.00	18.44	69.33	0.00	0.00	11.90
060000	4.66	4.68	8.82	4.30	7.17	0.74	2.48	0.25	2.23	0.00	18.39	69.33	0.00	0.00	12.41
070000	4.56	4.48	8.38	4.05	7.47	0.76	2.30	0.26	2.04	0.00	18.36	69.33	0.00	0.00	12.18
080000	4.63	3.28	6.46	3.23	7.49	0.75	2.21	0.27	1.94	0.00	18.32	69.33	0.00	0.00	16.86
090000	4.65	2.87	6.06	3.26	7.88	0.78	2.17	0.28	1.89	0.00	18.35	69.33	0.00	0.00	30.26
100000	4.84	2.78	6.82	4.12	8.58	0.84	2.15	0.28	1.87	0.00	18.31	69.33	0.00	0.00	44.79
110000	5.15	2.94	8.17	5.34	9.23	0.86	2.15	0.27	1.88	0.00	18.37	69.55	0.00	0.00	50.85
120000	4.80	2.93	7.21	4.36	8.78	0.84	2.13	0.21	1.92	0.00	18.47	69.89	0.00	0.00	58.48
130000	4.87	2.77	6.71	4.01	8.91	0.84	2.13	0.18	1.95	0.00	18.45	69.89	0.00	0.00	59.08
140000	4.77	2.89	6.48	3.65	8.57	0.81	2.11	0.15	1.96	0.00	18.49	69.89	0.00	0.00	51.86
150000	4.85	2.69	6.22	3.63	8.01	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	47.30
160000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	45.27
170000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	41.72
180000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	41.59
190000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	32.05
200000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	26.20
210000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	30.92
220000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	27.45
230000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	19.83
極大值	5.15	4.68	8.82	5.34	9.23	0.86	2.62	0.28	2.38	0.00	18.49	69.89	0.00	0.00	59.08
極小值	4.56	2.60	6.05	3.23	6.95	0.71	2.06	0.12	1.87	0.00	18.31	69.33	0.00	0.00	11.90
平均值	4.79	3.09	6.87	3.89	7.87	0.78	2.22	0.19	2.02	0.00	18.42	69.62	0.00	0.00	30.85
標準差	0.12	0.6	0.91	0.5	0.61	0.04	0.19	0.06	0.15	0	0.06	0.28	0	0	15.94

測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	20.36
010000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	18.15
020000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	14.30
030000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	12.79
040000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	12.29
050000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	11.76
060000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	11.27
070000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	10.94
080000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	11.46
090000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	12.30
100000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	12.90
110000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	14.20
120000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	14.27
130000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	20.49
140000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	22.85
150000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	20.14
160000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	18.36
170000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	13.77
180000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	12.26
190000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	16.26
200000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	15.55
210000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	12.54
220000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	13.68
230000	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	12.03
極大值	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	22.85
極小值	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	10.94
平均值	4.86	2.60	6.05	3.60	7.95	0.78	2.06	0.12	1.94	0.00	18.47	69.89	0.00	0.00	14.79
標準差	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.45

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.55	3.11	5.09	1.74	13.89	0.30	2.27	0.21	2.06	32.22	24.00	72.00	46.35	0.87	18.81
010000	5.52	3.05	5.05	1.75	12.47	0.30	2.32	0.21	2.11	32.12	46.57	130.28	58.60	2.07	934.59
020000	5.49	3.10	5.11	1.75	12.75	0.30	2.45	0.22	2.23	31.92	25.34	75.47	27.08	3.76	71.80
030000	5.49	3.14	5.12	1.73	12.63	0.30	2.52	0.22	2.30	31.79	24.00	72.00	111.65	0.71	19.24
040000	5.54	3.09	5.12	1.76	11.92	0.31	2.54	0.21	2.33	31.64	24.00	72.00	133.01	0.07	20.76
050000	5.53	3.14	5.15	1.76	11.27	0.39	2.69	0.29	2.40	31.60	24.00	72.00	47.57	0.87	21.75
060000	5.56	3.11	5.14	1.76	10.96	0.39	2.64	0.25	2.39	31.80	24.00	72.00	154.11	0.07	33.99
070000	5.50	3.11	5.08	1.71	12.19	0.41	2.41	0.24	2.17	32.82	24.00	72.00	71.41	2.54	27.56
080000	5.50	3.12	5.14	1.77	17.52	0.38	2.36	0.27	2.09	34.04	24.00	72.00	43.44	7.39	34.46
090000	5.45	3.19	5.20	1.77	24.83	0.32	2.34	0.25	2.09	35.03	24.00	72.00	73.38	5.21	18.60
100000	5.47	3.08	5.06	1.75	28.65	0.30	2.29	0.26	2.03	35.73	24.00	72.00	148.20	2.31	18.80
110000	5.54	3.12	5.07	1.74	35.30	0.33	2.30	0.27	2.03	35.41	24.00	72.00	117.69	4.99	24.09
120000	5.57	3.13	5.12	1.75	46.46	0.42	2.30	0.29	2.01	35.36	24.00	72.00	284.43	6.08	22.92
130000	5.54	3.16	5.13	1.73	37.34	0.44	2.28	0.29	1.99	35.84	24.00	72.00	280.82	6.05	36.22
140000	5.55	3.12	5.09	1.73	38.60	0.44	2.30	0.29	2.01	35.91	24.00	72.00	257.69	5.09	39.94
150000	5.54	3.14	5.17	1.77	32.00	0.34	2.26	0.27	1.99	33.99	24.00	72.00	189.62	5.01	33.06
160000	5.55	3.14	5.17	1.79	27.29	0.32	2.22	0.25	1.97	32.98	24.00	72.00	205.41	2.38	33.25
170000	5.65	3.12	5.13	1.77	23.69	0.39	2.23	0.24	1.99	33.21	24.00	72.00	250.06	0.68	19.50
180000	5.59	3.08	5.07	1.74	19.95	0.35	2.23	0.24	1.99	32.86	24.00	72.00	229.39	0.76	27.26
190000	5.61	3.11	5.10	1.76	19.51	0.35	2.29	0.25	2.04	32.94	24.00	72.00	238.58	1.00	28.19
200000	5.52	3.10	5.11	1.76	18.00	0.39	2.39	0.29	2.10	32.89	24.00	72.00	232.08	0.50	28.86
210000	5.54	3.12	5.12	1.76	19.29	0.33	2.37	0.24	2.13	32.73	24.00	72.00	255.02	1.33	24.14
220000	5.49	3.11	5.16	1.80	18.43	0.32	2.31	0.22	2.09	32.53	24.00	72.00	143.54	1.23	16.02
230000	5.49	3.07	5.13	1.79	16.93	0.31	2.77	0.22	2.55	32.27	24.00	72.00	119.16	0.79	14.29
極大值	5.65	3.19	5.20	1.80	46.46	0.44	2.77	0.29	2.55	35.91	46.57	130.28	284.43	7.39	934.59
極小值	5.45	3.05	5.05	1.71	10.96	0.30	2.22	0.21	1.97	31.60	24.00	72.00	27.08	0.07	14.29
平均值	5.53	3.12	5.12	1.76	21.74	0.35	2.38	0.25	2.13	33.32	25.00	74.57	154.93	2.57	65.34
標準差	0.05	0.03	0.04	0.02	10.05	0.05	0.15	0.03	0.16	1.46	4.6	11.89	84.62	2.25	185.52

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.46	3.11	5.11	1.76	15.34	0.30	3.09	0.20	2.89	32.08	24.00	72.00	89.20	1.58	11.98
010000	5.51	3.11	5.15	1.78	13.75	0.30	2.58	0.21	2.37	31.96	46.52	130.15	48.01	1.73	931.85
020000	5.50	3.05	5.11	1.80	12.98	0.32	2.68	0.22	2.46	31.91	25.67	76.31	111.25	1.70	85.64
030000	5.45	3.04	5.08	1.79	12.27	0.32	2.56	0.23	2.33	31.72	24.00	72.00	147.02	1.04	18.84
040000	5.45	3.07	5.10	1.80	12.16	0.32	2.65	0.23	2.42	31.65	24.00	72.00	54.20	1.72	20.73
050000	5.53	3.06	5.10	1.78	12.75	0.39	2.72	0.31	2.41	31.70	24.00	72.00	36.99	3.40	23.59
060000	5.48	3.09	5.10	1.77	11.87	0.37	2.50	0.26	2.24	31.97	24.00	72.00	59.29	1.32	29.20
070000	5.55	3.11	5.12	1.76	12.99	0.37	2.40	0.25	2.15	32.55	24.00	72.00	45.41	2.42	28.77
080000	5.48	3.14	5.15	1.74	15.92	0.42	2.38	0.31	2.07	33.38	24.00	72.00	55.59	3.06	25.26
090000	5.50	3.11	5.16	1.81	19.14	0.43	2.43	0.33	2.10	34.16	24.00	72.00	73.56	2.87	24.27
100000	5.47	3.15	5.09	1.68	28.25	0.46	2.52	0.32	2.20	35.30	24.00	72.00	113.07	3.66	23.77
110000	5.48	3.17	5.21	1.82	35.00	0.48	2.42	0.33	2.09	35.45	24.00	72.00	166.14	4.49	44.83
120000	5.44	3.13	5.21	1.82	40.55	0.34	2.33	0.30	2.03	36.11	24.00	72.00	145.35	6.03	30.85
130000	5.49	3.12	5.14	1.78	35.61	0.31	2.29	0.27	2.02	35.47	24.00	72.00	90.69	10.30	25.12
140000	5.42	3.14	5.10	1.72	32.38	0.30	2.28	0.26	2.02	34.72	24.00	72.00	52.74	17.41	21.57
150000	5.45	3.10	5.15	1.80	34.86	0.31	2.35	0.26	2.09	34.46	24.00	72.00	38.96	15.73	23.34
160000	5.46	3.11	5.11	1.76	30.86	0.30	2.30	0.25	2.05	34.83	24.00	72.00	44.46	10.85	23.29
170000	5.58	3.09	5.13	1.79	26.35	0.31	2.28	0.24	2.04	34.42	24.00	72.00	40.77	6.13	13.70
180000	5.51	3.15	5.13	1.76	21.31	0.35	2.31	0.25	2.06	33.86	24.00	72.00	142.25	1.81	12.81
190000	5.43	3.11	5.09	1.73	16.60	0.37	2.33	0.24	2.09	33.67	24.00	72.00	274.20	0.86	16.95
200000	5.44	3.10	5.12	1.78	16.75	0.37	2.51	0.26	2.25	33.27	24.00	72.00	48.10	2.36	19.00
210000	5.57	3.09	5.11	1.77	15.24	0.36	2.57	0.25	2.32	32.93	24.00	72.00	120.16	1.27	29.17
220000	5.45	3.11	5.12	1.76	15.27	0.33	2.43	0.23	2.20	32.70	24.00	72.00	54.18	1.12	22.35
230000	5.51	3.10	5.12	1.78	13.13	0.33	2.40	0.22	2.18	32.42	24.00	72.00	85.40	0.91	17.98
極大值	5.58	3.17	5.21	1.82	40.55	0.48	3.09	0.33	2.89	36.11	46.52	130.15	274.20	17.41	931.85
極小值	5.42	3.04	5.08	1.68	11.87	0.30	2.28	0.20	2.02	31.65	24.00	72.00	36.99	0.86	11.98
平均值	5.48	3.11	5.13	1.77	20.89	0.35	2.47	0.26	2.21	33.45	25.01	74.60	89.04	4.32	63.54
標準差	0.04	0.03	0.03	0.03	9.34	0.05	0.19	0.04	0.2	1.41	4.59	11.86	56.12	4.64	185.52

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.48	3.11	5.05	1.70	13.07	0.32	2.40	0.22	2.18	32.24	24.00	72.00	56.67	2.25	22.19
010000	5.47	3.10	5.03	1.70	12.46	0.34	2.70	0.23	2.47	32.05	46.57	130.27	50.99	4.29	934.84
020000	5.44	3.12	5.16	1.78	11.89	0.36	2.84	0.24	2.60	31.90	25.70	76.38	19.19	7.74	89.79
030000	5.45	3.12	5.12	1.75	11.91	0.37	3.12	0.24	2.88	31.73	24.00	72.00	24.18	6.48	23.80
040000	5.51	3.06	5.09	1.77	12.02	0.36	3.30	0.23	3.07	31.48	24.00	72.00	17.02	8.41	22.14
050000	5.48	3.10	5.09	1.72	12.03	0.35	3.35	0.23	3.12	31.35	24.00	72.00	28.35	8.41	19.06
060000	5.41	3.12	5.12	1.75	11.02	0.33	3.00	0.22	2.78	31.64	24.00	72.00	29.84	7.14	20.70
070000	5.42	3.17	5.12	1.70	11.99	0.32	2.78	0.22	2.56	32.87	24.00	72.00	39.55	7.94	20.16
080000	5.41	3.14	5.16	1.77	17.58	0.31	2.47	0.25	2.22	34.28	24.00	72.00	45.85	11.74	23.08
090000	5.55	3.08	5.05	1.75	25.23	0.29	2.32	0.25	2.07	34.89	24.00	72.00	48.86	15.22	16.51
100000	5.54	3.12	5.08	1.70	29.61	0.29	2.28	0.26	2.02	35.55	24.00	72.00	57.79	10.59	18.97
110000	5.50	3.10	5.16	1.82	29.13	0.27	2.27	0.26	2.01	36.18	24.00	72.00	58.47	10.38	20.51
120000	5.45	3.17	5.20	1.78	37.54	0.30	2.28	0.28	2.00	36.38	24.00	72.00	58.31	10.62	15.62
130000	5.42	3.11	5.10	1.74	39.63	0.30	2.30	0.27	2.03	36.59	24.00	72.00	106.75	8.02	22.28
140000	5.47	3.09	5.10	1.76	31.54	0.28	2.33	0.27	2.06	36.64	24.00	72.00	149.73	6.63	27.35
150000	5.48	3.13	5.17	1.78	32.10	0.28	2.32	0.26	2.06	36.05	24.00	72.00	173.07	5.19	23.14
160000	5.53	3.16	5.18	1.78	29.44	0.30	2.34	0.27	2.07	35.43	24.00	72.00	193.52	3.85	24.38
170000	5.53	3.16	5.09	1.69	23.03	0.31	2.30	0.27	2.03	34.80	24.00	72.00	158.57	5.04	21.56
180000	5.55	3.14	5.13	1.77	20.14	0.31	2.24	0.24	2.00	34.21	24.00	72.00	94.89	4.35	17.03
190000	5.66	3.13	5.16	1.77	19.99	0.34	2.46	0.25	2.21	33.70	24.00	72.00	79.95	5.00	10.69
200000	5.62	3.09	5.10	1.76	20.38	0.36	2.45	0.25	2.20	33.13	24.00	72.00	49.99	5.01	21.91
210000	5.54	3.12	5.14	1.77	19.09	0.35	2.45	0.24	2.21	32.95	24.00	72.00	24.44	7.26	32.12
220000	5.57	3.12	5.11	1.73	16.29	0.35	2.41	0.24	2.17	32.41	24.00	72.00	62.00	2.78	26.47
230000	5.46	3.15	5.20	1.80	14.87	0.35	2.52	0.24	2.28	32.19	24.00	72.00	146.70	0.08	17.85
極大值	5.66	3.17	5.20	1.82	39.63	0.37	3.35	0.28	3.12	36.64	46.57	130.27	193.52	15.22	934.84
極小值	5.41	3.06	5.03	1.69	11.02	0.27	2.24	0.22	2.00	31.35	24.00	72.00	17.02	0.08	10.69
平均值	5.50	3.12	5.12	1.75	20.92	0.32	2.55	0.25	2.30	33.78	25.01	74.61	73.94	6.85	62.17
標準差	0.06	0.03	0.05	0.03	8.87	0.03	0.34	0.02	0.35	1.84	4.61	11.89	52.73	3.37	186.45

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.47	3.19	5.19	1.74	13.55	0.35	2.62	0.22	2.40	32.21	24.00	72.00	21.16	2.01	16.34
010000	5.45	3.08	5.05	1.75	12.50	0.35	2.35	0.21	2.14	32.16	46.39	129.82	32.20	2.51	927.13
020000	5.44	3.11	5.05	1.71	12.21	0.35	2.58	0.22	2.36	32.17	24.86	74.23	36.83	1.42	49.98
030000	5.31	3.09	5.19	1.84	11.70	0.35	2.62	0.21	2.41	32.00	24.00	72.00	54.22	0.33	16.41
040000	5.41	3.09	5.15	1.79	12.56	0.35	2.71	0.21	2.50	31.94	24.00	72.00	57.02	0.08	16.97
050000	5.47	3.10	5.12	1.76	11.77	0.35	2.74	0.21	2.53	31.78	24.00	72.00	33.14	3.88	22.38
060000	5.50	3.17	5.16	1.72	11.86	0.37	2.50	0.22	2.28	32.13	24.00	72.00	37.90	13.36	20.26
070000	5.39	3.10	5.12	1.77	12.33	0.41	2.46	0.25	2.21	32.90	24.00	72.00	26.73	11.92	29.06
080000	5.36	3.07	5.09	1.78	17.30	0.35	2.42	0.32	2.10	34.19	24.00	72.00	33.83	13.42	27.37
090000	5.47	3.15	5.14	1.73	24.60	0.34	2.52	0.45	2.07	34.94	24.00	72.00	78.12	7.46	12.42
100000	5.34	3.13	5.16	1.78	32.46	0.35	2.39	0.29	2.10	35.59	24.00	72.00	73.01	8.37	23.60
110000	5.40	3.12	5.15	1.78	36.45	0.33	2.46	0.34	2.12	36.23	24.00	72.00	148.44	4.99	21.17
120000	5.40	3.12	5.11	1.76	47.31	0.46	2.43	0.37	2.06	35.74	24.00	72.00	274.65	6.57	22.49
130000	5.42	3.15	5.19	1.81	50.33	0.48	2.45	0.41	2.04	35.84	24.00	72.00	298.99	7.62	30.99
140000	5.37	3.15	5.11	1.72	38.52	0.46	2.41	0.34	2.07	34.14	24.00	72.00	183.05	4.65	41.12
150000	5.51	3.11	5.13	1.76	39.65	0.43	2.32	0.25	2.07	33.70	24.00	72.00	96.42	11.57	33.69
160000	5.54	3.18	5.15	1.70	41.91	0.39	2.31	0.26	2.05	33.28	24.00	72.00	272.14	9.90	31.90
170000	5.36	3.19	5.16	1.74	37.80	0.36	2.41	0.26	2.15	33.07	24.00	72.00	272.23	9.34	27.80
180000	5.46	3.14	5.12	1.72	35.01	0.35	2.39	0.25	2.14	32.76	24.00	72.00	277.83	8.80	22.02
190000	5.59	3.13	5.15	1.76	30.16	0.38	2.34	0.24	2.10	32.68	24.00	72.00	280.88	5.22	23.18
200000	5.38	3.09	5.14	1.79	27.22	0.35	2.36	0.25	2.11	32.78	24.00	72.00	257.11	2.38	30.29
210000	5.35	3.11	5.12	1.75	17.70	0.38	2.63	0.25	2.38	32.38	24.00	72.00	101.72	1.22	22.70
220000	5.47	3.22	5.20	1.73	18.80	0.36	2.77	0.25	2.52	32.41	24.00	72.00	75.65	0.71	25.04
230000	5.39	3.12	5.11	1.75	21.00	0.36	2.96	0.23	2.73	32.50	24.00	72.00	80.06	2.85	22.51
極大值	5.59	3.22	5.20	1.84	50.33	0.48	2.96	0.45	2.73	36.23	46.39	129.82	298.99	13.42	927.13
極小值	5.31	3.07	5.05	1.70	11.70	0.33	2.31	0.21	2.04	31.78	24.00	72.00	21.16	0.08	12.42
平均值	5.43	3.13	5.14	1.76	25.61	0.38	2.51	0.27	2.24	33.31	24.97	74.50	129.31	5.86	63.20
標準差	0.07	0.04	0.04	0.03	12.78	0.04	0.17	0.07	0.19	1.4	4.57	11.79	103.44	4.26	184.2

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.35	3.09	5.13	1.75	19.87	0.35	2.97	0.23	2.74	32.42	24.00	72.00	118.29	2.73	20.07
010000	5.43	3.08	5.07	1.75	18.90	0.34	3.41	0.24	3.17	32.41	46.43	129.86	102.01	2.60	929.99
020000	5.43	3.08	5.10	1.75	17.43	0.34	3.09	0.24	2.85	32.37	25.67	76.31	48.73	6.49	85.64
030000	5.36	3.12	5.08	1.71	16.26	0.33	2.94	0.23	2.71	32.06	24.00	72.00	91.77	7.83	20.68
040000	5.45	3.10	5.04	1.69	13.37	0.33	2.94	0.23	2.71	31.72	24.00	72.00	43.72	9.12	21.56
050000	5.38	3.10	5.08	1.75	12.41	0.39	2.74	0.26	2.48	31.61	24.00	72.00	35.15	9.01	20.95
060000	5.51	3.07	5.12	1.82	12.77	0.40	2.63	0.23	2.40	32.02	24.00	72.00	26.00	9.66	19.03
070000	5.40	3.11	5.15	1.78	13.28	0.41	2.50	0.25	2.25	33.10	24.00	72.00	37.33	6.58	20.49
080000	5.42	3.12	5.12	1.74	19.70	0.37	2.38	0.31	2.07	34.34	24.00	72.00	58.17	7.05	23.35
090000	5.44	3.09	5.13	1.79	27.39	0.34	2.35	0.29	2.06	35.66	24.00	72.00	170.00	1.27	19.21
100000	5.41	3.13	5.13	1.76	37.85	0.34	2.37	0.28	2.09	35.43	24.00	72.00	289.16	3.72	33.24
110000	5.44	3.09	5.09	1.78	59.82	0.42	2.32	0.27	2.05	35.65	24.00	72.00	291.11	6.55	44.97
120000	5.36	3.17	5.16	1.75	56.24	0.36	2.47	0.39	2.08	35.47	24.00	72.00	294.56	8.23	51.94
130000	5.33	3.15	5.12	1.72	59.01	0.41	2.68	0.55	2.13	35.56	24.00	72.00	295.67	9.08	38.40
140000	5.36	3.16	5.13	1.72	43.22	0.45	2.58	0.44	2.14	35.20	24.00	72.00	290.02	8.39	42.52
150000	5.34	3.14	5.09	1.72	33.20	0.48	2.57	0.46	2.11	34.83	24.00	72.00	295.15	5.29	295.16
160000	5.48	3.11	5.14	1.79	29.46	0.53	2.47	0.39	2.08	34.71	24.00	72.00	286.14	3.74	51.32
170000	5.40	3.20	5.16	1.73	23.74	0.54	2.47	0.42	2.05	34.55	24.00	72.00	267.36	1.33	21.72
180000	5.52	3.15	5.12	1.71	28.55	0.43	2.58	0.45	2.13	34.10	24.00	72.00	276.62	5.23	20.62
190000	5.31	3.09	5.12	1.77	32.45	0.37	2.95	0.60	2.35	33.82	24.00	72.00	287.93	4.54	19.02
200000	5.41	3.10	5.14	1.79	34.20	0.33	2.82	0.51	2.31	33.55	24.00	72.00	290.98	3.53	23.64
210000	5.32	3.08	5.13	1.80	26.64	0.36	2.68	0.32	2.36	33.33	24.00	72.00	247.83	0.97	21.30
220000	5.44	3.14	5.09	1.71	19.75	0.37	2.88	0.25	2.63	32.60	24.00	72.00	232.81	0.58	20.18
230000	5.35	3.14	5.12	1.75	20.39	0.35	2.54	0.25	2.29	32.54	24.00	72.00	132.10	0.20	25.55
極大值	5.52	3.20	5.16	1.82	59.82	0.54	3.41	0.60	3.17	35.66	46.43	129.86	295.67	9.66	929.99
極小值	5.31	3.07	5.04	1.69	12.41	0.33	2.32	0.23	2.05	31.61	24.00	72.00	26.00	0.20	19.02
平均值	5.40	3.12	5.12	1.75	28.16	0.39	2.68	0.34	2.34	33.71	25.00	74.59	187.86	5.16	78.77
標準差	0.06	0.03	0.03	0.03	14.31	0.06	0.27	0.11	0.31	1.4	4.58	11.81	108.35	3.06	189.84

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.31	3.08	5.10	1.78	20.63	0.34	2.47	0.27	2.20	32.45	24.00	72.00	208.49	0.15	18.43
010000	5.37	3.13	5.12	1.74	17.41	0.33	2.72	0.26	2.46	32.35	46.50	130.08	122.53	0.53	932.29
020000	5.29	3.14	5.13	1.74	16.31	0.32	2.80	0.25	2.55	32.20	25.67	76.30	186.31	0.07	87.49
030000	5.32	3.07	5.11	1.78	15.86	0.32	2.76	0.25	2.51	32.04	24.00	72.00	55.54	1.49	17.84
040000	5.40	3.12	5.11	1.75	15.14	0.35	2.72	0.24	2.48	31.93	24.00	72.00	69.27	1.58	19.28
050000	5.32	3.16	5.15	1.76	13.34	0.39	2.84	0.23	2.61	31.83	24.00	72.00	80.86	0.87	27.82
060000	5.40	3.11	5.14	1.78	12.55	0.44	3.07	0.24	2.83	32.49	24.00	72.00	108.29	0.60	28.41
070000	5.40	3.09	5.10	1.76	16.74	0.45	3.11	0.26	2.85	33.79	24.00	72.00	133.53	1.09	31.58
080000	5.37	3.14	5.16	1.77	26.39	0.37	2.60	0.25	2.35	34.58	24.00	72.00	259.76	3.94	30.03
090000	5.41	3.16	5.12	1.74	38.69	0.36	2.31	0.24	2.07	34.96	24.00	72.00	295.72	5.77	26.91
100000	5.41	3.16	5.17	1.77	42.00	0.32	2.17	0.24	1.93	35.28	24.00	72.00	295.71	6.84	29.22
110000	5.44	3.11	5.11	1.76	39.72	0.31	2.11	0.23	1.88	35.54	24.00	72.00	289.60	5.60	24.58
120000	5.33	3.13	5.15	1.76	37.94	0.30	2.09	0.24	1.85	35.35	24.00	72.00	302.56	7.93	16.77
130000	5.39	3.14	5.13	1.74	25.75	0.35	2.07	0.22	1.85	34.98	24.00	72.00	300.80	7.71	18.94
140000	5.41	3.14	5.14	1.76	20.53	0.34	2.08	0.23	1.85	34.88	24.00	72.00	280.31	6.35	272.05
150000	5.42	3.12	5.16	1.79	19.82	0.39	2.09	0.23	1.86	34.77	24.00	72.00	106.24	7.29	86.05
160000	5.35	3.14	5.14	1.74	21.06	0.34	2.09	0.22	1.87	34.38	24.00	72.00	82.75	9.57	17.33
170000	5.38	3.13	5.13	1.74	21.42	0.28	2.08	0.21	1.87	32.63	24.00	72.00	276.41	15.53	49.10
180000	5.48	3.09	5.06	1.74	19.10	0.29	2.12	0.21	1.91	32.58	24.00	72.00	252.96	7.30	52.61
190000	5.38	3.14	5.15	1.77	16.03	0.29	2.21	0.18	2.03	32.96	24.00	72.00	249.50	3.67	8.48
200000	5.37	3.12	5.15	1.78	17.79	0.28	2.14	0.18	1.96	33.24	24.00	72.00	270.84	7.73	9.29
210000	5.36	3.12	5.13	1.78	20.13	0.28	2.15	0.18	1.97	33.26	24.00	72.00	274.46	7.99	7.29
220000	5.41	3.09	5.08	1.76	22.57	0.28	2.14	0.18	1.96	33.15	24.00	72.00	267.67	7.78	6.73
230000	5.38	3.21	5.16	1.69	18.93	0.28	2.20	0.19	2.01	32.90	24.00	72.00	254.66	2.70	6.45
極大值	5.48	3.21	5.17	1.79	42.00	0.45	3.11	0.27	2.85	35.54	46.50	130.08	302.56	15.53	932.29
極小值	5.29	3.07	5.06	1.69	12.55	0.28	2.07	0.18	1.85	31.83	24.00	72.00	55.54	0.07	6.45
平均值	5.38	3.13	5.13	1.76	22.33	0.33	2.38	0.23	2.15	33.52	25.01	74.60	209.37	5.00	76.04
標準差	0.04	0.03	0.03	0.02	8.58	0.05	0.35	0.03	0.33	1.24	4.59	11.85	87.96	3.85	190.26

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)

A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m / s)	(ug / m)
000000	5.33	3.13	5.08	1.72	16.93	0.29	2.32	0.11	2.21	32.68	24.00	72.00	255.65	1.91	7.81
010000	5.31	3.14	5.14	1.73	16.36	0.29	2.31	0.12	2.19	32.74	46.55	130.29	245.30	1.23	932.74
020000	5.38	3.11	5.14	1.79	15.67	0.29	2.28	0.10	2.18	32.72	25.64	76.24	243.97	3.69	72.65
030000	5.28	3.11	5.10	1.71	15.98	0.28	2.45	0.09	2.36	32.54	24.00	72.00	176.29	0.23	5.67
040000	5.33	3.09	5.11	1.79	16.55	0.30	2.43	0.09	2.34	32.55	24.00	72.00	233.11	2.38	5.24
050000	5.35	3.15	5.10	1.72	15.46	0.29	2.52	0.10	2.42	32.38	24.00	72.00	220.27	0.63	23.85
060000	5.36	3.08	5.10	1.77	15.46	0.30	2.45	0.09	2.36	32.67	24.00	72.00	241.15	2.87	9.75
070000	5.36	3.14	5.13	1.73	15.75	0.32	2.24	0.10	2.14	33.72	24.00	72.00	251.38	3.63	6.63
080000	5.39	3.14	5.15	1.76	19.39	0.27	2.21	0.09	2.12	34.87	24.00	72.00	263.22	7.56	17.36
090000	5.40	3.11	5.16	1.83	22.83	0.25	2.23	0.12	2.11	34.79	24.00	72.00	267.99	9.71	11.77
100000	5.34	3.12	5.18	1.83	24.65	0.25	2.25	0.17	2.08	35.07	24.00	72.00	267.21	11.21	11.58
110000	5.41	3.15	5.12	1.74	26.03	0.26	2.24	0.17	2.07	35.37	24.00	72.00	264.75	13.21	15.75
120000	5.37	3.09	5.08	1.77	28.06	0.25	2.19	0.13	2.06	35.01	24.00	72.00	282.54	13.11	20.96
130000	5.34	3.14	5.16	1.79	29.66	0.26	2.18	0.12	2.06	35.03	24.00	72.00	278.76	15.70	30.88
140000	5.31	3.17	5.15	1.77	27.58	0.27	2.18	0.11	2.07	34.72	24.00	72.00	276.39	14.92	25.19
150000	5.44	3.16	5.15	1.76	23.36	0.29	2.19	0.11	2.08	32.89	24.00	72.00	281.68	10.41	29.33
160000	5.32	3.11	5.15	1.80	21.00	0.28	2.19	0.09	2.10	32.74	24.00	72.00	266.64	7.79	26.47
170000	5.40	3.14	5.14	1.76	17.92	0.29	2.20	0.09	2.11	32.88	24.00	72.00	249.13	3.14	15.29
180000	5.40	3.16	5.16	1.78	16.11	0.31	2.22	0.11	2.11	32.71	24.00	72.00	213.22	0.45	10.61
190000	5.37	3.11	5.14	1.80	12.99	0.32	2.24	0.09	2.15	32.54	24.00	72.00	44.65	2.26	13.76
200000	5.32	3.13	5.11	1.76	13.19	0.32	2.25	0.09	2.16	32.28	24.00	72.00	26.65	4.82	11.97
210000	5.39	3.13	5.14	1.74	11.87	0.32	2.31	0.07	2.24	32.12	46.91	131.09	62.64	6.04	948.89
220000	5.39	3.09	5.13	1.78	12.65	0.32	2.62	0.09	2.53	31.89	48.16	134.27	55.43	3.87	1000.00
230000	5.39	3.06	5.03	1.70	12.10	0.33	2.66	0.14	2.52	31.64	48.17	134.36	144.26	1.78	1000.00
極大值	5.44	3.17	5.18	1.83	29.66	0.33	2.66	0.17	2.53	35.37	48.17	134.36	282.54	15.70	1000.00
極小值	5.28	3.06	5.03	1.70	11.87	0.25	2.18	0.07	2.06	31.64	24.00	72.00	26.65	0.23	5.24
平均值	5.36	3.12	5.13	1.76	18.65	0.29	2.31	0.11	2.20	33.27	27.98	82.26	213.01	5.94	177.26
標準差	0.04	0.03	0.03	0.04	5.42	0.02	0.14	0.02	0.14	1.19	8.91	22.98	82.45	4.91	362.81

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.27	3.11	5.10	1.76	11.80	0.34	2.71	0.11	2.60	31.80	48.16	134.33	104.15	1.04	1000.00
010000	5.33	3.12	5.13	1.77	12.34	0.33	2.77	0.11	2.66	31.64	48.16	134.30	73.13	3.45	1000.00
020000	5.21	3.09	5.09	1.71	12.09	0.32	2.77	0.13	2.64	31.82	48.16	134.28	68.49	4.18	1000.00
030000	5.33	3.13	5.10	1.74	12.38	0.34	2.83	0.12	2.71	31.74	48.17	134.38	155.16	3.77	1000.00
040000	5.28	3.18	5.13	1.71	13.32	0.32	2.89	0.12	2.77	31.52	48.17	134.41	195.94	1.61	1000.00
050000	5.20	3.04	5.03	1.77	12.99	0.30	2.75	0.15	2.60	31.16	48.15	134.27	52.94	6.82	1000.00
060000	5.17	3.14	5.10	1.73	13.12	0.31	2.58	0.11	2.47	31.52	48.14	134.22	30.19	7.20	1000.00
070000	5.29	3.11	5.09	1.73	12.63	0.37	2.49	0.19	2.30	32.37	48.15	134.26	71.41	3.51	1000.00
080000	5.25	3.11	5.14	1.79	13.00	0.35	2.29	0.15	2.14	34.46	48.16	134.36	161.61	1.12	1000.00
090000	5.32	3.15	5.14	1.76	16.71	0.28	2.31	0.12	2.19	35.37	48.20	134.60	254.58	4.74	1000.00
100000	5.30	3.22	5.22	1.78	16.88	0.26	2.29	0.15	2.14	35.78	48.21	134.67	279.71	8.36	1000.00
110000	5.32	3.17	5.14	1.75	17.44	0.25	2.22	0.15	2.07	36.14	25.70	76.40	283.97	6.41	97.52
120000	5.26	3.12	5.13	1.79	19.03	0.25	2.22	0.14	2.08	36.41	24.00	72.00	284.21	8.03	19.18
130000	5.31	3.17	5.15	1.76	17.95	0.25	2.21	0.14	2.07	35.93	24.00	72.00	285.19	10.04	6.35
140000	5.35	3.21	5.14	1.72	21.33	0.25	2.19	0.14	2.05	35.53	24.00	72.00	283.33	11.35	45.36
150000	5.32	3.19	5.13	1.71	22.99	0.26	2.18	0.13	2.05	35.44	24.00	72.00	271.86	11.82	37.25
160000	5.37	3.14	5.16	1.81	21.60	0.28	2.18	0.13	2.05	35.01	24.00	72.00	276.35	7.46	10.16
170000	5.38	3.16	5.15	1.77	19.56	0.28	2.17	0.12	2.05	34.27	24.00	72.00	272.72	5.72	13.61
180000	5.33	3.13	5.13	1.75	17.69	0.33	2.23	0.16	2.07	33.62	24.00	72.00	274.61	5.09	13.08
190000	5.41	3.16	5.16	1.76	17.14	0.31	2.32	0.17	2.15	33.46	24.00	72.00	263.52	2.93	17.49
200000	5.27	3.13	5.10	1.73	16.00	0.31	2.23	0.11	2.12	33.28	24.00	72.00	242.27	1.68	12.28
210000	5.35	3.19	5.21	1.81	16.40	0.32	2.20	0.09	2.11	33.12	24.00	72.00	273.84	4.24	16.52
220000	5.33	3.20	5.20	1.77	14.19	0.33	2.27	0.11	2.16	32.96	24.00	72.00	268.41	2.86	25.40
230000	5.35	3.18	5.13	1.74	15.04	0.32	2.38	0.12	2.26	32.59	24.00	72.00	151.75	0.20	16.03
極大值	5.41	3.22	5.22	1.81	22.99	0.37	2.89	0.19	2.77	36.41	48.21	134.67	285.19	11.82	1000.00
極小值	5.17	3.04	5.03	1.71	11.80	0.25	2.17	0.09	2.05	31.16	24.00	72.00	30.19	0.20	6.35
平均值	5.30	3.15	5.13	1.76	15.98	0.30	2.40	0.13	2.27	33.62	35.15	100.77	203.31	5.15	472.09
標準差	0.06	0.04	0.04	0.03	3.3	0.04	0.25	0.02	0.25	1.74	12.24	31.59	91.04	3.24	496.36

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.28	3.13	5.05	1.72	12.65	0.31	2.53	0.20	2.33	32.29	24.00	72.00	97.12	1.44	9.63
010000	5.28	3.14	5.15	1.78	12.55	0.31	2.58	0.20	2.38	32.31	46.13	129.17	56.17	2.66	916.03
020000	5.23	3.11	5.18	1.84	11.85	0.31	2.51	0.20	2.31	32.10	25.73	76.46	52.37	3.77	81.24
030000	5.27	3.16	5.14	1.75	12.69	0.30	2.34	0.20	2.14	31.88	24.00	72.00	42.22	5.14	12.59
040000	5.19	3.09	5.17	1.83	12.09	0.31	2.58	0.20	2.38	31.77	24.00	72.00	95.54	3.81	10.97
050000	5.31	3.04	5.05	1.78	11.36	0.32	2.51	0.21	2.30	31.53	24.00	72.00	74.21	3.84	13.46
060000	5.29	3.10	5.17	1.84	12.09	0.32	2.53	0.22	2.31	32.15	24.00	72.00	47.50	6.50	11.98
070000	5.27	3.20	5.21	1.78	12.59	0.32	2.30	0.22	2.08	34.01	24.00	72.00	83.83	1.92	13.41
080000	5.30	3.18	5.11	1.71	16.11	0.30	2.21	0.23	1.98	35.48	24.00	72.00	273.28	0.81	14.24
090000	5.28	3.13	5.12	1.77	19.32	0.28	2.19	0.24	1.95	35.75	24.00	72.00	262.97	3.47	22.69
100000	5.21	3.17	5.13	1.72	23.46	0.30	2.21	0.27	1.94	35.63	24.00	72.00	286.53	6.46	16.44
110000	5.23	3.13	5.08	1.72	27.60	0.37	2.23	0.28	1.95	35.60	24.00	72.00	289.52	6.62	24.61
120000	5.26	3.14	5.18	1.82	26.28	0.35	2.20	0.25	1.95	35.64	24.00	72.00	291.40	8.29	20.54
130000	5.20	3.16	5.16	1.80	23.65	0.39	2.18	0.24	1.94	35.71	24.00	72.00	298.67	8.01	13.44
140000	5.30	3.17	5.14	1.73	24.03	0.43	2.21	0.28	1.93	35.87	24.00	72.00	296.29	8.45	21.80
150000	5.27	3.19	5.11	1.68	19.57	0.42	2.22	0.28	1.94	35.60	24.00	72.00	296.66	7.14	21.84
160000	5.24	3.14	5.13	1.75	17.27	0.40	2.22	0.27	1.95	35.07	24.00	72.00	301.09	6.13	11.60
170000	5.25	3.11	5.12	1.78	15.04	0.53	2.23	0.29	1.94	34.47	24.00	72.00	301.36	5.61	16.97
180000	5.27	3.03	5.06	1.78	14.69	0.46	2.27	0.26	2.01	34.08	24.00	72.00	262.42	4.69	18.59
190000	5.27	3.14	5.09	1.72	13.52	0.35	2.27	0.27	2.00	33.91	24.00	72.00	170.49	1.62	17.78
200000	5.26	3.17	5.15	1.73	12.73	0.37	2.29	0.25	2.04	33.83	24.00	72.00	119.58	3.55	8.31
210000	5.23	3.12	5.16	1.80	13.45	0.36	2.71	0.25	2.46	33.68	24.00	72.00	51.09	8.44	7.87
220000	5.28	3.08	5.12	1.80	12.79	0.34	2.46	0.26	2.20	33.52	24.00	72.00	25.86	9.88	9.26
230000	5.30	3.15	5.13	1.74	12.20	0.33	2.32	0.24	2.08	33.14	24.00	72.00	131.42	3.83	7.15
極大值	5.31	3.20	5.21	1.84	27.60	0.53	2.71	0.29	2.46	35.87	46.13	129.17	301.36	9.88	916.03
極小值	5.19	3.03	5.05	1.68	11.36	0.28	2.18	0.20	1.93	31.53	24.00	72.00	25.86	0.81	7.15
平均值	5.26	3.13	5.13	1.77	16.23	0.35	2.35	0.24	2.10	33.96	24.99	74.57	175.32	5.09	55.10
標準差	0.03	0.04	0.04	0.04	5.14	0.06	0.16	0.03	0.18	1.52	4.52	11.67	109.8	2.53	183.94

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.28	3.14	5.18	1.83	11.70	0.35	2.39	0.24	2.15	32.70	24.00	72.00	189.90	2.16	5.15
010000	5.28	3.08	5.08	1.77	11.27	0.34	2.38	0.23	2.15	32.55	46.10	129.09	112.01	1.69	914.23
020000	5.18	3.13	5.10	1.73	11.07	0.34	2.58	0.23	2.35	32.51	26.02	77.21	141.43	1.28	92.18
030000	5.26	3.15	5.10	1.71	10.61	0.34	2.59	0.23	2.36	32.39	24.00	72.00	142.12	2.35	7.87
040000	5.21	3.13	5.13	1.77	11.00	0.35	2.78	0.23	2.55	32.25	24.00	72.00	49.67	6.64	10.13
050000	5.18	3.14	5.18	1.79	10.94	0.35	3.07	0.23	2.84	32.13	24.00	72.00	21.73	7.88	15.99
060000	5.18	3.10	5.09	1.76	11.26	0.35	3.07	0.23	2.84	32.60	24.00	72.00	33.24	10.49	11.29
070000	5.14	3.16	5.14	1.75	11.96	0.34	2.47	0.23	2.24	33.58	24.00	72.00	30.64	7.87	13.78
080000	5.25	3.11	5.15	1.80	15.04	0.33	2.31	0.24	2.07	34.78	24.00	72.00	58.19	6.61	13.60
090000	5.21	3.11	5.13	1.81	20.67	0.31	2.30	0.25	2.05	35.95	24.00	72.00	110.96	4.13	11.05
100000	5.21	3.12	5.14	1.79	27.39	0.30	2.26	0.25	2.01	36.45	24.00	72.00	273.84	4.12	9.25
110000	5.14	3.18	5.16	1.76	48.51	0.36	2.27	0.26	2.01	35.95	24.00	72.00	288.25	9.41	21.42
120000	5.24	3.17	5.19	1.79	48.71	0.33	2.25	0.25	2.00	36.01	24.00	72.00	292.74	8.68	31.29
130000	5.11	3.15	5.16	1.79	43.60	0.31	2.20	0.23	1.97	35.74	24.00	72.00	302.30	8.54	19.86
140000	5.22	3.14	5.19	1.80	33.82	0.31	2.17	0.21	1.96	34.42	24.00	72.00	295.55	7.07	20.03
150000	5.30	3.16	5.18	1.79	24.84	0.35	2.21	0.22	1.99	31.76	24.00	72.00	110.07	10.62	33.28
160000	5.28	3.09	5.14	1.80	25.81	0.36	2.19	0.21	1.98	31.10	24.00	72.00	42.06	14.14	13.02
170000	5.27	3.11	5.16	1.81	20.56	0.38	2.29	0.22	2.07	31.50	24.00	72.00	28.88	10.50	7.22
180000	5.25	3.14	5.14	1.77	19.26	0.37	2.46	0.23	2.23	31.37	24.00	72.00	71.05	13.70	14.72
190000	5.25	3.05	5.09	1.79	15.87	0.38	2.37	0.23	2.14	31.20	24.00	72.00	40.88	7.87	13.94
200000	5.23	3.13	5.17	1.80	14.49	0.40	2.46	0.24	2.22	31.15	24.00	72.00	83.76	4.50	10.87
210000	5.25	3.09	5.11	1.81	12.96	0.39	2.69	0.23	2.46	31.19	24.00	72.00	32.66	5.63	13.76
220000	5.30	3.07	5.13	1.83	12.70	0.41	2.65	0.24	2.41	31.09	24.00	72.00	261.98	0.35	13.11
230000	5.15	3.16	5.14	1.73	12.05	0.42	2.61	0.24	2.37	31.15	24.00	72.00	31.50	3.39	13.95
極大值	5.30	3.18	5.19	1.83	48.71	0.42	3.07	0.26	2.84	36.45	46.10	129.09	302.30	14.14	914.23
極小值	5.11	3.05	5.08	1.71	10.61	0.30	2.17	0.21	1.96	31.09	24.00	72.00	21.73	0.35	5.15
平均值	5.22	3.13	5.14	1.78	20.25	0.35	2.46	0.23	2.23	32.98	25.00	74.60	126.89	6.65	55.46
標準差	0.05	0.03	0.03	0.03	12.07	0.03	0.25	0.01	0.26	1.87	4.51	11.66	103.15	3.8	183.72

屏東縣崁頂焚化爐空氣品質監測報表

日報(小時數據)
A001 廠內站

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.19	3.14	5.16	1.79	12.43	0.41	2.89	0.23	2.66	31.14	24.00	72.00	37.21	7.51	14.91
010000	5.14	3.13	5.09	1.75	12.65	0.39	2.71	0.23	2.48	30.94	46.13	129.13	29.15	6.45	916.53
020000	5.24	3.10	5.15	1.80	12.39	0.37	2.57	0.22	2.35	30.76	26.24	77.78	67.77	4.06	108.01
030000	5.23	3.16	5.14	1.74	11.65	0.37	3.11	0.22	2.89	30.87	24.00	72.00	92.11	4.76	13.00
040000	5.18	3.10	5.13	1.78	12.54	0.37	3.23	0.22	3.01	30.84	24.00	72.00	26.37	5.98	15.71
050000	5.20	3.07	5.11	1.80	11.79	0.37	2.97	0.22	2.75	30.82	24.00	72.00	44.82	7.82	12.87
060000	5.17	3.13	5.07	1.72	12.06	0.36	2.84	0.22	2.62	31.42	24.00	72.00	30.75	10.49	15.25
070000	5.19	3.15	5.12	1.71	12.36	0.37	2.55	0.22	2.33	32.70	24.00	72.00	25.69	8.45	22.62
080000	5.30	3.10	5.11	1.78	14.98	0.40	2.45	0.32	2.13	34.03	24.00	72.00	44.64	7.76	21.29
090000	5.20	3.11	5.12	1.77	19.47	0.32	2.27	0.25	2.02	35.14	24.00	72.00	80.19	7.16	18.21
100000	5.27	3.17	5.16	1.75	22.36	0.30	2.25	0.25	2.00	35.99	24.00	72.00	127.22	4.37	10.90
110000	5.29	3.13	5.08	1.72	34.93	0.32	2.24	0.27	1.97	36.25	24.00	72.00	258.63	6.54	9.48
120000	5.30	3.15	5.14	1.79	48.48	0.34	2.21	0.25	1.96	35.66	24.00	72.00	290.19	7.90	27.74
130000	5.26	3.09	5.09	1.76	42.49	0.31	2.19	0.24	1.95	35.46	24.00	72.00	292.11	7.09	18.94
140000	5.26	3.14	5.13	1.77	39.33	0.31	2.15	0.22	1.93	35.52	24.00	72.00	281.52	10.36	24.63
150000	5.26	3.12	5.13	1.77	36.26	0.30	2.14	0.21	1.93	34.89	24.00	72.00	293.93	7.11	19.36
160000	5.26	3.20	5.12	1.67	35.04	0.33	2.15	0.20	1.95	34.38	24.00	72.00	298.54	5.30	11.96
170000	5.25	3.15	5.14	1.74	31.61	0.40	2.20	0.21	1.99	34.02	24.00	72.00	289.87	3.91	12.88
180000	5.24	3.17	5.18	1.76	25.12	0.38	2.28	0.23	2.05	33.93	24.00	72.00	224.13	2.56	11.73
190000	5.31	3.16	5.18	1.78	22.37	0.37	2.28	0.24	2.04	33.23	24.00	72.00	60.87	6.01	11.60
200000	5.32	3.17	5.18	1.79	18.82	0.39	2.26	0.23	2.03	32.67	24.00	72.00	131.90	2.93	17.83
210000	5.27	3.11	5.13	1.79	16.02	0.38	2.34	0.23	2.11	32.78	24.00	72.00	50.91	3.08	14.42
220000	5.30	3.08	5.12	1.81	15.96	0.38	2.37	0.23	2.14	32.41	24.00	72.00	70.27	2.18	16.45
230000	5.28	3.15	5.14	1.74	13.76	0.39	2.66	0.23	2.43	32.25	24.00	72.00	192.56	1.82	11.60
極大值	5.32	3.20	5.18	1.81	48.48	0.41	3.23	0.32	3.01	36.25	46.13	129.13	298.54	10.49	916.53
極小值	5.14	3.07	5.07	1.67	11.65	0.30	2.14	0.20	1.93	30.76	24.00	72.00	25.69	1.82	9.48
平均值	5.25	3.13	5.13	1.76	22.29	0.36	2.47	0.23	2.24	33.25	25.02	74.62	139.22	5.90	57.41
標準差	0.05	0.03	0.03	0.03	11.48	0.03	0.33	0.02	0.33	1.87	4.52	11.67	108.39	2.43	184.01

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.22	3.09	5.13	1.82	13.58	0.40	3.19	0.24	2.95	32.21	24.00	72.00	48.67	7.12	16.86
010000	5.25	3.15	5.13	1.76	13.25	0.41	2.75	0.24	2.51	32.04	46.06	128.96	31.46	5.50	913.82
020000	5.24	3.08	5.13	1.84	11.48	0.39	2.69	0.24	2.45	31.67	26.16	77.58	100.14	2.20	130.61
030000	5.32	3.10	5.12	1.78	11.38	0.40	2.91	0.24	2.67	31.62	24.00	72.00	35.52	5.02	25.42
040000	5.23	3.11	5.08	1.74	12.54	0.39	2.67	0.23	2.44	31.29	24.00	72.00	144.80	0.73	23.50
050000	5.26	3.12	5.10	1.73	11.37	0.37	2.49	0.23	2.26	31.09	24.00	72.00	117.88	0.95	20.68
060000	5.15	3.12	5.10	1.76	11.16	0.38	2.66	0.23	2.43	31.78	24.00	72.00	58.97	3.20	23.69
070000	5.22	3.12	5.11	1.76	12.86	0.42	2.69	0.25	2.44	33.21	24.00	72.00	69.55	2.80	25.59
080000	5.26	3.11	5.14	1.80	16.97	0.40	2.63	0.26	2.37	34.56	24.00	72.00	75.61	4.69	25.06
090000	5.18	3.11	5.12	1.76	24.22	0.34	2.39	0.25	2.14	35.41	24.00	72.00	52.15	6.04	23.87
100000	5.20	3.14	5.13	1.76	30.86	0.35	2.30	0.27	2.03	36.25	24.00	72.00	118.85	5.49	13.78
110000	5.12	3.10	5.09	1.76	39.17	0.35	2.31	0.28	2.03	36.61	24.00	72.00	228.59	4.20	20.43
120000	5.24	3.12	5.13	1.76	56.63	0.38	2.26	0.26	2.00	36.09	24.00	72.00	295.90	8.07	21.57
130000	5.35	3.08	5.10	1.79	35.68	0.35	2.24	0.25	1.99	35.99	24.00	72.00	300.11	9.15	26.15
140000	5.27	3.18	5.17	1.76	32.51	0.36	2.20	0.23	1.97	35.54	24.00	72.00	284.00	11.70	250.74
150000	5.29	3.14	5.11	1.75	35.95	0.34	2.17	0.21	1.96	34.28	24.00	72.00	259.70	7.11	307.32
160000	5.24	3.17	5.24	1.85	27.68	0.38	2.28	0.24	2.04	33.15	24.00	72.00	107.41	2.15	48.35
170000	5.28	3.13	5.09	1.73	26.62	0.46	2.39	0.27	2.12	32.97	24.00	72.00	38.32	6.89	25.86
180000	5.19	3.13	5.15	1.79	23.46	0.43	2.39	0.26	2.13	32.88	24.00	72.00	54.68	6.30	29.40
190000	5.25	3.13	5.13	1.79	20.99	0.42	2.46	0.24	2.22	32.62	24.00	72.00	51.41	4.05	22.61
200000	5.25	3.09	5.14	1.82	17.53	0.43	2.74	0.24	2.50	32.37	24.00	72.00	49.11	1.84	16.98
210000	5.26	3.17	5.13	1.75	14.92	0.46	2.86	0.26	2.60	32.15	24.00	72.00	136.60	0.77	24.71
220000	5.30	3.13	5.16	1.81	13.36	0.48	2.95	0.26	2.69	32.07	24.00	72.00	53.38	1.49	26.15
230000	5.23	3.13	5.16	1.81	12.97	0.49	3.28	0.26	3.02	31.95	24.00	72.00	37.26	8.95	30.43
極大值	5.35	3.18	5.24	1.85	56.63	0.49	3.28	0.28	3.02	36.61	46.06	128.96	300.11	11.70	913.82
極小值	5.12	3.08	5.08	1.73	11.16	0.34	2.17	0.21	1.96	31.09	24.00	72.00	31.46	0.73	13.78
平均值	5.24	3.12	5.13	1.78	21.96	0.40	2.58	0.25	2.33	33.32	25.01	74.61	114.59	4.85	87.23
標準差	0.05	0.03	0.03	0.03	11.71	0.04	0.31	0.02	0.31	1.78	4.51	11.63	90.21	2.97	191.08

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.25	3.07	5.05	1.76	14.47	0.46	3.09	0.25	2.84	31.85	24.00	72.00	21.77	8.94	26.20
010000	5.10	3.09	5.09	1.77	13.81	0.44	2.89	0.24	2.65	31.77	45.98	128.77	57.97	4.44	911.43
020000	5.14	3.12	5.12	1.75	12.74	0.45	3.34	0.23	3.11	31.50	25.79	76.62	26.55	5.78	98.14
030000	5.10	3.06	5.08	1.80	12.64	0.43	3.46	0.22	3.24	31.40	24.00	72.00	41.14	8.54	26.67
040000	5.24	3.16	5.11	1.72	12.31	0.40	2.94	0.22	2.72	31.36	24.00	72.00	21.06	8.16	30.28
050000	5.26	3.17	5.17	1.75	12.25	0.39	2.85	0.21	2.64	31.27	24.00	72.00	28.57	7.60	26.06
060000	5.21	3.11	5.09	1.74	11.31	0.42	2.94	0.23	2.71	31.64	24.00	72.00	35.62	5.98	22.82
070000	5.22	3.16	5.12	1.73	14.68	0.47	2.82	0.25	2.57	32.97	24.00	72.00	38.99	10.31	26.33
080000	5.18	3.13	5.12	1.75	21.24	0.40	2.38	0.24	2.14	34.28	24.00	72.00	63.46	13.50	29.63
090000	5.24	3.12	5.08	1.74	24.85	0.34	2.25	0.24	2.01	35.05	24.00	72.00	84.06	11.50	16.15
100000	5.16	3.11	5.06	1.74	27.99	0.32	2.20	0.23	1.97	35.56	24.00	72.00	88.68	8.75	14.80
110000	5.18	3.12	5.14	1.79	31.75	0.34	2.24	0.25	1.99	35.64	24.00	72.00	214.37	6.70	14.07
120000	5.14	3.14	5.13	1.76	35.84	0.43	2.23	0.27	1.96	36.00	24.00	72.00	275.94	6.61	14.46
130000	5.26	3.17	5.13	1.73	34.21	0.50	2.24	0.29	1.95	35.04	24.00	72.00	297.16	7.88	21.37
140000	5.18	3.17	5.16	1.79	23.53	0.42	2.14	0.23	1.91	33.36	24.00	72.00	294.99	5.92	26.65
150000	5.18	3.17	5.12	1.70	19.74	0.40	2.18	0.24	1.94	33.14	24.00	72.00	184.80	2.09	21.87
160000	5.21	3.13	5.11	1.76	20.29	0.35	2.16	0.22	1.94	33.49	24.00	72.00	180.03	0.78	12.77
170000	5.25	3.11	5.16	1.82	18.58	0.34	2.17	0.22	1.95	33.28	24.00	72.00	235.86	0.46	9.39
180000	5.22	3.12	5.17	1.82	16.20	0.37	2.28	0.22	2.06	32.90	24.00	72.00	159.14	0.08	10.48
190000	5.24	3.13	5.16	1.79	13.38	0.41	2.47	0.30	2.17	32.57	24.00	72.00	116.85	1.17	12.61
200000	5.20	3.17	5.14	1.74	13.12	0.42	2.39	0.28	2.11	32.14	24.00	72.00	38.29	3.18	15.09
210000	5.21	3.12	5.14	1.79	13.18	0.46	2.74	0.26	2.48	32.09	24.00	72.00	90.43	3.95	21.71
220000	5.21	3.13	5.12	1.75	12.43	0.49	2.86	0.28	2.58	31.83	24.00	72.00	59.78	0.53	23.69
230000	5.20	3.10	5.15	1.82	11.78	0.44	2.72	0.31	2.41	31.54	24.00	72.00	91.77	1.74	25.56
極大值	5.26	3.17	5.17	1.82	35.84	0.50	3.46	0.31	3.24	36.00	45.98	128.77	297.16	13.50	911.43
極小值	5.10	3.06	5.05	1.70	11.31	0.32	2.14	0.21	1.91	31.27	24.00	72.00	21.06	0.08	9.39
平均值	5.20	3.13	5.12	1.76	18.43	0.41	2.58	0.25	2.34	32.99	24.99	74.56	114.47	5.61	60.76
標準差	0.05	0.03	0.03	0.03	7.55	0.05	0.4	0.03	0.41	1.52	4.49	11.59	92.07	3.79	181.99

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.19	3.20	5.12	1.70	12.40	0.46	2.27	0.16	2.11	31.72	24.00	72.00	27.08	7.53	21.97
010000	5.22	3.12	5.06	1.72	12.12	0.45	2.72	0.19	2.53	31.45	46.70	130.67	77.30	4.64	940.10
020000	5.17	3.19	5.13	1.72	12.64	0.44	2.88	0.19	2.69	31.35	25.73	76.46	81.70	3.11	89.23
030000	5.21	3.09	5.09	1.76	12.43	0.41	3.03	0.19	2.84	31.12	24.00	72.00	158.29	0.08	23.59
040000	5.22	3.11	5.13	1.79	12.83	0.39	2.63	0.18	2.45	31.02	24.00	72.00	37.47	1.19	21.14
050000	5.18	3.17	5.16	1.77	12.88	0.38	2.55	0.17	2.38	31.12	24.00	72.00	27.19	1.21	22.39
060000	5.27	3.13	5.10	1.74	12.73	0.39	2.68	0.19	2.49	31.75	24.00	72.00	38.90	5.65	24.34
070000	5.21	3.16	5.15	1.81	13.72	0.43	2.38	0.17	2.21	32.91	24.00	72.00	35.78	6.12	24.05
080000	5.05	3.09	5.11	1.78	20.00	0.37	2.12	0.14	1.98	34.52	24.00	72.00	82.10	2.25	18.43
090000	5.19	3.12	5.18	1.84	26.53	0.40	2.14	0.14	2.00	35.26	24.00	72.00	149.96	2.19	17.93
100000	5.17	3.13	5.16	1.80	42.01	0.59	2.14	0.13	2.01	35.35	24.00	72.00	281.47	7.74	20.63
110000	5.24	3.15	5.17	1.80	47.03	0.55	2.12	0.13	1.99	35.51	24.00	72.00	293.61	5.64	32.25
120000	5.15	3.18	5.15	1.75	49.67	0.55	2.09	0.12	1.97	35.81	24.00	72.00	295.09	4.15	27.16
130000	5.12	3.18	5.22	1.83	37.24	0.40	2.10	0.12	1.98	35.90	24.00	72.00	297.67	6.15	20.03
140000	5.19	3.17	5.12	1.72	35.50	0.37	2.11	0.13	1.98	35.69	24.00	72.00	295.92	6.81	15.60
150000	5.16	3.15	5.09	1.69	33.43	0.43	2.09	0.13	1.96	35.36	24.00	72.00	232.24	7.31	16.41
160000	5.30	3.12	5.12	1.76	40.49	0.44	2.09	0.13	1.96	33.30	24.00	72.00	44.75	23.51	17.77
170000	5.35	3.11	5.16	1.80	33.10	0.40	2.10	0.13	1.97	32.84	24.00	72.00	52.57	18.26	20.84
180000	5.08	3.17	5.15	1.74	25.91	0.38	2.14	0.16	1.98	32.60	24.00	72.00	58.81	14.01	7.58
190000	5.29	3.12	5.10	1.75	20.75	0.38	2.21	0.20	2.01	32.44	24.00	72.00	25.18	8.38	10.19
200000	5.24	3.14	5.11	1.74	18.15	0.39	2.23	0.17	2.06	32.44	24.00	72.00	34.74	5.30	9.48
210000	5.27	3.20	5.20	1.78	18.23	0.39	2.28	0.19	2.09	32.38	24.00	72.00	44.99	4.92	6.49
220000	5.25	3.15	5.13	1.76	18.35	0.39	2.35	0.19	2.16	32.17	24.00	72.00	80.36	8.23	8.86
230000	5.22	3.09	5.12	1.78	16.13	0.41	2.36	0.17	2.19	31.98	24.00	72.00	38.29	8.42	18.23
極大值	5.35	3.20	5.22	1.84	49.67	0.59	3.03	0.20	2.84	35.90	46.70	130.67	297.67	23.51	940.10
極小值	5.05	3.09	5.06	1.69	12.12	0.37	2.09	0.12	1.96	31.02	24.00	72.00	25.18	0.08	6.49
平均值	5.21	3.14	5.13	1.76	24.34	0.42	2.33	0.16	2.17	33.17	25.02	74.63	116.31	6.78	59.78
標準差	0.07	0.03	0.04	0.04	12.3	0.06	0.28	0.03	0.26	1.74	4.63	11.97	104.37	5.34	188.17

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.18	3.12	5.16	1.81	14.51	0.40	2.12	0.08	2.04	31.85	24.00	72.00	105.09	2.20	15.52
010000	5.14	3.14	5.14	1.77	12.71	0.42	2.08	0.08	2.00	31.63	46.17	129.30	273.55	0.75	917.94
020000	5.19	3.14	5.10	1.71	13.13	0.40	2.07	0.08	1.99	31.73	26.05	77.30	173.14	4.10	147.59
030000	5.03	3.06	5.12	1.81	12.63	0.40	2.08	0.08	2.00	31.75	24.00	72.00	28.93	8.80	21.71
040000	5.18	3.10	5.11	1.79	13.16	0.39	2.14	0.08	2.06	31.54	24.00	72.00	65.11	11.39	22.85
050000	5.14	3.14	5.17	1.81	13.26	0.39	2.14	0.08	2.06	31.41	24.00	72.00	39.95	7.18	22.38
060000	5.13	3.09	5.15	1.83	12.35	0.40	2.17	0.09	2.08	32.27	24.00	72.00	157.32	0.27	17.18
070000	5.20	3.15	5.14	1.74	13.96	0.40	2.31	0.11	2.20	33.91	24.00	72.00	183.16	0.31	14.50
080000	5.17	3.17	5.17	1.77	19.35	0.36	2.16	0.10	2.06	35.11	24.00	72.00	250.50	0.93	15.39
090000	5.12	3.13	5.19	1.83	29.34	0.37	2.14	0.13	2.01	35.50	24.00	72.00	283.91	5.82	17.73
100000	5.15	3.18	5.22	1.80	48.52	0.61	2.13	0.14	1.99	35.73	24.00	72.00	289.72	5.14	25.50
110000	5.21	3.14	5.14	1.78	66.12	0.80	2.12	0.13	1.99	36.33	24.00	72.00	291.02	5.47	50.84
120000	5.19	3.19	5.17	1.74	66.77	0.81	2.11	0.12	1.99	36.41	24.00	72.00	306.95	7.48	42.33
130000	5.11	3.12	5.06	1.72	74.84	0.73	2.12	0.10	2.02	36.46	24.00	72.00	290.50	9.95	43.89
140000	5.15	3.15	5.17	1.81	72.45	0.47	2.11	0.11	2.00	35.52	24.00	72.00	300.40	7.82	47.08
150000	5.16	3.12	5.07	1.73	69.96	0.47	2.09	0.10	1.99	34.64	24.00	72.00	302.91	6.42	56.86
160000	5.29	3.17	5.13	1.75	49.88	0.44	2.08	0.10	1.98	34.36	24.00	72.00	290.99	5.97	40.78
170000	5.21	3.17	5.13	1.72	37.35	0.42	2.08	0.09	1.99	34.43	24.00	72.00	197.12	4.50	33.27
180000	5.36	3.14	5.21	1.85	25.24	0.44	2.10	0.09	2.01	34.09	24.00	72.00	146.80	3.06	26.58
190000	5.28	3.15	5.11	1.75	20.95	0.44	2.08	0.08	2.00	33.85	24.00	72.00	89.65	5.27	27.78
200000	5.15	3.11	5.15	1.82	22.07	0.46	2.06	0.07	1.99	33.59	24.00	72.00	17.07	10.63	27.71
210000	5.18	3.12	5.10	1.77	24.08	0.46	2.06	0.07	1.99	33.21	24.00	72.00	17.62	11.23	35.09
220000	5.21	3.15	5.10	1.73	21.63	0.43	2.09	0.07	2.02	32.89	24.00	72.00	40.47	8.54	34.66
230000	5.16	3.12	5.14	1.78	19.12	0.42	2.27	0.11	2.16	32.58	24.00	72.00	83.35	4.41	30.11
極大值	5.36	3.19	5.22	1.85	74.84	0.81	2.31	0.14	2.20	36.46	46.17	129.30	306.95	11.39	917.94
極小值	5.03	3.06	5.06	1.71	12.35	0.36	2.06	0.07	1.98	31.41	24.00	72.00	17.07	0.27	14.50
平均值	5.18	3.14	5.14	1.78	32.22	0.47	2.12	0.10	2.03	33.78	25.01	74.61	176.05	5.74	72.30
標準差	0.07	0.03	0.04	0.04	22.36	0.13	0.06	0.02	0.06	1.69	4.53	11.7	108.72	3.39	182.08

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.21	3.13	5.15	1.80	16.55	0.45	2.73	0.26	2.47	32.29	24.00	72.00	284.92	0.59	30.08
010000	5.16	3.14	5.19	1.82	18.10	0.46	3.13	0.26	2.87	32.28	46.01	128.83	163.81	2.88	913.39
020000	5.09	3.11	5.14	1.80	15.59	0.45	3.02	0.28	2.74	32.00	26.12	77.46	58.04	7.02	123.30
030000	5.09	3.14	5.15	1.78	15.78	0.45	2.96	0.29	2.67	32.08	24.00	72.00	25.92	9.19	41.46
040000	5.15	3.14	5.11	1.76	13.69	0.46	2.77	0.30	2.47	31.93	24.00	72.00	137.20	2.67	38.96
050000	4.97	3.20	5.20	1.77	12.56	0.46	3.03	0.37	2.66	31.73	24.00	72.00	206.80	0.26	36.26
060000	5.20	3.09	5.04	1.72	13.80	0.48	2.99	0.30	2.69	31.91	24.00	72.00	141.68	0.33	37.39
070000	5.20	3.14	5.18	1.80	14.07	0.48	2.87	0.31	2.56	32.98	24.00	72.00	70.29	3.16	30.43
080000	5.12	3.18	5.12	1.71	19.00	0.48	2.53	0.28	2.25	33.52	24.00	72.00	36.88	9.77	30.09
090000	5.08	3.16	5.20	1.84	24.72	0.50	2.35	0.27	2.08	33.95	24.00	72.00	94.46	2.90	48.74
100000	5.19	3.13	5.13	1.77	32.48	0.56	2.41	0.35	2.06	34.60	24.00	72.00	178.66	2.00	45.83
110000	5.18	3.12	5.08	1.71	43.06	0.61	2.56	0.46	2.10	34.63	24.00	72.00	128.03	1.52	58.32
120000	5.18	3.13	5.15	1.77	45.94	0.65	2.62	0.49	2.13	34.88	24.00	72.00	211.24	3.82	68.46
130000	5.10	3.12	5.10	1.76	50.15	0.53	2.55	0.43	2.12	34.93	24.00	72.00	264.18	5.82	53.10
140000	5.13	3.13	5.12	1.75	40.24	0.43	2.40	0.32	2.08	33.46	24.00	72.00	290.65	6.09	60.94
150000	5.15	3.13	5.16	1.78	35.23	0.41	2.36	0.28	2.08	33.62	24.00	72.00	287.34	3.50	47.95
160000	5.15	3.14	5.13	1.75	32.99	0.75	2.45	0.39	2.06	33.79	24.00	72.00	292.70	3.64	40.01
170000	5.28	3.09	5.09	1.74	31.16	0.59	2.43	0.36	2.07	33.72	24.00	72.00	273.25	3.26	55.45
180000	5.19	3.07	5.11	1.79	29.27	0.41	2.41	0.29	2.12	33.26	24.00	72.00	273.93	3.08	34.91
190000	5.16	3.14	5.13	1.76	23.31	0.42	2.44	0.30	2.14	32.86	24.00	72.00	243.17	1.01	34.45
200000	5.19	3.11	5.14	1.78	19.10	0.52	2.46	0.28	2.18	32.41	24.00	72.00	86.33	0.35	43.26
210000	5.21	3.12	5.19	1.83	16.88	0.50	2.63	0.29	2.34	32.28	24.00	72.00	96.83	1.29	54.42
220000	5.17	3.10	5.11	1.78	15.63	0.51	2.39	0.23	2.16	32.21	24.00	72.00	116.31	1.93	41.35
230000	5.19	3.13	5.09	1.72	15.81	0.47	2.18	0.19	1.99	32.26	24.00	72.00	135.74	2.28	38.17
極大值	5.28	3.20	5.20	1.84	50.15	0.75	3.13	0.49	2.87	34.93	46.01	128.83	292.70	9.77	913.39
極小值	4.97	3.07	5.04	1.71	12.56	0.41	2.18	0.19	1.99	31.73	24.00	72.00	25.92	0.26	30.08
平均值	5.16	3.13	5.13	1.77	24.80	0.50	2.61	0.32	2.30	33.07	25.01	74.60	170.76	3.26	83.61
標準差	0.06	0.03	0.04	0.04	11.5	0.08	0.26	0.07	0.27	1.03	4.49	11.61	88.99	2.61	177.77

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.22	3.18	5.18	1.77	17.90	0.46	2.73	0.26	2.47	32.18	24.00	72.00	142.88	1.55	33.71
010000	5.13	3.14	5.13	1.74	18.97	0.50	3.13	0.26	2.87	32.14	46.07	128.90	29.81	8.26	916.67
020000	5.16	3.11	5.10	1.73	20.28	0.56	3.02	0.28	2.74	32.06	26.08	77.37	35.98	6.31	121.84
030000	5.18	3.10	5.10	1.74	17.62	0.56	2.96	0.29	2.67	31.95	24.00	72.00	93.52	2.20	46.61
040000	5.13	3.14	5.15	1.74	13.63	0.55	2.77	0.30	2.47	31.78	24.00	72.00	85.77	1.04	49.78
050000	5.20	3.11	5.07	1.74	13.79	0.54	3.03	0.37	2.66	31.68	24.00	72.00	158.65	1.45	52.46
060000	5.08	3.12	5.12	1.76	13.17	0.54	2.99	0.30	2.69	31.73	24.00	72.00	93.84	1.37	52.43
070000	5.16	3.14	5.18	1.75	12.25	0.57	2.87	0.31	2.56	31.95	24.00	72.00	111.25	1.50	51.55
080000	5.17	3.17	5.15	1.74	12.09	0.60	2.53	0.28	2.25	32.39	24.00	72.00	230.33	0.08	53.89
090000	5.11	3.17	5.14	1.77	12.99	0.52	2.35	0.27	2.08	32.58	24.00	72.00	50.28	3.57	52.37
100000	5.09	3.10	5.14	1.81	16.00	0.45	2.41	0.35	2.06	33.80	24.00	72.00	129.26	0.18	45.25
110000	5.09	3.13	5.12	1.75	24.31	0.41	2.56	0.46	2.10	35.41	24.00	72.00	81.48	5.53	32.27
120000	5.20	3.13	5.15	1.76	30.91	0.38	2.62	0.49	2.13	36.15	24.00	72.00	159.29	3.37	19.99
130000	5.25	3.13	5.11	1.75	51.04	0.53	2.55	0.43	2.12	35.28	24.00	72.00	288.40	4.80	22.89
140000	5.17	3.16	5.08	1.70	56.31	0.54	2.40	0.32	2.08	35.15	24.00	72.00	299.86	6.11	75.78
150000	5.22	3.12	5.14	1.79	39.78	0.50	2.36	0.28	2.08	34.82	24.00	72.00	291.43	7.24	74.29
160000	5.15	3.14	5.10	1.71	33.72	0.37	2.45	0.39	2.06	33.98	24.00	72.00	298.88	6.66	41.33
170000	5.22	3.16	5.15	1.76	33.28	0.39	2.43	0.36	2.07	33.57	24.00	72.00	296.02	4.43	24.30
180000	5.14	3.12	5.17	1.79	36.37	0.42	2.41	0.29	2.12	33.48	24.00	72.00	300.24	1.71	30.54
190000	5.14	3.14	5.11	1.72	20.29	0.42	2.44	0.30	2.14	32.97	24.00	72.00	91.42	3.14	35.58
200000	5.24	3.09	5.08	1.73	19.96	0.45	2.46	0.28	2.18	32.67	24.00	72.00	41.31	5.87	35.53
210000	5.14	3.16	5.10	1.70	18.15	0.44	2.63	0.29	2.34	32.65	24.00	72.00	184.70	1.49	35.97
220000	5.22	3.14	5.15	1.76	15.44	0.46	2.39	0.23	2.16	32.51	24.00	72.00	106.01	0.08	30.91
230000	5.15	3.17	5.17	1.75	13.14	0.44	2.18	0.19	1.99	32.30	24.00	72.00	134.88	1.33	27.88
極大值	5.25	3.18	5.18	1.81	56.31	0.60	3.13	0.49	2.87	36.15	46.07	128.90	300.24	8.26	916.67
極小值	5.08	3.09	5.07	1.70	12.09	0.37	2.18	0.19	1.99	31.68	24.00	72.00	29.81	0.08	19.99
平均值	5.16	3.14	5.13	1.75	23.39	0.48	2.61	0.32	2.30	33.13	25.01	74.59	155.65	3.30	81.83
標準差	0.05	0.02	0.03	0.03	12.45	0.07	0.26	0.07	0.27	1.34	4.51	11.62	94.79	2.5	179.14

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.22	3.12	5.17	1.80	15.38	0.40	2.32	0.11	2.21	31.93	24.00	72.00	104.84	0.55	32.18
010000	5.19	3.08	5.12	1.80	14.43	0.40	2.31	0.12	2.19	31.99	46.43	129.87	70.33	4.36	930.90
020000	5.20	3.11	5.15	1.79	12.98	0.40	2.28	0.10	2.18	31.84	25.69	76.37	54.87	1.35	92.49
030000	5.14	3.11	5.13	1.76	13.01	0.41	2.45	0.09	2.36	31.80	24.00	72.00	99.09	1.92	23.55
040000	5.25	3.11	5.11	1.77	12.62	0.41	2.43	0.09	2.34	31.73	24.00	72.00	68.33	0.76	24.66
050000	5.20	3.10	5.11	1.75	11.05	0.42	2.52	0.10	2.42	31.69	24.00	72.00	123.46	0.22	22.76
060000	5.09	3.15	5.20	1.80	11.37	0.43	2.45	0.09	2.36	31.79	24.00	72.00	155.20	0.43	27.91
070000	5.23	3.16	5.15	1.75	11.98	0.46	2.24	0.10	2.14	32.11	24.00	72.00	195.64	0.50	29.14
080000	5.21	3.17	5.18	1.78	11.63	0.48	2.21	0.09	2.12	32.32	24.00	72.00	232.15	1.37	27.84
090000	5.29	3.11	5.11	1.78	13.66	0.38	2.23	0.12	2.11	32.30	24.00	72.00	275.60	9.29	43.88
100000	5.23	3.15	5.14	1.73	14.12	0.33	2.25	0.17	2.08	31.63	24.00	72.00	262.01	7.32	27.68
110000	5.14	3.10	5.12	1.75	11.74	0.39	2.24	0.17	2.07	31.70	24.00	72.00	193.89	1.64	18.40
120000	5.28	3.10	5.12	1.75	12.60	0.39	2.19	0.13	2.06	32.11	24.00	72.00	47.04	5.33	18.79
130000	5.08	3.11	5.10	1.74	14.96	0.40	2.18	0.12	2.06	32.73	24.00	72.00	96.21	4.82	15.15
140000	5.17	3.06	5.09	1.78	15.88	0.38	2.18	0.11	2.07	32.36	24.00	72.00	111.18	2.42	12.53
150000	5.15	3.16	5.09	1.68	19.30	0.39	2.19	0.11	2.08	32.13	24.00	72.00	44.71	6.19	15.89
160000	5.21	3.16	5.16	1.75	16.88	0.39	2.19	0.09	2.10	31.84	24.00	72.00	114.44	3.02	20.23
170000	5.18	3.17	5.16	1.75	13.81	0.37	2.20	0.09	2.11	31.57	24.00	72.00	51.84	6.34	17.95
180000	5.17	3.12	5.08	1.72	12.91	0.37	2.22	0.11	2.11	31.35	24.00	72.00	87.83	4.96	11.64
190000	5.20	3.10	5.13	1.79	11.55	0.41	2.24	0.09	2.15	31.32	24.00	72.00	69.49	4.31	11.74
200000	5.23	3.11	5.11	1.76	12.03	0.41	2.25	0.09	2.16	31.26	24.00	72.00	62.30	6.06	20.28
210000	5.32	3.09	5.11	1.78	12.10	0.40	2.31	0.07	2.24	31.29	24.00	72.00	95.09	5.73	14.88
220000	5.18	3.14	5.10	1.73	11.71	0.38	2.62	0.09	2.53	31.32	24.00	72.00	43.63	6.00	11.78
230000	5.15	3.11	5.09	1.74	12.47	0.38	2.66	0.14	2.52	31.25	24.00	72.00	47.13	7.31	12.88
極大值	5.32	3.17	5.20	1.80	19.30	0.48	2.66	0.17	2.53	32.73	46.43	129.87	275.60	9.29	930.90
極小值	5.08	3.06	5.08	1.68	11.05	0.33	2.18	0.07	2.06	31.25	24.00	72.00	43.63	0.22	11.64
平均值	5.20	3.12	5.13	1.76	13.34	0.40	2.31	0.11	2.20	31.81	25.00	74.59	112.76	3.84	61.88
標準差	0.06	0.03	0.03	0.03	1.99	0.03	0.14	0.02	0.14	0.4	4.58	11.81	70.14	2.67	185.84

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.18	3.11	5.12	1.79	12.08	0.37	2.43	0.17	2.26	31.10	24.00	72.00	34.64	6.90	14.37
010000	5.29	3.13	5.14	1.77	12.54	0.37	2.53	0.18	2.35	31.17	46.80	130.82	78.15	6.73	944.22
020000	5.26	3.23	5.19	1.72	11.46	0.36	2.61	0.18	2.43	31.13	26.16	77.56	37.27	8.57	104.29
030000	5.25	3.12	5.07	1.70	11.72	0.35	2.58	0.18	2.40	30.96	24.00	72.00	34.59	7.43	19.14
040000	5.22	3.13	5.08	1.71	12.23	0.37	2.36	0.18	2.18	31.07	24.00	72.00	32.16	7.54	16.05
050000	5.29	3.11	5.12	1.76	12.15	0.41	2.40	0.17	2.23	30.92	24.00	72.00	135.04	2.21	19.08
060000	5.24	3.08	5.08	1.75	11.92	0.43	2.47	0.18	2.29	31.23	24.00	72.00	233.84	0.07	21.79
070000	5.20	3.12	5.14	1.79	11.99	0.44	2.54	0.19	2.35	32.70	24.00	72.00	109.93	1.28	19.18
080000	5.22	3.12	5.11	1.74	12.97	0.51	2.46	0.18	2.28	33.95	24.00	72.00	89.82	3.23	22.46
090000	5.31	3.17	5.15	1.74	21.26	0.52	2.26	0.17	2.09	34.36	24.00	72.00	284.87	4.65	30.99
100000	5.24	3.13	5.12	1.76	34.12	0.45	2.14	0.15	1.99	34.89	24.00	72.00	285.23	8.55	46.49
110000	5.24	3.13	5.14	1.77	29.17	0.41	2.14	0.17	1.97	33.49	24.00	72.00	282.52	8.65	44.89
120000	5.33	3.13	5.14	1.78	18.22	0.34	2.17	0.19	1.98	34.10	24.00	72.00	259.00	3.62	21.73
130000	5.23	3.17	5.20	1.77	12.93	0.34	2.25	0.22	2.03	35.05	24.00	72.00	175.57	3.42	8.45
140000	5.37	3.10	5.19	1.86	17.47	0.35	2.22	0.18	2.04	34.49	24.00	72.00	191.34	2.23	21.03
150000	5.33	3.12	5.15	1.78	14.37	0.31	2.24	0.19	2.05	33.85	24.00	72.00	244.70	7.59	12.24
160000	5.27	3.08	5.08	1.75	14.53	0.33	2.25	0.20	2.05	33.03	24.00	72.00	276.54	10.89	27.57
170000	5.25	3.12	5.13	1.76	12.69	0.35	2.31	0.23	2.08	32.77	24.00	72.00	119.38	2.50	15.75
180000	5.29	3.09	5.03	1.70	10.98	0.41	2.26	0.20	2.06	32.45	24.00	72.00	47.41	4.17	18.99
190000	5.31	3.12	5.11	1.73	11.12	0.47	2.17	0.16	2.01	32.39	24.00	72.00	54.79	5.79	18.08
200000	5.32	3.10	5.14	1.77	11.66	0.44	2.16	0.15	2.01	32.19	24.00	72.00	204.28	0.73	26.40
210000	5.28	3.10	5.10	1.76	12.02	0.42	2.18	0.14	2.04	31.87	24.00	72.00	278.95	0.08	18.33
220000	5.34	3.14	5.15	1.76	11.76	0.40	2.20	0.15	2.05	31.65	24.00	72.00	116.57	0.15	25.06
230000	5.41	3.18	5.14	1.72	11.44	0.38	2.17	0.14	2.03	31.45	24.00	72.00	83.37	2.40	19.32
極大值	5.41	3.23	5.20	1.86	34.12	0.52	2.61	0.23	2.43	35.05	46.80	130.82	285.23	10.89	944.22
極小值	5.18	3.08	5.03	1.70	10.98	0.31	2.14	0.14	1.97	30.92	24.00	72.00	32.16	0.07	8.45
平均值	5.28	3.13	5.13	1.76	14.70	0.40	2.31	0.18	2.14	32.59	25.04	74.68	153.75	4.56	64.00
標準差	0.06	0.03	0.04	0.03	5.83	0.06	0.15	0.02	0.15	1.38	4.66	12.01	95.43	3.2	188.44

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.38	3.10	5.09	1.74	11.31	0.37	2.71	0.22	2.49	31.49	24.00	72.00	44.29	6.31	21.77
010000	5.27	3.06	5.11	1.81	12.52	0.40	2.79	0.22	2.57	31.43	46.07	128.91	39.71	5.68	915.70
020000	5.25	3.12	5.17	1.78	11.60	0.42	2.94	0.20	2.74	31.36	26.16	77.56	20.42	6.54	107.60
030000	5.30	3.07	5.05	1.72	11.89	0.39	2.67	0.20	2.47	30.93	24.00	72.00	97.23	2.33	20.82
040000	5.39	3.15	5.15	1.75	12.48	0.38	2.61	0.20	2.41	30.69	24.00	72.00	76.16	0.43	25.97
050000	5.35	3.09	5.11	1.77	11.99	0.38	2.68	0.20	2.48	30.74	24.00	72.00	156.23	0.08	23.31
060000	5.29	3.13	5.16	1.78	11.46	0.40	3.37	0.21	3.16	31.31	24.00	72.00	47.22	4.77	24.11
070000	5.23	3.09	5.13	1.79	12.44	0.39	3.26	0.22	3.04	33.08	24.00	72.00	52.61	2.63	26.24
080000	5.34	3.12	5.08	1.71	16.58	0.38	2.52	0.23	2.29	34.29	24.00	72.00	205.21	0.72	18.44
090000	5.35	3.10	5.10	1.75	23.00	0.40	2.47	0.24	2.23	35.02	24.00	72.00	257.63	1.44	18.33
100000	5.31	3.21	5.17	1.81	26.78	0.39	2.41	0.24	2.17	35.76	24.00	72.00	181.99	1.71	19.77
110000	5.27	3.15	5.15	1.76	32.13	0.38	2.41	0.32	2.09	35.81	24.00	72.00	175.94	4.85	24.83
120000	5.21	3.11	5.19	1.86	54.35	0.59	2.28	0.26	2.02	35.52	24.00	72.00	294.05	5.35	23.44
130000	5.35	3.22	5.19	1.74	52.99	0.54	2.23	0.22	2.01	35.46	24.00	72.00	300.82	8.22	47.35
140000	5.23	3.17	5.17	1.74	43.17	0.49	2.31	0.28	2.03	35.38	24.00	72.00	276.20	7.65	100.34
150000	5.26	3.10	5.15	1.81	38.91	0.47	2.34	0.30	2.04	34.09	24.00	72.00	115.21	10.79	32.91
160000	5.30	3.16	5.15	1.77	32.86	0.48	2.40	0.34	2.06	33.35	24.00	72.00	71.86	6.01	32.64
170000	5.31	3.19	5.08	1.64	28.39	0.47	2.40	0.35	2.05	33.05	24.00	72.00	35.85	10.59	32.85
180000	5.34	3.12	5.10	1.72	22.70	0.44	2.43	0.34	2.09	32.72	24.00	72.00	104.64	3.45	20.35
190000	5.36	3.12	5.15	1.76	21.35	0.41	2.43	0.26	2.17	32.57	24.00	72.00	110.36	2.93	17.16
200000	5.34	3.07	5.04	1.72	22.30	0.41	2.56	0.23	2.33	32.53	24.00	72.00	280.46	1.32	19.24
210000	5.31	3.11	5.17	1.81	18.60	0.41	2.63	0.23	2.40	32.24	24.00	72.00	195.05	0.08	17.57
220000	5.38	3.07	5.16	1.83	16.02	0.44	2.61	0.23	2.38	31.90	24.00	72.00	112.72	0.08	16.75
230000	5.29	3.11	5.14	1.78	14.90	0.43	2.77	0.23	2.54	31.75	24.00	72.00	176.40	0.22	19.43
極大值	5.39	3.22	5.19	1.86	54.35	0.59	3.37	0.35	3.16	35.81	46.07	128.91	300.82	10.79	915.70
極小值	5.21	3.06	5.04	1.64	11.31	0.37	2.23	0.20	2.01	30.69	24.00	72.00	20.42	0.08	16.75
平均值	5.31	3.12	5.13	1.76	23.36	0.43	2.59	0.25	2.34	33.02	25.01	74.60	142.84	3.92	67.79
標準差	0.05	0.04	0.04	0.05	13.05	0.05	0.28	0.05	0.31	1.74	4.51	11.62	90.43	3.31	182.14

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.35	3.14	5.12	1.73	13.73	0.42	2.83	0.14	2.69	31.54	24.00	72.00	188.26	0.08	18.27
010000	5.28	3.11	5.10	1.75	12.87	0.42	2.79	0.12	2.67	31.36	46.55	130.24	140.36	0.43	934.55
020000	5.31	3.13	5.08	1.70	12.59	0.41	2.97	0.11	2.86	31.24	25.61	76.16	97.02	2.50	84.07
030000	5.23	3.03	5.04	1.74	12.29	0.40	2.84	0.11	2.73	31.31	24.00	72.00	35.71	4.30	18.89
040000	5.27	3.08	5.12	1.79	12.72	0.40	3.04	0.12	2.92	31.14	24.00	72.00	93.26	3.32	14.80
050000	5.18	3.13	5.09	1.71	12.40	0.41	3.07	0.13	2.94	31.00	24.00	72.00	30.21	4.94	17.20
060000	5.27	3.11	5.10	1.74	12.12	0.42	4.19	0.15	4.04	31.57	24.00	72.00	75.76	3.23	21.31
070000	5.22	3.14	5.21	1.81	14.36	0.40	3.53	0.14	3.39	32.82	24.00	72.00	40.40	6.32	30.42
080000	5.38	3.14	5.14	1.74	16.36	0.36	2.78	0.12	2.66	34.19	24.00	72.00	62.70	5.41	20.00
090000	5.27	3.09	5.16	1.82	20.94	0.34	2.11	0.03	2.08	35.33	24.00	72.00	132.89	1.84	13.22
100000	5.27	3.11	5.12	1.76	29.20	0.35	2.03	0.02	2.01	36.11	24.00	72.00	237.38	4.08	12.13
110000	5.38	3.09	5.14	1.80	42.50	0.38	2.03	0.04	1.99	35.77	24.00	72.00	295.66	6.37	20.25
120000	5.24	3.13	5.14	1.77	58.53	0.44	2.04	0.05	1.99	35.56	24.00	72.00	293.88	5.80	23.32
130000	5.33	3.22	5.23	1.77	54.56	0.41	2.04	0.04	2.00	35.60	24.00	72.00	292.38	7.61	26.94
140000	5.30	3.15	5.14	1.76	45.41	0.36	2.04	0.04	2.00	35.00	24.00	72.00	293.38	8.97	26.09
150000	5.27	3.17	5.16	1.73	37.94	0.37	2.05	0.03	2.02	34.62	24.00	72.00	251.37	4.38	23.47
160000	5.30	3.07	5.06	1.76	27.86	0.42	2.05	0.01	2.04	33.55	24.00	72.00	136.62	2.93	21.91
170000	5.36	3.13	5.15	1.75	24.38	0.42	2.07	0.02	2.05	33.03	24.00	72.00	36.05	7.77	21.62
180000	5.35	3.18	5.14	1.71	21.43	0.42	2.12	0.05	2.07	32.78	24.00	72.00	51.96	3.81	16.39
190000	5.27	3.16	5.13	1.72	19.61	0.42	2.10	0.03	2.07	32.60	24.00	72.00	83.86	1.87	14.37
200000	5.28	3.13	5.10	1.73	16.38	0.46	2.14	0.03	2.11	32.42	24.00	72.00	102.20	2.86	18.90
210000	5.27	3.12	5.15	1.78	14.63	0.48	2.46	0.05	2.41	32.21	24.00	72.00	90.98	3.56	22.27
220000	5.28	3.13	5.12	1.73	12.94	0.52	2.81	0.06	2.75	32.03	24.00	72.00	67.95	7.13	20.09
230000	5.39	3.07	5.13	1.81	13.48	0.52	3.04	0.07	2.97	31.98	24.00	72.00	52.12	5.38	36.19
極大值	5.39	3.22	5.23	1.82	58.53	0.52	4.19	0.15	4.04	36.11	46.55	130.24	295.66	8.97	934.55
極小值	5.18	3.03	5.04	1.70	12.12	0.34	2.03	0.01	1.99	31.00	24.00	72.00	30.21	0.08	12.13
平均值	5.29	3.12	5.13	1.75	23.30	0.41	2.55	0.07	2.48	33.12	25.01	74.60	132.60	4.37	61.53
標準差	0.05	0.04	0.04	0.03	14.17	0.05	0.58	0.05	0.54	1.71	4.6	11.88	93.96	2.29	186.48

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.29	3.11	5.12	1.74	13.54	0.51	2.74	0.22	2.52	31.89	24.00	72.00	29.55	10.66	32.49
010000	5.20	3.09	5.16	1.82	14.45	0.50	3.26	0.23	3.03	31.84	46.39	129.76	45.45	11.45	929.61
020000	5.35	3.11	5.12	1.76	13.93	0.45	3.62	0.24	3.38	31.64	25.76	76.52	55.18	2.81	103.40
030000	5.27	3.19	5.16	1.72	14.30	0.42	3.90	0.21	3.69	31.68	24.00	72.00	31.64	5.83	29.92
040000	5.32	3.12	5.11	1.72	13.20	0.43	3.67	0.20	3.47	31.59	24.00	72.00	123.17	1.42	27.37
050000	5.21	3.04	5.04	1.75	12.04	0.49	3.08	0.20	2.88	31.58	24.00	72.00	91.83	2.93	25.41
060000	5.32	3.06	5.10	1.78	12.38	0.53	3.04	0.21	2.83	31.59	24.00	72.00	108.72	2.86	32.56
070000	5.19	3.12	5.12	1.73	12.87	0.54	3.07	0.23	2.84	32.04	24.00	72.00	55.58	6.42	34.46
080000	5.30	3.13	5.13	1.74	12.27	0.56	2.66	0.23	2.43	32.47	24.00	72.00	89.75	5.60	34.32
090000	5.27	3.10	5.09	1.75	13.24	0.53	2.46	0.23	2.23	32.88	24.00	72.00	102.96	5.81	41.83
100000	5.35	3.12	5.06	1.68	16.81	0.51	2.45	0.26	2.19	33.40	24.00	72.00	177.79	2.62	31.44
110000	5.27	3.08	5.08	1.75	20.35	0.62	2.51	0.31	2.20	33.91	24.00	72.00	269.64	1.51	44.88
120000	5.24	3.07	5.09	1.77	37.54	0.65	2.47	0.30	2.17	34.40	24.00	72.00	241.49	1.88	53.33
130000	5.25	3.12	5.08	1.71	31.34	0.53	2.38	0.23	2.15	33.86	24.00	72.00	229.64	2.62	51.10
140000	5.19	3.13	5.11	1.74	21.36	0.47	2.36	0.22	2.14	33.14	24.00	72.00	251.76	1.10	36.09
150000	5.29	3.11	5.09	1.73	28.96	0.46	2.34	0.20	2.14	32.80	24.00	72.00	279.69	3.65	30.90
160000	5.31	3.12	5.14	1.76	21.84	0.46	2.33	0.20	2.13	32.45	24.00	72.00	120.91	3.74	37.94
170000	5.21	3.10	5.10	1.75	16.40	0.41	2.33	0.20	2.13	32.00	24.00	72.00	125.62	4.11	25.24
180000	5.30	3.12	5.17	1.79	14.79	0.39	2.37	0.23	2.14	32.35	24.00	72.00	225.96	3.39	16.41
190000	5.31	3.06	5.07	1.76	15.90	0.41	2.38	0.23	2.15	32.81	24.00	72.00	239.43	1.55	12.77
200000	5.34	3.16	5.12	1.71	14.20	0.45	2.40	0.24	2.16	32.56	24.00	72.00	218.74	1.47	19.14
210000	5.32	3.14	5.08	1.70	16.13	0.46	2.51	0.21	2.30	32.41	24.00	72.00	163.14	2.21	22.10
220000	5.30	3.09	5.08	1.75	17.15	0.36	2.61	0.19	2.42	31.23	24.00	72.00	199.98	5.54	11.92
230000	5.35	3.09	5.08	1.73	19.06	0.33	2.49	0.18	2.31	30.89	24.00	72.00	220.20	5.69	9.69
極大值	5.35	3.19	5.17	1.82	37.54	0.65	3.90	0.31	3.69	34.40	46.39	129.76	279.69	11.45	929.61
極小值	5.19	3.04	5.04	1.68	12.04	0.33	2.33	0.18	2.13	30.89	24.00	72.00	29.55	1.10	9.69
平均值	5.28	3.11	5.10	1.74	17.67	0.48	2.73	0.22	2.50	32.39	25.01	74.60	154.08	4.04	70.60
標準差	0.05	0.03	0.03	0.03	6.53	0.08	0.47	0.03	0.48	0.89	4.57	11.79	81.59	2.72	183.93

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.34	3.06	5.07	1.78	15.73	0.36	2.56	0.16	2.40	30.88	24.00	72.00	72.10	8.15	8.42
010000	5.39	3.13	5.11	1.74	15.24	0.38	2.58	0.16	2.42	30.86	46.49	130.09	196.89	1.74	930.41
020000	5.37	3.08	5.06	1.73	16.53	0.38	2.58	0.17	2.41	30.95	25.73	76.47	115.96	8.76	74.02
030000	5.28	3.12	5.11	1.73	14.33	0.38	2.53	0.20	2.33	30.94	24.00	72.00	104.84	4.58	1.40
040000	5.36	3.14	5.10	1.71	14.46	0.36	2.50	0.15	2.35	30.86	24.00	72.00	140.18	6.65	2.42
050000	5.32	3.09	5.06	1.71	15.12	0.36	2.61	0.13	2.48	30.80	24.00	72.00	162.32	3.91	2.29
060000	5.38	3.13	5.06	1.69	15.74	0.35	2.68	0.18	2.50	30.82	24.00	72.00	115.07	5.39	2.95
070000	5.44	3.12	5.10	1.71	14.05	0.39	2.46	0.16	2.30	30.70	24.00	72.00	46.62	9.91	9.34
080000	5.36	3.09	5.16	1.80	14.70	0.40	2.53	0.19	2.34	30.76	24.00	72.00	41.06	13.04	6.19
090000	5.43	3.07	5.14	1.79	16.47	0.39	2.59	0.19	2.40	30.83	24.00	72.00	22.05	16.56	4.60
100000	5.38	3.10	5.09	1.72	15.93	0.38	2.50	0.13	2.37	31.19	24.00	72.00	22.72	19.68	5.62
110000	5.38	3.08	5.08	1.75	16.88	0.35	2.39	0.19	2.20	31.59	24.00	72.00	42.99	14.47	7.93
120000	5.33	3.11	5.12	1.75	16.21	0.36	2.25	0.12	2.13	31.38	24.00	72.00	26.72	10.55	6.77
130000	5.39	3.12	5.06	1.69	16.33	0.37	2.22	0.09	2.13	31.45	24.00	72.00	76.69	13.67	6.67
140000	5.45	3.12	5.12	1.74	15.67	0.37	2.18	0.07	2.11	31.25	24.00	72.00	65.86	7.70	6.70
150000	5.33	3.12	5.07	1.69	15.38	0.37	2.20	0.09	2.11	31.07	24.00	72.00	38.61	14.04	6.44
160000	5.43	3.08	5.05	1.73	13.99	0.38	2.18	0.07	2.11	31.00	24.00	72.00	108.47	6.52	10.95
170000	5.35	3.13	5.19	1.80	15.87	0.38	2.16	0.07	2.09	31.20	24.00	72.00	62.09	12.15	7.67
180000	5.44	3.12	5.08	1.71	14.86	0.39	2.15	0.06	2.09	31.23	24.00	72.00	24.52	12.74	5.36
190000	5.42	3.07	5.04	1.72	14.05	0.38	2.26	0.10	2.16	31.31	24.00	72.00	131.42	6.67	4.32
200000	5.34	3.18	5.14	1.72	14.33	0.39	2.40	0.14	2.26	31.42	24.00	72.00	102.17	5.73	5.83
210000	5.41	3.11	5.11	1.75	13.23	0.36	2.50	0.18	2.32	31.24	24.00	72.00	90.42	5.03	3.21
220000	5.48	3.07	5.08	1.75	13.20	0.37	2.37	0.15	2.22	31.12	24.00	72.00	39.72	5.80	5.06
230000	5.41	3.10	5.14	1.79	13.28	0.38	2.37	0.12	2.25	31.11	24.00	72.00	48.72	7.45	7.26
極大值	5.48	3.18	5.19	1.80	16.88	0.40	2.68	0.20	2.50	31.59	46.49	130.09	196.89	19.68	930.41
極小值	5.28	3.06	5.04	1.69	13.20	0.35	2.15	0.06	2.09	30.70	24.00	72.00	22.05	1.74	1.40
平均值	5.38	3.11	5.10	1.74	15.07	0.37	2.41	0.14	2.27	31.08	25.01	74.61	79.09	9.20	47.16
標準差	0.05	0.03	0.04	0.03	1.1	0.01	0.17	0.04	0.13	0.25	4.59	11.85	47.87	4.48	188.66

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.39	3.05	5.12	1.82	12.97	0.37	2.76	0.09	2.67	30.84	24.00	72.00	142.84	4.68	6.47
010000	5.45	3.14	5.10	1.68	14.56	0.36	2.68	0.08	2.60	30.80	46.49	130.02	86.49	5.81	931.48
020000	5.30	3.10	5.14	1.80	16.53	0.35	2.43	0.08	2.35	30.82	25.61	76.15	98.10	6.14	69.93
030000	5.36	3.08	5.11	1.77	16.80	0.34	2.31	0.09	2.22	30.75	24.00	72.00	47.78	8.67	3.75
040000	5.47	3.09	5.11	1.76	16.66	0.35	2.30	0.10	2.20	30.90	24.00	72.00	215.55	2.72	4.45
050000	5.31	3.10	5.13	1.78	21.47	0.35	2.83	0.11	2.72	31.31	24.00	72.00	242.89	9.58	2.18
060000	5.38	3.10	5.11	1.74	20.49	0.35	3.02	0.11	2.91	31.30	24.00	72.00	252.85	7.71	14.80
070000	5.48	3.05	5.08	1.78	20.97	0.36	2.67	0.13	2.54	31.11	24.00	72.00	217.00	10.69	7.55
080000	5.41	3.13	5.08	1.68	15.09	0.37	2.31	0.12	2.19	30.98	24.00	72.00	106.59	3.32	8.92
090000	5.39	3.13	5.15	1.75	14.32	0.38	2.18	0.12	2.06	31.02	24.00	72.00	34.54	6.00	6.73
100000	5.38	3.12	5.12	1.74	12.79	0.43	2.13	0.14	1.99	31.17	24.00	72.00	52.71	5.98	12.11
110000	5.42	3.10	5.12	1.76	13.43	0.43	2.13	0.21	1.92	31.54	24.00	72.00	28.13	9.99	10.27
120000	5.41	3.11	5.11	1.76	14.36	0.38	2.07	0.13	1.94	32.12	24.00	72.00	34.38	8.99	10.28
130000	5.41	3.15	5.09	1.68	15.54	0.37	2.07	0.11	1.96	32.95	24.00	72.00	83.30	4.03	4.88
140000	5.30	3.11	5.12	1.77	16.83	0.35	2.05	0.11	1.94	32.92	24.00	72.00	146.37	2.71	4.26
150000	5.39	3.15	5.10	1.71	16.17	0.36	2.04	0.10	1.94	32.89	24.00	72.00	84.04	5.28	6.70
160000	5.45	3.13	5.14	1.76	18.07	0.37	2.04	0.10	1.94	33.28	24.00	72.00	257.91	6.73	5.63
170000	5.41	3.09	5.11	1.78	22.38	0.35	2.05	0.10	1.95	32.58	24.00	72.00	266.52	13.73	7.28
180000	5.50	3.11	5.15	1.79	16.56	0.37	2.06	0.10	1.96	32.22	24.00	72.00	207.97	1.64	17.35
190000	5.34	3.05	5.10	1.80	15.75	0.40	2.09	0.10	1.99	32.02	24.00	72.00	46.34	8.58	15.87
200000	5.46	3.10	5.09	1.72	13.27	0.43	2.16	0.10	2.06	31.89	24.00	72.00	233.36	0.28	12.96
210000	5.41	3.13	5.09	1.71	13.23	0.42	2.31	0.11	2.20	31.31	24.00	72.00	215.96	0.33	12.33
220000	5.42	3.11	5.10	1.74	13.05	0.40	2.41	0.10	2.31	31.21	24.00	72.00	125.87	1.08	8.40
230000	5.38	3.08	5.10	1.76	13.07	0.39	2.47	0.09	2.38	31.18	24.00	72.00	141.97	2.35	19.08
極大值	5.50	3.15	5.15	1.82	22.38	0.43	3.02	0.21	2.91	33.28	46.49	130.02	266.52	13.73	931.48
極小值	5.30	3.05	5.08	1.68	12.79	0.34	2.04	0.08	1.92	30.75	24.00	72.00	28.13	0.28	2.18
平均值	5.40	3.10	5.11	1.75	16.02	0.38	2.32	0.11	2.21	31.63	25.00	74.59	140.39	5.71	50.15
標準差	0.05	0.03	0.02	0.04	2.87	0.03	0.29	0.03	0.29	0.8	4.59	11.84	82.35	3.56	188.18

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.46	3.08	5.03	1.72	12.45	0.40	2.59	0.10	2.49	31.24	24.00	72.00	31.26	8.08	6.68
010000	5.47	3.09	5.11	1.76	12.90	0.39	2.53	0.11	2.42	31.00	46.48	129.98	34.01	7.03	931.43
020000	5.43	3.19	5.18	1.76	12.86	0.39	2.46	0.12	2.34	31.01	25.70	76.38	31.62	5.92	82.02
030000	5.47	3.04	5.09	1.84	12.47	0.38	2.39	0.12	2.27	30.90	24.00	72.00	81.31	6.95	16.92
040000	5.51	3.10	5.13	1.79	12.75	0.40	2.46	0.11	2.35	30.78	24.00	72.00	136.47	3.34	16.27
050000	5.42	3.08	5.15	1.82	12.19	0.41	2.40	0.11	2.29	30.63	24.00	72.00	63.50	6.19	14.83
060000	5.47	3.10	5.09	1.75	12.19	0.42	2.34	0.13	2.21	31.08	24.00	72.00	46.00	3.38	16.31
070000	5.41	3.17	5.22	1.79	12.31	0.46	2.28	0.14	2.14	32.33	24.00	72.00	94.74	2.94	15.29
080000	5.53	3.18	5.18	1.77	14.25	0.42	2.16	0.13	2.03	33.71	24.00	72.00	105.71	2.87	17.25
090000	5.53	3.15	5.17	1.79	22.84	0.49	2.15	0.14	2.01	34.57	24.00	72.00	265.28	1.25	27.85
100000	5.48	3.15	5.18	1.78	39.15	0.52	2.09	0.15	1.94	35.11	24.00	72.00	282.72	4.60	34.56
110000	5.39	3.10	5.13	1.80	47.26	0.51	2.02	0.13	1.89	35.40	24.00	72.00	285.36	4.72	39.36
120000	5.51	3.11	5.03	1.71	48.85	0.55	2.00	0.12	1.88	35.66	24.00	72.00	289.66	5.48	37.19
130000	5.46	3.16	5.16	1.76	46.54	0.53	2.01	0.11	1.90	35.82	24.00	72.00	292.40	7.49	31.49
140000	5.55	3.15	5.15	1.77	48.54	0.51	2.02	0.11	1.91	35.65	24.00	72.00	296.33	7.77	31.09
150000	5.59	3.15	5.17	1.78	40.35	0.60	2.01	0.12	1.89	35.29	24.00	72.00	292.81	5.79	42.48
160000	5.47	3.14	5.16	1.76	38.72	0.50	2.00	0.12	1.88	34.72	24.00	72.00	292.64	7.65	41.96
170000	5.54	3.16	5.12	1.72	34.64	0.42	2.01	0.11	1.90	33.97	24.00	72.00	291.64	6.42	33.68
180000	5.46	3.09	5.07	1.72	27.31	0.43	2.04	0.10	1.94	33.47	24.00	72.00	294.38	3.95	32.82
190000	5.53	3.14	5.09	1.74	23.08	0.51	2.07	0.10	1.97	33.19	24.00	72.00	286.02	2.10	38.53
200000	5.52	3.09	5.14	1.81	17.35	0.52	2.06	0.09	1.97	32.84	24.00	72.00	227.31	0.07	42.22
210000	5.45	3.10	5.15	1.81	15.23	0.49	2.06	0.08	1.98	32.41	24.00	72.00	237.85	0.44	34.15
220000	5.43	3.11	5.12	1.78	16.68	0.45	2.16	0.09	2.07	32.03	24.00	72.00	137.24	1.00	28.98
230000	5.34	3.20	5.16	1.73	16.37	0.43	2.32	0.10	2.22	31.92	24.00	72.00	90.47	0.21	27.76
極大值	5.59	3.20	5.22	1.84	48.85	0.60	2.59	0.15	2.49	35.82	46.48	129.98	296.33	8.08	931.43
極小值	5.34	3.04	5.03	1.71	12.19	0.38	2.00	0.08	1.88	30.63	24.00	72.00	31.26	0.07	6.68
平均值	5.48	3.13	5.13	1.77	24.89	0.46	2.19	0.11	2.08	33.11	25.01	74.60	186.95	4.40	68.38
標準差	0.06	0.04	0.05	0.03	13.95	0.06	0.19	0.02	0.19	1.83	4.59	11.83	107.34	2.61	184.43

屏東縣崁頂焚化爐空氣品質監測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.40	3.14	5.08	1.72	17.65	0.43	2.32	0.22	2.10	31.89	24.00	72.00	124.99	0.77	22.86
010000	5.47	3.16	5.12	1.73	16.30	0.43	2.35	0.22	2.13	31.64	46.56	130.35	178.72	0.24	933.73
020000	5.41	3.19	5.14	1.74	14.58	0.43	2.67	0.21	2.46	31.57	25.67	76.33	92.26	1.80	91.05
030000	5.35	3.13	5.11	1.75	14.56	0.42	2.81	0.21	2.60	31.70	24.00	72.00	68.02	3.74	23.05
040000	5.39	3.15	5.12	1.74	14.79	0.44	2.67	0.22	2.45	31.68	24.00	72.00	98.40	5.74	19.64
050000	5.40	3.11	5.08	1.74	13.43	0.56	2.88	0.34	2.54	31.68	24.00	72.00	27.75	5.03	26.20
060000	5.31	3.13	5.13	1.77	12.19	0.58	2.91	0.29	2.62	31.72	24.00	72.00	244.49	0.23	30.10
070000	5.36	3.17	5.20	1.79	12.44	0.59	2.72	0.28	2.44	32.47	24.00	72.00	241.53	0.62	31.70
080000	5.46	3.16	5.10	1.73	17.06	0.63	2.63	0.34	2.29	33.17	24.00	72.00	96.68	3.89	37.96
090000	5.40	3.18	5.16	1.76	23.04	0.55	2.48	0.29	2.19	33.65	24.00	72.00	28.85	7.87	39.62
100000	5.38	3.13	5.12	1.77	28.75	0.54	2.50	0.29	2.21	34.23	24.00	72.00	46.71	7.70	39.89
110000	5.29	3.20	5.20	1.77	38.70	0.58	2.46	0.29	2.17	34.88	24.00	72.00	66.67	9.93	47.07
120000	5.30	3.20	5.15	1.73	46.25	0.58	2.35	0.28	2.07	35.09	24.00	72.00	57.68	10.50	50.95
130000	5.42	3.20	5.17	1.76	43.38	0.47	2.31	0.26	2.05	35.60	24.00	72.00	110.91	5.60	41.61
140000	5.41	3.13	5.10	1.72	44.16	0.44	2.30	0.26	2.04	35.82	24.00	72.00	79.98	4.25	44.34
150000	5.33	3.14	5.12	1.74	53.28	0.47	2.27	0.26	2.01	35.43	24.00	72.00	252.27	7.00	29.80
160000	5.35	3.20	5.22	1.80	33.69	0.49	2.33	0.30	2.03	34.85	24.00	72.00	278.43	3.17	33.21
170000	5.28	3.14	5.12	1.73	22.54	0.50	2.33	0.33	2.00	34.12	24.00	72.00	280.02	3.60	37.88
180000	5.34	3.09	5.14	1.81	27.03	0.39	2.16	0.22	1.94	33.52	24.00	72.00	293.87	5.32	33.64
190000	5.36	3.17	5.20	1.78	23.43	0.39	2.17	0.23	1.94	33.36	24.00	72.00	278.20	5.20	24.41
200000	5.39	3.12	5.12	1.80	25.30	0.38	2.15	0.21	1.94	33.23	24.00	72.00	282.49	5.74	28.56
210000	5.37	3.14	5.12	1.76	23.02	0.37	2.15	0.21	1.94	33.14	24.00	72.00	292.69	3.04	27.58
220000	5.35	3.18	5.17	1.76	17.74	0.41	2.38	0.23	2.15	32.53	24.00	72.00	163.33	0.18	22.39
230000	5.35	3.15	5.10	1.74	15.83	0.42	2.38	0.22	2.16	32.05	24.00	72.00	109.45	1.22	25.79
極大值	5.47	3.20	5.22	1.81	53.28	0.63	2.91	0.34	2.62	35.82	46.56	130.35	293.87	10.50	933.73
極小值	5.28	3.09	5.08	1.72	12.19	0.37	2.15	0.21	1.94	31.57	24.00	72.00	27.75	0.18	19.64
平均值	5.37	3.15	5.14	1.76	24.96	0.48	2.44	0.26	2.19	33.29	25.01	74.61	158.10	4.27	72.63
標準差	0.05	0.03	0.04	0.03	12.09	0.08	0.23	0.04	0.22	1.43	4.6	11.91	96.83	2.99	183.99

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(oC)	(oC)	(%)	(o)	(m/s)	(ug/m)
000000	5.38	3.14	5.14	1.78	14.88	0.45	2.29	0.23	2.06	31.91	24.00	72.00	182.11	0.76	19.85
010000	5.28	3.13	5.11	1.74	15.21	0.48	2.27	0.23	2.04	31.73	46.51	130.24	217.17	0.98	931.19
020000	5.30	3.15	5.19	1.80	14.46	0.49	2.28	0.23	2.05	31.69	25.79	76.65	274.54	0.08	96.76
030000	5.40	3.03	5.05	1.77	13.68	0.50	2.45	0.24	2.21	31.52	24.00	72.00	269.48	0.08	22.91
040000	5.37	3.18	5.14	1.72	14.04	0.53	2.54	0.24	2.30	31.44	24.00	72.00	118.30	1.71	24.58
050000	5.35	3.08	5.09	1.76	12.61	0.54	2.52	0.25	2.27	31.36	24.00	72.00	100.81	0.83	25.20
060000	5.27	3.11	5.13	1.80	11.86	0.58	2.55	0.25	2.30	31.93	24.00	72.00	235.31	0.33	33.40
070000	5.35	3.17	5.22	1.84	13.76	0.55	2.76	0.26	2.50	32.83	24.00	72.00	56.45	6.63	33.82
080000	5.30	3.12	5.10	1.76	19.30	0.46	2.52	0.27	2.25	33.82	24.00	72.00	50.93	8.32	31.93
090000	5.24	3.14	5.17	1.79	26.48	0.41	2.33	0.24	2.09	34.87	24.00	72.00	65.95	5.81	35.51
100000	5.31	3.21	5.20	1.74	34.96	0.43	2.33	0.26	2.07	34.55	24.00	72.00	279.89	5.11	31.90
110000	5.32	3.16	5.12	1.75	37.15	0.44	2.24	0.26	1.98	34.83	24.00	72.00	292.06	5.50	31.15
120000	5.31	3.14	5.11	1.75	39.66	0.48	2.20	0.25	1.95	34.91	24.00	72.00	297.14	7.20	29.05
130000	5.33	3.17	5.16	1.76	43.64	0.43	2.22	0.26	1.96	35.28	24.00	72.00	294.86	8.04	26.39
140000	5.27	3.18	5.14	1.73	43.00	0.43	2.19	0.24	1.95	35.00	24.00	72.00	292.08	7.51	27.40
150000	5.30	3.10	5.11	1.77	42.68	0.41	2.15	0.21	1.94	34.91	24.00	72.00	276.62	9.35	27.69
160000	5.34	3.13	5.15	1.78	33.17	0.40	2.18	0.23	1.95	34.43	24.00	72.00	287.68	6.31	20.66
170000	5.35	3.09	5.09	1.75	30.69	0.41	2.18	0.22	1.96	33.85	24.00	72.00	293.43	3.88	31.69
180000	5.39	3.16	5.11	1.71	28.47	0.41	2.19	0.22	1.97	33.50	24.00	72.00	287.61	3.02	23.65
190000	5.40	3.17	5.13	1.73	26.36	0.43	2.23	0.23	2.00	33.48	24.00	72.00	260.27	0.96	21.24
200000	5.35	3.11	5.10	1.77	21.83	0.47	2.42	0.24	2.18	33.14	24.00	72.00	141.22	0.15	23.98
210000	5.32	3.14	5.14	1.77	19.77	0.48	2.73	0.22	2.51	32.76	24.00	72.00	209.42	0.35	30.62
220000	5.35	3.14	5.12	1.75	17.85	0.51	2.47	0.23	2.24	32.42	24.00	72.00	54.39	0.23	30.63
230000	5.26	3.15	5.13	1.76	16.38	0.54	2.38	0.24	2.14	32.08	24.00	72.00	143.50	1.31	27.71
極大值	5.40	3.21	5.22	1.84	43.64	0.58	2.76	0.27	2.51	35.28	46.51	130.24	297.14	9.35	931.19
極小值	5.24	3.03	5.05	1.71	11.86	0.40	2.15	0.21	1.94	31.36	24.00	72.00	50.93	0.08	19.85
平均值	5.33	3.14	5.13	1.76	24.66	0.47	2.36	0.24	2.12	33.26	25.01	74.62	207.55	3.52	68.29
標準差	0.04	0.04	0.04	0.03	10.96	0.05	0.18	0.02	0.17	1.36	4.59	11.88	91.25	3.22	184.39

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.31	3.07	5.12	1.80	15.70	0.53	2.47	0.24	2.23	31.93	24.00	72.00	90.39	3.86	31.51
010000	5.34	3.12	5.13	1.78	15.44	0.55	2.49	0.25	2.24	31.84	46.49	130.12	54.67	6.12	932.06
020000	5.30	3.13	5.14	1.79	14.52	0.55	2.63	0.26	2.37	31.85	25.61	76.17	16.66	6.30	98.68
030000	5.28	3.10	5.17	1.83	13.63	0.55	2.57	0.25	2.32	31.69	24.00	72.00	43.67	8.44	32.18
040000	5.35	3.10	5.11	1.77	12.85	0.53	3.01	0.24	2.77	31.51	24.00	72.00	37.76	5.31	35.94
050000	5.33	3.06	5.10	1.80	12.43	0.53	2.82	0.25	2.57	31.20	24.00	72.00	265.14	0.07	32.03
060000	5.27	3.11	5.11	1.76	12.05	0.53	2.60	0.26	2.34	31.92	24.00	72.00	146.46	0.07	32.72
070000	5.25	3.10	5.11	1.77	15.31	0.52	2.52	0.26	2.26	33.59	24.00	72.00	261.87	0.82	36.92
080000	5.24	3.14	5.21	1.83	22.10	0.44	2.31	0.25	2.06	35.00	24.00	72.00	152.84	0.81	37.48
090000	5.31	3.13	5.14	1.79	26.96	0.40	2.28	0.26	2.02	35.51	24.00	72.00	244.34	0.76	22.24
100000	5.29	3.15	5.10	1.73	31.24	0.42	2.29	0.28	2.01	36.30	24.00	72.00	216.87	0.63	29.89
110000	5.32	3.14	5.14	1.76	43.44	0.43	2.29	0.27	2.02	35.82	24.00	72.00	264.48	4.05	20.81
120000	5.32	3.17	5.16	1.75	57.51	0.47	2.25	0.23	2.02	35.16	24.00	72.00	300.62	8.21	34.96
130000	5.33	3.11	5.13	1.80	52.72	0.51	2.22	0.22	2.00	35.23	24.00	72.00	298.15	6.93	35.31
140000	5.27	3.18	5.21	1.78	49.96	0.54	2.23	0.23	2.00	35.20	24.00	72.00	298.98	6.52	29.60
150000	5.31	3.15	5.07	1.71	40.25	0.48	2.22	0.23	1.99	34.61	24.00	72.00	292.35	5.72	25.75
160000	5.35	3.16	5.09	1.70	27.30	0.60	2.30	0.26	2.04	34.21	24.00	72.00	209.53	5.89	27.38
170000	5.32	3.19	5.15	1.75	24.47	0.47	2.29	0.23	2.06	33.65	24.00	72.00	43.31	5.93	25.16
180000	5.25	3.16	5.14	1.75	24.75	0.45	2.27	0.22	2.05	33.03	24.00	72.00	46.02	8.04	24.07
190000	5.35	3.16	5.15	1.76	22.67	0.45	2.26	0.23	2.03	33.15	24.00	72.00	21.06	7.53	20.37
200000	5.32	3.18	5.19	1.78	20.83	0.45	2.33	0.23	2.10	33.19	24.00	72.00	33.78	6.41	18.95
210000	5.38	3.21	5.19	1.75	20.04	0.44	2.54	0.22	2.32	33.16	24.00	72.00	24.82	6.16	18.90
220000	5.32	3.08	5.12	1.82	17.70	0.45	3.02	0.21	2.81	32.96	24.00	72.00	42.90	3.57	18.23
230000	5.30	3.16	5.19	1.80	15.85	0.47	2.74	0.23	2.51	32.78	24.00	72.00	44.78	2.97	21.55
極大值	5.38	3.21	5.21	1.83	57.51	0.60	3.02	0.28	2.81	36.30	46.49	130.12	300.62	8.44	932.06
極小值	5.24	3.06	5.07	1.70	12.05	0.40	2.22	0.21	1.99	31.20	24.00	72.00	16.66	0.07	18.23
平均值	5.31	3.14	5.14	1.77	25.40	0.49	2.46	0.24	2.21	33.52	25.00	74.60	143.81	4.63	68.45
標準差	0.04	0.04	0.04	0.03	13.58	0.05	0.24	0.02	0.25	1.54	4.59	11.86	111.68	2.78	184.62

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.31	3.16	5.14	1.74	14.16	0.48	2.99	0.23	2.76	32.48	24.00	72.00	124.25	0.90	25.64
010000	5.23	3.11	5.09	1.75	13.84	0.44	2.55	0.22	2.33	32.05	46.50	130.16	149.97	0.08	931.65
020000	5.22	3.13	5.15	1.79	13.75	0.42	2.48	0.20	2.28	31.99	25.70	76.40	173.70	0.08	90.46
030000	5.18	3.07	5.06	1.75	13.32	0.42	2.52	0.21	2.31	31.97	24.00	72.00	185.17	0.08	19.77
040000	5.23	3.08	5.14	1.84	12.36	0.43	2.88	0.21	2.67	31.65	24.00	72.00	72.95	0.17	20.07
050000	5.25	3.14	5.14	1.77	13.14	0.41	2.73	0.20	2.53	31.35	24.00	72.00	55.01	0.44	19.90
060000	5.30	3.09	5.14	1.81	12.62	0.46	2.43	0.22	2.21	32.01	24.00	72.00	94.46	0.16	23.03
070000	5.26	3.11	5.15	1.80	14.27	0.46	2.35	0.22	2.13	33.86	24.00	72.00	123.75	0.16	24.88
080000	5.23	3.14	5.09	1.73	20.34	0.42	2.30	0.24	2.06	35.15	24.00	72.00	228.48	0.40	25.00
090000	5.25	3.14	5.14	1.76	26.56	0.41	2.35	0.28	2.07	35.57	24.00	72.00	231.37	0.52	21.81
100000	5.31	3.15	5.17	1.80	36.13	0.45	2.33	0.27	2.06	34.98	24.00	72.00	286.14	5.78	19.55
110000	5.29	3.20	5.17	1.74	44.00	0.45	2.28	0.24	2.04	35.32	24.00	72.00	300.58	7.87	34.67
120000	5.33	3.09	5.07	1.76	50.75	0.43	2.26	0.23	2.03	35.20	24.00	72.00	293.60	9.25	38.48
130000	5.25	3.18	5.21	1.84	51.35	0.45	2.26	0.22	2.04	35.23	24.00	72.00	297.54	10.26	31.37
140000	5.14	3.22	5.23	1.77	43.22	0.44	2.22	0.21	2.01	34.93	24.00	72.00	296.18	10.29	43.65
150000	5.24	3.13	5.10	1.74	37.54	0.44	2.18	0.20	1.98	33.07	24.00	72.00	239.48	5.52	50.92
160000	5.32	3.14	5.09	1.73	29.58	0.43	2.19	0.21	1.98	32.54	24.00	72.00	294.82	5.30	42.41
170000	5.28	3.16	5.17	1.79	26.96	0.49	2.28	0.22	2.06	32.73	24.00	72.00	227.74	1.91	22.60
180000	5.14	3.16	5.15	1.74	21.41	0.47	2.35	0.23	2.12	32.77	24.00	72.00	154.65	2.78	29.76
190000	5.27	3.14	5.18	1.81	21.43	0.47	2.46	0.23	2.23	32.63	24.00	72.00	64.22	4.96	31.30
200000	5.14	3.16	5.16	1.79	18.49	0.46	2.36	0.23	2.13	32.52	24.00	72.00	193.54	0.16	18.16
210000	5.24	3.12	5.15	1.80	20.67	0.45	2.31	0.22	2.09	32.40	24.00	72.00	275.97	3.23	24.19
220000	5.33	3.11	5.11	1.75	19.83	0.44	2.32	0.21	2.11	32.30	24.00	72.00	268.66	2.75	26.30
230000	5.15	3.11	5.13	1.81	19.87	0.42	2.29	0.21	2.08	32.22	24.00	72.00	288.31	0.33	18.51
極大值	5.33	3.22	5.23	1.84	51.35	0.49	2.99	0.28	2.76	35.57	46.50	130.16	300.58	10.29	931.65
極小值	5.14	3.07	5.06	1.73	12.36	0.41	2.18	0.20	1.98	31.35	24.00	72.00	55.01	0.08	18.16
平均值	5.25	3.14	5.14	1.78	24.82	0.44	2.40	0.22	2.18	33.20	25.01	74.61	205.02	3.06	68.09
標準差	0.06	0.04	0.04	0.03	12.5	0.02	0.21	0.02	0.21	1.39	4.59	11.87	83.32	3.5	184.59

屏東縣崁頂焚化爐空氣品質監
測報表

	SO2	NO	NOX	NO2	O3	CO	THC	NMHC	CH4	站外溫	站內溫	RH	WD	WS	PM10
時間/單位	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(o C)	(o C)	(%)	(o)	(m/s)	(ug/m)
000000	5.19	3.13	5.15	1.81	17.12	0.41	2.39	0.20	2.19	31.92	24.00	72.00	144.44	1.24	24.99
010000	5.28	3.14	5.09	1.71	14.71	0.41	2.71	0.19	2.52	31.66	46.50	130.18	124.54	1.27	931.61
020000	5.22	3.12	5.13	1.78	13.96	0.41	2.57	0.20	2.37	31.80	25.34	75.47	63.40	5.87	76.38
030000	5.13	3.16	5.16	1.77	14.81	0.42	2.68	0.24	2.44	31.86	24.00	72.00	87.98	6.90	22.95
040000	5.16	3.15	5.12	1.74	14.40	0.43	2.51	0.24	2.27	31.59	24.00	72.00	143.94	1.41	21.43
050000	5.19	3.11	5.10	1.76	13.24	0.45	2.50	0.32	2.18	31.55	24.00	72.00	115.30	0.53	22.24
060000	5.23	3.11	5.12	1.79	11.94	0.47	2.49	0.25	2.24	31.85	24.00	72.00	66.36	2.15	23.66
070000	5.27	3.15	5.13	1.77	13.57	0.48	2.29	0.23	2.06	33.45	24.00	72.00	82.59	1.90	28.17
080000	5.18	3.16	5.09	1.72	18.09	0.45	2.23	0.23	2.00	35.02	24.00	72.00	149.27	0.54	21.83
090000	5.08	3.15	5.16	1.79	22.98	0.46	2.28	0.26	2.02	35.69	24.00	72.00	196.42	0.84	20.19
100000	5.13	3.14	5.17	1.78	30.39	0.46	2.29	0.26	2.03	35.68	24.00	72.00	242.09	1.83	24.19
110000	5.23	3.15	5.09	1.71	47.51	0.47	2.33	0.28	2.05	35.17	24.00	72.00	285.52	7.02	38.89
120000	5.15	3.19	5.17	1.75	58.06	0.47	2.35	0.28	2.07	35.22	24.00	72.00	290.93	7.69	35.61
130000	5.25	3.16	5.13	1.75	56.42	0.45	2.32	0.25	2.07	35.15	24.00	72.00	289.81	8.40	33.44
140000	5.20	3.17	5.16	1.74	46.60	0.42	2.24	0.24	2.00	34.95	24.00	72.00	292.87	8.56	33.77
150000	5.17	3.14	5.16	1.79	40.35	0.40	2.17	0.21	1.96	34.16	24.00	72.00	299.40	7.31	25.84
160000	5.29	3.14	5.18	1.81	38.70	0.42	2.16	0.20	1.96	33.51	24.00	72.00	295.51	6.11	20.69
170000	5.22	3.17	5.11	1.71	34.30	0.45	2.23	0.22	2.01	33.03	24.00	72.00	225.25	2.20	20.81
180000	5.26	3.13	5.09	1.75	26.07	0.54	2.33	0.26	2.07	32.85	24.00	72.00	229.71	1.28	21.04
190000	5.30	3.13	5.15	1.79	22.43	0.53	2.32	0.24	2.08	32.74	24.00	72.00	142.47	0.17	30.56
200000	5.23	3.14	5.14	1.77	24.83	0.45	2.38	0.21	2.17	32.49	24.00	72.00	232.30	0.16	20.86
210000	5.21	3.16	5.16	1.77	21.93	0.44	2.44	0.21	2.23	32.39	24.00	72.00	81.56	0.43	20.10
220000	5.16	3.12	5.11	1.77	21.35	0.43	2.35	0.20	2.15	32.23	24.00	72.00	138.11	0.55	16.74
230000	5.26	3.18	5.15	1.74	17.31	0.44	2.41	0.21	2.20	32.14	24.00	72.00	80.72	0.66	15.78
極大值	5.30	3.19	5.18	1.81	58.06	0.54	2.71	0.32	2.52	35.69	46.50	130.18	299.40	8.56	931.61
極小值	5.08	3.11	5.09	1.71	11.94	0.40	2.16	0.19	1.96	31.55	24.00	72.00	63.40	0.16	15.78
平均值	5.21	3.15	5.13	1.76	26.71	0.45	2.37	0.23	2.14	33.25	24.99	74.57	179.19	3.13	64.66
標準差	0.06	0.02	0.03	0.03	14.16	0.03	0.14	0.03	0.15	1.47	4.59	11.87	84.74	3.06	185.05